Full wwPDB X-ray Structure Validation Report ⓘ

Oct 8, 2023 – 10:36 PM EDT

PDB ID	:	6W5D
Title	:	Crystal Structure of Fab RSB1
Authors	:	Harshbarger, W.; Chandramouli, S.; Malito, M.
Deposited on	:	2020-03-13
Resolution	:	2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	283	2% 65% 10% 24%
1	H	283	6% 62% 16% 22%
2	B	236	% 76% 12% • 10%
2	L	236	69% 21% • 10%

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 6983 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RSB1 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	221	Total	C	N	O	S	0	0	0
			1632	1032	270	323	7			
1	A	214	Total	C	N	O	S	0	0	0
			1598	1012	263	316	7			

- Molecule 2 is a protein called RSB1 Fab Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	213	Total	C	N	O	S	0	0	0
			1585	992	264	323	6			
2	B	213	Total	C	N	O	S	0	0	0
			1585	992	264	323	6			

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	H	135	Total	O	0	0
			135	135		
3	L	169	Total	O	0	0
			169	169		
3	A	146	Total	O	0	0
			146	146		
3	B	133	Total	O	0	0
			133	133		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: RSB1 Fab Heavy Chain



• Molecule 1: RSB1 Fab Heavy Chain



• Molecule 2: RSB1 Fab Light Chain



• Molecule 2: RSB1 Fab Light Chain

Chain B:


%
76%
12%
10%
MET GLU THR PRO ALA GLU LEU LEU LEU LEU LEU LEU TRP LEU PRO ASP THR THR GLY Q1 S2 V11 P15 D27B V27C V33 S34 W35 K42 I48 Y49 D50 V51 T52 R53 R61 S76 E83 G101 L104 L106A G107 Q108 V115 A130
Y140 D151 E160 K166 L180 H188 Q194 E203 K204 T205 V206 A207 P208 T209 GLU CYS SER

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	70.36Å 82.49Å 75.97Å 90.00° 94.89° 90.00°	Depositor
Resolution (Å)	35.55 – 2.00 35.55 – 2.00	Depositor EDS
% Data completeness (in resolution range)	88.7 (35.55-2.00) 87.2 (35.55-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.99 (at 2.00Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.232 , 0.277 0.232 , 0.277	Depositor DCC
R_{free} test set	1988 reflections (3.81%)	wwPDB-VP
Wilson B-factor (Å^2)	23.4	Xtriage
Anisotropy	0.084	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.30 , 41.9	EDS
L-test for twinning[2]	$< \|L\| > = 0.45$, $< L^2 > = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.90	EDS
Total number of atoms	6983	wwPDB-VP
Average B, all atoms (Å^2)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.10% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	0.27	0/1636	0.49	0/2232
1	H	0.29	0/1671	0.53	0/2282
2	B	0.28	0/1624	0.51	0/2219
2	L	0.30	0/1624	0.52	0/2219
All	All	0.29	0/6555	0.51	0/8952

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1
2	L	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	50	ASP	Peptide
2	L	50	ASP	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1598	0	1563	19	0
1	H	1632	0	1579	32	0
2	B	1585	0	1540	23	0
2	L	1585	0	1540	36	0
3	A	146	0	0	8	3
3	B	133	0	0	6	1
3	H	135	0	0	15	1
3	L	169	0	0	13	5
All	All	6983	0	6222	108	6

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:80:MET:SD	3:H:327:HOH:O	2.27	0.91
1:H:114:ALA:O	3:H:301:HOH:O	1.91	0.89
1:H:48:MET:SD	3:H:422:HOH:O	2.32	0.86
2:L:48:ILE:HG22	2:L:48:ILE:O	1.79	0.82
1:H:154:TRP:O	3:H:302:HOH:O	1.99	0.81
1:H:197:ASN:OD1	3:H:303:HOH:O	2.04	0.74
2:L:207:ALA:O	3:L:302:HOH:O	2.07	0.71
2:B:151:ASP:OD2	2:B:188:HIS:HB3	1.90	0.71
2:L:118:PHE:O	3:L:301:HOH:O	2.07	0.70
2:L:50:ASP:O	2:L:52:THR:N	2.25	0.70
1:A:2:VAL:HG22	1:A:28:THR:HG21	1.76	0.68
1:H:169:VAL:HG12	2:L:162:THR:HG23	1.75	0.68
2:B:1:GLN:HA	2:B:1:GLN:OE1	1.95	0.67
1:A:184:VAL:HA	3:A:324:HOH:O	1.95	0.67
1:H:117:LYS:NZ	3:H:308:HOH:O	2.28	0.67
2:L:8:ARG:NH1	3:L:304:HOH:O	2.17	0.66
2:B:50:ASP:O	2:B:52:THR:N	2.29	0.66
2:L:119:PRO:HA	3:L:301:HOH:O	1.96	0.65
2:L:61:ARG:NH1	3:L:306:HOH:O	2.30	0.64
1:H:155:ASN:N	3:H:303:HOH:O	2.32	0.62
2:L:132:LEU:HA	3:L:301:HOH:O	1.98	0.62
2:L:149:LYS:HB2	2:L:192:SER:HB2	1.82	0.62
2:L:151:ASP:OD1	2:L:190:SER:N	2.31	0.61
2:B:194:GLN:OE1	3:B:302:HOH:O	2.17	0.60
1:H:64:GLN:OE1	3:H:304:HOH:O	2.16	0.59
2:B:50:ASP:HB3	2:B:53:ARG:HE	1.68	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:38:ARG:NH1	3:A:306:HOH:O	2.35	0.59
1:H:87:THR:HG23	1:H:110:THR:HA	1.84	0.59
2:L:148:TRP:HE1	2:L:176:SER:HG	1.50	0.58
1:A:98:THR:O	3:A:302:HOH:O	2.17	0.58
1:A:210:ARG:NH2	3:A:309:HOH:O	2.37	0.57
1:H:133:GLY:HA2	1:H:186:SER:H	1.69	0.56
1:H:36:TRP:HB3	3:H:422:HOH:O	2.06	0.55
2:B:83:GLU:HB2	2:B:166:LYS:HZ2	1.73	0.54
1:A:199:ASN:HD22	1:A:206:LYS:HG2	1.73	0.54
2:B:35:TRP:HB2	2:B:48:ILE:HB	1.91	0.53
2:L:48:ILE:O	2:L:48:ILE:CG2	2.54	0.53
2:B:33:VAL:HB	2:B:51:VAL:HG22	1.90	0.53
2:B:115:VAL:O	2:B:204:LYS:NZ	2.38	0.53
1:A:62:LYS:HE3	3:A:306:HOH:O	2.09	0.52
2:B:15:PRO:HD3	2:B:106(A):LEU:O	2.09	0.52
1:H:29:TYR:HE1	1:H:73:ALA:HB1	1.75	0.51
2:L:8:ARG:NH2	3:L:322:HOH:O	2.42	0.51
2:B:42:LYS:HA	3:B:354:HOH:O	2.10	0.50
2:B:101:GLY:O	3:B:303:HOH:O	2.18	0.50
2:B:130:ALA:HB3	2:B:180:LEU:O	2.12	0.50
1:H:4:LEU:HD21	1:H:94:ARG:HB2	1.93	0.50
2:L:15:PRO:HD3	2:L:106(A):LEU:O	2.11	0.50
2:B:205:THR:OG1	3:B:301:HOH:O	2.16	0.50
2:L:33:VAL:HB	2:L:51:VAL:HG22	1.94	0.49
2:L:48:ILE:HD11	2:L:62:PHE:C	2.32	0.49
1:A:3:GLN:HB2	1:A:25:SER:OG	2.12	0.49
1:A:87:THR:HG23	1:A:110:THR:HA	1.95	0.49
1:A:172:SER:N	2:B:160:GLU:OE2	2.45	0.49
2:B:108:GLN:HB2	2:B:140:TYR:CE1	2.49	0.48
1:H:184:VAL:HG11	1:H:194:TYR:HE2	1.79	0.48
2:L:132:LEU:HB2	2:L:178:LEU:HB3	1.95	0.47
2:L:27(C):VAL:HA	3:L:320:HOH:O	2.14	0.47
1:H:18:VAL:HB	1:H:82(C):LEU:HD11	1.97	0.47
2:L:130:ALA:HB3	2:L:180:LEU:O	2.15	0.46
2:L:166:LYS:HG2	2:L:172:TYR:CE2	2.51	0.46
1:H:27:GLY:O	3:H:305:HOH:O	2.21	0.46
1:H:63:PHE:O	1:H:67:VAL:HG12	2.16	0.46
2:L:1:GLN:N	3:L:312:HOH:O	2.29	0.46
1:H:119:PRO:HB3	1:H:145:TYR:HB3	1.96	0.45
1:A:29:TYR:HD1	1:A:30:GLY:H	1.64	0.45
1:H:191:THR:OG1	1:H:192:GLN:N	2.49	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:166:LYS:NZ	3:B:307:HOH:O	2.28	0.45
2:B:11:VAL:HG23	2:B:104:LEU:HD12	1.99	0.45
1:H:61:GLN:OE1	3:H:304:HOH:O	2.20	0.45
1:H:53:ILE:HD12	3:H:358:HOH:O	2.17	0.45
1:H:168:ALA:HB2	1:H:178:LEU:HD23	1.98	0.44
1:H:139:GLY:HA3	1:H:181:VAL:HG12	1.99	0.44
2:L:122:SER:HA	2:L:125:LEU:HD12	1.99	0.44
2:L:46:LEU:HD11	2:L:49:TYR:HB3	1.99	0.44
1:H:12:LYS:NZ	3:H:319:HOH:O	2.49	0.44
1:H:87:THR:HA	1:H:109:VAL:O	2.18	0.44
1:H:184:VAL:HG11	1:H:194:TYR:CE2	2.52	0.44
1:A:36:TRP:CE2	1:A:80:MET:HB2	2.53	0.44
2:L:39:LEU:HB2	2:L:42:LYS:HD2	2.00	0.43
2:L:108:GLN:HB2	2:L:140:TYR:CE2	2.53	0.43
1:A:117:LYS:NZ	1:A:144:ASP:O	2.33	0.43
2:L:61:ARG:HB3	2:L:76:SER:O	2.18	0.43
2:L:69:ASN:ND2	3:L:341:HOH:O	2.52	0.42
2:B:207:ALA:O	2:B:209:THR:N	2.51	0.42
1:H:93:ALA:HB1	1:H:100(D):PHE:HB3	2.02	0.42
2:L:59:PRO:HD3	3:L:451:HOH:O	2.19	0.42
1:A:119:PRO:HB3	1:A:145:TYR:HB3	2.01	0.42
1:A:201:LYS:HB2	1:A:201:LYS:HE2	1.83	0.42
2:L:113:PRO:HB3	2:L:139:PHE:HB3	2.02	0.42
2:L:65:SER:OG	2:L:72:SER:HB2	2.20	0.41
2:L:152:SER:N	3:L:326:HOH:O	2.52	0.41
1:A:12:LYS:NZ	3:A:325:HOH:O	2.53	0.41
2:B:51:VAL:HG13	3:B:394:HOH:O	2.20	0.41
1:H:146:PHE:HA	1:H:147:PRO:HA	1.88	0.41
2:B:194:GLN:NE2	2:B:203:GLU:OE2	2.53	0.41
2:B:27(B):ASP:OD1	2:B:27(C):VAL:N	2.52	0.41
2:L:203:GLU:OE2	3:L:305:HOH:O	2.22	0.41
1:A:52(A):PRO:HD2	3:A:342:HOH:O	2.21	0.41
2:L:27:SER:O	2:L:29:THR:OG1	2.28	0.41
1:A:200:HIS:HB3	1:A:205:THR:OG1	2.21	0.41
1:H:13:LYS:HB3	3:H:335:HOH:O	2.21	0.41
1:H:201:LYS:HE2	3:H:346:HOH:O	2.21	0.41
1:A:134:GLY:HA2	3:A:424:HOH:O	2.20	0.41
2:B:61:ARG:HB3	2:B:76:SER:O	2.21	0.40
1:H:195:ILE:HD12	1:H:197:ASN:HD21	1.86	0.40
2:L:49:TYR:CD2	2:L:50:ASP:HB2	2.56	0.40
2:L:167:GLN:OE1	2:L:173:ALA:HB2	2.21	0.40

All (6) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:447:HOH:O	3:A:424:HOH:O[1_554]	1.98	0.22
3:L:344:HOH:O	3:L:432:HOH:O[1_554]	2.00	0.20
3:A:442:HOH:O	3:B:424:HOH:O[2_456]	2.02	0.18
3:L:421:HOH:O	3:A:424:HOH:O[1_554]	2.12	0.08
3:L:446:HOH:O	3:L:460:HOH:O[1_554]	2.13	0.07
3:H:366:HOH:O	3:L:428:HOH:O[2_546]	2.16	0.04

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	210/283 (74%)	206 (98%)	4 (2%)	0	100	100
1	H	219/283 (77%)	209 (95%)	10 (5%)	0	100	100
2	B	211/236 (89%)	203 (96%)	7 (3%)	1 (0%)	29	23
2	L	211/236 (89%)	201 (95%)	9 (4%)	1 (0%)	29	23
All	All	851/1038 (82%)	819 (96%)	30 (4%)	2 (0%)	47	44

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	L	51	VAL
2	B	51	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	177/230 (77%)	175 (99%)	2 (1%)	73	78
1	H	177/230 (77%)	175 (99%)	2 (1%)	73	78
2	B	178/199 (89%)	175 (98%)	3 (2%)	60	65
2	L	178/199 (89%)	176 (99%)	2 (1%)	73	78
All	All	710/858 (83%)	701 (99%)	9 (1%)	69	74

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	85	GLU
1	H	161	SER
2	L	27(B)	ASP
2	L	204	LYS
1	A	29	TYR
1	A	197	ASN
2	B	1	GLN
2	B	27(B)	ASP
2	B	151	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	214/283 (75%)	-0.21	6 (2%)	53	51	13, 26, 45, 80	0
1	H	221/283 (78%)	0.10	17 (7%)	13	12	13, 30, 90, 106	0
2	B	213/236 (90%)	-0.34	3 (1%)	75	74	13, 25, 39, 76	0
2	L	213/236 (90%)	-0.26	1 (0%)	91	90	12, 26, 42, 52	0
All	All	861/1038 (82%)	-0.17	27 (3%)	49	48	12, 26, 59, 106	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	132	SER	8.0
1	H	127	SER	6.3
1	H	191	THR	5.9
1	A	27	GLY	5.7
1	A	26	GLY	5.4
1	H	131	THR	4.9
1	H	134	GLY	4.6
1	H	128	SER	4.2
1	H	189	LEU	4.0
1	H	161	SER	3.9
2	B	1	GLN	3.8
1	A	29	TYR	3.5
2	B	2	SER	3.2
1	A	1	GLN	3.1
1	H	184	VAL	3.0
1	H	188	SER	2.8
1	H	136	ALA	2.7
2	L	48	ILE	2.6
1	H	133	GLY	2.6
2	B	151	ASP	2.5
1	H	130	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	163	VAL	2.3
1	H	187	SER	2.3
1	H	27	GLY	2.2
1	H	193	THR	2.1
1	A	134	GLY	2.1
1	A	28	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.