

Full wwPDB X-ray Structure Validation Report (i)

Dec 17, 2023 – 04:37 PM EST

PDB ID	:	4W7P
Title	:	Crystal Structure of ROCK 1 bound to YB-15-QD37
Authors	:	Sprague, E.R.
Deposited on	:	2014-08-22
Resolution	:	2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution		
Metric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R _{free}	130704	3140 (2.80-2.80)		
Clashscore	141614	3569(2.80-2.80)		
Ramachandran outliers	138981	3498 (2.80-2.80)		
Sidechain outliers	138945	3500 (2.80-2.80)		
RSRZ outliers	127900	3078 (2.80-2.80)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain					
1	А	411	3% 77%	16%	• 6%			
1	В	411	4%	16%	6%			
1	С	411	73%	19%	• 7%			
1	D	411	^{2%} 78%	15%	• 6%			



4W7P

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 12769 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Δ	200	Total	С	Ν	0	\mathbf{S}	0	0	0
	A	388	3178	2037	528	592	21	0	0	0
1	В	387	Total	С	Ν	0	S	0	0	0
	D		3163	2027	520	595	21			
1	C	C 383	Total	С	Ν	0	S	0	0	0
			3128	2008	516	583	21	0	0	0
1	1 D	297	Total	С	Ν	0	S	0	0	0
	387	3164	2027	524	592	21	0		U	

• Molecule 1 is a protein called Rho-associated protein kinase 1.

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	0	GLY	-	expression tag	UNP Q13464
А	1	ALA	-	expression tag	UNP Q13464
В	0	GLY	-	expression tag	UNP Q13464
В	1	ALA	-	expression tag	UNP Q13464
С	0	GLY	-	expression tag	UNP Q13464
С	1	ALA	-	expression tag	UNP Q13464
D	0	GLY	-	expression tag	UNP Q13464
D	1	ALA	-	expression tag	UNP Q13464

• Molecule 2 is N 1 -[2-(1H-indazol-5-yl)pyrido [3,4-d]pyrimidin-4-yl]-2-methylpropane-1,2-dia mine (three-letter code: 3J7) (formula: $\rm C_{18}H_{19}N_7).$





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
9	Λ	1	Total C	Ν	0	0	
	Л	1	25 18	7	0	0	
9	В	1	1 Total C N		0	0	
	2 D	1	25 18	7	0	0	
0	С	1	Total C	Ν	0	0	
		1	25 18	7	0	0	
9	Л	1	Total C	Ν	0	0	
	D		25 18	7	0	0	

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	5	Total O 5 5	0	0
3	В	8	Total O 8 8	0	0
3	С	11	Total O 11 11	0	0
3	D	12	$\begin{array}{ccc} \text{Total} & \text{O} \\ 12 & 12 \end{array}$	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Rho-associated protein kinase 1



GLU P277 A131 P382 0261 M166 V386 M260 M157 V386 M280 M156 V386 M281 M156 AKC W284 G159 ARC W284 G159 ARC W284 G159 ARC W291 W127 ARC W291 W124 SER W291 W124 SER W291 W124 ARC W291 W124 ARN U297 P201 ARN U297 P201 ARN U297 P201 ARN U297 P201 ARN U296 P206 ARA U205 P201 ARA U205 P201 ARA U205 P206 ARA U205 P206 ARA U205 P206 ARA U205 P206 ARA

 \bullet Molecule 1: Rho-associated protein kinase 1





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	61.55Å 179.66Å 89.27Å	Deperitor
a, b, c, α , β , γ	90.00° 104.59° 90.00°	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\boldsymbol{\lambda}})$	86.39 - 2.80	Depositor
Resolution (A)	86.39 - 2.80	EDS
% Data completeness	99.6 (86.39-2.80)	Depositor
(in resolution range)	99.6 (86.39-2.80)	EDS
R_{merge}	0.09	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.55 (at 2.82 \text{\AA})$	Xtriage
Refinement program	BUSTER-TNT BUSTER 2.11.2, BUSTER 2.11.2	Depositor
P. P.	0.206 , 0.246	Depositor
n, n_{free}	0.212 , 0.254	DCC
R_{free} test set	2294 reflections $(5.00%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	49.3	Xtriage
Anisotropy	0.218	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.36, 60.3	EDS
L-test for twinning ²	$< L >=0.47, < L^2>=0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	12769	wwPDB-VP
Average B, all atoms $(Å^2)$	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 14.63% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: $3\mathrm{J}7$

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.51	0/3253	0.73	0/4391	
1	В	0.50	0/3237	0.72	0/4370	
1	С	0.52	0/3202	0.73	0/4323	
1	D	0.51	0/3238	0.72	0/4371	
All	All	0.51	0/12930	0.73	0/17455	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3178	0	3091	37	0
1	В	3163	0	3068	33	0
1	С	3128	0	3046	39	0
1	D	3164	0	3075	33	0
2	А	25	0	19	1	0
2	В	25	0	19	2	0
2	С	25	0	19	2	0
2	D	25	0	19	1	0
3	A	5	0	0	0	0



e entrinaea front proceda pagem								
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes		
3	В	8	0	0	0	0		
3	С	11	0	0	0	0		
3	D	12	0	0	0	0		
All	All	12769	0	12356	126	0		

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:343:TRP:HB3	1:C:351:THR:HG21	1.55	0.88
1:C:344:ALA:H	1:C:347:THR:HG22	1.42	0.84
1:A:66:ILE:HD11	1:B:25:VAL:HG21	1.59	0.84
1:B:344:ALA:H	1:B:347:THR:HG22	1.49	0.77
1:C:37:LEU:HD13	1:D:37:LEU:HD13	1.67	0.75
1:C:25:VAL:HG21	1:D:66:ILE:HD11	1.69	0.74
1:D:402:ASN:H	1:D:402:ASN:HD22	1.36	0.73
1:B:346:GLU:HG3	1:D:247:LYS:HG2	1.70	0.73
1:C:240:TYR:OH	1:C:270:GLU:OE2	2.06	0.73
1:A:266:VAL:HG13	1:A:277:PRO:HD2	1.71	0.73
1:A:137:VAL:HG11	2:A:501:3J7:H15	1.71	0.73
1:C:30:LEU:HB3	1:D:30:LEU:HB3	1.72	0.72
1:D:137:VAL:HG11	2:D:501:3J7:H15	1.72	0.71
1:C:266:VAL:HG13	1:C:277:PRO:HD2	1.73	0.70
1:B:316:PHE:O	1:B:323:ARG:HD2	1.91	0.70
1:D:266:VAL:HG13	1:D:277:PRO:HD2	1.74	0.70
1:A:316:PHE:O	1:A:323:ARG:HD2	1.91	0.69
1:C:137:VAL:HG11	2:C:501:3J7:H15	1.74	0.69
1:C:316:PHE:O	1:C:323:ARG:HD2	1.93	0.69
1:A:37:LEU:HD13	1:B:37:LEU:HD13	1.75	0.69
1:B:266:VAL:HG13	1:B:277:PRO:HD2	1.74	0.68
1:D:316:PHE:O	1:D:323:ARG:HD2	1.94	0.68
1:B:240:TYR:OH	1:B:270:GLU:OE2	2.08	0.68
1:D:240:TYR:OH	1:D:270:GLU:OE2	2.12	0.68
1:D:72:LYS:HG3	1:D:74:GLU:HG2	1.75	0.67
1:A:240:TYR:OH	1:A:270:GLU:OE2	2.12	0.65
1:D:138:GLN:HE22	1:D:403:ARG:HD3	1.59	0.65
1:B:343:TRP:HB3	1:B:351:THR:HG21	1.79	0.65
1:A:344:ALA:HB3	1:A:347:THR:HG22	1.79	0.64
1:B:72:LYS:HG3	1:B:74:GLU:HG2	1.80	0.64



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:72:LYS:HG3	1:C:74:GLU:HG2	1.81	0.62
1:A:72:LYS:HG3	1:A:74:GLU:HG2	1.81	0.61
1:D:343:TRP:HB3	1:D:351:THR:HG21	1.85	0.58
1:C:66:ILE:HD11	1:D:25:VAL:HG21	1.87	0.57
1:A:30:LEU:HB3	1:B:30:LEU:HB3	1.86	0.57
1:C:230:ARG:HG2	1:C:254:TYR:HD1	1.71	0.56
1:D:230:ARG:HG2	1:D:254:TYR:HD1	1.71	0.56
1:B:230:ARG:HG2	1:B:254:TYR:HD1	1.70	0.55
1:B:351:THR:HA	1:D:284:VAL:HG11	1.88	0.55
1:A:230:ARG:HG2	1:A:254:TYR:HD1	1.71	0.54
1:C:107:LEU:HD13	1:C:112:MET:HE1	1.91	0.53
1:C:280:ALA:HB2	1:C:289:LYS:HE3	1.90	0.52
1:C:230:ARG:HG2	1:C:254:TYR:CD1	2.45	0.52
1:B:314:CYS:O	1:B:318:THR:HG23	2.10	0.52
1:D:230:ARG:HG2	1:D:254:TYR:CD1	2.45	0.52
1:C:314:CYS:O	1:C:318:THR:HG23	2.10	0.51
1:D:293:HIS:O	1:D:297:LEU:HB2	2.11	0.51
1:A:230:ARG:HG2	1:A:254:TYR:CD1	2.45	0.51
1:B:230:ARG:HG2	1:B:254:TYR:CD1	2.45	0.51
1:A:287:TYR:O	1:A:291:MET:HG2	2.10	0.51
1:A:314:CYS:O	1:A:318:THR:HG23	2.11	0.50
1:B:84:ARG:HH21	1:B:371:LEU:HB3	1.76	0.50
1:C:172:GLU:OE1	1:C:305:ILE:HA	2.11	0.50
1:D:314:CYS:O	1:D:318:THR:HG23	2.12	0.50
1:A:138:GLN:HE22	1:A:403:ARG:HD3	1.77	0.50
1:A:84:ARG:HH22	1:A:372:GLU:HG3	1.77	0.49
1:A:66:ILE:HD12	1:B:14:MET:SD	2.53	0.49
1:C:172:GLU:HG2	1:C:272:LEU:HD22	1.94	0.49
1:B:162:VAL:HG23	1:B:201:PRO:HB2	1.94	0.49
1:D:174:TRP:CD1	1:D:354:PRO:HB3	2.48	0.49
1:C:20:ASP:HB3	1:C:23:SER:HB2	1.94	0.49
1:C:246:LEU:HD23	1:C:291:MET:SD	2.53	0.49
1:A:402:ASN:O	1:C:382:PRO:HB3	2.12	0.48
1:A:113:ILE:HD11	1:A:393:PRO:HG2	1.95	0.48
1:C:174:TRP:CD1	1:C:354:PRO:HB3	2.48	0.48
1:C:82:ILE:HD12	2:C:501:3J7:H9	1.94	0.48
1:B:372:GLU:O	1:B:373:GLU:HB2	2.13	0.48
1:A:127:ILE:O	1:A:131:ALA:HB2	2.14	0.48
1:A:20:ASP:HB3	1:A:23:SER:HB2	1.96	0.48
1:C:84:ARG:HG3	1:C:89:GLU:HG2	1.96	0.47
1:A:190:HIS:CE1	1:A:257:ARG:HB2	2.50	0.47



	lo de page	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:20:ASP:HB3	1:B:23:SER:HB2	1.95	0.47	
1:C:156:MET:SD	1:C:213:LYS:HD2	2.55	0.47	
1:B:82:ILE:HD12	2:B:501:3J7:H13	1.97	0.46	
1:C:14:MET:SD	1:D:66:ILE:HD12	2.55	0.46	
1:B:174:TRP:CD1	1:B:354:PRO:HB3	2.50	0.46	
1:A:84:ARG:HH21	1:A:371:LEU:HB3	1.81	0.46	
1:A:69:LEU:HB2	1:B:14:MET:HE1	1.97	0.46	
1:A:174:TRP:CD1	1:A:354:PRO:HB3	2.50	0.46	
1:B:137:VAL:HG11	2:B:501:3J7:H15	1.99	0.45	
1:B:127:ILE:O	1:B:131:ALA:HB2	2.16	0.45	
1:A:18:LEU:HA	1:A:26:ASN:HA	1.98	0.45	
1:B:156:MET:SD	1:B:213:LYS:HD2	2.56	0.45	
1:C:343:TRP:CD2	1:C:348:LEU:HD13	2.52	0.45	
1:C:127:ILE:O	1:C:131:ALA:HB2	2.17	0.45	
1:A:176:ARG:HG2	1:A:343:TRP:HZ2	1.82	0.44	
1:C:18:LEU:HA	1:C:26:ASN:HA	1.99	0.44	
1:C:84:ARG:NH2	1:C:372:GLU:HG3	2.32	0.44	
1:B:184:LEU:HD12	1:B:348:LEU:HD23	2.00	0.44	
1:A:159:GLY:HA2	1:A:368:PHE:CZ	2.53	0.44	
1:D:384:PRO:HB3	1:D:388:VAL:CG1	2.48	0.44	
1:A:294:LYS:HD2	1:A:294:LYS:H	1.84	0.43	
1:A:112:MET:CE	1:A:120:PHE:HZ	2.31	0.43	
1:C:294:LYS:HD2	1:C:294:LYS:H	1.83	0.43	
1:B:18:LEU:HA	1:B:26:ASN:HA	2.01	0.43	
1:B:278:PHE:HB3	1:B:289:LYS:HB3	2.00	0.43	
1:B:84:ARG:HG3	1:B:89:GLU:HG2	2.01	0.43	
1:B:159:GLY:HA2	1:B:368:PHE:CZ	2.54	0.43	
1:D:18:LEU:HA	1:D:26:ASN:HA	2.01	0.43	
1:D:238:PRO:O	1:D:241:ILE:HG22	2.18	0.43	
1:A:278:PHE:HB3	1:A:289:LYS:HB3	2.01	0.42	
1:C:17:LEU:HD21	1:D:65:LYS:HE3	2.01	0.42	
1:C:172:GLU:HG2	1:C:272:LEU:CD2	2.48	0.42	
1:A:69:LEU:HB2	1:B:14:MET:CE	2.50	0.42	
1:A:171:PRO:HB2	1:A:173:LYS:HE3	2.01	0.42	
1:C:159:GLY:HA2	1:C:368:PHE:CZ	2.53	0.42	
1:D:20:ASP:HB3	1:D:23:SER:HB2	2.02	0.42	
1:D:127:ILE:O	1:D:131:ALA:HB2	2.19	0.42	
1:D:87:PHE:HD1	1:D:111:GLU:HB3	1.84	0.42	
1:C:162:VAL:HG23	1:C:201:PRO:HB2	2.02	0.42	
1:C:238:PRO:O	1:C:241:ILE:HG22	2.19	0.42	
1:D:159:GLY:HA2	1:D:368:PHE:CZ	2.54	0.42	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:C:184:LEU:HD12	1:C:348:LEU:HD23	2.02	0.41
1:B:107:LEU:HD13	1:B:112:MET:HE1	2.00	0.41
1:D:184:LEU:HD12	1:D:348:LEU:HD23	2.02	0.41
1:A:100:LYS:HD3	1:A:102:TYR:CZ	2.56	0.41
1:A:140:PHE:O	1:A:401:SER:HB2	2.21	0.41
1:C:66:ILE:HD12	1:D:14:MET:SD	2.60	0.41
1:D:156:MET:SD	1:D:213:LYS:HD2	2.61	0.41
1:A:184:LEU:HD12	1:A:348:LEU:HD23	2.02	0.41
1:A:238:PRO:O	1:A:241:ILE:HG22	2.20	0.41
1:B:238:PRO:O	1:B:241:ILE:HG22	2.21	0.41
1:A:173:LYS:H	1:A:173:LYS:HG3	1.52	0.41
1:D:162:VAL:HG23	1:D:201:PRO:HB2	2.03	0.40
1:C:237:THR:HA	1:C:238:PRO:HD2	1.95	0.40
1:D:344:ALA:HB3	1:D:347:THR:HG22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	380/411~(92%)	364 (96%)	16 (4%)	0	100	100
1	В	379/411~(92%)	363 (96%)	14 (4%)	2(0%)	29	61
1	С	375/411~(91%)	360 (96%)	13 (4%)	2 (0%)	29	61
1	D	379/411~(92%)	366 (97%)	12 (3%)	1 (0%)	41	72
All	All	1513/1644~(92%)	1453 (96%)	55~(4%)	5(0%)	41	72

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	372	GLU
	a i	1	,



Continued from previous page...

	0	-	1 0
Mol	Chain	\mathbf{Res}	Type
1	С	285	GLY
1	D	96	LYS
1	В	115	ARG
1	С	216	ASP

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	348/363~(96%)	325~(93%)	23~(7%)	16 44
1	В	347/363~(96%)	325~(94%)	22~(6%)	18 46
1	С	343/363~(94%)	316~(92%)	27 (8%)	12 34
1	D	347/363~(96%)	327 (94%)	20 (6%)	20 50
All	All	1385/1452~(95%)	1293 (93%)	92 (7%)	16 44

All (92) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	15	ASP
1	А	18	LEU
1	А	62	THR
1	А	92	LEU
1	А	111	GLU
1	А	113	ILE
1	А	126	ASP
1	А	173	LYS
1	А	229	VAL
1	А	232	ASP
1	А	258	GLU
1	А	268	LEU
1	А	283	LEU
1	А	294	LYS
1	А	297	LEU
1	А	312	LEU
1	А	322	VAL



Mol	Chain	Res	Type
1	А	329	VAL
1	А	342	GLN
1	А	347	THR
1	А	372	GLU
1	А	402	ASN
1	А	403	ARG
1	В	17	LEU
1	В	92	LEU
1	В	111	GLU
1	В	113	ILE
1	В	126	ASP
1	В	139	LEU
1	В	229	VAL
1	В	232	ASP
1	В	258	GLU
1	В	268	LEU
1	В	281	ASP
1	В	283	LEU
1	В	284	VAL
1	В	294	LYS
1	В	297	LEU
1	В	301	ASP
1	В	312	LEU
1	В	322	VAL
1	В	329	VAL
1	В	347	THR
1	В	372	GLU
1	В	373	GLU
1	С	17	LEU
1	С	19	ARG
1	С	50	LYS
1	С	62	THR
1	C	92	LEU
1	С	111	GLU
1	C	113	ILE
1	С	115	ARG
1	С	120	PHE
1	С	126	ASP
1	С	173	LYS
1	С	219	THR
1	С	229	VAL
1	С	232	ASP



Mol	Chain	Res	Type
1	С	258	GLU
1	С	268	LEU
1	С	281	ASP
1	С	294	LYS
1	С	297	LEU
1	С	304	ASP
1	С	312	LEU
1	С	322	VAL
1	С	329	VAL
1	С	341	ASP
1	С	342	GLN
1	С	347	THR
1	С	388	VAL
1	D	15	ASP
1	D	17	LEU
1	D	62	THR
1	D	92	LEU
1	D	126	ASP
1	D	173	LYS
1	D	229	VAL
1	D	232	ASP
1	D	258	GLU
1	D	268	LEU
1	D	275	ASP
1	D	297	LEU
1	D	312	LEU
1	D	322	VAL
1	D	329	VAL
1	D	342	GLN
1	D	347	THR
1	D	388	VAL
1	D	402	ASN
1	D	403	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	51	ASN
1	А	54	ASN
1	А	167	ASN
1	А	342	GLN
1	А	402	ASN



\mathbf{Mol}	Chain	Res	Type
1	В	54	ASN
1	В	167	ASN
1	В	293	HIS
1	В	295	ASN
1	С	54	ASN
1	С	293	HIS
1	D	54	ASN
1	D	167	ASN
1	D	402	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Thain Bos		Res L	Tiple	Bond lengths			Bond angles		
INIOI	туре	Unam	ries	nes LII		S LINK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
2	3J7	D	501	-	21,28,28	1.54	4 (19%)	25,41,41	1.51	6 (24%)		
2	3J7	В	501	-	21,28,28	1.55	4 (19%)	25,41,41	1.30	4 (16%)		
2	3J7	А	501	-	21,28,28	1.74	6 (28%)	25,41,41	1.41	4 (16%)		
2	3J7	С	501	-	21,28,28	1.56	3 (14%)	25,41,41	1.50	3 (12%)		



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	3J7	D	501	-	-	2/10/10/10	0/4/4/4
2	3J7	В	501	-	-	3/10/10/10	0/4/4/4
2	3J7	А	501	-	-	1/10/10/10	0/4/4/4
2	3J7	С	501	-	-	1/10/10/10	0/4/4/4

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	С	501	3J7	C6-N6	3.87	1.41	1.34
2	В	501	3J7	C6-N6	3.79	1.41	1.34
2	D	501	3J7	C6-N6	3.76	1.41	1.34
2	А	501	3J7	C6-N6	3.68	1.41	1.34
2	А	501	3J7	C2-C1	3.62	1.41	1.36
2	D	501	3J7	C2-C1	3.34	1.41	1.36
2	С	501	3J7	C2-C1	3.23	1.41	1.36
2	В	501	3J7	C2-C1	3.00	1.40	1.36
2	А	501	3J7	C10-C11	2.92	1.42	1.36
2	В	501	3J7	C10-C11	2.75	1.42	1.36
2	А	501	3J7	C3-N1	2.43	1.36	1.32
2	D	501	3J7	C10-C11	2.37	1.41	1.36
2	А	501	3J7	C9-C8	2.34	1.44	1.38
2	С	501	3J7	C10-C11	2.23	1.41	1.36
2	А	501	3J7	C11-C8	2.22	1.44	1.39
2	В	501	3J7	C9-C8	2.16	1.43	1.38
2	D	501	3J7	C9-C8	2.14	1.43	1.38

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
2	С	501	3J7	C1-C2-C5	-3.80	116.60	119.81
2	D	501	3J7	N3-C7-N2	-3.56	123.31	126.11
2	А	501	3J7	C17-C16-C15	3.18	115.06	109.82
2	В	501	3J7	C1-C2-C5	-3.14	117.15	119.81
2	А	501	3J7	N3-C7-N2	-2.63	124.05	126.11
2	D	501	3J7	C7-N3-C4	2.60	118.26	116.50
2	С	501	3J7	C18-C16-C15	2.57	114.06	109.82
2	D	501	3J7	C1-C2-C5	-2.42	117.76	119.81
2	D	501	3J7	C10-C12-N5	2.35	134.01	130.19



Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
2	А	501	3J7	C10-C12-N5	2.35	134.01	130.19
2	С	501	3J7	C10-C12-N5	2.34	134.00	130.19
2	В	501	3J7	C10-C12-N5	2.30	133.93	130.19
2	А	501	3J7	C1-C2-C5	-2.20	117.95	119.81
2	D	501	3J7	C9-C13-C12	-2.14	116.88	119.87
2	D	501	3J7	C17-C16-C15	2.10	113.29	109.82
2	В	501	3J7	C11-C10-C12	-2.10	118.19	120.84
2	В	501	3J7	C17-C16-C15	2.03	113.17	109.82

There are no chirality outliers.

Mol	Chain	\mathbf{Res}	Type	Atoms
2	В	501	3J7	N6-C15-C16-C17
2	В	501	3J7	N6-C15-C16-C18
2	В	501	3J7	N6-C15-C16-N7
2	D	501	3J7	N6-C15-C16-N7
2	С	501	3J7	N2-C6-N6-C15
2	D	501	3J7	N6-C15-C16-C17
2	А	501	3J7	N6-C15-C16-C17

All (7) torsion outliers are listed below:

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	501	3J7	1	0
2	В	501	3J7	2	0
2	А	501	3J7	1	0
2	С	501	3J7	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and similar rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	388/411~(94%)	0.27	11 (2%) 53 43	25, 49, 81, 98	0
1	В	387/411~(94%)	0.40	18 (4%) 31 22	31, 52, 92, 114	0
1	С	383/411~(93%)	0.20	11 (2%) 51 41	24, 46, 77, 101	0
1	D	387/411~(94%)	0.22	7 (1%) 68 61	26, 46, 76, 104	0
All	All	1545/1644~(93%)	0.27	47 (3%) 50 40	24, 48, 85, 114	0

All (47) RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	А	363	ILE	4.4
1	А	295	ASN	4.3
1	А	232	ASP	4.1
1	D	227	GLY	3.5
1	D	11	PHE	3.4
1	В	100	LYS	3.3
1	А	11	PHE	3.3
1	В	303	ASN	3.2
1	В	326	ARG	3.2
1	А	97	SER	3.1
1	А	362	ASP	3.1
1	В	252	ASP	2.8
1	В	9	THR	2.8
1	С	362	ASP	2.8
1	В	295	ASN	2.7
1	С	226	GLU	2.7
1	А	252	ASP	2.7
1	С	301	ASP	2.7
1	С	282	SER	2.7
1	В	115	ARG	2.7
1	А	279	TYR	2.6



Mol	Chain	Res	Type	RSRZ
1	С	326	ARG	2.6
1	В	284	VAL	2.6
1	В	327	ASN	2.6
1	D	98	THR	2.6
1	В	15	ASP	2.5
1	D	97	SER	2.4
1	С	284	VAL	2.4
1	А	358	ASP	2.4
1	В	400	TYR	2.4
1	С	286	THR	2.4
1	С	255	TYR	2.4
1	А	231	CYS	2.3
1	D	255	TYR	2.3
1	В	279	TYR	2.3
1	D	6	SER	2.3
1	В	377	GLU	2.3
1	С	235	VAL	2.3
1	В	245	VAL	2.2
1	D	284	VAL	2.2
1	В	235	VAL	2.2
1	С	281	ASP	2.1
1	В	84	ARG	2.1
1	В	285	GLY	2.1
1	В	282	SER	2.1
1	А	341	ASP	2.0
1	С	8	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	3J7	А	501	25/25	0.94	0.24	$38,\!44,\!46,\!47$	0
2	3J7	С	501	25/25	0.95	0.20	32,38,42,43	0
2	3J7	В	501	25/25	0.96	0.23	35,50,54,54	0
2	3J7	D	501	25/25	0.96	0.22	38,44,50,50	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.















6.5 Other polymers (i)

There are no such residues in this entry.

