



# Full wwPDB EM Validation Report (i)

Apr 8, 2024 – 10:28 AM JST

PDB ID : 8WCR  
EMDB ID : EMD-37447  
Title : Cryo-EM structure of nanodisc (PE:PS:PC) reconstituted GLIC at pH 4 in open state  
Authors : Bharambe, N.; Li, Z.; Basak, S.  
Deposited on : 2023-09-13  
Resolution : 2.74 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references \(1\)](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
**ELECTRON MICROSCOPY**

The reported resolution of this entry is 2.74 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.



## 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 14615 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proton-gated ion channel.

Mol	Chain	Residues	Atoms					AltConf	Trace	
1	E	312	Total	C 2537	N 1671	O 408	S 454	4	1	0
1	A	312	Total	C 2537	N 1671	O 408	S 454	4	1	0
1	B	312	Total	C 2537	N 1671	O 408	S 454	4	1	0
1	C	312	Total	C 2537	N 1671	O 408	S 454	4	1	0
1	D	312	Total	C 2537	N 1671	O 408	S 454	4	1	0

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		AltConf
2	E	1	Total	Cl 1	0
2	A	1	Total	Cl 1	0
2	B	1	Total	Cl 1	0
2	C	1	Total	Cl 1	0
2	D	1	Total	Cl 1	0

- Molecule 3 is 1,2-dioleoyl-sn-glycero-3-phosphoethanolamine (three-letter code: PEE) (formula: C<sub>41</sub>H<sub>78</sub>NO<sub>8</sub>P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	AltConf
3	E	1	Total C O P 33 24 8 1	0
3	E	1	Total C O P 30 21 8 1	0
3	E	1	Total C N O P 51 41 1 8 1	0
3	E	1	Total C N O P 29 19 1 8 1	0
3	E	1	Total C N O P 51 41 1 8 1	0
3	E	1	Total C N O P 38 28 1 8 1	0
3	E	1	Total C N O P 39 29 1 8 1	0
3	E	1	Total C 18 18	0
3	E	1	Total C N O P 42 32 1 8 1	0
3	A	1	Total C N O P 42 32 1 8 1	0
3	A	1	Total C O P 33 24 8 1	0
3	A	1	Total C O P 30 21 8 1	0
3	A	1	Total C N O P 51 41 1 8 1	0
3	A	1	Total C N O P 29 19 1 8 1	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
3	A	1	Total	C	N	O	P	0
			51	41	1	8	1	
3	A	1	Total	C	N	O	P	0
			38	28	1	8	1	
3	A	1	Total	C	N	O	P	0
			39	29	1	8	1	
3	A	1	Total C					0
			18	18				
3	B	1	Total	C	N	O	P	0
			42	32	1	8	1	
3	B	1	Total	C	O	P		0
			33	24	8	1		
3	B	1	Total	C	O	P		0
			30	21	8	1		
3	B	1	Total	C	N	O	P	0
			51	41	1	8	1	
3	B	1	Total	C	N	O	P	0
			29	19	1	8	1	
3	B	1	Total	C	N	O	P	0
			51	41	1	8	1	
3	B	1	Total	C	N	O	P	0
			38	28	1	8	1	
3	B	1	Total	C	N	O	P	0
			39	29	1	8	1	
3	B	1	Total C					0
			18	18				
3	C	1	Total	C	N	O	P	0
			42	32	1	8	1	
3	C	1	Total	C	O	P		0
			33	24	8	1		
3	C	1	Total	C	O	P		0
			30	21	8	1		
3	C	1	Total	C	N	O	P	0
			51	41	1	8	1	
3	C	1	Total	C	N	O	P	0
			29	19	1	8	1	
3	C	1	Total	C	N	O	P	0
			51	41	1	8	1	
3	C	1	Total	C	N	O	P	0
			38	28	1	8	1	
3	C	1	Total	C	N	O	P	0
			39	29	1	8	1	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	AltConf
3	C	1	Total C 18 18	0
3	D	1	Total C N O P 42 32 1 8 1	0
3	D	1	Total C O P 33 24 8 1	0
3	D	1	Total C O P 30 21 8 1	0
3	D	1	Total C N O P 51 41 1 8 1	0
3	D	1	Total C N O P 29 19 1 8 1	0
3	D	1	Total C N O P 51 41 1 8 1	0
3	D	1	Total C N O P 38 28 1 8 1	0
3	D	1	Total C N O P 39 29 1 8 1	0
3	D	1	Total C 18 18	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	AltConf
4	E	54	Total O 54 54	0
4	A	54	Total O 54 54	0
4	B	54	Total O 54 54	0
4	C	54	Total O 54 54	0
4	D	54	Total O 54 54	0


### 3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proton-gated ion channel



- Molecule 1: Proton-gated ion channel



- Molecule 1: Proton-gated ion channel




- Molecule 1: Proton-gated ion channel





- Molecule 1: Proton-gated ion channel

Chain D: 



## 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	178543	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	71	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	1400	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.031	Depositor
Minimum map value	-0.017	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.00373	Depositor
Map size (Å)	228.0, 228.0, 228.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.76, 0.76, 0.76	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PEE, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.35	0/2608	0.58	0/3564
1	B	0.37	0/2608	0.60	2/3564 (0.1%)
1	C	0.35	0/2608	0.58	0/3564
1	D	0.35	0/2608	0.58	0/3564
1	E	0.35	0/2608	0.58	0/3564
All	All	0.35	0/13040	0.59	2/17820 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	B	293[A]	ARG	CB-CG-CD	-5.08	98.39	111.60
1	B	293[B]	ARG	CB-CG-CD	-5.08	98.39	111.60

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2537	0	2561	20	0
1	B	2537	0	2561	23	0
1	C	2537	0	2561	18	0
1	D	2537	0	2561	20	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2537	0	2561	20	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
3	A	331	0	463	13	0
3	B	331	0	463	13	0
3	C	331	0	463	10	0
3	D	331	0	463	12	0
3	E	331	0	463	13	0
4	A	54	0	0	1	0
4	B	54	0	0	1	0
4	C	54	0	0	1	0
4	D	54	0	0	1	0
4	E	54	0	0	1	0
All	All	14615	0	15120	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:135:VAL:HG23	1:B:138:ARG:H	1.64	0.63
1:C:135:VAL:HG23	1:C:138:ARG:H	1.64	0.63
1:E:135:VAL:HG23	1:E:138:ARG:H	1.64	0.63
1:D:135:VAL:HG23	1:D:138:ARG:H	1.64	0.62
1:A:135:VAL:HG23	1:A:138:ARG:H	1.64	0.62
1:A:287:ARG:HG3	3:A:407:PEE:H2	1.83	0.61
1:D:287:ARG:HG3	3:D:407:PEE:H2	1.83	0.61
1:E:287:ARG:HG3	3:E:406:PEE:H2	1.83	0.59
1:B:287:ARG:HG3	3:B:407:PEE:H2	1.83	0.59
1:C:287:ARG:HG3	3:C:407:PEE:H2	1.83	0.59
1:D:25:ILE:HG22	1:D:26:GLU:HG2	1.86	0.58
1:E:25:ILE:HG22	1:E:26:GLU:HG2	1.86	0.58
1:B:25:ILE:HG22	1:B:26:GLU:HG2	1.86	0.57
1:B:293[B]:ARG:HB3	3:B:406:PEE:H12	1.87	0.56
1:C:25:ILE:HG22	1:C:26:GLU:HG2	1.86	0.56
1:A:25:ILE:HG22	1:A:26:GLU:HG2	1.86	0.56
1:A:282:GLU:OE2	3:A:401:PEE:N	2.33	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:32:ASP:OD2	1:A:192:ARG:NH2	2.41	0.53
1:C:241:LEU:O	1:C:244:THR:OG1	2.27	0.53
1:E:32:ASP:OD2	1:E:192:ARG:NH2	2.41	0.53
1:B:241:LEU:O	1:B:244:THR:OG1	2.27	0.53
1:D:32:ASP:OD2	1:D:192:ARG:NH2	2.41	0.53
1:A:241:LEU:O	1:A:244:THR:OG1	2.27	0.53
1:B:32:ASP:OD2	1:B:192:ARG:NH2	2.41	0.53
1:C:32:ASP:OD2	1:C:192:ARG:NH2	2.41	0.52
1:E:241:LEU:O	1:E:244:THR:OG1	2.27	0.51
1:A:118:ARG:NH1	3:A:405:PEE:O1P	2.44	0.51
1:B:118:ARG:NH1	3:B:405:PEE:O1P	2.44	0.51
1:E:118:ARG:NH1	3:E:404:PEE:O1P	2.44	0.51
1:B:282:GLU:OE2	3:B:401:PEE:N	2.34	0.50
1:D:241:LEU:O	1:D:244:THR:OG1	2.27	0.50
1:D:118:ARG:NH1	3:D:405:PEE:O1P	2.44	0.50
1:C:118:ARG:NH1	3:C:405:PEE:O1P	2.44	0.50
3:A:409:PEE:H49	3:A:409:PEE:H13	1.94	0.49
1:A:189:ARG:NH1	4:A:503:HOH:O	2.38	0.49
3:C:409:PEE:H49	3:C:409:PEE:H13	1.94	0.49
1:B:189:ARG:NH1	4:B:503:HOH:O	2.37	0.49
3:E:408:PEE:H49	3:E:408:PEE:H13	1.94	0.49
1:B:176:LEU:HD23	1:B:181:GLU:OE1	2.13	0.49
3:D:409:PEE:H49	3:D:409:PEE:H13	1.94	0.48
1:E:176:LEU:HD23	1:E:181:GLU:OE1	2.13	0.48
1:E:189:ARG:NH1	4:E:503:HOH:O	2.38	0.48
3:B:409:PEE:H49	3:B:409:PEE:H13	1.94	0.48
1:D:176:LEU:HD23	1:D:181:GLU:OE1	2.13	0.48
1:C:268:VAL:HG21	3:C:407:PEE:H47	1.96	0.48
1:A:246:LEU:HD23	1:A:247:PRO:HD2	1.96	0.48
1:A:293[B]:ARG:HB3	3:A:406:PEE:H12	1.96	0.48
1:B:268:VAL:HG21	3:B:407:PEE:H47	1.96	0.48
1:C:176:LEU:HD23	1:C:181:GLU:OE1	2.13	0.48
1:A:268:VAL:HG21	3:A:407:PEE:H47	1.96	0.47
1:B:246:LEU:HD23	1:B:247:PRO:HD2	1.96	0.47
1:C:293[B]:ARG:HB3	3:C:406:PEE:H12	1.95	0.47
1:E:268:VAL:HG21	3:E:406:PEE:H47	1.96	0.47
1:A:176:LEU:HD23	1:A:181:GLU:OE1	2.13	0.47
1:E:293[B]:ARG:HB3	3:E:405:PEE:H12	1.96	0.47
1:D:246:LEU:HD23	1:D:247:PRO:HD2	1.96	0.47
1:D:268:VAL:HG21	3:D:407:PEE:H47	1.96	0.47
1:D:293[B]:ARG:HB3	3:D:406:PEE:H12	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:246:LEU:HD23	1:C:247:PRO:HD2	1.96	0.46
1:E:246:LEU:HD23	1:E:247:PRO:HD2	1.96	0.46
1:A:261:MET:HG3	3:A:410:PEE:H42	1.98	0.45
3:D:407:PEE:H18	3:D:407:PEE:H23	1.83	0.45
1:A:14:GLU:OE1	1:A:14:GLU:N	2.35	0.45
1:C:261:MET:HG3	3:C:410:PEE:H42	1.98	0.45
1:D:261:MET:HG3	3:D:410:PEE:H42	1.99	0.45
1:D:38:LYS:HE2	1:D:109:ARG:HD2	1.98	0.45
1:C:38:LYS:HE2	1:C:109:ARG:HD2	1.98	0.45
1:B:261:MET:HG3	3:B:410:PEE:H42	1.98	0.44
1:E:261:MET:HG3	3:E:409:PEE:H42	1.98	0.44
1:B:38:LYS:HE2	1:B:109:ARG:HD2	1.98	0.44
1:E:38:LYS:HE2	1:E:109:ARG:HD2	1.98	0.44
3:C:407:PEE:H18	3:C:407:PEE:H23	1.83	0.44
1:A:38:LYS:HE2	1:A:109:ARG:HD2	1.98	0.44
3:E:406:PEE:H18	3:E:406:PEE:H23	1.83	0.43
1:B:261:MET:HE3	1:B:261:MET:HB3	1.82	0.43
1:C:189:ARG:NH1	4:C:503:HOH:O	2.38	0.43
1:B:214:THR:HG22	3:C:401:PEE:H59	2.00	0.43
1:C:11:ILE:HG12	1:C:14:GLU:OE2	2.19	0.43
1:D:282:GLU:OE2	3:D:401:PEE:N	2.34	0.43
1:A:11:ILE:HG13	1:A:12:ALA:H	1.84	0.43
3:E:410:PEE:H59	1:D:214:THR:HG22	2.00	0.43
1:B:11:ILE:HG13	1:B:12:ALA:H	1.84	0.43
1:D:189:ARG:NH1	4:D:503:HOH:O	2.38	0.43
3:E:406:PEE:H44	3:E:409:PEE:H43	2.01	0.43
3:A:407:PEE:H18	3:A:407:PEE:H23	1.83	0.43
1:D:11:ILE:HG12	1:D:14:GLU:OE2	2.19	0.43
1:A:11:ILE:HG12	1:A:14:GLU:OE2	2.19	0.43
1:A:214:THR:HG22	3:B:401:PEE:H59	2.00	0.43
3:A:407:PEE:H44	3:A:410:PEE:H43	2.01	0.42
1:C:11:ILE:HG13	1:C:12:ALA:H	1.84	0.42
1:A:154:ASP:OD2	1:A:154:ASP:N	2.52	0.42
1:B:11:ILE:HG12	1:B:14:GLU:OE2	2.19	0.42
1:C:214:THR:HG22	3:D:401:PEE:H59	2.00	0.42
1:E:11:ILE:HG13	1:E:12:ALA:H	1.84	0.42
3:D:407:PEE:H44	3:D:410:PEE:H43	2.01	0.42
1:D:154:ASP:OD2	1:D:154:ASP:N	2.52	0.42
1:E:11:ILE:HG12	1:E:14:GLU:OE2	2.19	0.42
1:E:76:ILE:HG22	1:E:130:LEU:HD22	2.02	0.42
3:B:406:PEE:H20	3:B:406:PEE:H14	1.86	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:11:ILE:HG13	1:D:12:ALA:H	1.84	0.42
3:C:407:PEE:H44	3:C:410:PEE:H43	2.01	0.42
1:E:214:THR:HG22	3:A:401:PEE:H59	2.00	0.42
1:B:154:ASP:OD2	1:B:154:ASP:N	2.52	0.41
1:E:313:LEU:HD23	1:E:313:LEU:HA	1.90	0.41
1:B:76:ILE:HG22	1:B:130:LEU:HD22	2.02	0.41
1:D:14:GLU:OE1	1:D:14:GLU:N	2.35	0.41
3:E:404:PEE:H32	3:E:407:PEE:H54	2.02	0.41
1:B:14:GLU:OE1	1:B:14:GLU:N	2.35	0.41
3:B:405:PEE:H53	3:B:409:PEE:H55	2.02	0.41
1:E:154:ASP:OD2	1:E:154:ASP:N	2.52	0.41
3:A:405:PEE:H32	3:A:408:PEE:H54	2.02	0.41
1:D:76:ILE:HG22	1:D:130:LEU:HD22	2.02	0.41
1:C:154:ASP:OD2	1:C:154:ASP:N	2.52	0.41
3:D:405:PEE:H53	3:D:409:PEE:H55	2.02	0.41
1:A:76:ILE:HG22	1:A:130:LEU:HD22	2.02	0.41
3:A:405:PEE:H53	3:A:409:PEE:H55	2.02	0.41
3:B:407:PEE:H18	3:B:407:PEE:H23	1.83	0.41
3:B:407:PEE:H44	3:B:410:PEE:H43	2.01	0.41
1:C:76:ILE:HG22	1:C:130:LEU:HD22	2.02	0.41
3:D:405:PEE:H32	3:D:408:PEE:H54	2.02	0.41
1:B:293[A]:ARG:HH11	1:B:293[A]:ARG:HD2	1.67	0.40
1:B:310:LEU:HD23	1:B:310:LEU:HA	1.93	0.40
3:E:406:PEE:H14	3:E:406:PEE:H19	1.87	0.40
3:B:405:PEE:H32	3:B:408:PEE:H54	2.02	0.40
3:C:405:PEE:H32	3:C:408:PEE:H54	2.02	0.40
1:E:282:GLU:OE2	3:E:410:PEE:N	2.34	0.40
3:E:404:PEE:H53	3:E:408:PEE:H55	2.02	0.40
3:A:406:PEE:H20	3:A:406:PEE:H14	1.86	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	311/312 (100%)	302 (97%)	9 (3%)	0	100 100
1	B	311/312 (100%)	302 (97%)	9 (3%)	0	100 100
1	C	311/312 (100%)	302 (97%)	9 (3%)	0	100 100
1	D	311/312 (100%)	302 (97%)	9 (3%)	0	100 100
1	E	311/312 (100%)	302 (97%)	9 (3%)	0	100 100
All	All	1555/1560 (100%)	1510 (97%)	45 (3%)	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	281/280 (100%)	276 (98%)	5 (2%)	59 75
1	B	281/280 (100%)	276 (98%)	5 (2%)	59 75
1	C	281/280 (100%)	276 (98%)	5 (2%)	59 75
1	D	281/280 (100%)	276 (98%)	5 (2%)	59 75
1	E	281/280 (100%)	276 (98%)	5 (2%)	59 75
All	All	1405/1400 (100%)	1380 (98%)	25 (2%)	61 75

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	154	ASP
1	E	191	SER
1	E	219	THR
1	E	238	PHE
1	E	287	ARG
1	A	154	ASP
1	A	191	SER
1	A	219	THR
1	A	238	PHE
1	A	287	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	154	ASP
1	B	191	SER
1	B	219	THR
1	B	238	PHE
1	B	287	ARG
1	C	154	ASP
1	C	191	SER
1	C	219	THR
1	C	238	PHE
1	C	287	ARG
1	D	154	ASP
1	D	191	SER
1	D	219	THR
1	D	238	PHE
1	D	287	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

Of 50 ligands modelled in this entry, 5 are monoatomic - leaving 45 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	PEE	A	404	-	29,29,50	0.74	1 (3%)	33,34,55	1.10	2 (6%)
3	PEE	A	401	-	41,41,50	0.97	2 (4%)	44,46,55	0.73	0
3	PEE	D	408	-	37,37,50	0.97	2 (5%)	39,42,55	0.78	1 (2%)
3	PEE	E	404	-	50,50,50	0.88	2 (4%)	53,55,55	0.60	0
3	PEE	C	406	-	28,28,50	0.92	1 (3%)	31,33,55	0.76	0
3	PEE	A	405	-	50,50,50	0.88	2 (4%)	53,55,55	0.60	0
3	PEE	C	408	-	37,37,50	0.97	2 (5%)	39,42,55	0.78	1 (2%)
3	PEE	E	403	-	29,29,50	0.73	1 (3%)	33,34,55	1.10	2 (6%)
3	PEE	D	409	-	38,38,50	0.95	2 (5%)	41,43,55	0.82	3 (7%)
3	PEE	D	407	-	50,50,50	0.87	2 (4%)	53,55,55	0.67	0
3	PEE	D	403	-	32,32,50	0.95	2 (6%)	36,37,55	1.14	2 (5%)
3	PEE	C	407	-	50,50,50	0.88	2 (4%)	53,55,55	0.67	0
3	PEE	B	410	-	17,17,50	0.93	1 (5%)	16,16,55	0.65	0
3	PEE	A	406	-	28,28,50	0.92	1 (3%)	31,33,55	0.76	0
3	PEE	C	403	-	32,32,50	0.96	2 (6%)	36,37,55	1.14	2 (5%)
3	PEE	B	405	-	50,50,50	0.88	2 (4%)	53,55,55	0.60	0
3	PEE	C	409	-	38,38,50	0.95	2 (5%)	41,43,55	0.82	3 (7%)
3	PEE	D	401	-	41,41,50	0.97	2 (4%)	44,46,55	0.73	0
3	PEE	D	404	-	29,29,50	0.74	1 (3%)	33,34,55	1.10	2 (6%)
3	PEE	D	405	-	50,50,50	0.88	2 (4%)	53,55,55	0.60	0
3	PEE	B	404	-	29,29,50	0.74	1 (3%)	33,34,55	1.10	2 (6%)
3	PEE	D	410	-	17,17,50	0.93	1 (5%)	16,16,55	0.65	0
3	PEE	E	405	-	28,28,50	0.92	1 (3%)	31,33,55	0.76	0
3	PEE	A	408	-	37,37,50	0.97	2 (5%)	39,42,55	0.78	1 (2%)
3	PEE	E	406	-	50,50,50	0.88	2 (4%)	53,55,55	0.67	0
3	PEE	B	409	-	38,38,50	0.95	2 (5%)	41,43,55	0.82	3 (7%)
3	PEE	E	410	-	41,41,50	0.97	2 (4%)	44,46,55	0.73	0
3	PEE	C	401	-	41,41,50	0.97	2 (4%)	44,46,55	0.73	0
3	PEE	E	408	-	38,38,50	0.95	2 (5%)	41,43,55	0.82	3 (7%)
3	PEE	B	406	-	28,28,50	0.92	1 (3%)	31,33,55	0.76	0
3	PEE	E	402	-	32,32,50	0.95	2 (6%)	36,37,55	1.14	2 (5%)
3	PEE	A	410	-	17,17,50	0.93	1 (5%)	16,16,55	0.65	0
3	PEE	C	404	-	29,29,50	0.74	1 (3%)	33,34,55	1.09	2 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	PEE	B	407	-	50,50,50	0.88	2 (4%)	53,55,55	0.67	0
3	PEE	A	407	-	50,50,50	0.88	2 (4%)	53,55,55	0.67	0
3	PEE	C	405	-	50,50,50	0.88	2 (4%)	53,55,55	0.60	0
3	PEE	C	410	-	17,17,50	0.94	1 (5%)	16,16,55	0.65	0
3	PEE	D	406	-	28,28,50	0.92	1 (3%)	31,33,55	0.76	0
3	PEE	A	403	-	32,32,50	0.96	2 (6%)	36,37,55	1.15	2 (5%)
3	PEE	E	407	-	37,37,50	0.98	2 (5%)	39,42,55	0.78	1 (2%)
3	PEE	E	409	-	17,17,50	0.93	1 (5%)	16,16,55	0.65	0
3	PEE	B	401	-	41,41,50	0.97	2 (4%)	44,46,55	0.73	0
3	PEE	A	409	-	38,38,50	0.95	2 (5%)	41,43,55	0.82	3 (7%)
3	PEE	B	408	-	37,37,50	0.97	2 (5%)	39,42,55	0.78	1 (2%)
3	PEE	B	403	-	32,32,50	0.95	2 (6%)	36,37,55	1.14	2 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PEE	A	404	-	-	11/31/31/54	-
3	PEE	A	401	-	-	20/45/45/54	-
3	PEE	D	408	-	-	16/41/41/54	-
3	PEE	E	404	-	-	22/54/54/54	-
3	PEE	C	406	-	-	15/32/32/54	-
3	PEE	A	405	-	-	22/54/54/54	-
3	PEE	C	408	-	-	16/41/41/54	-
3	PEE	E	403	-	-	11/31/31/54	-
3	PEE	D	409	-	-	21/42/42/54	-
3	PEE	D	407	-	-	22/54/54/54	-
3	PEE	D	403	-	-	15/34/34/54	-
3	PEE	C	407	-	-	22/54/54/54	-
3	PEE	B	410	-	-	6/15/15/54	-
3	PEE	A	406	-	-	15/32/32/54	-
3	PEE	C	403	-	-	15/34/34/54	-
3	PEE	B	405	-	-	22/54/54/54	-
3	PEE	C	409	-	-	21/42/42/54	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PEE	D	401	-	-	20/45/45/54	-
3	PEE	D	404	-	-	11/31/31/54	-
3	PEE	D	405	-	-	22/54/54/54	-
3	PEE	B	404	-	-	11/31/31/54	-
3	PEE	D	410	-	-	6/15/15/54	-
3	PEE	E	405	-	-	15/32/32/54	-
3	PEE	A	408	-	-	16/41/41/54	-
3	PEE	E	406	-	-	22/54/54/54	-
3	PEE	B	409	-	-	21/42/42/54	-
3	PEE	E	410	-	-	20/45/45/54	-
3	PEE	C	401	-	-	20/45/45/54	-
3	PEE	E	408	-	-	21/42/42/54	-
3	PEE	B	406	-	-	15/32/32/54	-
3	PEE	E	402	-	-	15/34/34/54	-
3	PEE	A	410	-	-	6/15/15/54	-
3	PEE	C	404	-	-	11/31/31/54	-
3	PEE	B	407	-	-	22/54/54/54	-
3	PEE	A	407	-	-	22/54/54/54	-
3	PEE	C	405	-	-	22/54/54/54	-
3	PEE	C	410	-	-	6/15/15/54	-
3	PEE	D	406	-	-	15/32/32/54	-
3	PEE	A	403	-	-	15/34/34/54	-
3	PEE	E	407	-	-	16/41/41/54	-
3	PEE	E	409	-	-	6/15/15/54	-
3	PEE	B	401	-	-	20/45/45/54	-
3	PEE	A	409	-	-	21/42/42/54	-
3	PEE	B	408	-	-	16/41/41/54	-
3	PEE	B	403	-	-	15/34/34/54	-

All (75) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	410	PEE	C18-C19	3.65	1.52	1.31
3	D	410	PEE	C18-C19	3.65	1.52	1.31
3	A	410	PEE	C18-C19	3.65	1.52	1.31
3	E	409	PEE	C18-C19	3.64	1.52	1.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	410	PEE	C18-C19	3.64	1.52	1.31
3	E	408	PEE	C18-C19	3.64	1.52	1.31
3	B	409	PEE	C18-C19	3.64	1.52	1.31
3	D	409	PEE	C18-C19	3.63	1.52	1.31
3	E	407	PEE	C18-C19	3.63	1.52	1.31
3	C	401	PEE	C18-C19	3.63	1.52	1.31
3	B	408	PEE	C18-C19	3.63	1.52	1.31
3	A	403	PEE	C39-C38	3.63	1.52	1.31
3	D	408	PEE	C18-C19	3.62	1.52	1.31
3	C	408	PEE	C18-C19	3.62	1.52	1.31
3	C	403	PEE	C39-C38	3.62	1.52	1.31
3	C	409	PEE	C18-C19	3.62	1.52	1.31
3	B	403	PEE	C39-C38	3.62	1.52	1.31
3	C	405	PEE	C18-C19	3.62	1.52	1.31
3	A	409	PEE	C18-C19	3.62	1.52	1.31
3	A	401	PEE	C39-C38	3.62	1.52	1.31
3	B	401	PEE	C18-C19	3.62	1.52	1.31
3	D	403	PEE	C39-C38	3.62	1.52	1.31
3	E	402	PEE	C39-C38	3.61	1.52	1.31
3	A	405	PEE	C18-C19	3.61	1.52	1.31
3	A	408	PEE	C18-C19	3.61	1.52	1.31
3	D	401	PEE	C18-C19	3.61	1.52	1.31
3	B	401	PEE	C39-C38	3.61	1.52	1.31
3	E	404	PEE	C18-C19	3.61	1.52	1.31
3	B	405	PEE	C18-C19	3.61	1.52	1.31
3	E	410	PEE	C39-C38	3.61	1.52	1.31
3	D	405	PEE	C39-C38	3.61	1.52	1.31
3	A	401	PEE	C18-C19	3.61	1.52	1.31
3	B	405	PEE	C39-C38	3.61	1.52	1.31
3	A	407	PEE	C18-C19	3.61	1.52	1.31
3	C	401	PEE	C39-C38	3.61	1.52	1.31
3	E	406	PEE	C18-C19	3.61	1.52	1.31
3	D	407	PEE	C18-C19	3.60	1.52	1.31
3	C	405	PEE	C39-C38	3.60	1.52	1.31
3	C	407	PEE	C18-C19	3.60	1.52	1.31
3	B	407	PEE	C18-C19	3.60	1.52	1.31
3	E	410	PEE	C18-C19	3.60	1.52	1.31
3	D	405	PEE	C18-C19	3.60	1.52	1.31
3	D	401	PEE	C39-C38	3.60	1.52	1.31
3	A	405	PEE	C39-C38	3.59	1.52	1.31
3	A	406	PEE	C19-C18	3.59	1.52	1.28
3	C	406	PEE	C19-C18	3.59	1.52	1.28

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	404	PEE	C39-C38	3.59	1.52	1.31
3	B	406	PEE	C19-C18	3.59	1.52	1.28
3	D	406	PEE	C19-C18	3.58	1.52	1.28
3	E	405	PEE	C19-C18	3.58	1.52	1.28
3	B	407	PEE	C39-C38	3.57	1.52	1.31
3	C	407	PEE	C39-C38	3.57	1.52	1.31
3	A	407	PEE	C39-C38	3.56	1.52	1.31
3	E	406	PEE	C39-C38	3.56	1.52	1.31
3	D	407	PEE	C39-C38	3.54	1.52	1.31
3	B	409	PEE	C38-C39	3.12	1.52	1.29
3	C	409	PEE	C38-C39	3.12	1.52	1.29
3	E	408	PEE	C38-C39	3.12	1.52	1.29
3	D	409	PEE	C38-C39	3.11	1.52	1.29
3	A	409	PEE	C38-C39	3.11	1.52	1.29
3	E	407	PEE	C38-C39	3.09	1.52	1.29
3	A	408	PEE	C38-C39	3.09	1.52	1.29
3	D	408	PEE	C38-C39	3.08	1.52	1.29
3	B	408	PEE	C38-C39	3.08	1.52	1.29
3	C	408	PEE	C38-C39	3.08	1.52	1.29
3	D	404	PEE	P-O4P	2.85	1.65	1.54
3	A	404	PEE	P-O4P	2.85	1.65	1.54
3	B	403	PEE	P-O4P	2.84	1.65	1.54
3	C	404	PEE	P-O4P	2.84	1.65	1.54
3	C	403	PEE	P-O4P	2.84	1.65	1.54
3	A	403	PEE	P-O4P	2.83	1.65	1.54
3	E	403	PEE	P-O4P	2.83	1.65	1.54
3	B	404	PEE	P-O4P	2.83	1.65	1.54
3	D	403	PEE	P-O4P	2.81	1.65	1.54
3	E	402	PEE	P-O4P	2.81	1.65	1.54

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	403	PEE	O4P-P-O3P	-5.13	93.09	106.73
3	E	402	PEE	O4P-P-O3P	-5.12	93.10	106.73
3	C	403	PEE	O4P-P-O3P	-5.12	93.11	106.73
3	B	403	PEE	O4P-P-O3P	-5.12	93.11	106.73
3	D	403	PEE	O4P-P-O3P	-5.10	93.16	106.73
3	D	404	PEE	O4P-P-O3P	-4.74	94.12	106.73
3	B	404	PEE	O4P-P-O3P	-4.73	94.13	106.73
3	C	404	PEE	O4P-P-O3P	-4.73	94.14	106.73
3	E	403	PEE	O4P-P-O3P	-4.73	94.14	106.73

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	404	PEE	O4P-P-O3P	-4.73	94.16	106.73
3	D	409	PEE	C37-C38-C39	-2.23	113.38	131.07
3	E	408	PEE	C37-C38-C39	-2.22	113.38	131.07
3	A	409	PEE	C37-C38-C39	-2.22	113.40	131.07
3	C	409	PEE	C37-C38-C39	-2.22	113.42	131.07
3	B	409	PEE	C37-C38-C39	-2.22	113.43	131.07
3	A	403	PEE	O2P-P-O1P	2.21	119.35	110.68
3	C	403	PEE	O2P-P-O1P	2.21	119.32	110.68
3	B	403	PEE	O2P-P-O1P	2.20	119.31	110.68
3	E	402	PEE	O2P-P-O1P	2.20	119.30	110.68
3	D	403	PEE	O2P-P-O1P	2.19	119.27	110.68
3	D	404	PEE	O2P-P-O1P	2.18	119.21	110.68
3	B	404	PEE	O2P-P-O1P	2.18	119.20	110.68
3	E	403	PEE	O2P-P-O1P	2.17	119.17	110.68
3	A	404	PEE	O2P-P-O1P	2.17	119.17	110.68
3	C	404	PEE	O2P-P-O1P	2.17	119.17	110.68
3	E	408	PEE	O2P-P-O1P	2.15	122.85	112.24
3	C	409	PEE	O2P-P-O1P	2.14	122.82	112.24
3	D	409	PEE	O2P-P-O1P	2.14	122.82	112.24
3	A	409	PEE	O2P-P-O1P	2.13	122.78	112.24
3	E	407	PEE	C37-C38-C39	-2.13	114.11	131.07
3	A	408	PEE	C37-C38-C39	-2.13	114.12	131.07
3	C	408	PEE	C37-C38-C39	-2.13	114.13	131.07
3	D	408	PEE	C37-C38-C39	-2.13	114.13	131.07
3	B	408	PEE	C37-C38-C39	-2.13	114.15	131.07
3	B	409	PEE	O2P-P-O1P	2.13	122.75	112.24
3	B	409	PEE	C3-C2-C1	2.10	116.77	111.79
3	E	408	PEE	C3-C2-C1	2.09	116.74	111.79
3	D	409	PEE	C3-C2-C1	2.09	116.73	111.79
3	A	409	PEE	C3-C2-C1	2.09	116.72	111.79
3	C	409	PEE	C3-C2-C1	2.08	116.70	111.79

There are no chirality outliers.

All (740) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	E	403	PEE	C1-O3P-P-O2P
3	E	403	PEE	C1-O3P-P-O1P
3	E	403	PEE	C1-O3P-P-O4P
3	E	404	PEE	C1-O3P-P-O2P
3	E	404	PEE	C4-O4P-P-O2P
3	E	405	PEE	O4-C10-O2-C2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	E	405	PEE	C1-O3P-P-O1P
3	E	405	PEE	C4-O4P-P-O1P
3	E	406	PEE	C1-O3P-P-O1P
3	E	407	PEE	C18-C19-C20-C21
3	E	407	PEE	C4-O4P-P-O3P
3	E	407	PEE	C4-O4P-P-O2P
3	E	407	PEE	C4-O4P-P-O1P
3	E	407	PEE	C37-C38-C39-C40
3	E	408	PEE	C1-O3P-P-O2P
3	E	408	PEE	C1-O3P-P-O1P
3	E	410	PEE	C17-C18-C19-C20
3	E	410	PEE	C11-C10-O2-C2
3	E	410	PEE	C4-O4P-P-O2P
3	A	401	PEE	C17-C18-C19-C20
3	A	401	PEE	C11-C10-O2-C2
3	A	401	PEE	C4-O4P-P-O2P
3	A	404	PEE	C1-O3P-P-O2P
3	A	404	PEE	C1-O3P-P-O1P
3	A	404	PEE	C1-O3P-P-O4P
3	A	405	PEE	C1-O3P-P-O2P
3	A	405	PEE	C4-O4P-P-O2P
3	A	406	PEE	O4-C10-O2-C2
3	A	406	PEE	C1-O3P-P-O1P
3	A	406	PEE	C4-O4P-P-O1P
3	A	407	PEE	C1-O3P-P-O1P
3	A	408	PEE	C18-C19-C20-C21
3	A	408	PEE	C4-O4P-P-O3P
3	A	408	PEE	C4-O4P-P-O2P
3	A	408	PEE	C4-O4P-P-O1P
3	A	408	PEE	C37-C38-C39-C40
3	A	409	PEE	C1-O3P-P-O2P
3	A	409	PEE	C1-O3P-P-O1P
3	B	401	PEE	C17-C18-C19-C20
3	B	401	PEE	C11-C10-O2-C2
3	B	401	PEE	C4-O4P-P-O2P
3	B	404	PEE	C1-O3P-P-O2P
3	B	404	PEE	C1-O3P-P-O1P
3	B	404	PEE	C1-O3P-P-O4P
3	B	405	PEE	C1-O3P-P-O2P
3	B	405	PEE	C4-O4P-P-O2P
3	B	406	PEE	O4-C10-O2-C2
3	B	406	PEE	C1-O3P-P-O1P

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	B	406	PEE	C4-O4P-P-O1P
3	B	407	PEE	C1-O3P-P-O1P
3	B	408	PEE	C18-C19-C20-C21
3	B	408	PEE	C4-O4P-P-O3P
3	B	408	PEE	C4-O4P-P-O2P
3	B	408	PEE	C4-O4P-P-O1P
3	B	408	PEE	C37-C38-C39-C40
3	B	409	PEE	C1-O3P-P-O2P
3	B	409	PEE	C1-O3P-P-O1P
3	C	401	PEE	C17-C18-C19-C20
3	C	401	PEE	C11-C10-O2-C2
3	C	401	PEE	C4-O4P-P-O2P
3	C	404	PEE	C1-O3P-P-O2P
3	C	404	PEE	C1-O3P-P-O1P
3	C	404	PEE	C1-O3P-P-O4P
3	C	405	PEE	C1-O3P-P-O2P
3	C	405	PEE	C4-O4P-P-O2P
3	C	406	PEE	O4-C10-O2-C2
3	C	406	PEE	C1-O3P-P-O1P
3	C	406	PEE	C4-O4P-P-O1P
3	C	407	PEE	C1-O3P-P-O1P
3	C	408	PEE	C18-C19-C20-C21
3	C	408	PEE	C4-O4P-P-O3P
3	C	408	PEE	C4-O4P-P-O2P
3	C	408	PEE	C4-O4P-P-O1P
3	C	408	PEE	C37-C38-C39-C40
3	C	409	PEE	C1-O3P-P-O2P
3	C	409	PEE	C1-O3P-P-O1P
3	D	401	PEE	C17-C18-C19-C20
3	D	401	PEE	C11-C10-O2-C2
3	D	401	PEE	C4-O4P-P-O2P
3	D	404	PEE	C1-O3P-P-O2P
3	D	404	PEE	C1-O3P-P-O1P
3	D	404	PEE	C1-O3P-P-O4P
3	D	405	PEE	C1-O3P-P-O2P
3	D	405	PEE	C4-O4P-P-O2P
3	D	406	PEE	O4-C10-O2-C2
3	D	406	PEE	C1-O3P-P-O1P
3	D	406	PEE	C4-O4P-P-O1P
3	D	407	PEE	C1-O3P-P-O1P
3	D	408	PEE	C18-C19-C20-C21
3	D	408	PEE	C4-O4P-P-O3P

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	D	408	PEE	C4-O4P-P-O2P
3	D	408	PEE	C4-O4P-P-O1P
3	D	408	PEE	C37-C38-C39-C40
3	D	409	PEE	C1-O3P-P-O2P
3	D	409	PEE	C1-O3P-P-O1P
3	E	402	PEE	O5-C30-O3-C3
3	E	408	PEE	O5-C30-O3-C3
3	A	403	PEE	O5-C30-O3-C3
3	A	409	PEE	O5-C30-O3-C3
3	B	403	PEE	O5-C30-O3-C3
3	B	409	PEE	O5-C30-O3-C3
3	C	403	PEE	O5-C30-O3-C3
3	C	409	PEE	O5-C30-O3-C3
3	D	403	PEE	O5-C30-O3-C3
3	D	409	PEE	O5-C30-O3-C3
3	E	410	PEE	O4-C10-O2-C2
3	A	401	PEE	O4-C10-O2-C2
3	B	401	PEE	O4-C10-O2-C2
3	C	401	PEE	O4-C10-O2-C2
3	D	401	PEE	O4-C10-O2-C2
3	E	402	PEE	C31-C30-O3-C3
3	E	408	PEE	C31-C30-O3-C3
3	E	410	PEE	C31-C30-O3-C3
3	A	401	PEE	C31-C30-O3-C3
3	A	403	PEE	C31-C30-O3-C3
3	A	409	PEE	C31-C30-O3-C3
3	B	401	PEE	C31-C30-O3-C3
3	B	403	PEE	C31-C30-O3-C3
3	B	409	PEE	C31-C30-O3-C3
3	C	401	PEE	C31-C30-O3-C3
3	C	403	PEE	C31-C30-O3-C3
3	C	409	PEE	C31-C30-O3-C3
3	D	401	PEE	C31-C30-O3-C3
3	D	403	PEE	C31-C30-O3-C3
3	D	409	PEE	C31-C30-O3-C3
3	E	405	PEE	C11-C10-O2-C2
3	A	406	PEE	C11-C10-O2-C2
3	B	406	PEE	C11-C10-O2-C2
3	C	406	PEE	C11-C10-O2-C2
3	D	406	PEE	C11-C10-O2-C2
3	E	409	PEE	C17-C18-C19-C20
3	A	410	PEE	C17-C18-C19-C20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	B	410	PEE	C17-C18-C19-C20
3	C	410	PEE	C17-C18-C19-C20
3	D	410	PEE	C17-C18-C19-C20
3	E	410	PEE	O5-C30-O3-C3
3	A	401	PEE	O5-C30-O3-C3
3	B	401	PEE	O5-C30-O3-C3
3	C	401	PEE	O5-C30-O3-C3
3	D	401	PEE	O5-C30-O3-C3
3	E	406	PEE	C32-C33-C34-C35
3	A	407	PEE	C32-C33-C34-C35
3	B	407	PEE	C32-C33-C34-C35
3	C	407	PEE	C32-C33-C34-C35
3	D	407	PEE	C32-C33-C34-C35
3	E	402	PEE	C37-C38-C39-C40
3	E	406	PEE	C37-C38-C39-C40
3	A	403	PEE	C37-C38-C39-C40
3	A	407	PEE	C37-C38-C39-C40
3	B	403	PEE	C37-C38-C39-C40
3	B	407	PEE	C37-C38-C39-C40
3	C	403	PEE	C37-C38-C39-C40
3	C	407	PEE	C37-C38-C39-C40
3	D	403	PEE	C37-C38-C39-C40
3	D	407	PEE	C37-C38-C39-C40
3	E	405	PEE	C10-C11-C12-C13
3	A	406	PEE	C10-C11-C12-C13
3	B	406	PEE	C10-C11-C12-C13
3	C	406	PEE	C10-C11-C12-C13
3	D	406	PEE	C10-C11-C12-C13
3	E	402	PEE	C11-C10-O2-C2
3	E	407	PEE	C11-C10-O2-C2
3	A	403	PEE	C11-C10-O2-C2
3	A	408	PEE	C11-C10-O2-C2
3	B	403	PEE	C11-C10-O2-C2
3	B	408	PEE	C11-C10-O2-C2
3	C	403	PEE	C11-C10-O2-C2
3	C	408	PEE	C11-C10-O2-C2
3	D	403	PEE	C11-C10-O2-C2
3	D	408	PEE	C11-C10-O2-C2
3	E	404	PEE	C1-O3P-P-O4P
3	E	404	PEE	C4-O4P-P-O3P
3	E	406	PEE	C4-O4P-P-O3P
3	E	408	PEE	C1-O3P-P-O4P

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	E	408	PEE	C4-O4P-P-O3P
3	A	405	PEE	C1-O3P-P-O4P
3	A	405	PEE	C4-O4P-P-O3P
3	A	407	PEE	C4-O4P-P-O3P
3	A	409	PEE	C1-O3P-P-O4P
3	A	409	PEE	C4-O4P-P-O3P
3	B	405	PEE	C1-O3P-P-O4P
3	B	405	PEE	C4-O4P-P-O3P
3	B	407	PEE	C4-O4P-P-O3P
3	B	409	PEE	C1-O3P-P-O4P
3	B	409	PEE	C4-O4P-P-O3P
3	C	405	PEE	C1-O3P-P-O4P
3	C	405	PEE	C4-O4P-P-O3P
3	C	407	PEE	C4-O4P-P-O3P
3	C	409	PEE	C1-O3P-P-O4P
3	C	409	PEE	C4-O4P-P-O3P
3	D	405	PEE	C1-O3P-P-O4P
3	D	405	PEE	C4-O4P-P-O3P
3	D	407	PEE	C4-O4P-P-O3P
3	D	409	PEE	C1-O3P-P-O4P
3	D	409	PEE	C4-O4P-P-O3P
3	E	407	PEE	O4-C10-O2-C2
3	A	408	PEE	O4-C10-O2-C2
3	B	408	PEE	O4-C10-O2-C2
3	C	408	PEE	O4-C10-O2-C2
3	D	408	PEE	O4-C10-O2-C2
3	E	408	PEE	C10-C11-C12-C13
3	A	409	PEE	C10-C11-C12-C13
3	B	409	PEE	C10-C11-C12-C13
3	C	409	PEE	C10-C11-C12-C13
3	D	409	PEE	C10-C11-C12-C13
3	E	403	PEE	C11-C10-O2-C2
3	A	404	PEE	C11-C10-O2-C2
3	B	404	PEE	C11-C10-O2-C2
3	C	404	PEE	C11-C10-O2-C2
3	D	404	PEE	C11-C10-O2-C2
3	E	402	PEE	O4-C10-O2-C2
3	E	403	PEE	O4-C10-O2-C2
3	A	403	PEE	O4-C10-O2-C2
3	A	404	PEE	O4-C10-O2-C2
3	B	403	PEE	O4-C10-O2-C2
3	B	404	PEE	O4-C10-O2-C2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	C	403	PEE	O4-C10-O2-C2
3	C	404	PEE	O4-C10-O2-C2
3	D	403	PEE	O4-C10-O2-C2
3	D	404	PEE	O4-C10-O2-C2
3	E	404	PEE	C33-C34-C35-C36
3	A	405	PEE	C33-C34-C35-C36
3	B	405	PEE	C33-C34-C35-C36
3	C	405	PEE	C33-C34-C35-C36
3	D	405	PEE	C33-C34-C35-C36
3	E	402	PEE	C34-C35-C36-C37
3	A	403	PEE	C34-C35-C36-C37
3	B	403	PEE	C34-C35-C36-C37
3	C	403	PEE	C34-C35-C36-C37
3	D	403	PEE	C34-C35-C36-C37
3	E	403	PEE	C1-C2-C3-O3
3	A	404	PEE	C1-C2-C3-O3
3	B	404	PEE	C1-C2-C3-O3
3	C	404	PEE	C1-C2-C3-O3
3	D	404	PEE	C1-C2-C3-O3
3	E	404	PEE	C37-C38-C39-C40
3	A	405	PEE	C37-C38-C39-C40
3	B	405	PEE	C37-C38-C39-C40
3	C	405	PEE	C37-C38-C39-C40
3	D	405	PEE	C37-C38-C39-C40
3	E	408	PEE	C11-C10-O2-C2
3	A	409	PEE	C11-C10-O2-C2
3	B	409	PEE	C11-C10-O2-C2
3	C	409	PEE	C11-C10-O2-C2
3	D	409	PEE	C11-C10-O2-C2
3	E	408	PEE	O4-C10-O2-C2
3	A	409	PEE	O4-C10-O2-C2
3	B	409	PEE	O4-C10-O2-C2
3	C	409	PEE	O4-C10-O2-C2
3	D	409	PEE	O4-C10-O2-C2
3	E	407	PEE	C12-C13-C14-C15
3	A	408	PEE	C12-C13-C14-C15
3	B	408	PEE	C12-C13-C14-C15
3	C	408	PEE	C12-C13-C14-C15
3	D	408	PEE	C12-C13-C14-C15
3	E	404	PEE	C17-C18-C19-C20
3	A	405	PEE	C17-C18-C19-C20
3	B	405	PEE	C17-C18-C19-C20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	C	405	PEE	C17-C18-C19-C20
3	D	405	PEE	C17-C18-C19-C20
3	E	408	PEE	C13-C14-C15-C16
3	A	409	PEE	C13-C14-C15-C16
3	B	409	PEE	C13-C14-C15-C16
3	C	409	PEE	C13-C14-C15-C16
3	D	409	PEE	C13-C14-C15-C16
3	E	404	PEE	C30-C31-C32-C33
3	A	405	PEE	C30-C31-C32-C33
3	B	405	PEE	C30-C31-C32-C33
3	C	405	PEE	C30-C31-C32-C33
3	D	405	PEE	C30-C31-C32-C33
3	B	408	PEE	C11-C12-C13-C14
3	D	408	PEE	C11-C12-C13-C14
3	E	407	PEE	C11-C12-C13-C14
3	A	408	PEE	C11-C12-C13-C14
3	C	408	PEE	C11-C12-C13-C14
3	E	404	PEE	O2-C2-C3-O3
3	A	405	PEE	O2-C2-C3-O3
3	B	405	PEE	O2-C2-C3-O3
3	C	405	PEE	O2-C2-C3-O3
3	D	405	PEE	O2-C2-C3-O3
3	E	406	PEE	C1-O3P-P-O4P
3	A	407	PEE	C1-O3P-P-O4P
3	B	407	PEE	C1-O3P-P-O4P
3	C	407	PEE	C1-O3P-P-O4P
3	D	407	PEE	C1-O3P-P-O4P
3	E	408	PEE	O3P-C1-C2-C3
3	A	409	PEE	O3P-C1-C2-C3
3	B	409	PEE	O3P-C1-C2-C3
3	C	409	PEE	O3P-C1-C2-C3
3	D	409	PEE	O3P-C1-C2-C3
3	A	408	PEE	O5-C30-O3-C3
3	B	408	PEE	O5-C30-O3-C3
3	C	408	PEE	O5-C30-O3-C3
3	D	408	PEE	O5-C30-O3-C3
3	E	407	PEE	O5-C30-O3-C3
3	E	403	PEE	C31-C30-O3-C3
3	A	404	PEE	C31-C30-O3-C3
3	B	404	PEE	C31-C30-O3-C3
3	C	404	PEE	C31-C30-O3-C3
3	D	404	PEE	C31-C30-O3-C3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	E	406	PEE	C17-C18-C19-C20
3	A	407	PEE	C17-C18-C19-C20
3	B	407	PEE	C17-C18-C19-C20
3	C	407	PEE	C17-C18-C19-C20
3	D	407	PEE	C17-C18-C19-C20
3	E	408	PEE	O2-C2-C3-O3
3	E	410	PEE	O2-C2-C3-O3
3	A	401	PEE	O2-C2-C3-O3
3	A	409	PEE	O2-C2-C3-O3
3	B	401	PEE	O2-C2-C3-O3
3	B	409	PEE	O2-C2-C3-O3
3	C	401	PEE	O2-C2-C3-O3
3	C	409	PEE	O2-C2-C3-O3
3	D	401	PEE	O2-C2-C3-O3
3	D	409	PEE	O2-C2-C3-O3
3	A	401	PEE	C12-C13-C14-C15
3	E	410	PEE	C12-C13-C14-C15
3	B	401	PEE	C12-C13-C14-C15
3	C	401	PEE	C12-C13-C14-C15
3	D	401	PEE	C12-C13-C14-C15
3	E	406	PEE	C24-C25-C26-C27
3	A	407	PEE	C24-C25-C26-C27
3	B	407	PEE	C24-C25-C26-C27
3	C	407	PEE	C24-C25-C26-C27
3	D	407	PEE	C24-C25-C26-C27
3	E	406	PEE	C31-C30-O3-C3
3	A	407	PEE	C31-C30-O3-C3
3	B	407	PEE	C31-C30-O3-C3
3	C	407	PEE	C31-C30-O3-C3
3	D	407	PEE	C31-C30-O3-C3
3	E	406	PEE	C42-C43-C44-C45
3	A	407	PEE	C42-C43-C44-C45
3	B	407	PEE	C42-C43-C44-C45
3	C	407	PEE	C42-C43-C44-C45
3	D	407	PEE	C42-C43-C44-C45
3	B	409	PEE	C14-C15-C16-C17
3	E	407	PEE	C31-C30-O3-C3
3	A	408	PEE	C31-C30-O3-C3
3	B	408	PEE	C31-C30-O3-C3
3	C	408	PEE	C31-C30-O3-C3
3	D	408	PEE	C31-C30-O3-C3
3	E	408	PEE	C14-C15-C16-C17

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	A	409	PEE	C14-C15-C16-C17
3	C	409	PEE	C14-C15-C16-C17
3	D	409	PEE	C14-C15-C16-C17
3	E	404	PEE	C1-C2-C3-O3
3	E	408	PEE	C1-C2-C3-O3
3	A	405	PEE	C1-C2-C3-O3
3	A	409	PEE	C1-C2-C3-O3
3	B	405	PEE	C1-C2-C3-O3
3	B	409	PEE	C1-C2-C3-O3
3	C	405	PEE	C1-C2-C3-O3
3	C	409	PEE	C1-C2-C3-O3
3	D	405	PEE	C1-C2-C3-O3
3	D	409	PEE	C1-C2-C3-O3
3	E	403	PEE	O5-C30-O3-C3
3	A	404	PEE	O5-C30-O3-C3
3	B	404	PEE	O5-C30-O3-C3
3	C	404	PEE	O5-C30-O3-C3
3	D	404	PEE	O5-C30-O3-C3
3	E	405	PEE	C4-O4P-P-O3P
3	A	406	PEE	C4-O4P-P-O3P
3	B	406	PEE	C4-O4P-P-O3P
3	C	406	PEE	C4-O4P-P-O3P
3	D	406	PEE	C4-O4P-P-O3P
3	E	402	PEE	O2-C2-C3-O3
3	A	403	PEE	O2-C2-C3-O3
3	B	403	PEE	O2-C2-C3-O3
3	C	403	PEE	O2-C2-C3-O3
3	D	403	PEE	O2-C2-C3-O3
3	E	408	PEE	C16-C17-C18-C19
3	E	410	PEE	C38-C39-C40-C41
3	A	401	PEE	C38-C39-C40-C41
3	A	409	PEE	C16-C17-C18-C19
3	B	401	PEE	C38-C39-C40-C41
3	B	409	PEE	C16-C17-C18-C19
3	C	401	PEE	C38-C39-C40-C41
3	C	409	PEE	C16-C17-C18-C19
3	D	401	PEE	C38-C39-C40-C41
3	D	409	PEE	C16-C17-C18-C19
3	E	407	PEE	C16-C17-C18-C19
3	A	408	PEE	C16-C17-C18-C19
3	B	408	PEE	C16-C17-C18-C19
3	C	408	PEE	C16-C17-C18-C19

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	D	408	PEE	C16-C17-C18-C19
3	E	402	PEE	C3-C2-O2-C10
3	A	403	PEE	C3-C2-O2-C10
3	B	403	PEE	C3-C2-O2-C10
3	C	403	PEE	C3-C2-O2-C10
3	D	403	PEE	C3-C2-O2-C10
3	E	406	PEE	O5-C30-O3-C3
3	C	407	PEE	O5-C30-O3-C3
3	D	407	PEE	O5-C30-O3-C3
3	E	402	PEE	C1-C2-C3-O3
3	A	403	PEE	C1-C2-C3-O3
3	B	403	PEE	C1-C2-C3-O3
3	C	403	PEE	C1-C2-C3-O3
3	D	403	PEE	C1-C2-C3-O3
3	A	407	PEE	O5-C30-O3-C3
3	B	407	PEE	O5-C30-O3-C3
3	E	404	PEE	C20-C21-C22-C23
3	A	405	PEE	C20-C21-C22-C23
3	D	405	PEE	C20-C21-C22-C23
3	B	405	PEE	C20-C21-C22-C23
3	C	405	PEE	C20-C21-C22-C23
3	E	410	PEE	C4-O4P-P-O3P
3	A	401	PEE	C4-O4P-P-O3P
3	B	401	PEE	C4-O4P-P-O3P
3	C	401	PEE	C4-O4P-P-O3P
3	D	401	PEE	C4-O4P-P-O3P
3	E	404	PEE	C1-O3P-P-O1P
3	E	406	PEE	C4-O4P-P-O1P
3	E	408	PEE	C4-O4P-P-O1P
3	A	405	PEE	C1-O3P-P-O1P
3	A	407	PEE	C4-O4P-P-O1P
3	A	409	PEE	C4-O4P-P-O1P
3	B	405	PEE	C1-O3P-P-O1P
3	B	407	PEE	C4-O4P-P-O1P
3	B	409	PEE	C4-O4P-P-O1P
3	C	405	PEE	C1-O3P-P-O1P
3	C	407	PEE	C4-O4P-P-O1P
3	C	409	PEE	C4-O4P-P-O1P
3	D	405	PEE	C1-O3P-P-O1P
3	D	407	PEE	C4-O4P-P-O1P
3	D	409	PEE	C4-O4P-P-O1P
3	E	405	PEE	C16-C17-C18-C19

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	A	406	PEE	C16-C17-C18-C19
3	B	406	PEE	C16-C17-C18-C19
3	C	406	PEE	C16-C17-C18-C19
3	D	406	PEE	C16-C17-C18-C19
3	E	408	PEE	O3P-C1-C2-O2
3	A	409	PEE	O3P-C1-C2-O2
3	B	409	PEE	O3P-C1-C2-O2
3	C	409	PEE	O3P-C1-C2-O2
3	D	409	PEE	O3P-C1-C2-O2
3	E	406	PEE	C22-C23-C24-C25
3	E	403	PEE	O2-C2-C3-O3
3	A	404	PEE	O2-C2-C3-O3
3	B	404	PEE	O2-C2-C3-O3
3	C	404	PEE	O2-C2-C3-O3
3	D	404	PEE	O2-C2-C3-O3
3	E	407	PEE	C31-C32-C33-C34
3	A	407	PEE	C22-C23-C24-C25
3	D	408	PEE	C31-C32-C33-C34
3	A	408	PEE	C31-C32-C33-C34
3	B	407	PEE	C22-C23-C24-C25
3	B	408	PEE	C31-C32-C33-C34
3	C	408	PEE	C31-C32-C33-C34
3	D	407	PEE	C22-C23-C24-C25
3	C	407	PEE	C22-C23-C24-C25
3	E	403	PEE	C2-C1-O3P-P
3	A	404	PEE	C2-C1-O3P-P
3	B	404	PEE	C2-C1-O3P-P
3	C	404	PEE	C2-C1-O3P-P
3	D	404	PEE	C2-C1-O3P-P
3	E	402	PEE	C11-C12-C13-C14
3	D	403	PEE	C11-C12-C13-C14
3	A	403	PEE	C11-C12-C13-C14
3	B	403	PEE	C11-C12-C13-C14
3	C	403	PEE	C11-C12-C13-C14
3	E	403	PEE	C3-C2-O2-C10
3	E	408	PEE	C3-C2-O2-C10
3	E	410	PEE	C3-C2-O2-C10
3	A	401	PEE	C3-C2-O2-C10
3	A	404	PEE	C3-C2-O2-C10
3	A	409	PEE	C3-C2-O2-C10
3	B	401	PEE	C3-C2-O2-C10
3	B	404	PEE	C3-C2-O2-C10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	B	409	PEE	C3-C2-O2-C10
3	C	401	PEE	C3-C2-O2-C10
3	C	404	PEE	C3-C2-O2-C10
3	C	409	PEE	C3-C2-O2-C10
3	D	401	PEE	C3-C2-O2-C10
3	D	404	PEE	C3-C2-O2-C10
3	D	409	PEE	C3-C2-O2-C10
3	B	401	PEE	C34-C35-C36-C37
3	E	410	PEE	C34-C35-C36-C37
3	C	401	PEE	C34-C35-C36-C37
3	E	405	PEE	C1-O3P-P-O4P
3	A	406	PEE	C1-O3P-P-O4P
3	B	406	PEE	C1-O3P-P-O4P
3	C	406	PEE	C1-O3P-P-O4P
3	D	406	PEE	C1-O3P-P-O4P
3	A	401	PEE	C34-C35-C36-C37
3	D	401	PEE	C34-C35-C36-C37
3	E	406	PEE	C16-C17-C18-C19
3	A	407	PEE	C16-C17-C18-C19
3	B	407	PEE	C16-C17-C18-C19
3	C	407	PEE	C16-C17-C18-C19
3	D	407	PEE	C16-C17-C18-C19
3	E	404	PEE	C36-C37-C38-C39
3	A	405	PEE	C36-C37-C38-C39
3	B	405	PEE	C36-C37-C38-C39
3	C	405	PEE	C36-C37-C38-C39
3	D	405	PEE	C36-C37-C38-C39
3	E	406	PEE	C38-C39-C40-C41
3	A	407	PEE	C38-C39-C40-C41
3	B	403	PEE	C38-C39-C40-C41
3	B	407	PEE	C38-C39-C40-C41
3	C	407	PEE	C38-C39-C40-C41
3	D	403	PEE	C38-C39-C40-C41
3	D	407	PEE	C38-C39-C40-C41
3	E	402	PEE	C38-C39-C40-C41
3	A	403	PEE	C38-C39-C40-C41
3	C	403	PEE	C38-C39-C40-C41
3	E	404	PEE	C31-C30-O3-C3
3	A	405	PEE	C31-C30-O3-C3
3	B	405	PEE	C31-C30-O3-C3
3	C	405	PEE	C31-C30-O3-C3
3	E	409	PEE	C23-C24-C25-C26

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	A	410	PEE	C14-C15-C16-C17
3	D	410	PEE	C23-C24-C25-C26
3	D	410	PEE	C14-C15-C16-C17
3	E	409	PEE	C14-C15-C16-C17
3	A	410	PEE	C23-C24-C25-C26
3	B	410	PEE	C23-C24-C25-C26
3	B	410	PEE	C14-C15-C16-C17
3	C	410	PEE	C23-C24-C25-C26
3	C	410	PEE	C14-C15-C16-C17
3	A	408	PEE	C32-C33-C34-C35
3	D	405	PEE	C31-C30-O3-C3
3	E	407	PEE	C32-C33-C34-C35
3	B	408	PEE	C32-C33-C34-C35
3	D	408	PEE	C32-C33-C34-C35
3	E	406	PEE	C43-C44-C45-C46
3	C	408	PEE	C32-C33-C34-C35
3	A	407	PEE	C43-C44-C45-C46
3	B	407	PEE	C43-C44-C45-C46
3	C	407	PEE	C43-C44-C45-C46
3	D	407	PEE	C43-C44-C45-C46
3	E	405	PEE	C1-C2-O2-C10
3	E	407	PEE	C3-C2-O2-C10
3	A	406	PEE	C1-C2-O2-C10
3	A	408	PEE	C3-C2-O2-C10
3	B	406	PEE	C1-C2-O2-C10
3	B	408	PEE	C3-C2-O2-C10
3	C	406	PEE	C1-C2-O2-C10
3	C	408	PEE	C3-C2-O2-C10
3	D	406	PEE	C1-C2-O2-C10
3	D	408	PEE	C3-C2-O2-C10
3	E	405	PEE	C31-C30-O3-C3
3	B	406	PEE	C31-C30-O3-C3
3	A	406	PEE	C31-C30-O3-C3
3	C	406	PEE	C31-C30-O3-C3
3	D	406	PEE	C31-C30-O3-C3
3	A	406	PEE	C11-C12-C13-C14
3	E	406	PEE	C14-C15-C16-C17
3	C	406	PEE	C11-C12-C13-C14
3	B	407	PEE	C14-C15-C16-C17
3	C	407	PEE	C14-C15-C16-C17
3	D	406	PEE	C11-C12-C13-C14
3	D	407	PEE	C14-C15-C16-C17

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	A	407	PEE	C14-C15-C16-C17
3	E	405	PEE	C11-C12-C13-C14
3	B	406	PEE	C11-C12-C13-C14
3	E	404	PEE	O5-C30-O3-C3
3	A	405	PEE	O5-C30-O3-C3
3	B	405	PEE	O5-C30-O3-C3
3	A	406	PEE	O5-C30-O3-C3
3	C	405	PEE	O5-C30-O3-C3
3	D	405	PEE	O5-C30-O3-C3
3	E	402	PEE	C32-C33-C34-C35
3	A	401	PEE	C40-C41-C42-C43
3	E	405	PEE	O5-C30-O3-C3
3	B	406	PEE	O5-C30-O3-C3
3	C	406	PEE	O5-C30-O3-C3
3	D	406	PEE	O5-C30-O3-C3
3	A	403	PEE	C32-C33-C34-C35
3	D	401	PEE	C40-C41-C42-C43
3	D	407	PEE	C11-C12-C13-C14
3	E	402	PEE	C33-C34-C35-C36
3	A	403	PEE	C33-C34-C35-C36
3	B	403	PEE	C33-C34-C35-C36
3	C	401	PEE	C40-C41-C42-C43
3	C	403	PEE	C32-C33-C34-C35
3	C	407	PEE	C11-C12-C13-C14
3	D	403	PEE	C33-C34-C35-C36
3	E	406	PEE	C11-C12-C13-C14
3	E	410	PEE	C40-C41-C42-C43
3	A	407	PEE	C11-C12-C13-C14
3	B	401	PEE	C40-C41-C42-C43
3	B	403	PEE	C32-C33-C34-C35
3	B	407	PEE	C11-C12-C13-C14
3	C	403	PEE	C33-C34-C35-C36
3	D	403	PEE	C12-C13-C14-C15
3	D	403	PEE	C32-C33-C34-C35
3	E	402	PEE	C12-C13-C14-C15
3	A	403	PEE	C12-C13-C14-C15
3	B	403	PEE	C12-C13-C14-C15
3	C	403	PEE	C12-C13-C14-C15
3	A	405	PEE	C14-C15-C16-C17
3	C	405	PEE	C14-C15-C16-C17
3	D	405	PEE	C14-C15-C16-C17
3	E	408	PEE	C36-C37-C38-C39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	E	409	PEE	C18-C19-C20-C21
3	E	409	PEE	C16-C17-C18-C19
3	A	409	PEE	C36-C37-C38-C39
3	A	410	PEE	C18-C19-C20-C21
3	A	410	PEE	C16-C17-C18-C19
3	B	409	PEE	C18-C19-C20-C21
3	B	409	PEE	C36-C37-C38-C39
3	B	410	PEE	C18-C19-C20-C21
3	C	409	PEE	C18-C19-C20-C21
3	C	409	PEE	C36-C37-C38-C39
3	C	410	PEE	C18-C19-C20-C21
3	C	410	PEE	C16-C17-C18-C19
3	D	409	PEE	C18-C19-C20-C21
3	D	409	PEE	C36-C37-C38-C39
3	D	410	PEE	C18-C19-C20-C21
3	E	410	PEE	C13-C14-C15-C16
3	A	401	PEE	C13-C14-C15-C16
3	B	405	PEE	C14-C15-C16-C17
3	E	404	PEE	C14-C15-C16-C17
3	B	401	PEE	C13-C14-C15-C16
3	D	401	PEE	C13-C14-C15-C16
3	C	401	PEE	C13-C14-C15-C16
3	E	404	PEE	O4P-C4-C5-N
3	A	405	PEE	O4P-C4-C5-N
3	B	405	PEE	O4P-C4-C5-N
3	C	405	PEE	O4P-C4-C5-N
3	D	405	PEE	O4P-C4-C5-N
3	B	410	PEE	C16-C17-C18-C19
3	D	410	PEE	C16-C17-C18-C19
3	E	406	PEE	C36-C37-C38-C39
3	E	408	PEE	C18-C19-C20-C21
3	A	409	PEE	C18-C19-C20-C21
3	C	407	PEE	C36-C37-C38-C39
3	E	402	PEE	C1-O3P-P-O2P
3	A	403	PEE	C1-O3P-P-O2P
3	B	403	PEE	C1-O3P-P-O2P
3	C	403	PEE	C1-O3P-P-O2P
3	D	403	PEE	C1-O3P-P-O2P
3	E	404	PEE	C38-C39-C40-C41
3	A	405	PEE	C38-C39-C40-C41
3	A	407	PEE	C36-C37-C38-C39
3	B	405	PEE	C38-C39-C40-C41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	B	407	PEE	C36-C37-C38-C39
3	C	405	PEE	C38-C39-C40-C41
3	D	405	PEE	C38-C39-C40-C41
3	D	407	PEE	C36-C37-C38-C39
3	E	410	PEE	C18-C19-C20-C21
3	E	410	PEE	C16-C17-C18-C19
3	A	401	PEE	C18-C19-C20-C21
3	A	401	PEE	C16-C17-C18-C19
3	A	401	PEE	C36-C37-C38-C39
3	B	401	PEE	C18-C19-C20-C21
3	B	401	PEE	C16-C17-C18-C19
3	B	401	PEE	C36-C37-C38-C39
3	C	401	PEE	C18-C19-C20-C21
3	C	401	PEE	C16-C17-C18-C19
3	D	401	PEE	C18-C19-C20-C21
3	D	401	PEE	C16-C17-C18-C19
3	D	401	PEE	C36-C37-C38-C39
3	E	406	PEE	C35-C36-C37-C38
3	A	407	PEE	C35-C36-C37-C38
3	B	407	PEE	C35-C36-C37-C38
3	C	407	PEE	C35-C36-C37-C38
3	D	407	PEE	C35-C36-C37-C38
3	E	410	PEE	C1-C2-C3-O3
3	A	401	PEE	C1-C2-C3-O3
3	B	401	PEE	C1-C2-C3-O3
3	C	401	PEE	C1-C2-C3-O3
3	D	401	PEE	C1-C2-C3-O3
3	E	404	PEE	O3P-C1-C2-O2
3	E	410	PEE	O3P-C1-C2-O2
3	A	401	PEE	O3P-C1-C2-O2
3	A	405	PEE	O3P-C1-C2-O2
3	B	401	PEE	O3P-C1-C2-O2
3	B	405	PEE	O3P-C1-C2-O2
3	C	401	PEE	O3P-C1-C2-O2
3	C	405	PEE	O3P-C1-C2-O2
3	D	401	PEE	O3P-C1-C2-O2
3	D	405	PEE	O3P-C1-C2-O2
3	E	407	PEE	C36-C37-C38-C39
3	E	410	PEE	C36-C37-C38-C39
3	A	408	PEE	C36-C37-C38-C39
3	B	408	PEE	C36-C37-C38-C39
3	C	401	PEE	C36-C37-C38-C39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	C	408	PEE	C36-C37-C38-C39
3	D	408	PEE	C36-C37-C38-C39
3	E	406	PEE	C13-C14-C15-C16
3	C	407	PEE	C13-C14-C15-C16
3	B	407	PEE	C13-C14-C15-C16
3	E	404	PEE	C18-C19-C20-C21
3	E	404	PEE	C16-C17-C18-C19
3	A	405	PEE	C16-C17-C18-C19
3	B	405	PEE	C18-C19-C20-C21
3	B	405	PEE	C16-C17-C18-C19
3	C	405	PEE	C18-C19-C20-C21
3	C	405	PEE	C16-C17-C18-C19
3	D	405	PEE	C16-C17-C18-C19
3	E	405	PEE	O2-C10-C11-C12
3	A	406	PEE	O2-C10-C11-C12
3	B	406	PEE	O2-C10-C11-C12
3	C	406	PEE	O2-C10-C11-C12
3	D	406	PEE	O2-C10-C11-C12
3	A	407	PEE	C13-C14-C15-C16
3	D	407	PEE	C13-C14-C15-C16
3	D	405	PEE	C22-C23-C24-C25
3	B	405	PEE	C22-C23-C24-C25
3	A	405	PEE	C18-C19-C20-C21
3	D	405	PEE	C18-C19-C20-C21
3	E	404	PEE	C22-C23-C24-C25
3	A	405	PEE	C22-C23-C24-C25
3	C	405	PEE	C22-C23-C24-C25
3	A	407	PEE	C18-C19-C20-C21
3	B	407	PEE	C18-C19-C20-C21
3	D	407	PEE	C18-C19-C20-C21
3	E	406	PEE	C18-C19-C20-C21
3	C	407	PEE	C18-C19-C20-C21
3	E	406	PEE	C1-O3P-P-O2P
3	E	410	PEE	C4-O4P-P-O1P
3	A	401	PEE	C4-O4P-P-O1P
3	A	407	PEE	C1-O3P-P-O2P
3	B	401	PEE	C4-O4P-P-O1P
3	B	407	PEE	C1-O3P-P-O2P
3	C	401	PEE	C4-O4P-P-O1P
3	C	407	PEE	C1-O3P-P-O2P
3	D	401	PEE	C4-O4P-P-O1P
3	D	407	PEE	C1-O3P-P-O2P

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	E	405	PEE	O4-C10-C11-C12
3	A	406	PEE	O4-C10-C11-C12
3	B	406	PEE	O4-C10-C11-C12
3	C	406	PEE	O4-C10-C11-C12
3	D	406	PEE	O4-C10-C11-C12
3	B	409	PEE	C33-C34-C35-C36
3	E	408	PEE	C33-C34-C35-C36
3	A	409	PEE	C33-C34-C35-C36
3	D	409	PEE	C33-C34-C35-C36
3	C	409	PEE	C33-C34-C35-C36
3	E	405	PEE	O3P-C1-C2-O2
3	A	406	PEE	O3P-C1-C2-O2
3	B	406	PEE	O3P-C1-C2-O2
3	C	406	PEE	O3P-C1-C2-O2
3	D	406	PEE	O3P-C1-C2-O2
3	D	410	PEE	C24-C25-C26-C27
3	E	409	PEE	C24-C25-C26-C27
3	A	410	PEE	C24-C25-C26-C27
3	B	410	PEE	C24-C25-C26-C27
3	C	410	PEE	C24-C25-C26-C27

There are no ring outliers.

35 monomers are involved in 61 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	PEE	2	0
3	D	408	PEE	1	0
3	E	404	PEE	3	0
3	C	406	PEE	1	0
3	A	405	PEE	3	0
3	C	408	PEE	1	0
3	D	409	PEE	2	0
3	D	407	PEE	4	0
3	C	407	PEE	4	0
3	B	410	PEE	2	0
3	A	406	PEE	2	0
3	B	405	PEE	3	0
3	C	409	PEE	1	0
3	D	401	PEE	2	0
3	D	405	PEE	3	0
3	D	410	PEE	2	0
3	E	405	PEE	1	0


*Continued on next page...*



*Continued from previous page...*


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	408	PEE	1	0
3	E	406	PEE	5	0
3	B	409	PEE	2	0
3	E	410	PEE	2	0
3	C	401	PEE	1	0
3	E	408	PEE	2	0
3	B	406	PEE	2	0
3	A	410	PEE	2	0
3	B	407	PEE	4	0
3	A	407	PEE	4	0
3	C	405	PEE	2	0
3	C	410	PEE	2	0
3	D	406	PEE	1	0
3	E	407	PEE	1	0
3	E	409	PEE	2	0
3	B	401	PEE	2	0
3	A	409	PEE	2	0
3	B	408	PEE	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















































## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-37447. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections (i)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [\(i\)](#)


### 6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


### 6.2.2 Raw map



X Index: 150



Y Index: 150



Z Index: 150

The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [\(i\)](#)


### 6.3.1 Primary map



X Index: 137




Y Index: 170




Z Index: 188


### 6.3.2 Raw map



X Index: 137



Y Index: 171




Z Index: 188


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [\(i\)](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [\(i\)](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.00373. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [\(i\)](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_37447\_msk\_1.map [\(i\)](#)



X



Y




Z

## 7 Map analysis (i)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate (i)



The volume at the recommended contour level is 97 nm<sup>3</sup>; this corresponds to an approximate mass of 87 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [\(i\)](#)




\*Reported resolution corresponds to spatial frequency of  $0.365 \text{ \AA}^{-1}$

## 8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [\(i\)](#)



\*Reported resolution corresponds to spatial frequency of  $0.365 \text{\AA}^{-1}$

## 8.2 Resolution estimates [\(i\)](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.74	-	-
Author-provided FSC curve	2.72	2.93	2.75
Unmasked-calculated*	2.86	3.11	2.89

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit i


This section contains information regarding the fit between EMDB map EMD-37447 and PDB model 8WCR. Per-residue inclusion information can be found in section 3 on page 7.

### 9.1 Map-model overlay i




The images above show the 3D surface view of the map at the recommended contour level 0.00373 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.00373).

## 9.4 Atom inclusion [\(i\)](#)



At the recommended contour level, 95% of all backbone atoms, 93% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary [\(i\)](#)

The table lists the average atom inclusion at the recommended contour level (0.00373) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9260	0.6250
A	0.9280	0.6250
B	0.9280	0.6240
C	0.9270	0.6250
D	0.9270	0.6250
E	0.9290	0.6250

