

# Full wwPDB X-ray Structure Validation Report (i)

#### Jun 15, 2020 – 11:03 pm BST

PDB ID	:	3WGZ
Title	:	Crystal structure of meso-dapdh $Q154L/T173I/R199M/P248S/H249N/N276$
		S mutant with D-leucine of from Clostridium tetani E88
Authors	:	Liu, W.D.; Li, Z.; Huang, C.H.; Guo, R.T.; Wu, Q.Q.; Zhu, D.M.
Deposited on	:	2013-08-20
Resolution	:	2.25  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

$\operatorname{MolProbity}$	:	4.02b-467
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
$\operatorname{Refmac}$	:	5.8.0158
$\operatorname{CCP4}$	:	7.0.044  (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain						
1	А	326	<u>9%</u> 58%	37%					
1	В	326	6%	29%	•••				

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	DLE	В	400	-	-	-	Х



#### 3WGZ

## 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 5571 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Δ	202	Total	С	Ν	Ο	S	0	0	
		J323	2525	1591	437	487	10	0	0	0
1	р	204	Total	С	Ν	Ο	S	0	0	0
		024	2531	1594	438	489	10			

• Molecule 1 is a protein called Meso-diaminopimelate dehydrogenase.

Chain	Residue	Modelled	Actual	Comment	Reference
А	154	LEU	GLN	ENGINEERED MUTATION	UNP Q890V3
А	173	ILE	THR	ENGINEERED MUTATION	UNP Q890V3
А	199	MET	ARG	ENGINEERED MUTATION	UNP Q890V3
А	248	SER	PRO	ENGINEERED MUTATION	UNP Q890V3
А	249	ASN	HIS	ENGINEERED MUTATION	UNP Q890V3
А	276	SER	ASN	ENGINEERED MUTATION	UNP Q890V3
В	154	LEU	GLN	ENGINEERED MUTATION	UNP Q890V3
В	173	ILE	THR	ENGINEERED MUTATION	UNP Q890V3
В	199	MET	ARG	ENGINEERED MUTATION	UNP Q890V3
В	248	SER	PRO	ENGINEERED MUTATION	UNP Q890V3
В	249	ASN	HIS	ENGINEERED MUTATION	UNP Q890V3
B	276	SER	ASN	ENGINEERED MUTATION	UNP Q890V3

There are 12 discrepancies between the modelled and reference sequences:

• Molecule 2 is D-LEUCINE (three-letter code: DLE) (formula:  $C_6H_{13}NO_2$ ).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	В	1	Total 9	С 6	N 1	O 2	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	249	Total O 249 249	0	0
3	В	257	Total O 257 257	0	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Meso-diaminopimelate dehydrogenase



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	46.73Å $136.07$ Å $60.05$ Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $110.28^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	24.98 - 2.25	Depositor
Resolution (A)	24.98 - 2.25	$\mathrm{EDS}$
% Data completeness	95.4 (24.98-2.25)	Depositor
(in resolution range)	95.5(24.98-2.25)	$\mathrm{EDS}$
R <sub>merge</sub>	0.05	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$4.76 (at 2.26 \text{\AA})$	Xtriage
Refinement program	CNS	Depositor
D D .	0.206 , $0.263$	Depositor
$\Pi, \Pi_{free}$	0.206 , $0.262$	DCC
$R_{free}$ test set	1579 reflections $(4.96\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	42.6	Xtriage
Anisotropy	0.440	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.33 , $59.1$	EDS
L-test for $twinning^2$	$< L >=0.49, < L^2>=0.33$	Xtriage
Estimated twinning fraction	0.037 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5571	wwPDB-VP
Average B, all atoms $(Å^2)$	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.43% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



 $<sup>^1 {\</sup>rm Intensities}$  estimated from amplitudes.

## 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: DLE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Ullaili	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.35	0/2568	0.65	0/3456	
1	В	0.35	0/2574	0.64	0/3464	
All	All	0.35	0/5142	0.65	0/6920	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2525	0	2534	126	0
1	В	2531	0	2539	88	0
2	В	9	0	12	1	0
3	А	249	0	0	5	0
3	В	257	0	0	4	0
All	All	5571	0	5085	198	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (198) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



3	W	GΖ

Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
1:A:212:LYS:H	1:A:212:LYS:HZ1	0.99	0.98
1:A:206:GLU:HG2	1:A:209:ALA:HA	1.52	0.91
1:A:88:ASN:HD22	1:A:116:ILE:H	1.16	0.87
1:B:149:GLY:H	1:B:251:GLY:HA2	1.40	0.86
1:A:212:LYS:NZ	1:A:212:LYS:H	1.73	0.85
1:B:38:ARG:HD2	1:B:38:ARG:H	1.42	0.85
1:A:40:ILE:H	1:A:40:ILE:HD12	1.41	0.85
1:A:149:GLY:H	1:A:251:GLY:HA2	1.40	0.85
1:A:21:LYS:O	1:B:260:GLN:HG2	1.81	0.80
1:A:186:GLY:HA2	1:A:256:SER:OG	1.82	0.79
1:B:260:GLN:H	1:B:260:GLN:CD	1.84	0.78
1:A:153:SER:H	1:A:171:GLN:NE2	1.82	0.78
1:A:21:LYS:C	1:B:260:GLN:HG2	2.04	0.77
1:A:149:GLY:O	1:A:150:LYS:HB2	1.86	0.76
1:A:88:ASN:ND2	1:A:116:ILE:H	1.83	0.76
1:A:212:LYS:N	1:A:212:LYS:HZ1	1.81	0.74
1:A:43:VAL:HB	1:A:46:ASN:OD1	1.89	0.72
1:B:36:THR:OG1	1:B:38:ARG:HD2	1.89	0.72
1:A:216:GLN:HE22	1:A:232:VAL:HG11	1.55	0.72
1:B:118:LEU:HB2	1:B:291:ILE:HD11	1.71	0.71
1:B:260:GLN:NE2	1:B:260:GLN:H	1.89	0.71
1:A:59:TYR:O	1:A:62:THR:HG22	1.90	0.70
1:A:4:LYS:HE2	3:A:600:HOH:O	1.92	0.70
1:A:148:TRP:H	1:A:197:HIS:HE1	1.41	0.68
1:A:211:LEU:O	1:A:214:ILE:HG22	1.94	0.68
1:A:104:GLU:O	1:A:108:GLU:HG3	1.94	0.67
1:A:325:LEU:HD22	1:B:132:ARG:HB3	1.75	0.67
1:B:5:ILE:HB	1:B:29:MET:HG2	1.77	0.66
1:B:107:ASP:O	1:B:111:LYS:HB2	1.94	0.66
1:A:25:GLN:CD	1:B:260:GLN:HE21	1.98	0.66
1:A:88:ASN:ND2	1:A:116:ILE:HG22	2.12	0.65
1:B:182:LYS:HE2	1:B:182:LYS:HA	1.77	0.65
1:A:260:GLN:HB2	1:B:21:LYS:HB3	1.79	0.64
1:B:70:GLY:O	1:B:76:LEU:HD13	1.98	0.64
1:A:43:VAL:O	1:A:44:ASP:HB2	1.99	0.63
1:A:99:ILE:HG21	1:B:326:LEU:HD23	1.81	0.63
1:B:167:LYS:HG2	1:B:206:GLU:HG2	1.81	0.62
1:A:160:ILE:O	1:A:166:VAL:HG11	2.00	0.61
1:A:148:TRP:H	1:A:197:HIS:CE1	2.17	0.61
1:A:222:PRO:O	1:A:223:ASP:HB2	2.00	0.61
1:A:309:PRO:HG3	1:B:309:PRO:HG3	1.82	0.61
1:B:317:THR:OG1	1:B:320:GLU:HG3	2.01	0.61



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:132:ARG:HB3	1:B:325:LEU:HD22	1.83	0.61
1:B:149:GLY:H	1:B:251:GLY:CA	2.11	0.60
1:A:225:PHE:O	1:A:226:ALA:HB3	2.02	0.59
1:B:122:GLY:O	1:B:126:GLY:HA3	2.02	0.59
1:A:25:GLN:HG3	1:B:260:GLN:HG3	1.84	0.59
1:A:56:LEU:HD21	1:A:83:ILE:HD12	1.85	0.58
1:B:77:VAL:HG11	3:B:719:HOH:O	2.04	0.58
1:A:211:LEU:HD23	1:A:214:ILE:HB	1.84	0.58
1:B:44:ASP:HB3	1:B:47:ASN:ND2	2.19	0.58
1:A:4:LYS:N	3:A:464:HOH:O	2.37	0.57
1:A:182:LYS:HE2	1:A:187:GLU:HB3	1.87	0.57
1:A:210:ASP:O	1:A:212:LYS:HE3	2.04	0.57
1:A:153:SER:H	1:A:171:GLN:HE21	1.52	0.57
1:B:154:LEU:H	1:B:154:LEU:HD12	1.68	0.57
1:B:76:LEU:O	1:B:77:VAL:HB	2.05	0.57
1:A:239:GLU:O	1:A:243:ASN:HB2	2.05	0.56
1:A:42:LYS:HD2	1:A:46:ASN:OD1	2.04	0.56
1:B:115:ASN:ND2	3:B:582:HOH:O	2.38	0.56
1:B:182:LYS:HE2	1:B:182:LYS:CA	2.35	0.56
1:B:320:GLU:HA	1:B:323:LYS:HZ3	1.70	0.56
1:A:149:GLY:N	1:A:251:GLY:HA2	2.17	0.56
1:A:118:LEU:HB2	1:A:291:ILE:HD11	1.87	0.55
1:A:212:LYS:O	1:A:215:GLU:HB2	2.06	0.55
1:A:182:LYS:HE3	1:A:187:GLU:HG2	1.87	0.55
1:A:40:ILE:H	1:A:40:ILE:CD1	2.15	0.55
1:B:215:GLU:HG2	1:B:219:LYS:HD2	1.88	0.55
1:A:278:GLU:HB3	1:B:259:THR:HG21	1.89	0.55
1:A:264:LYS:O	1:B:274:GLU:HB2	2.07	0.55
1:A:129:SER:HA	1:A:132:ARG:NH1	2.23	0.54
1:A:40:ILE:O	1:A:42:LYS:N	2.40	0.54
1:B:78:GLU:O	1:B:79:GLN:HB2	2.07	0.54
1:B:105:ARG:O	1:B:109:ILE:HD13	2.08	0.54
1:A:153:SER:N	1:A:171:GLN:NE2	2.55	0.53
1:A:129:SER:HA	1:A:132:ARG:HH11	1.74	0.53
1:A:77:VAL:HG13	1:A:105:ARG:NH2	2.24	0.53
1:B:38:ARG:CD	1:B:38:ARG:H	2.18	0.53
1:A:81:PRO:HG3	1:A:105:ARG:HG2	1.91	0.52
1:A:236:THR:HG23	1:A:239:GLU:H	1.74	0.52
1:A:320:GLU:O	1:A:324:GLU:HG3	2.10	0.52
1:A:13:GLY:O	1:A:17:LYS:HG3	2.10	0.52
1:A:163:VAL:HB	1:A:166:VAL:CG1	2.39	0.52



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:44:ASP:CG	1:B:45:SER:H	2.13	0.52
1:B:118:LEU:HB2	1:B:291:ILE:CD1	2.40	0.52
1:A:215:GLU:O	1:A:218:ILE:HG22	2.09	0.51
1:B:142:GLY:HA2	1:B:188:GLN:NE2	2.26	0.51
1:B:40:ILE:HG13	1:B:41:ASN:N	2.25	0.51
1:A:40:ILE:N	1:A:40:ILE:HD12	2.17	0.51
1:A:99:ILE:N	1:A:100:PRO:CD	2.73	0.51
1:A:21:LYS:HB3	1:B:260:GLN:HB2	1.92	0.51
1:A:212:LYS:H	1:A:212:LYS:CE	2.24	0.51
1:B:166:VAL:HG13	1:B:203:VAL:HG13	1.93	0.51
1:B:207:GLU:O	1:B:208:ASN:O	2.28	0.51
1:A:241:LYS:HG2	1:A:242:LEU:HD23	1.92	0.50
1:B:152:VAL:HG12	1:B:153:SER:N	2.26	0.50
1:B:186:GLY:HA3	1:B:264:LYS:HD3	1.94	0.50
1:A:163:VAL:HB	1:A:166:VAL:HG11	1.94	0.49
1:A:239:GLU:HA	1:A:243:ASN:HD22	1.77	0.49
1:A:46:ASN:HB3	3:A:632:HOH:O	2.11	0.49
1:B:79:GLN:H	1:B:81:PRO:HD2	1.77	0.49
1:B:129:SER:HA	1:B:132:ARG:NH1	2.27	0.49
1:A:157:SER:O	1:A:161:ARG:HG3	2.12	0.49
1:A:179:ALA:HB2	1:A:195:GLU:O	2.13	0.49
1:A:246:GLY:N	3:A:610:HOH:O	2.46	0.49
1:B:154:LEU:CD1	1:B:154:LEU:H	2.26	0.48
1:B:143:LYS:O	1:B:255:ARG:HD2	2.13	0.48
1:B:80:GLY:N	1:B:81:PRO:CD	2.75	0.48
1:A:156:HIS:O	1:A:160:ILE:HG23	2.14	0.48
1:A:177:LYS:NZ	1:A:181:ASP:OD1	2.45	0.48
1:A:271:LEU:CD2	1:B:267:MET:HG2	2.44	0.48
1:A:60:LYS:O	1:A:61:ASP:HB2	2.14	0.48
1:A:5:ILE:HB	1:A:29:MET:HG2	1.95	0.48
1:B:155:GLY:HA3	2:B:400:DLE:OXT	2.14	0.47
1:A:121:THR:HG23	1:A:284:LEU:HD23	1.96	0.47
1:B:109:ILE:N	1:B:109:ILE:HD12	2.28	0.47
1:A:164:GLN:HE21	1:A:164:GLN:HA	1.79	0.47
1:A:287:TYR:CE1	1:A:313:LEU:HD21	2.49	0.47
1:A:164:GLN:NE2	1:A:164:GLN:HA	2.29	0.47
1:A:240:LEU:HD23	1:A:240:LEU:C	2.34	0.47
1:B:109:ILE:H	1:B:109:ILE:HD12	1.80	0.47
1:A:218:ILE:HG23	1:A:219:LYS:N	2.30	0.47
1:A:292:TYR:O	1:A:295:SER:HB3	2.15	0.47
1:B:36:THR:OG1	1:B:38:ARG:CD	2.61	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
1:A:38:ARG:O	1:A:52:HIS:HD2	1.97	0.46
1:B:237:GLU:HG3	1:B:241:LYS:NZ	2.30	0.46
1:A:317:THR:OG1	1:A:320:GLU:HG3	2.16	0.46
1:B:154:LEU:N	1:B:154:LEU:HD12	2.30	0.46
1:B:308:ILE:HA	1:B:309:PRO:HD3	1.87	0.46
1:B:148:TRP:O	1:B:149:GLY:O	2.34	0.46
1:B:134:LEU:O	1:B:138:ILE:HG12	2.16	0.46
1:A:46:ASN:O	1:A:47:ASN:HB2	2.15	0.45
1:A:216:GLN:NE2	1:A:232:VAL:HG11	2.29	0.45
1:A:25:GLN:CG	1:B:260:GLN:HG3	2.45	0.45
1:A:39:ASP:C	1:A:41:ASN:N	2.68	0.45
1:A:205:PRO:HD3	1:A:234:PHE:HD1	1.81	0.45
1:B:160:ILE:HD11	1:B:171:GLN:HB2	1.99	0.45
1:B:149:GLY:N	1:B:251:GLY:HA2	2.20	0.45
1:A:121:THR:CG2	1:A:284:LEU:HD23	2.47	0.45
1:B:121:THR:HG23	1:B:284:LEU:HD23	1.98	0.45
1:B:287:TYR:CE1	1:B:313:LEU:HD21	2.52	0.45
1:B:285:VAL:O	1:B:288:SER:HB2	2.16	0.45
1:A:141:LYS:HD2	3:A:640:HOH:O	2.16	0.44
1:B:260:GLN:N	1:B:260:GLN:CD	2.62	0.44
1:A:170:ILE:HG12	1:A:171:GLN:N	2.32	0.44
1:A:133:LEU:HD23	1:B:310:PHE:HB3	1.99	0.44
1:B:44:ASP:OD2	1:B:45:SER:N	2.47	0.44
1:A:164:GLN:HE21	1:A:164:GLN:CA	2.31	0.44
1:A:86:GLN:HB2	1:A:87:PHE:CD1	2.53	0.44
1:A:153:SER:O	1:A:155:GLY:N	2.51	0.44
1:A:71:GLY:O	1:A:72:SER:HB2	2.17	0.44
1:B:320:GLU:O	1:B:324:GLU:HG3	2.18	0.44
1:A:128:PHE:O	1:A:132:ARG:HG3	2.18	0.43
1:B:209:ALA:O	1:B:210:ASP:CB	2.66	0.43
1:B:77:VAL:HG13	1:B:78:GLU:N	2.34	0.43
1:A:160:ILE:HG22	1:A:218:ILE:HD11	2.00	0.43
1:B:6:ARG:HB3	1:B:32:GLU:HG3	2.00	0.43
1:A:56:LEU:CD2	1:A:83:ILE:HD12	2.49	0.43
1:A:6:ARG:HB3	1:A:32:GLU:CG	2.49	0.43
1:A:153:SER:N	1:A:171:GLN:HE22	2.17	0.43
1:A:152:VAL:HG22	1:A:170:ILE:HD11	2.00	0.43
1:A:205:PRO:HB2	1:A:206:GLU:H	1.65	0.43
1:A:159:ALA:HB1	1:A:221:MET:SD	2.58	0.43
1:A:267:MET:HG2	1:B:271:LEU:CD2	2.49	0.43
1:A:188:GLN:O	1:A:189:CYS:HB3	2.19	0.43



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:42:LYS:HB3	1:A:43:VAL:H	1.55	0.42
1:A:47:ASN:N	1:A:47:ASN:HD22	2.15	0.42
1:B:35:PHE:HA	1:B:51:VAL:O	2.19	0.42
1:B:162:ARG:HD2	3:B:609:HOH:O	2.19	0.42
1:B:39:ASP:O	1:B:43:VAL:HG23	2.19	0.42
1:A:149:GLY:HA3	1:A:250:GLY:C	2.40	0.42
1:A:211:LEU:HG	1:A:214:ILE:H	1.83	0.42
1:A:318:PRO:O	1:A:322:ARG:HG3	2.19	0.42
1:A:160:ILE:CG2	1:A:218:ILE:HD11	2.50	0.42
1:B:43:VAL:HG12	1:B:43:VAL:O	2.20	0.42
1:A:245:ALA:O	1:A:247:LEU:N	2.53	0.42
1:B:133:LEU:HD22	1:B:306:LEU:HG	2.01	0.42
1:A:117:SER:O	1:A:302:ALA:HA	2.20	0.42
1:A:96:HIS:HA	1:A:99:ILE:CD1	2.50	0.42
1:B:91:ASP:OD1	1:B:91:ASP:C	2.58	0.42
1:B:59:TYR:HA	1:B:62:THR:CG2	2.50	0.42
1:A:211:LEU:CD2	1:A:214:ILE:HB	2.50	0.41
1:B:124:ASP:CG	1:B:132:ARG:HH22	2.24	0.41
1:B:258:ASN:HA	1:B:263:ALA:O	2.21	0.41
1:B:304:THR:OG1	1:B:306:LEU:HB2	2.20	0.41
1:B:71:GLY:HA2	3:B:600:HOH:O	2.20	0.41
1:A:163:VAL:HG12	1:A:164:GLN:N	2.35	0.41
1:A:221:MET:HA	1:A:222:PRO:HD3	1.93	0.41
1:A:47:ASN:O	1:A:48:SER:O	2.38	0.41
1:A:63:VAL:HG21	1:A:66:MET:HE1	2.02	0.41
1:B:150:LYS:O	1:B:249:ASN:HA	2.20	0.41
1:A:208:ASN:O	1:A:209:ALA:HB3	2.21	0.41
1:A:209:ALA:O	1:A:210:ASP:O	2.38	0.41
1:A:39:ASP:HB3	1:A:41:ASN:HD22	1.84	0.41
1:B:188:GLN:HE21	1:B:257:GLY:HA2	1.85	0.41
1:B:182:LYS:HE2	1:B:182:LYS:N	2.36	0.41
1:A:245:ALA:O	1:A:247:LEU:HG	2.21	0.41
1:A:188:GLN:HB3	1:A:188:GLN:HE21	1.60	0.40

There are no symmetry-related clashes.





### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	321/326~(98%)	285~(89%)	21~(6%)	15~(5%)	2 0
1	В	322/326~(99%)	292~(91%)	19 (6%)	11 (3%)	3 1
All	All	643/652~(99%)	577~(90%)	40 (6%)	26~(4%)	3 1

All (26) Ramachandran outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type
1	А	48	SER
1	А	72	SER
1	А	149	GLY
1	А	150	LYS
1	А	154	LEU
1	А	164	GLN
1	А	208	ASN
1	А	210	ASP
1	В	73	ALA
1	В	77	VAL
1	В	79	GLN
1	А	41	ASN
1	А	43	VAL
1	А	188	GLN
1	А	246	GLY
1	В	70	GLY
1	В	72	SER
1	В	76	LEU
1	В	149	GLY
1	В	208	ASN
1	В	210	ASP
1	А	205	PRO
1	В	48	SER
1	А	165	GLY
1	А	44	ASP



Continued from previous page...

Mol	Chain	$\mathbf{Res}$	Type
1	В	43	VAL

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	278/281~(99%)	269~(97%)	9(3%)	39 47
1	В	279/281~(99%)	270~(97%)	9(3%)	39 47
All	All	557/562~(99%)	539 (97%)	18 (3%)	39 47

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	36	THR
1	А	49	LYS
1	А	57	GLU
1	А	167	LYS
1	А	188	GLN
1	А	212	LYS
1	А	223	ASP
1	А	228	TYR
1	А	238	GLU
1	В	38	ARG
1	В	41	ASN
1	В	46	ASN
1	В	61	ASP
1	В	62	THR
1	В	79	GLN
1	В	187	GLU
1	В	259	THR
1	В	319	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:



Mol	Chain	Res	Type
1	А	41	ASN
1	А	47	ASN
1	А	79	GLN
1	А	88	ASN
1	А	131	ASN
1	А	156	HIS
1	А	164	GLN
1	А	171	GLN
1	А	188	GLN
1	А	197	HIS
1	А	208	ASN
1	А	216	GLN
1	А	243	ASN
1	А	258	ASN
1	В	41	ASN
1	В	46	ASN
1	В	47	ASN
1	В	86	GLN
1	В	115	ASN
1	В	131	ASN
1	В	164	GLN
1	В	188	GLN
1	В	260	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

#### 5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

There are no bond length outliers.



There are no bond angle outliers. There are no chirality outliers. There are no torsion outliers. There are no ring outliers. No monomer is involved in short contacts.

### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	А	323/326~(99%)	0.48	28 (8%) 10 11	30, 50, 98, 114	0
1	В	324/326~(99%)	0.29	21 (6%) 18 20	28, 46, 76, 107	0
All	All	647/652 (99%)	0.38	49 (7%) 13 15	28, 48, 95, 114	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	72	SER	7.5
1	В	43	VAL	7.1
1	А	41	ASN	6.7
1	А	208	ASN	5.6
1	А	214	ILE	5.6
1	А	44	ASP	5.3
1	В	71	GLY	5.3
1	В	73	ALA	5.3
1	В	44	ASP	5.2
1	А	206	GLU	5.2
1	А	207	GLU	5.1
1	В	46	ASN	5.0
1	В	90	VAL	4.8
1	В	45	SER	4.4
1	А	45	SER	4.4
1	А	46	ASN	4.1
1	В	67	ILE	4.0
1	А	40	ILE	3.8
1	В	118	LEU	3.6
1	В	74	THR	3.5
1	A	43	VAL	3.4
1	A	209	ALA	3.4
1	A	67	ILE	3.3
1	A	90	VAL	3.3



Mol	Chain	Res	Type	RSRZ
1	А	149	GLY	3.2
1	А	68	LEU	3.1
1	В	154	LEU	3.1
1	А	212	LYS	2.9
1	А	211	LEU	2.8
1	В	76	LEU	2.8
1	А	284	LEU	2.7
1	А	118	LEU	2.7
1	А	217	ASP	2.6
1	В	68	LEU	2.6
1	А	8	GLY	2.5
1	В	47	ASN	2.4
1	В	149	GLY	2.3
1	А	242	LEU	2.3
1	А	69	CYS	2.3
1	А	159	ALA	2.2
1	А	164	GLN	2.2
1	В	208	ASN	2.2
1	В	284	LEU	2.2
1	А	168	ASN	2.2
1	В	305	VAL	2.2
1	А	205	PRO	2.1
1	В	288	SER	2.1
1	А	163	VAL	2.1
1	В	65	VAL	2.1

Continued from previous page...

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
2	DLE	В	400	9/9	0.75	0.51	$129,\!129,\!129,\!129$	0

## 6.5 Other polymers (i)

There are no such residues in this entry.

