



wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 10, 2023 – 08:34 PM EDT

PDB ID : 6WML
Title : Human TLR8 bound to the potent agonist, GS-9688 (Selgantolimod)
Authors : Appleby, T.C.; Perry, J.K.; Mish, M.; Villasenor, A.G.; Mackman, R.L.
Deposited on : 2020-04-21
Resolution : 2.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.












Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	811	 83% 8% 8%
1	B	811	 79% 12% 7%
1	C	811	 71% 13% 16%
1	D	811	 75% 12% 13%
2	E	4	 50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	2	 100%
4	G	3	 67% 33%
4	H	3	 33% 67%
4	I	3	 100%
4	J	3	 100%
4	L	3	 100%
4	M	3	 67% 33%
4	O	3	 67% 33%
5	K	4	 50% 50%
5	P	4	 75% 25%
6	N	5	 40% 60%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	NAG	B	1016	-	-	-	X
8	NAG	C	916	X	-	-	-

2 Entry composition i

There are 10 unique types of molecules in this entry. The entry contains 23787 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toll-like receptor 8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	743	5716	3682	949	1067	18	0	3	0
1	B	751	6015	3847	1021	1128	19	0	0	0
1	C	681	5393	3449	919	1011	14	0	0	0
1	D	708	5312	3394	913	988	17	0	0	0

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	23	ARG	-	expression tag	UNP Q9NR97
A	24	SER	-	expression tag	UNP Q9NR97
A	25	PRO	-	expression tag	UNP Q9NR97
A	26	TRP	-	expression tag	UNP Q9NR97
A	828	GLU	-	expression tag	UNP Q9NR97
A	829	PHE	-	expression tag	UNP Q9NR97
A	830	LEU	-	expression tag	UNP Q9NR97
A	831	VAL	-	expression tag	UNP Q9NR97
A	832	PRO	-	expression tag	UNP Q9NR97
A	833	ARG	-	expression tag	UNP Q9NR97
B	23	ARG	-	expression tag	UNP Q9NR97
B	24	SER	-	expression tag	UNP Q9NR97
B	25	PRO	-	expression tag	UNP Q9NR97
B	26	TRP	-	expression tag	UNP Q9NR97
B	828	GLU	-	expression tag	UNP Q9NR97
B	829	PHE	-	expression tag	UNP Q9NR97
B	830	LEU	-	expression tag	UNP Q9NR97
B	831	VAL	-	expression tag	UNP Q9NR97
B	832	PRO	-	expression tag	UNP Q9NR97
B	833	ARG	-	expression tag	UNP Q9NR97
C	23	ARG	-	expression tag	UNP Q9NR97

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	24	SER	-	expression tag	UNP Q9NR97
C	25	PRO	-	expression tag	UNP Q9NR97
C	26	TRP	-	expression tag	UNP Q9NR97
C	828	GLU	-	expression tag	UNP Q9NR97
C	829	PHE	-	expression tag	UNP Q9NR97
C	830	LEU	-	expression tag	UNP Q9NR97
C	831	VAL	-	expression tag	UNP Q9NR97
C	832	PRO	-	expression tag	UNP Q9NR97
C	833	ARG	-	expression tag	UNP Q9NR97
D	23	ARG	-	expression tag	UNP Q9NR97
D	24	SER	-	expression tag	UNP Q9NR97
D	25	PRO	-	expression tag	UNP Q9NR97
D	26	TRP	-	expression tag	UNP Q9NR97
D	828	GLU	-	expression tag	UNP Q9NR97
D	829	PHE	-	expression tag	UNP Q9NR97
D	830	LEU	-	expression tag	UNP Q9NR97
D	831	VAL	-	expression tag	UNP Q9NR97
D	832	PRO	-	expression tag	UNP Q9NR97
D	833	ARG	-	expression tag	UNP Q9NR97

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranos e-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
			Total	C	N				O
2	E	4	50	28	2	20	0	0	0

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
			Total	C	N				O
3	F	2	25	14	1	10	0	0	0

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	G	3	Total	C	N	O	0	0	0
			39	22	2	15			
4	H	3	Total	C	N	O	0	0	0
			39	22	2	15			
4	I	3	Total	C	N	O	0	0	0
			39	22	2	15			
4	J	3	Total	C	N	O	0	0	0
			39	22	2	15			
4	L	3	Total	C	N	O	0	0	0
			39	22	2	15			
4	M	3	Total	C	N	O	0	0	0
			39	22	2	15			
4	O	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	K	4	Total	C	N	O	0	0	0
			50	28	2	20			
5	P	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
6	N	5	61	34	2	25	0	0	0


- Molecule 7 is alpha-D-mannopyranose (three-letter code: MAN) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
7	A	1	11	6	5	0	0
7	A	1	11	6	5	0	0
7	B	1	11	6	5	0	0
7	B	1	11	6	5	0	0
7	B	1	11	6	5	0	0
7	B	1	11	6	5	0	0
7	C	1	11	6	5	0	0
7	C	1	11	6	5	0	0
7	C	1	11	6	5	0	0
7	D	1	11	6	5	0	0

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:

C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		
8	C	1	Total	C	N	O	0	0
			14	8	1	5		
8	C	1	Total	C	N	O	0	0
			14	8	1	5		
8	C	1	Total	C	N	O	0	0
			14	8	1	5		
8	D	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	D	1	Total	C	N	O	0	0
			14	8	1	5		
8	D	1	Total	C	N	O	0	0
			14	8	1	5		
8	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 9 is (2R)-2-[(2-amino-7-fluoropyrido[3,2-d]pyrimidin-4-yl)amino]-2-methylhexan-1-ol (three-letter code: U57) (formula: C₁₄H₂₀FN₅O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	A	1	Total	C	F	N	O	0	0
			21	14	1	5	1		
9	B	1	Total	C	F	N	O	0	0
			21	14	1	5	1		
9	C	1	Total	C	F	N	O	0	0
			21	14	1	5	1		
9	D	1	Total	C	F	N	O	0	0
			21	14	1	5	1		

- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	155	Total	O	0	0
			155	155		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	B	110	Total 110	O 110	0	0
10	C	87	Total 87	O 87	0	0
10	D	72	Total 72	O 72	0	0


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Toll-like receptor 8




- Molecule 1: Toll-like receptor 8




● Molecule 1: Toll-like receptor 8



● Molecule 1: Toll-like receptor 8





- Molecule 2: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 50% 50%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 100%



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 67% 33%



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 33% 67%



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 100%



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 100%



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%

MAG1
MAG2
BMA3

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  67% 33%

MAG1
MAG2
BMA3

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  67% 33%

MAG1
MAG2
BMA3

- Molecule 5: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  50% 50%

MAG1
MAG2
BMA3
MAN4

- Molecule 5: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  75% 25%

MAG1
MAG2
BMA3
MAN4

- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  40% 60%

MAG1
MAG2
BMA3
MAN4
MAN5

4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	86.82Å 141.57Å 171.26Å 90.00° 90.41° 90.00°	Depositor
Resolution (Å)	47.86 – 2.50 47.86 – 2.50	Depositor EDS
% Data completeness (in resolution range)	95.8 (47.86-2.50) 88.6 (47.86-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.67 (at 2.51Å)	Xtrriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.211 , 0.255 0.211 , 0.255	Depositor DCC
R_{free} test set	1932 reflections (1.42%)	wwPDB-VP
Wilson B-factor (Å ²)	43.6	Xtrriage
Anisotropy	0.298	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 48.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.025 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	23787	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: U57, BMA, MAN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/5844	0.43	0/7973
1	B	0.25	0/6140	0.45	2/8332 (0.0%)
1	C	0.25	0/5501	0.43	0/7470
1	D	0.26	0/5417	0.45	0/7375
All	All	0.25	0/22902	0.44	2/31150 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	3
1	C	0	1
All	All	0	4

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	308	LYS	CD-CE-NZ	-8.72	91.64	111.70
1	B	86	LEU	CA-CB-CG	5.43	127.80	115.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	758	THR	Peptide
1	B	759	LYS	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	760	THR	Peptide
1	C	87	GLN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5716	0	5411	33	0
1	B	6015	0	5956	59	0
1	C	5393	0	5236	68	1
1	D	5312	0	4887	65	0
2	E	50	0	42	1	0
3	F	25	0	22	0	0
4	G	39	0	33	2	0
4	H	39	0	32	3	0
4	I	39	0	34	0	0
4	J	39	0	32	0	0
4	L	39	0	34	0	0
4	M	39	0	32	3	0
4	O	39	0	34	1	0
5	K	50	0	42	3	0
5	P	50	0	42	0	0
6	N	61	0	52	1	0
7	A	22	0	20	2	0
7	B	44	0	40	2	0
7	C	33	0	30	6	0
7	D	11	0	10	0	0
8	A	70	0	64	0	0
8	B	56	0	52	3	0
8	C	42	0	39	0	0
8	D	56	0	52	5	1
9	A	21	0	0	0	0
9	B	21	0	0	0	0
9	C	21	0	0	0	0
9	D	21	0	0	0	0
10	A	155	0	0	5	0
10	B	110	0	0	1	0
10	C	87	0	0	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	D	72	0	0	1	0
All	All	23787	0	22228	234	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 234 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:B:1004:MAN:C1	4:H:3:BMA:O3	1.64	1.42
7:C:913:MAN:C1	4:M:3:BMA:O6	1.64	1.41
7:A:1013:MAN:C1	4:G:3:BMA:O6	1.66	1.41
7:C:905:MAN:C1	5:K:3:BMA:O6	1.65	1.40
1:D:395:ASN:HD21	8:D:916:NAG:C1	1.35	1.36

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:279:ASP:OD1	8:D:916:NAG:O4[2_756]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	734/811 (90%)	690 (94%)	41 (6%)	3 (0%)	34 54
1	B	745/811 (92%)	695 (93%)	45 (6%)	5 (1%)	22 39
1	C	667/811 (82%)	626 (94%)	37 (6%)	4 (1%)	25 43
1	D	688/811 (85%)	642 (93%)	44 (6%)	2 (0%)	41 61
All	All	2834/3244 (87%)	2653 (94%)	167 (6%)	14 (0%)	29 48

5 of 14 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	734	GLU
1	A	759	LYS
1	B	759	LYS
1	A	736	SER
1	C	43	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	609/755 (81%)	604 (99%)	5 (1%)	81	93
1	B	687/755 (91%)	678 (99%)	9 (1%)	69	87
1	C	597/755 (79%)	586 (98%)	11 (2%)	59	81
1	D	536/755 (71%)	527 (98%)	9 (2%)	60	82
All	All	2429/3020 (80%)	2395 (99%)	34 (1%)	67	86

5 of 34 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	301	LYS
1	D	360	SER
1	D	534	TYR
1	B	433	LEU
1	B	431	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 10 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	356	HIS
1	D	395	ASN
1	D	416	ASN
1	B	395	ASN
1	C	41	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

40 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	E	1	1,2	14,14,15	0.28	0	17,19,21	0.35	0
2	NAG	E	2	2	14,14,15	0.21	0	17,19,21	0.39	0
2	BMA	E	3	2	11,11,12	0.58	0	15,15,17	0.78	0
2	MAN	E	4	2	11,11,12	0.70	0	15,15,17	1.05	2 (13%)
3	NAG	F	1	3	14,14,15	0.24	0	17,19,21	0.38	0
3	BMA	F	2	3	11,11,12	0.71	0	15,15,17	0.83	0
4	NAG	G	1	4,1	14,14,15	0.27	0	17,19,21	0.35	0
4	NAG	G	2	4	14,14,15	0.30	0	17,19,21	0.39	0
4	BMA	G	3	4	11,11,12	0.65	0	15,15,17	0.78	0
4	NAG	H	1	4	14,14,15	0.24	0	17,19,21	0.36	0
4	NAG	H	2	4	14,14,15	0.19	0	17,19,21	0.42	0
4	BMA	H	3	4	11,11,12	0.64	0	15,15,17	0.77	0
4	NAG	I	1	4,1	14,14,15	0.26	0	17,19,21	0.43	0
4	NAG	I	2	4	14,14,15	0.23	0	17,19,21	0.42	0
4	BMA	I	3	4	11,11,12	0.73	0	15,15,17	0.81	0
4	NAG	J	1	4,1	14,14,15	0.28	0	17,19,21	0.35	0
4	NAG	J	2	4	14,14,15	0.28	0	17,19,21	0.37	0
4	BMA	J	3	4	11,11,12	0.60	0	15,15,17	0.78	0
5	NAG	K	1	5,1	14,14,15	0.28	0	17,19,21	0.35	0
5	NAG	K	2	5	14,14,15	0.20	0	17,19,21	0.42	0
5	BMA	K	3	5	11,11,12	0.64	0	15,15,17	0.80	0
5	MAN	K	4	5	11,11,12	0.78	1 (9%)	15,15,17	1.00	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	L	1	4,1	14,14,15	0.24	0	17,19,21	0.39	0
4	NAG	L	2	4	14,14,15	0.28	0	17,19,21	0.36	0
4	BMA	L	3	4	11,11,12	0.71	0	15,15,17	0.84	0
4	NAG	M	1	4	14,14,15	0.25	0	17,19,21	0.37	0
4	NAG	M	2	4	14,14,15	0.22	0	17,19,21	0.40	0
4	BMA	M	3	4	11,11,12	0.64	0	15,15,17	0.87	0
6	NAG	N	1	6,1	14,14,15	0.23	0	17,19,21	0.37	0
6	NAG	N	2	6	14,14,15	0.18	0	17,19,21	0.45	0
6	BMA	N	3	6	11,11,12	0.59	0	15,15,17	0.83	0
6	MAN	N	4	6	11,11,12	0.68	0	15,15,17	1.12	2 (13%)
6	MAN	N	5	6	11,11,12	0.69	0	15,15,17	1.11	2 (13%)
4	NAG	O	1	4,1	14,14,15	0.25	0	17,19,21	0.40	0
4	NAG	O	2	4	14,14,15	0.25	0	17,19,21	0.37	0
4	BMA	O	3	4	11,11,12	0.62	0	15,15,17	0.80	0
5	NAG	P	1	5,1	14,14,15	0.23	0	17,19,21	0.39	0
5	NAG	P	2	5	14,14,15	0.26	0	17,19,21	0.38	0
5	BMA	P	3	5	11,11,12	0.63	0	15,15,17	0.76	0
5	MAN	P	4	5	11,11,12	0.68	0	15,15,17	1.09	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	BMA	E	3	2	-	0/2/19/22	0/1/1/1
2	MAN	E	4	2	-	2/2/19/22	0/1/1/1
3	NAG	F	1	3	-	0/6/23/26	0/1/1/1
3	BMA	F	2	3	-	0/2/19/22	0/1/1/1
4	NAG	G	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	G	2	4	-	0/6/23/26	0/1/1/1
4	BMA	G	3	4	-	0/2/19/22	0/1/1/1
4	NAG	H	1	4	-	0/6/23/26	0/1/1/1
4	NAG	H	2	4	-	0/6/23/26	0/1/1/1
4	BMA	H	3	4	-	0/2/19/22	0/1/1/1
4	NAG	I	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	I	2	4	-	0/6/23/26	0/1/1/1
4	BMA	I	3	4	-	2/2/19/22	0/1/1/1
4	NAG	J	1	4,1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	J	2	4	-	0/6/23/26	0/1/1/1
4	BMA	J	3	4	-	0/2/19/22	0/1/1/1
5	NAG	K	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	K	2	5	-	0/6/23/26	0/1/1/1
5	BMA	K	3	5	-	0/2/19/22	0/1/1/1
5	MAN	K	4	5	-	0/2/19/22	0/1/1/1
4	NAG	L	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	L	2	4	-	0/6/23/26	0/1/1/1
4	BMA	L	3	4	-	0/2/19/22	0/1/1/1
4	NAG	M	1	4	-	0/6/23/26	0/1/1/1
4	NAG	M	2	4	-	0/6/23/26	0/1/1/1
4	BMA	M	3	4	-	0/2/19/22	0/1/1/1
6	NAG	N	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	N	2	6	-	2/6/23/26	0/1/1/1
6	BMA	N	3	6	-	0/2/19/22	0/1/1/1
6	MAN	N	4	6	-	0/2/19/22	0/1/1/1
6	MAN	N	5	6	-	2/2/19/22	0/1/1/1
4	NAG	O	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	O	2	4	-	0/6/23/26	0/1/1/1
4	BMA	O	3	4	-	2/2/19/22	0/1/1/1
5	NAG	P	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	P	2	5	-	0/6/23/26	0/1/1/1
5	BMA	P	3	5	-	0/2/19/22	0/1/1/1
5	MAN	P	4	5	-	0/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	K	4	MAN	O5-C1	-2.01	1.40	1.43

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	N	4	MAN	C1-O5-C5	2.47	115.54	112.19
5	K	4	MAN	C1-O5-C5	2.39	115.43	112.19
5	P	4	MAN	C1-O5-C5	2.37	115.41	112.19
6	N	5	MAN	C1-O5-C5	2.35	115.38	112.19
2	E	4	MAN	C1-O5-C5	2.32	115.34	112.19

There are no chirality outliers.

5 of 14 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	O	3	BMA	O5-C5-C6-O6
2	E	4	MAN	O5-C5-C6-O6
6	N	5	MAN	O5-C5-C6-O6
2	E	4	MAN	C4-C5-C6-O6
6	N	5	MAN	C4-C5-C6-O6


There are no ring outliers.



8 monomers are involved in 14 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	N	1	NAG	1	0
4	G	3	BMA	2	0
2	E	1	NAG	1	0
4	H	1	NAG	1	0
4	H	3	BMA	2	0
5	K	3	BMA	3	0
4	M	3	BMA	3	0
4	O	1	NAG	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


















5.6 Ligand geometry

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	U57	C	917	-	19,22,22	1.36	4 (21%)	24,31,31	1.84	6 (25%)
8	NAG	B	1017	-	14,14,15	0.23	0	17,19,21	0.39	0
7	MAN	B	1005	-	11,11,12	0.71	0	15,15,17	1.07	2 (13%)
8	NAG	A	1006	1	14,14,15	0.21	0	17,19,21	0.42	0
8	NAG	D	909	1	14,14,15	0.22	0	17,19,21	0.40	0
8	NAG	C	916	1	14,14,15	0.20	0	17,19,21	0.44	0
9	U57	B	1018	-	19,22,22	1.35	4 (21%)	24,31,31	1.74	5 (20%)
8	NAG	A	1015	1	14,14,15	0.26	0	17,19,21	0.40	0
7	MAN	B	1013	-	11,11,12	0.74	0	15,15,17	1.00	2 (13%)
9	U57	A	1017	-	19,22,22	1.36	4 (21%)	24,31,31	1.78	5 (20%)
7	MAN	B	1004	-	11,11,12	0.73	0	15,15,17	0.99	2 (13%)
7	MAN	B	1014	-	11,11,12	0.67	0	15,15,17	1.07	2 (13%)
8	NAG	C	915	1	14,14,15	0.23	0	17,19,21	0.39	0
8	NAG	A	1009	1	14,14,15	0.23	0	17,19,21	0.39	0
7	MAN	C	913	-	11,11,12	0.73	0	15,15,17	1.01	2 (13%)
7	MAN	C	914	-	11,11,12	0.70	0	15,15,17	1.02	2 (13%)
8	NAG	B	1015	1	14,14,15	0.19	0	17,19,21	0.42	0
8	NAG	A	1014	1	14,14,15	0.17	0	17,19,21	0.47	0
8	NAG	B	1009	-	14,14,15	0.24	0	17,19,21	0.39	0
8	NAG	B	1016	-	14,14,15	0.20	0	17,19,21	0.42	0
9	U57	D	918	-	19,22,22	1.36	4 (21%)	24,31,31	1.79	5 (20%)
8	NAG	D	915	1	14,14,15	0.20	0	17,19,21	0.41	0
7	MAN	A	1005	-	11,11,12	0.68	0	15,15,17	1.05	2 (13%)
8	NAG	C	909	1	14,14,15	0.22	0	17,19,21	0.41	0
7	MAN	D	914	-	11,11,12	0.70	0	15,15,17	1.08	2 (13%)
8	NAG	A	1016	1	14,14,15	0.20	0	17,19,21	0.41	0
8	NAG	D	917	1	14,14,15	0.19	0	17,19,21	0.44	0
7	MAN	A	1013	-	11,11,12	0.78	0	15,15,17	1.01	2 (13%)
8	NAG	D	916	-	14,14,15	0.52	0	17,19,21	0.47	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	MAN	C	905	-	11,11,12	0.71	0	15,15,17	1.01	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	U57	C	917	-	-	2/13/13/13	0/2/2/2
8	NAG	B	1017	-	-	0/6/23/26	0/1/1/1
7	MAN	B	1005	-	-	2/2/19/22	0/1/1/1
8	NAG	A	1006	1	-	0/6/23/26	0/1/1/1
8	NAG	D	909	1	-	2/6/23/26	0/1/1/1
8	NAG	C	916	1	1/1/5/7	1/6/23/26	0/1/1/1
9	U57	B	1018	-	-	1/13/13/13	0/2/2/2
8	NAG	A	1015	1	-	2/6/23/26	0/1/1/1
7	MAN	B	1013	-	-	2/2/19/22	0/1/1/1
9	U57	A	1017	-	-	1/13/13/13	0/2/2/2
7	MAN	B	1004	-	-	0/2/19/22	0/1/1/1
7	MAN	B	1014	-	-	0/2/19/22	0/1/1/1
8	NAG	C	915	1	-	0/6/23/26	0/1/1/1
8	NAG	A	1009	1	-	2/6/23/26	0/1/1/1
7	MAN	C	913	-	-	0/2/19/22	0/1/1/1
7	MAN	C	914	-	-	0/2/19/22	0/1/1/1
8	NAG	B	1015	1	-	2/6/23/26	0/1/1/1
8	NAG	A	1014	1	-	2/6/23/26	0/1/1/1
8	NAG	B	1009	-	-	2/6/23/26	0/1/1/1
8	NAG	B	1016	-	-	2/6/23/26	0/1/1/1
9	U57	D	918	-	-	2/13/13/13	0/2/2/2
8	NAG	D	915	1	-	2/6/23/26	0/1/1/1
7	MAN	A	1005	-	-	0/2/19/22	0/1/1/1
8	NAG	C	909	1	-	4/6/23/26	0/1/1/1
7	MAN	D	914	-	-	0/2/19/22	0/1/1/1
8	NAG	A	1016	1	-	0/6/23/26	0/1/1/1
8	NAG	D	917	1	-	0/6/23/26	0/1/1/1
7	MAN	A	1013	-	-	0/2/19/22	0/1/1/1
8	NAG	D	916	-	-	2/6/23/26	0/1/1/1
7	MAN	C	905	-	-	2/2/19/22	0/1/1/1

The worst 5 of 16 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	A	1017	U57	C03-N05	2.74	1.36	1.32
9	D	918	U57	C03-N05	2.72	1.36	1.32
9	B	1018	U57	C03-N05	2.72	1.36	1.32
9	C	917	U57	C03-N05	2.69	1.36	1.32
9	A	1017	U57	C07-N08	2.32	1.38	1.33

The worst 5 of 41 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	C	917	U57	C03-C02-N17	4.85	124.84	120.58
9	D	918	U57	C03-C02-N17	4.58	124.61	120.58
9	A	1017	U57	C03-C02-N17	4.51	124.54	120.58
9	B	1018	U57	C03-C02-N17	4.37	124.42	120.58
9	C	917	U57	N04-C07-N05	-3.44	122.63	127.22

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
8	C	916	NAG	C1

5 of 35 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	A	1017	U57	C13-C09-C10-C11
7	B	1005	MAN	O5-C5-C6-O6
8	D	916	NAG	O5-C5-C6-O6
8	B	1015	NAG	C4-C5-C6-O6
8	D	915	NAG	C4-C5-C6-O6


There are no ring outliers.


6 monomers are involved in 19 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	1004	MAN	2	0
7	C	913	MAN	3	0
8	B	1016	NAG	3	0
7	A	1013	MAN	2	0
8	D	916	NAG	5	1
7	C	905	MAN	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	743/811 (91%)	-0.10	5 (0%) 87 89	31, 47, 74, 105	0
1	B	751/811 (92%)	0.10	17 (2%) 60 63	31, 52, 91, 125	0
1	C	681/811 (83%)	0.24	36 (5%) 26 28	34, 58, 95, 130	0
1	D	708/811 (87%)	0.25	36 (5%) 28 29	33, 61, 93, 113	0
All	All	2883/3244 (88%)	0.11	94 (3%) 46 50	31, 54, 91, 130	0

The worst 5 of 94 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	86	LEU	6.3
1	D	814	ILE	5.5
1	C	64	TYR	5.3
1	C	166	ILE	4.5
1	D	459	PHE	4.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	BMA	L	3	11/12	0.80	0.20	83,91,100,102	0
4	BMA	I	3	11/12	0.83	0.17	77,87,94,101	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	BMA	F	2	11/12	0.84	0.21	72,80,90,92	0
6	MAN	N	5	11/12	0.84	0.15	78,87,95,102	0
4	BMA	O	3	11/12	0.86	0.18	93,98,104,104	0
5	MAN	P	4	11/12	0.88	0.26	87,95,107,108	0
6	MAN	N	4	11/12	0.89	0.15	70,81,89,94	0
2	MAN	E	4	11/12	0.90	0.15	67,73,85,99	0
4	NAG	L	2	14/15	0.92	0.16	54,64,82,86	0
6	BMA	N	3	11/12	0.92	0.09	67,69,80,83	0
5	BMA	K	3	11/12	0.92	0.13	52,62,72,73	0
5	MAN	K	4	11/12	0.92	0.18	59,77,83,83	0
4	BMA	H	3	11/12	0.94	0.13	57,63,69,72	0
4	NAG	M	2	14/15	0.94	0.14	46,58,73,84	0
4	NAG	O	2	14/15	0.94	0.14	61,71,85,92	0
2	BMA	E	3	11/12	0.94	0.12	47,59,68,69	0
4	BMA	G	3	11/12	0.94	0.10	50,61,71,72	0
3	NAG	F	1	14/15	0.95	0.15	44,56,68,72	0
4	NAG	I	2	14/15	0.95	0.14	46,56,69,74	0
5	BMA	P	3	11/12	0.95	0.10	53,70,79,87	0
4	NAG	H	2	14/15	0.95	0.12	35,47,56,60	0
6	NAG	N	2	14/15	0.95	0.13	44,58,68,73	0
4	BMA	J	3	11/12	0.95	0.14	56,67,79,83	0
4	NAG	L	1	14/15	0.95	0.18	41,48,53,57	0
5	NAG	K	2	14/15	0.95	0.15	41,49,56,56	0
6	NAG	N	1	14/15	0.96	0.17	46,50,58,64	0
5	NAG	P	1	14/15	0.96	0.17	29,35,42,44	0
5	NAG	P	2	14/15	0.96	0.18	36,39,54,62	0
4	NAG	H	1	14/15	0.96	0.16	35,46,55,56	0
4	NAG	M	1	14/15	0.96	0.13	40,50,54,54	0
4	BMA	M	3	11/12	0.97	0.16	76,83,96,101	0
4	NAG	G	1	14/15	0.97	0.12	23,37,42,48	0
4	NAG	G	2	14/15	0.97	0.14	29,45,53,56	0
5	NAG	K	1	14/15	0.97	0.16	29,41,45,46	0
4	NAG	I	1	14/15	0.97	0.17	30,36,45,47	0
2	NAG	E	1	14/15	0.97	0.19	30,34,39,48	0
2	NAG	E	2	14/15	0.97	0.11	29,39,51,53	0
4	NAG	J	2	14/15	0.97	0.12	28,43,51,58	0
4	NAG	O	1	14/15	0.98	0.18	36,42,52,52	0
4	NAG	J	1	14/15	0.98	0.12	28,39,41,43	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain F:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain H:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain J:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain M:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain O:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain P:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	NAG	B	1016	14/15	0.37	0.66	95,104,122,123	0
7	MAN	C	913	11/12	0.60	0.28	81,102,110,110	0
7	MAN	B	1013	11/12	0.69	0.29	84,97,100,100	0
7	MAN	D	914	11/12	0.70	0.20	78,90,103,111	0
8	NAG	D	916	14/15	0.71	0.38	72,85,103,105	0
7	MAN	C	914	11/12	0.76	0.28	92,107,113,117	0
8	NAG	C	915	14/15	0.82	0.25	82,95,104,105	0
7	MAN	B	1005	11/12	0.82	0.15	73,81,91,93	0
7	MAN	B	1004	11/12	0.83	0.18	54,67,73,76	0
8	NAG	B	1009	14/15	0.84	0.18	71,76,92,93	0
8	NAG	A	1014	14/15	0.84	0.17	67,74,83,91	0
7	MAN	B	1014	11/12	0.85	0.15	72,85,90,92	0
8	NAG	D	915	14/15	0.86	0.22	64,79,88,90	0
8	NAG	B	1015	14/15	0.86	0.20	49,63,74,85	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	MAN	A	1013	11/12	0.89	0.12	77,83,90,91	0
7	MAN	C	905	11/12	0.89	0.13	81,84,92,96	0
8	NAG	C	916	14/15	0.91	0.12	72,82,91,96	0
8	NAG	D	917	14/15	0.91	0.16	51,58,72,75	0
8	NAG	A	1009	14/15	0.92	0.17	55,68,85,98	0
8	NAG	D	909	14/15	0.93	0.14	56,69,78,93	0
8	NAG	C	909	14/15	0.93	0.14	63,71,84,92	0
8	NAG	A	1015	14/15	0.93	0.18	52,57,66,67	0
7	MAN	A	1005	11/12	0.93	0.11	49,61,67,68	0
8	NAG	A	1016	14/15	0.94	0.17	51,62,67,73	0
8	NAG	B	1017	14/15	0.95	0.17	47,57,64,66	0
9	U57	C	917	21/21	0.95	0.17	41,51,60,76	0
9	U57	D	918	21/21	0.96	0.16	33,39,44,53	0
8	NAG	A	1006	14/15	0.97	0.15	34,39,45,45	0
9	U57	A	1017	21/21	0.97	0.18	31,38,47,55	0
9	U57	B	1018	21/21	0.98	0.17	34,39,45,53	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around U57 C 917:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U57 D 918:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around U57 A 1017:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.