



Full wwPDB EM Validation Report ⓘ

Nov 13, 2022 – 07:00 AM EST

PDB ID : 6WQQ
EMDB ID : EMD-21873
Title : Structure of the 50S subunit of the ribosome from Methicillin Resistant Staphylococcus aureus in complex with the antibiotic, radezolid
Authors : Belousoff, M.J.
Deposited on : 2020-04-29
Resolution : 3.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	116	95%
2	B	277	84%
3	C	118	90%
4	D	105	85%
5	E	117	85%
6	F	91	85%
7	G	105	76%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	H	107	
9	J	62	
10	K	72	
11	L	217	
12	M	58	
13	N	57	
14	O	49	
15	P	50	
16	Q	65	
17	R	37	
18	S	207	
19	V	145	
20	W	122	
21	X	146	
22	Y	144	
23	Z	122	
24	a	119	
25	1	2923	
26	2	115	
27	I	85	

2 Entry composition [i](#)

There are 28 unique types of molecules in this entry. The entry contains 81134 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	A	113	915	576	184	155	0	0

- Molecule 2 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	274	2094	1303	415	371	5	0	0

- Molecule 3 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	116	943	593	189	157	4	0	0

- Molecule 4 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	100	785	499	139	146	1	0	0

- Molecule 5 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	111	853	532	163	155	3	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	110	ALA	GLY	variant	UNP A0A077UKF9

- Molecule 6 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	87	711	447	128	132	4	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	87	ASP	ILE	variant	UNP W8TUB4

- Molecule 7 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	100	770	486	141	142	1	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	54	SER	GLY	variant	UNP W8TRD5

- Molecule 8 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	H	93	727	465	129	132	1	0	0

- Molecule 9 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	J	59	463	287	99	76	1	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
J	62	ALA	-	insertion	UNP A0A077URJ8

- Molecule 10 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
10	K	60	495	305	95	95	0	0

- Molecule 11 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	L	215	1628	1018	299	306	5	0	0

- Molecule 12 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
12	M	56	432	269	82	81	0	0

- Molecule 13 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	N	50	397	241	83	68	5	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
N	54	ALA	VAL	variant	UNP A0A077UWR7

- Molecule 14 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	O	47	390	233	79	73	5	0	0

- Molecule 15 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	P	44	372	228	90	53	1	0	0

- Molecule 16 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	Q	64	521	324	113	82	2	0	0

- Molecule 17 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	R	37	Total	C	N	O	S	0	0
			296	186	60	45	5		

- Molecule 18 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	S	192	Total	C	N	O	S	0	0
			1472	924	271	275	2		

- Molecule 19 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	V	143	Total	C	N	O	S	0	0
			1138	710	209	217	2		

- Molecule 20 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	W	121	Total	C	N	O	S	0	0
			911	566	173	168	4		

- Molecule 21 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	X	144	Total	C	N	O	0	0
			1082	669	213	200		

- Molecule 22 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	Y	136	Total	C	N	O	S	0	0
			1089	698	206	181	4		

- Molecule 23 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Z	121	Total	C	N	O	S	0	0
			955	586	183	185	1		

- Molecule 24 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
24	a	110	857	536	165	156	0	0

- Molecule 25 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
25	1	2698	57851	25835	10608	18715	2693	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	1866	A	G	conflict	GB 1760383645

- Molecule 26 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
26	2	111	2358	1056	422	770	110	0	0


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
2	80	C	G	variant	GB 1750990749
2	109	C	G	variant	GB 1750990749
2	111	A	C	variant	GB 1750990749
2	112	G	A	variant	GB 1750990749

- Molecule 27 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
27	I	78	597	367	116	114	0	0

- Molecule 28 is Radezolid (three-letter code: RD8) (formula: C₂₂H₂₃FN₆O₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	F	N	O	
28	1	1	32	22	1	6	3	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L19




- Molecule 2: 50S ribosomal protein L2




- Molecule 3: 50S ribosomal protein L20




- Molecule 4: 50S ribosomal protein L21





- Molecule 5: 50S ribosomal protein L22








● Molecule 6: 50S ribosomal protein L23




● Molecule 7: 50S ribosomal protein L24





● Molecule 8: 50S ribosomal protein L25





● Molecule 9: 50S ribosomal protein L28





● Molecule 10: 50S ribosomal protein L29



● Molecule 11: 50S ribosomal protein L3




• Molecule 12: 50S ribosomal protein L30



• Molecule 13: 50S ribosomal protein L32



• Molecule 14: 50S ribosomal protein L33



• Molecule 15: 50S ribosomal protein L34




• Molecule 16: 50S ribosomal protein L35




• Molecule 17: 50S ribosomal protein L36




• Molecule 18: 50S ribosomal protein L4





• Molecule 19: 50S ribosomal protein L13




• Molecule 20: 50S ribosomal protein L14





• Molecule 21: 50S ribosomal protein L15





• Molecule 22: 50S ribosomal protein L16



• Molecule 23: 50S ribosomal protein L17





• Molecule 24: 50S ribosomal protein L18




• Molecule 25: 23S rRNA








• Molecule 26: 5S rRNA



• Molecule 27: 50S ribosomal protein L27



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	250000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	47	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.376	Depositor
Minimum map value	-0.222	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.008	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	456.0, 456.0, 456.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.14, 1.14, 1.14	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: RD8

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.23	0/927	0.41	0/1239
2	B	0.24	0/2129	0.43	0/2858
3	C	0.23	0/955	0.35	0/1265
4	D	0.25	0/795	0.44	0/1062
5	E	0.24	0/861	0.42	0/1159
6	F	0.24	0/719	0.44	0/959
7	G	0.24	0/779	0.44	0/1042
8	H	0.24	0/735	0.41	0/986
9	J	0.22	0/469	0.42	0/625
10	K	0.26	0/496	0.41	0/660
11	L	0.25	0/1652	0.45	0/2216
12	M	0.22	0/434	0.42	0/585
13	N	0.24	0/404	0.42	0/537
14	O	0.23	0/393	0.46	0/523
15	P	0.23	0/376	0.36	0/491
16	Q	0.22	0/526	0.38	0/690
17	R	0.23	0/299	0.41	0/393
18	S	0.27	0/1494	0.45	0/2018
19	V	0.23	0/1160	0.39	0/1563
20	W	0.24	0/918	0.44	0/1232
21	X	0.24	0/1096	0.44	0/1461
22	Y	0.24	0/1113	0.43	0/1493
23	Z	0.23	0/959	0.42	0/1282
24	a	0.24	0/865	0.40	0/1154
25	1	0.20	0/64789	0.71	9/101033 (0.0%)
26	2	0.16	0/2636	0.70	1/4105 (0.0%)
27	I	0.24	0/603	0.44	0/801
All	All	0.21	0/88582	0.66	10/133432 (0.0%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	1	1866	A	N9-C1'-C2'	-5.83	105.58	112.00
25	1	1216	U	C2-N1-C1'	5.65	124.48	117.70
25	1	2639	C	C2-N1-C1'	5.47	124.82	118.80
25	1	1866	A	C4'-C3'-O3'	5.45	123.90	113.00
25	1	2094	G	C2'-C3'-O3'	-5.29	97.85	109.50
25	1	1932	C	N1-C2-O2	5.25	122.05	118.90
25	1	2657	G	C4'-C3'-O3'	5.25	123.50	113.00
25	1	2471	G	N9-C1'-C2'	-5.23	106.24	112.00
25	1	1932	C	C2-N1-C1'	5.23	124.55	118.80
26	2	79	C	C2-N1-C1'	5.11	124.42	118.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	915	0	987	2	0
2	B	2094	0	2205	26	0
3	C	943	0	1014	7	0
4	D	785	0	825	7	0
5	E	853	0	912	8	0
6	F	711	0	743	8	0
7	G	770	0	826	15	0
8	H	727	0	777	9	0
9	J	463	0	501	2	0
10	K	495	0	526	6	0
11	L	1628	0	1667	23	0
12	M	432	0	472	4	0
13	N	397	0	407	4	0
14	O	390	0	396	4	0
15	P	372	0	420	11	0
16	Q	521	0	586	3	0
17	R	296	0	340	9	0
18	S	1472	0	1520	12	0
19	V	1138	0	1130	13	0
20	W	911	0	970	17	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
21	X	1082	0	1119	11	0
22	Y	1089	0	1155	6	0
23	Z	955	0	1002	13	0
24	a	857	0	903	0	0
25	1	57851	0	29102	245	0
26	2	2358	0	1198	9	0
27	I	597	0	607	7	0
28	1	32	0	0	0	0
All	All	81134	0	52310	413	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (413) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
23:Z:72:LEU:HD23	23:Z:75:ASP:HA	1.56	0.88
25:1:1514:A:H61	25:1:1566:G:H1	1.21	0.85
25:1:1518:G:H1	25:1:1562:C:H42	1.24	0.85
25:1:1487:G:H22	25:1:1596:G:H22	1.21	0.84
23:Z:78:THR:O	23:Z:78:THR:HG23	1.77	0.83
15:P:2:VAL:N	25:1:1663:G:HO2'	1.83	0.77
25:1:921:C:H42	25:1:943:C:H3'	1.51	0.76
23:Z:71:ILE:HD11	23:Z:81:ALA:HA	1.67	0.76
25:1:2612:U:H2'	25:1:2612:U:O2	1.88	0.73
25:1:1521:A:H61	25:1:1559:G:H1	1.35	0.73
25:1:310:C:H42	25:1:406:A:H61	1.36	0.72
25:1:1806:U:OP2	25:1:1811:A:N6	2.21	0.72
7:G:47:PRO:HB3	25:1:529:A:H5''	1.72	0.72
25:1:1487:G:H1	25:1:1596:G:H1	1.38	0.71
25:1:85:G:H21	25:1:102:A:H8	1.39	0.70
9:J:35:LYS:HD2	9:J:46:LYS:HB3	1.74	0.70
25:1:1577:G:H22	25:1:1589:U:H3	1.37	0.69
5:E:42:ALA:HB2	25:1:2037:G:H5''	1.73	0.69
5:E:82:LEU:HB2	5:E:98:LYS:HB2	1.73	0.69
25:1:1523:G:H1	25:1:1557:C:H42	1.40	0.69
25:1:1780:G:N2	25:1:1783:G:OP2	2.26	0.69
2:B:107:PRO:HA	2:B:195:VAL:HA	1.76	0.68
7:G:26:THR:HG23	7:G:33:VAL:HG12	1.75	0.68
25:1:2083:G:H1	25:1:2639:C:H5	1.40	0.68
2:B:117:GLU:HB2	2:B:121:GLU:HB3	1.75	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
26:2:82:A:H61	26:2:87:C:H42	1.41	0.67
25:1:963:A:H62	25:1:2295:A:H2	1.42	0.67
25:1:1504:U:O2'	25:1:2729:G:N2	2.28	0.67
18:S:155:VAL:HB	18:S:194:ILE:HG22	1.78	0.66
23:Z:71:ILE:HB	23:Z:79:GLN:HE21	1.61	0.66
25:1:1320:G:N2	25:1:1323:A:OP2	2.27	0.66
25:1:909:G:H21	25:1:911:A:H61	1.44	0.66
25:1:1881:A:H62	25:1:1915:G:H8	1.44	0.65
25:1:1492:G:H1	25:1:1506:C:H42	1.45	0.65
25:1:1886:A:H62	25:1:1910:G:H8	1.45	0.65
23:Z:77:THR:HG23	23:Z:77:THR:O	1.94	0.65
25:1:721:A:H8	25:1:2096:G:H21	1.44	0.65
11:L:22:LEU:HD13	20:W:74:GLY:HA3	1.80	0.64
14:O:2:ARG:HD2	14:O:20:THR:HB	1.79	0.64
12:M:22:THR:OG1	12:M:49:LYS:NZ	2.31	0.64
2:B:145:GLU:HB2	2:B:188:CYS:HB3	1.80	0.64
25:1:1449:A:N1	25:1:1632:A:N6	2.46	0.64
25:1:847:A:H2'	25:1:848:U:C6	2.33	0.63
13:N:6:ARG:NH1	25:1:2046:U:OP2	2.32	0.63
18:S:160:ASP:HB3	18:S:163:VAL:HB	1.80	0.63
3:C:92:ARG:NH2	25:1:1197:C:OP1	2.30	0.63
25:1:309:U:O4	25:1:407:G:N1	2.31	0.63
26:2:5:G:H1	26:2:108:U:H3	1.46	0.63
17:R:18:LYS:HE3	17:R:21:GLY:HA2	1.81	0.63
25:1:1337:A:H4'	25:1:1338:U:H5''	1.81	0.63
25:1:1884:G:H21	25:1:1912:A:H62	1.45	0.62
25:1:1487:G:H22	25:1:1596:G:N2	1.96	0.62
15:P:10:LYS:NZ	25:1:1347:G:OP2	2.32	0.62
7:G:46:LYS:HB3	7:G:49:GLN:HB3	1.80	0.61
20:W:13:ASN:HB2	20:W:97:ARG:HB2	1.82	0.61
8:H:33:GLY:HA3	8:H:93:ALA:HB3	1.81	0.61
18:S:77:THR:HG22	18:S:79:ARG:H	1.66	0.61
25:1:1865:C:N4	25:1:1925:U:H2'	2.15	0.61
25:1:2314:A:H62	25:1:2371:U:H3	1.47	0.61
25:1:1865:C:H2'	25:1:1865:C:O2	1.99	0.61
7:G:70:LEU:HD13	7:G:101:ILE:HG21	1.83	0.60
25:1:200:A:N6	25:1:2457:A:O2'	2.35	0.60
25:1:720:A:O2'	25:1:721:A:H5'	2.02	0.60
23:Z:78:THR:O	23:Z:78:THR:CG2	2.47	0.60
3:C:104:LYS:O	3:C:108:GLN:NE2	2.35	0.59
14:O:34:LYS:NZ	25:1:2374:C:OP1	2.32	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:150:LYS:NZ	25:1:2231:C:OP2	2.34	0.59
25:1:793:G:H22	25:1:796:A:H5'	1.67	0.59
5:E:66:THR:HA	5:E:69:LEU:HG	1.84	0.59
5:E:21:LEU:HD22	5:E:74:ALA:HB1	1.84	0.59
22:Y:76:LYS:HB3	22:Y:91:GLU:HG3	1.84	0.59
25:1:646:A:N6	25:1:700:A:OP2	2.28	0.59
4:D:81:ASN:HB3	21:X:23:VAL:HG21	1.84	0.59
25:1:1488:A:N6	25:1:1490:G:O6	2.36	0.58
25:1:2470:C:O2'	25:1:2471:G:H5'	2.03	0.58
25:1:2331:G:N2	25:1:2332:U:O4	2.37	0.58
25:1:793:G:N2	25:1:796:A:OP2	2.36	0.58
25:1:575:G:O2'	25:1:577:A:N7	2.36	0.58
25:1:1490:G:OP2	25:1:1509:G:N2	2.37	0.58
25:1:922:G:O4'	25:1:943:C:N4	2.37	0.58
20:W:15:GLY:O	20:W:47:THR:N	2.35	0.58
20:W:47:THR:HG22	20:W:49:GLY:H	1.69	0.57
7:G:90:LYS:NZ	25:1:340:C:OP1	2.31	0.57
20:W:1:MET:HB2	20:W:8:LEU:HD11	1.86	0.57
25:1:2657:G:H2'	25:1:2658:G:C8	2.39	0.57
7:G:15:LYS:NZ	25:1:546:A:OP1	2.37	0.57
25:1:1215:U:OP2	25:1:1219:G:N2	2.38	0.57
17:R:16:VAL:HG22	17:R:25:VAL:HG22	1.87	0.57
25:1:1924:G:H2'	25:1:1925:U:C6	2.40	0.57
21:X:11:GLY:O	25:1:640:G:O2'	2.24	0.56
5:E:11:ARG:O	5:E:11:ARG:NH1	2.33	0.56
25:1:352:A:N3	25:1:372:A:O2'	2.38	0.56
25:1:757:G:H1	25:1:764:C:H42	1.53	0.56
18:S:156:THR:HG22	18:S:157:GLU:H	1.70	0.56
18:S:188:ASN:HD22	21:X:3:LEU:HD12	1.71	0.56
25:1:2608:G:N2	25:1:2608:G:OP2	2.34	0.56
21:X:47:ARG:HG3	21:X:49:GLY:H	1.71	0.56
15:P:40:ARG:NH2	25:1:514:G:N7	2.48	0.56
7:G:42:LYS:O	25:1:526:A:O2'	2.24	0.56
25:1:1462:G:H8	25:1:1626:A:H62	1.52	0.56
15:P:20:ARG:HD3	25:1:124:A:H5'	1.87	0.55
25:1:615:A:H61	25:1:2056:G:H8	1.54	0.55
25:1:1213:C:H42	25:1:1219:G:H1	1.54	0.55
17:R:36:GLN:NE2	25:1:1169:G:H5'	2.21	0.55
25:1:1487:G:N2	25:1:1596:G:H22	1.98	0.55
17:R:7:VAL:HG22	17:R:37:GLY:HA3	1.88	0.55
25:1:275:A:H61	25:1:297:G:H1'	1.70	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:L:38:LYS:HB3	11:L:100:GLU:HG3	1.89	0.54
25:1:229:A:O2'	25:1:230:A:OP1	2.25	0.54
2:B:8:PRO:HB3	2:B:14:ARG:HG3	1.89	0.54
6:F:53:VAL:HG22	6:F:80:VAL:HG12	1.88	0.54
25:1:321:U:H3	25:1:327:G:H22	1.56	0.54
4:D:5:ILE:HG22	4:D:38:VAL:HG22	1.89	0.54
20:W:88:ARG:HG3	20:W:94:ARG:HD3	1.90	0.54
25:1:2288:C:OP1	27:I:27:LYS:NZ	2.40	0.54
2:B:93:LEU:HD11	2:B:101:LYS:HB3	1.88	0.54
9:J:5:CYS:HB2	9:J:10:ARG:HB2	1.90	0.54
21:X:41:ARG:NH2	25:1:852:U:OP2	2.41	0.53
25:1:1508:C:H2'	25:1:1593:G:H22	1.72	0.53
25:1:29:U:H3	25:1:556:U:H5	1.56	0.53
25:1:2359:C:OP1	27:I:54:TYR:OH	2.26	0.53
25:1:2612:U:O2	25:1:2612:U:C2'	2.53	0.53
25:1:163:U:O2'	25:1:165:C:N4	2.41	0.53
16:Q:8:ARG:NH1	25:1:246:U:OP2	2.41	0.53
25:1:1864:C:H2'	25:1:1926:A:N6	2.23	0.53
20:W:91:LYS:HD3	20:W:110:ASN:HB2	1.90	0.53
25:1:262:G:H21	25:1:666:A:H8	1.57	0.53
25:1:1068:G:H2'	25:1:1069:G:C8	2.44	0.53
6:F:55:ILE:HG21	6:F:76:ARG:HE	1.73	0.53
19:V:38:ARG:HH21	19:V:40:LYS:HD2	1.74	0.53
8:H:55:VAL:HG22	8:H:59:GLY:HA3	1.90	0.53
25:1:1518:G:HO2'	25:1:1519:U:H6	1.56	0.53
25:1:2649:U:O2'	25:1:2845:G:N2	2.42	0.53
2:B:6:TYR:HD2	2:B:16:MET:HB3	1.74	0.52
17:R:19:ARG:NE	25:1:2783:U:OP2	2.41	0.52
25:1:1086:G:HO2'	25:1:1087:C:H6	1.56	0.52
25:1:2088:G:H1'	25:1:2530:A:C5	2.44	0.52
15:P:38:LYS:HZ3	25:1:515:G:H1	1.57	0.52
25:1:629:A:H62	25:1:1289:A:H2	1.56	0.52
25:1:1865:C:H4'	25:1:1866:A:H5''	1.90	0.52
22:Y:44:SER:HB3	22:Y:70:PRO:HG3	1.92	0.52
26:2:3:U:OP1	26:2:59:U:O2'	2.28	0.52
7:G:94:ALA:HB2	7:G:101:ILE:HD11	1.90	0.52
25:1:2657:G:H2'	25:1:2658:G:H8	1.74	0.52
22:Y:28:THR:O	22:Y:134:ARG:NH2	2.43	0.52
25:1:1569:G:N2	25:1:1569:G:OP1	2.39	0.52
11:L:79:LYS:NZ	25:1:2813:U:OP1	2.41	0.52
25:1:1963:A:OP2	25:1:1988:C:N4	2.42	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
27:I:78:GLU:OE2	27:I:90:TYR:OH	2.25	0.52
2:B:100:GLU:OE2	2:B:102:ARG:NH2	2.43	0.51
25:1:150:A:H61	25:1:179:A:H2	1.57	0.51
2:B:4:LYS:NZ	25:1:1612:C:OP1	2.35	0.51
2:B:98:ASP:O	25:1:1544:G:N2	2.42	0.51
2:B:174:ILE:HG13	2:B:184:ILE:HD12	1.91	0.51
5:E:4:LYS:HG2	5:E:106:VAL:HG22	1.91	0.51
20:W:64:ARG:NH1	20:W:101:PRO:O	2.40	0.51
6:F:58:TYR:HE2	6:F:77:LYS:HE2	1.76	0.51
25:1:505:U:H2'	25:1:506:A:H5''	1.92	0.51
25:1:901:G:H2'	25:1:902:A:C8	2.45	0.51
23:Z:32:THR:OG1	23:Z:33:THR:N	2.44	0.51
26:2:85:U:H5''	26:2:86:A:OP1	2.11	0.51
18:S:45:ARG:HG3	25:1:489:A:N7	2.26	0.50
25:1:2060:A:O2'	25:1:2062:G:OP2	2.22	0.50
11:L:138:ARG:NE	25:1:2024:A:OP2	2.40	0.50
25:1:2007:G:O2'	25:1:2009:U:OP2	2.29	0.50
25:1:2470:C:H2'	25:1:2471:G:H8	1.77	0.50
6:F:13:THR:H	6:F:17:SER:HB2	1.76	0.50
19:V:126:TYR:OH	19:V:133:HIS:NE2	2.36	0.50
2:B:274:ARG:NH1	25:1:1825:U:OP2	2.43	0.50
4:D:79:ARG:NH1	25:1:615:A:OP2	2.44	0.50
2:B:167:LYS:HG2	2:B:172:VAL:HG12	1.94	0.50
6:F:58:TYR:OH	25:1:1377:U:OP2	2.29	0.50
11:L:119:THR:HB	11:L:210:GLU:HB2	1.94	0.50
19:V:40:LYS:NZ	25:1:1053:A:OP1	2.44	0.50
25:1:350:G:OP2	25:1:350:G:N2	2.45	0.50
1:A:10:VAL:HG11	11:L:196:LEU:HD21	1.94	0.49
25:1:2330:G:O2'	25:1:2331:G:OP1	2.27	0.49
11:L:140:PRO:HG2	11:L:145:SER:HB2	1.93	0.49
23:Z:74:GLU:O	23:Z:75:ASP:HB2	2.11	0.49
2:B:69:ARG:NH2	2:B:127:GLY:O	2.40	0.49
26:2:12:U:OP2	26:2:68:A:O2'	2.30	0.49
25:1:309:U:HO2'	25:1:310:C:C5'	2.26	0.49
25:1:992:A:H1'	25:1:1028:G:C8	2.47	0.49
11:L:33:ASN:O	11:L:105:VAL:N	2.43	0.49
25:1:268:A:H2'	25:1:269:G:H4'	1.94	0.48
25:1:2094:G:OP2	25:1:2094:G:H8	1.96	0.48
25:1:2496:A:H62	25:1:2508:G:H21	1.61	0.48
25:1:140:A:N1	25:1:1639:G:O2'	2.46	0.48
25:1:924:G:N2	25:1:946:A:OP2	2.46	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
18:S:46:GLN:HG3	18:S:46:GLN:O	2.13	0.48
22:Y:46:GLN:NE2	25:1:2512:G:OP1	2.47	0.48
25:1:872:U:O2'	25:1:2095:U:N3	2.46	0.48
8:H:21:LEU:HD11	8:H:42:LYS:HD3	1.94	0.48
19:V:65:PHE:HB3	19:V:69:LYS:HB2	1.95	0.48
25:1:902:A:H61	25:1:965:G:H1	1.60	0.48
2:B:118:SER:OG	2:B:119:GLY:N	2.45	0.48
2:B:176:LEU:HD23	25:1:1826:G:C5	2.49	0.48
17:R:31:LYS:HD2	25:1:2505:A:H5'	1.94	0.48
25:1:2330:G:HO2'	25:1:2331:G:P	2.36	0.48
25:1:2370:U:O2'	25:1:2400:U:O2'	2.22	0.48
7:G:42:LYS:HB2	25:1:544:U:H4'	1.95	0.48
4:D:60:ALA:HB2	4:D:97:ILE:HD13	1.94	0.48
25:1:1865:C:H5	25:1:1928:A:H62	1.60	0.48
25:1:2357:G:O2'	27:I:52:LYS:NZ	2.41	0.48
8:H:6:SER:OG	8:H:64:GLY:O	2.31	0.48
23:Z:29:ARG:HG3	23:Z:120:GLU:HB3	1.96	0.48
25:1:1494:G:N2	25:1:1506:C:N3	2.62	0.48
7:G:84:LYS:HB2	7:G:93:ILE:HD13	1.95	0.48
1:A:52:ARG:HH12	1:A:78:LEU:HD13	1.79	0.47
4:D:13:LYS:H	19:V:3:GLN:HE22	1.61	0.47
15:P:25:THR:HG23	15:P:28:GLY:H	1.78	0.47
25:1:848:U:O2'	25:1:849:A:H5'	2.14	0.47
25:1:793:G:N3	25:1:793:G:H2'	2.29	0.47
7:G:85:PHE:HD1	7:G:90:LYS:HG3	1.79	0.47
23:Z:13:ARG:NH2	25:1:2717:A:OP2	2.47	0.47
8:H:19:LYS:HB2	8:H:19:LYS:HE3	1.68	0.47
11:L:138:ARG:HE	25:1:2024:A:H5''	1.79	0.47
19:V:2:ARG:HD3	25:1:1039:C:C4	2.50	0.47
25:1:499:A:O2'	25:1:501:C:N4	2.47	0.47
25:1:592:A:O2'	25:1:593:U:H5''	2.14	0.47
25:1:755:C:H2'	25:1:756:A:C8	2.50	0.47
25:1:1631:G:O2'	25:1:1632:A:O5'	2.33	0.47
20:W:3:GLN:NE2	25:1:2022:U:O2	2.47	0.47
17:R:8:LYS:NZ	25:1:2494:C:OP1	2.42	0.47
23:Z:73:ASN:HD22	23:Z:84:LYS:HE3	1.79	0.47
25:1:613:G:H2'	25:1:2057:A:N7	2.30	0.47
19:V:38:ARG:NH2	25:1:1051:C:OP1	2.48	0.46
10:K:39:GLU:HA	25:1:95:A:H4'	1.98	0.46
25:1:1357:G:OP2	25:1:1357:G:N2	2.31	0.46
25:1:1484:G:H1	25:1:1599:G:N2	2.13	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
25:1:2607:U:O2	25:1:2607:U:O4'	2.33	0.46
5:E:88:ARG:HG3	5:E:89:ALA:H	1.80	0.46
7:G:39:ASN:HB3	7:G:61:ALA:HB3	1.98	0.46
16:Q:57:ARG:NH2	25:1:878:C:O2'	2.49	0.46
25:1:2530:A:O2'	25:1:2532:G:OP2	2.29	0.46
25:1:1523:G:H1	25:1:1557:C:N4	2.12	0.46
2:B:236:GLU:HG3	25:1:2627:A:C2	2.51	0.46
12:M:6:ILE:HG13	12:M:56:VAL:HG22	1.97	0.46
25:1:774:G:H5'	25:1:775:A:H5''	1.98	0.46
25:1:921:C:N4	25:1:943:C:H3'	2.24	0.46
25:1:1212:U:H3	25:1:1220:A:H61	1.64	0.46
8:H:38:ASN:ND2	26:2:72:U:O2	2.48	0.46
18:S:157:GLU:OE1	18:S:201:LYS:NZ	2.33	0.46
21:X:101:VAL:HG13	21:X:102:VAL:HG23	1.98	0.46
25:1:367:A:N6	25:1:381:G:O2'	2.48	0.46
25:1:1854:U:OP1	25:1:1998:A:O2'	2.32	0.46
25:1:2457:A:N3	25:1:2457:A:H2'	2.31	0.46
25:1:525:A:H4'	25:1:526:A:H5'	1.97	0.46
25:1:1598:U:H2'	25:1:1599:G:C8	2.51	0.46
2:B:236:GLU:HG3	25:1:2627:A:H2	1.80	0.45
7:G:64:HIS:CE1	25:1:371:U:H4'	2.52	0.45
25:1:166:A:H2'	25:1:167:U:H5''	1.97	0.45
25:1:1065:A:H62	25:1:1185:U:H3	1.65	0.45
14:O:9:CYS:SG	14:O:12:CYS:HB2	2.57	0.45
10:K:9:LEU:HG	10:K:11:THR:H	1.81	0.45
19:V:63:ILE:HG13	19:V:102:ILE:HD11	1.99	0.45
19:V:66:THR:HG21	25:1:1185:U:H5''	1.98	0.45
25:1:2470:C:H2'	25:1:2471:G:C8	2.52	0.45
25:1:920:A:N6	25:1:944:G:OP2	2.50	0.45
25:1:904:G:O2'	25:1:961:G:O6	2.20	0.45
3:C:100:ILE:HD13	19:V:5:PHE:HD2	1.82	0.45
17:R:17:ILE:HG13	17:R:24:MET:HB2	1.99	0.45
18:S:132:GLU:O	18:S:162:ASN:ND2	2.50	0.45
25:1:730:A:H5'	25:1:819:A:N6	2.32	0.45
25:1:1725:G:H21	25:1:1789:A:H3'	1.82	0.45
25:1:2306:G:HO2'	25:1:2354:A:HO2'	1.63	0.44
25:1:1442:C:H2'	25:1:1443:A:C8	2.52	0.44
25:1:2852:U:H4'	25:1:2853:U:H5'	1.99	0.44
11:L:120:GLY:HA3	11:L:202:PRO:HB2	1.99	0.44
26:2:64:A:H61	26:2:102:G:H2'	1.83	0.44
6:F:49:LYS:HA	6:F:49:LYS:HD3	1.84	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:N:9:SER:OG	25:1:2047:A:H5'	2.18	0.44
2:B:88:SER:O	2:B:197:ASN:ND2	2.50	0.44
2:B:140:VAL:HA	2:B:163:GLN:HA	2.00	0.44
2:B:182:ARG:NH1	25:1:1826:G:O2'	2.50	0.44
25:1:501:C:O5'	25:1:501:C:H6	2.01	0.44
25:1:1675:G:N1	25:1:1678:A:OP2	2.46	0.44
25:1:2419:A:H2	25:1:2451:C:H42	1.65	0.44
11:L:50:GLN:HG2	11:L:90:GLU:HG2	2.00	0.44
11:L:186:VAL:HG12	11:L:187:GLN:HG2	2.00	0.44
15:P:41:LYS:HG3	25:1:505:U:H5''	2.00	0.44
10:K:9:LEU:H	10:K:9:LEU:HD23	1.82	0.43
2:B:70:ASN:OD1	2:B:70:ASN:N	2.51	0.43
20:W:1:MET:HE2	20:W:6:THR:HG21	2.01	0.43
20:W:53:LYS:HD3	20:W:53:LYS:HA	1.80	0.43
21:X:92:THR:HG22	21:X:94:ALA:H	1.83	0.43
23:Z:5:LYS:HB2	25:1:1697:G:C6	2.53	0.43
25:1:501:C:H2'	25:1:502:C:H5'	2.00	0.43
20:W:15:GLY:HA2	20:W:47:THR:HB	2.00	0.43
2:B:271:VAL:HG12	2:B:272:ARG:HG3	2.00	0.43
20:W:18:GLU:OE2	20:W:45:ASN:ND2	2.46	0.43
25:1:1587:C:H5'	25:1:1588:U:H5''	1.99	0.43
18:S:155:VAL:HG23	18:S:192:LEU:HD11	2.00	0.43
25:1:309:U:O2'	25:1:310:C:O5'	2.32	0.43
25:1:1490:G:H3'	25:1:1491:C:C6	2.53	0.43
15:P:38:LYS:NZ	25:1:515:G:H1	2.16	0.43
25:1:2336:A:H3'	25:1:2337:A:C2	2.53	0.43
20:W:64:ARG:HB2	20:W:83:ALA:HB3	2.00	0.43
21:X:124:LYS:HB3	21:X:124:LYS:HE3	1.82	0.43
2:B:157:SER:O	2:B:195:VAL:HG11	2.19	0.43
10:K:6:ILE:HG13	10:K:53:LEU:HD23	2.00	0.43
13:N:27:MET:HG3	13:N:36:TYR:HD2	1.83	0.43
25:1:1462:G:H8	25:1:1626:A:N6	2.17	0.43
25:1:2822:C:H4'	25:1:2823:G:C4	2.53	0.43
11:L:61:LYS:HD2	11:L:61:LYS:HA	1.75	0.43
25:1:2662:U:H2'	25:1:2663:U:O4'	2.19	0.43
25:1:687:G:N1	25:1:690:U:OP2	2.49	0.43
25:1:1453:G:H4'	25:1:1454:U:H5''	2.01	0.43
25:1:1865:C:O2	25:1:1865:C:C2'	2.63	0.43
25:1:2313:A:H4'	25:1:2314:A:O4'	2.19	0.43
25:1:2778:G:OP1	25:1:2778:G:N2	2.32	0.43
19:V:60:ALA:HB3	19:V:127:GLY:HA2	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
25:1:1083:G:H1	25:1:1160:C:H42	1.67	0.42
11:L:156:MET:SD	11:L:156:MET:N	2.92	0.42
20:W:8:LEU:HD23	20:W:82:ASN:HB3	2.00	0.42
25:1:661:U:O2'	25:1:662:G:OP2	2.31	0.42
25:1:1864:C:O2'	25:1:1865:C:H5'	2.20	0.42
25:1:2083:G:N1	25:1:2639:C:H5	2.13	0.42
4:D:50:ALA:HB1	4:D:51:PRO:HA	2.01	0.42
12:M:6:ILE:HG12	12:M:47:ILE:HG21	2.01	0.42
25:1:1876:G:N2	25:1:1920:C:O2	2.42	0.42
25:1:2240:U:H1'	25:1:2241:C:H5	1.83	0.42
27:I:19:LYS:O	27:I:22:ARG:NH2	2.52	0.42
6:F:10:PRO:HD3	10:K:30:PHE:CE1	2.54	0.42
25:1:1491:C:H1'	25:1:1574:G:H22	1.84	0.42
25:1:1492:G:HO2'	25:1:1575:A:HO2'	1.58	0.42
25:1:2383:C:H2'	25:1:2384:U:O4'	2.19	0.42
25:1:2816:C:O2	25:1:2816:C:H2'	2.18	0.42
26:2:13:A:OP1	26:2:102:G:O2'	2.37	0.42
26:2:46:A:O2'	26:2:47:C:O5'	2.32	0.42
6:F:58:TYR:CE2	6:F:77:LYS:HE2	2.55	0.42
11:L:127:PHE:CZ	25:1:1699:A:H5''	2.54	0.42
25:1:1521:A:N6	25:1:1559:G:H1	2.10	0.42
8:H:4:LEU:HD11	8:H:51:VAL:HG11	2.00	0.42
14:O:2:ARG:HE	14:O:22:ASN:HB2	1.85	0.42
25:1:661:U:H1'	25:1:662:G:C8	2.55	0.42
25:1:1490:G:H5''	25:1:1491:C:C5	2.53	0.42
25:1:1518:G:H1	25:1:1562:C:N4	2.03	0.42
25:1:1897:U:N3	25:1:1899:U:OP1	2.50	0.42
25:1:1915:G:OP2	25:1:1915:G:N2	2.47	0.42
25:1:2580:G:H8	25:1:2609:G:H21	1.67	0.42
12:M:47:ILE:HD12	12:M:56:VAL:HG21	2.02	0.42
25:1:499:A:HO2'	25:1:501:C:N4	2.17	0.42
25:1:1501:G:N2	25:1:2731:C:N3	2.68	0.42
25:1:1725:G:N2	25:1:1790:G:OP2	2.50	0.42
15:P:12:LYS:HE3	15:P:12:LYS:HB2	1.85	0.42
25:1:83:G:N2	25:1:101:G:H1'	2.34	0.42
11:L:189:ASP:HB2	11:L:194:VAL:HG22	2.01	0.42
25:1:1315:C:H2'	25:1:1316:G:C8	2.55	0.42
3:C:28:LYS:HD3	3:C:34:VAL:HG12	2.02	0.42
25:1:307:A:H61	25:1:408:U:H3	1.66	0.42
25:1:2618:C:H2'	25:1:2619:G:C8	2.55	0.42
25:1:2783:U:H1'	25:1:2784:A:H5''	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
27:I:47:ARG:HD2	27:I:66:THR:HG23	2.02	0.42
18:S:53:ASN:O	18:S:57:VAL:HG23	2.19	0.41
21:X:85:PHE:HB2	21:X:121:LEU:HD21	2.01	0.41
23:Z:69:VAL:HG22	23:Z:81:ALA:HB2	2.01	0.41
25:1:545:G:N2	25:1:547:A:H3'	2.35	0.41
25:1:757:G:H1	25:1:764:C:N4	2.18	0.41
25:1:922:G:N2	25:1:924:G:H2'	2.35	0.41
25:1:1576:A:H61	25:1:1590:C:H42	1.68	0.41
11:L:106:SER:OG	11:L:107:VAL:N	2.53	0.41
16:Q:61:LEU:HD11	21:X:49:GLY:HA2	2.02	0.41
25:1:250:G:OP2	25:1:252:C:N4	2.52	0.41
25:1:2705:U:H2'	25:1:2706:A:C8	2.55	0.41
25:1:2725:U:H2'	25:1:2726:C:C6	2.55	0.41
27:I:44:ILE:HG21	27:I:47:ARG:HD3	2.02	0.41
21:X:69:ILE:HD13	25:1:2433:C:H1'	2.03	0.41
25:1:2649:U:O3'	25:1:2845:G:N2	2.53	0.41
11:L:60:LYS:HG2	11:L:61:LYS:H	1.85	0.41
25:1:1495:C:O2'	25:1:1496:G:N7	2.51	0.41
25:1:1756:U:H3	25:1:1773:A:N6	2.18	0.41
11:L:21:GLU:HA	20:W:73:ASP:HA	2.01	0.41
11:L:134:HIS:CD2	11:L:168:LYS:HD2	2.55	0.41
15:P:8:PRO:HB2	25:1:1346:G:H4'	2.02	0.41
17:R:2:LYS:NZ	17:R:31:LYS:O	2.53	0.41
3:C:33:LYS:HB3	3:C:33:LYS:HE2	1.85	0.41
15:P:38:LYS:HZ1	25:1:515:G:H22	1.68	0.41
25:1:1821:U:H2'	25:1:1822:C:C6	2.55	0.41
11:L:55:ASP:N	11:L:55:ASP:OD1	2.52	0.41
11:L:74:GLU:HG3	11:L:78:LYS:HE2	2.01	0.41
25:1:350:G:H8	25:1:373:A:H61	1.67	0.41
25:1:2235:A:H2'	25:1:2236:C:C6	2.56	0.41
7:G:87:ASP:OD1	7:G:88:GLY:N	2.53	0.41
8:H:26:LYS:HD3	8:H:44:ASP:HA	2.03	0.41
20:W:88:ARG:N	20:W:92:GLY:O	2.53	0.41
25:1:847:A:H2'	25:1:848:U:H6	1.84	0.41
4:D:4:ILE:HD12	4:D:40:PHE:HB3	2.02	0.41
10:K:6:ILE:HD11	10:K:52:ARG:HB3	2.02	0.41
25:1:154:A:H2'	25:1:155:U:C6	2.56	0.41
25:1:407:G:C2	25:1:408:U:H1'	2.56	0.41
25:1:688:A:N1	25:1:2396:A:O2'	2.49	0.41
25:1:1066:G:N2	25:1:1067:U:O4	2.49	0.41
25:1:1563:U:H2'	25:1:1564:G:C8	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:70:ARG:HB3	19:V:144:ARG:HH22	1.86	0.41
7:G:64:HIS:HB3	7:G:67:ASN:OD1	2.21	0.41
25:1:671:U:H5''	25:1:699:U:O2'	2.21	0.40
2:B:37:LEU:HD12	2:B:62:TYR:HB2	2.02	0.40
18:S:46:GLN:O	18:S:46:GLN:CG	2.69	0.40
25:1:2274:A:H61	25:1:2284:U:H3	1.69	0.40
22:Y:35:GLN:HG3	22:Y:132:VAL:HG21	2.03	0.40
25:1:1515:G:HO2'	25:1:1516:C:H6	1.68	0.40
2:B:17:THR:HB	2:B:204:ASN:H	1.86	0.40
8:H:72:VAL:HG12	8:H:93:ALA:HA	2.03	0.40
11:L:128:GLN:HA	11:L:171:GLY:O	2.22	0.40
13:N:42:VAL:HG12	13:N:49:TYR:HB2	2.04	0.40
19:V:89:THR:HG23	19:V:92:GLU:H	1.87	0.40
25:1:738:U:O2'	25:1:1390:A:H8	2.05	0.40
25:1:1177:A:H4'	25:1:1178:C:H5''	2.03	0.40
3:C:83:LEU:HD22	3:C:88:ILE:HG13	2.03	0.40
5:E:88:ARG:HD2	25:1:793:G:OP2	2.21	0.40
22:Y:39:THR:OG1	22:Y:99:PRO:HD3	2.20	0.40
25:1:2570:G:H2'	25:1:2571:G:C8	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	111/116 (96%)	107 (96%)	4 (4%)	0	100	100
2	B	272/277 (98%)	260 (96%)	12 (4%)	0	100	100
3	C	114/118 (97%)	113 (99%)	1 (1%)	0	100	100
4	D	98/105 (93%)	92 (94%)	6 (6%)	0	100	100
5	E	109/117 (93%)	107 (98%)	2 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	F	85/91 (93%)	78 (92%)	7 (8%)	0	100	100
7	G	98/105 (93%)	94 (96%)	4 (4%)	0	100	100
8	H	91/107 (85%)	90 (99%)	1 (1%)	0	100	100
9	J	57/62 (92%)	55 (96%)	2 (4%)	0	100	100
10	K	58/72 (81%)	57 (98%)	1 (2%)	0	100	100
11	L	213/217 (98%)	199 (93%)	14 (7%)	0	100	100
12	M	54/58 (93%)	52 (96%)	2 (4%)	0	100	100
13	N	48/57 (84%)	43 (90%)	5 (10%)	0	100	100
14	O	45/49 (92%)	43 (96%)	2 (4%)	0	100	100
15	P	42/50 (84%)	42 (100%)	0	0	100	100
16	Q	62/65 (95%)	61 (98%)	1 (2%)	0	100	100
17	R	35/37 (95%)	33 (94%)	2 (6%)	0	100	100
18	S	190/207 (92%)	186 (98%)	4 (2%)	0	100	100
19	V	141/145 (97%)	135 (96%)	6 (4%)	0	100	100
20	W	119/122 (98%)	114 (96%)	5 (4%)	0	100	100
21	X	142/146 (97%)	136 (96%)	6 (4%)	0	100	100
22	Y	134/144 (93%)	130 (97%)	4 (3%)	0	100	100
23	Z	119/122 (98%)	115 (97%)	4 (3%)	0	100	100
24	a	106/119 (89%)	104 (98%)	2 (2%)	0	100	100
27	I	76/85 (89%)	72 (95%)	4 (5%)	0	100	100
All	All	2619/2793 (94%)	2518 (96%)	101 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	99/102 (97%)	99 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	221/224 (99%)	220 (100%)	1 (0%)	88	94
3	C	96/98 (98%)	96 (100%)	0	100	100
4	D	85/89 (96%)	85 (100%)	0	100	100
5	E	90/94 (96%)	90 (100%)	0	100	100
6	F	79/82 (96%)	79 (100%)	0	100	100
7	G	85/91 (93%)	85 (100%)	0	100	100
8	H	81/95 (85%)	81 (100%)	0	100	100
9	J	49/51 (96%)	49 (100%)	0	100	100
10	K	54/65 (83%)	54 (100%)	0	100	100
11	L	173/175 (99%)	173 (100%)	0	100	100
12	M	50/52 (96%)	50 (100%)	0	100	100
13	N	45/49 (92%)	45 (100%)	0	100	100
14	O	45/47 (96%)	44 (98%)	1 (2%)	52	78
15	P	39/45 (87%)	39 (100%)	0	100	100
16	Q	55/56 (98%)	55 (100%)	0	100	100
17	R	35/35 (100%)	35 (100%)	0	100	100
18	S	158/170 (93%)	156 (99%)	2 (1%)	69	87
19	V	122/123 (99%)	122 (100%)	0	100	100
20	W	99/100 (99%)	99 (100%)	0	100	100
21	X	110/112 (98%)	110 (100%)	0	100	100
22	Y	113/119 (95%)	113 (100%)	0	100	100
23	Z	101/102 (99%)	96 (95%)	5 (5%)	24	57
24	a	87/95 (92%)	87 (100%)	0	100	100
27	I	61/66 (92%)	61 (100%)	0	100	100
All	All	2232/2337 (96%)	2223 (100%)	9 (0%)	91	96

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	87	ARG
14	O	15	ARG
18	S	49	HIS
18	S	156	THR
23	Z	71	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	Z	72	LEU
23	Z	76	GLU
23	Z	77	THR
23	Z	78	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
8	H	13	GLN
11	L	143	HIS
11	L	187	GLN
18	S	46	GLN
20	W	3	GLN
23	Z	79	GLN
24	a	43	GLN
24	a	55	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
25	1	2687/2923 (91%)	455 (16%)	17 (0%)
26	2	110/115 (95%)	25 (22%)	0
All	All	2797/3038 (92%)	480 (17%)	17 (0%)

All (480) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
25	1	11	U
25	1	29	U
25	1	34	U
25	1	35	G
25	1	58	G
25	1	60	U
25	1	64	A
25	1	71	A
25	1	74	U
25	1	75	G
25	1	117	A
25	1	119	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	1	124	A
25	1	134	U
25	1	150	A
25	1	159	U
25	1	161	A
25	1	163	U
25	1	164	A
25	1	165	C
25	1	167	U
25	1	168	A
25	1	169	G
25	1	170	C
25	1	176	A
25	1	185	A
25	1	188	C
25	1	199	A
25	1	216	A
25	1	218	G
25	1	219	A
25	1	224	A
25	1	225	A
25	1	230	A
25	1	233	U
25	1	241	C
25	1	251	G
25	1	255	G
25	1	258	A
25	1	268	A
25	1	269	G
25	1	298	U
25	1	300	G
25	1	301	U
25	1	302	A
25	1	303	G
25	1	310	C
25	1	311	U
25	1	319	G
25	1	321	U
25	1	322	A
25	1	329	A
25	1	330	C
25	1	331	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	1	332	A
25	1	354	A
25	1	359	A
25	1	360	A
25	1	366	G
25	1	372	A
25	1	373	A
25	1	381	G
25	1	389	A
25	1	404	U
25	1	406	A
25	1	411	A
25	1	432	G
25	1	434	G
25	1	447	A
25	1	450	C
25	1	457	G
25	1	458	A
25	1	475	A
25	1	481	C
25	1	482	U
25	1	489	A
25	1	502	C
25	1	503	A
25	1	506	A
25	1	507	C
25	1	519	G
25	1	521	U
25	1	527	G
25	1	547	A
25	1	550	A
25	1	553	A
25	1	554	C
25	1	568	C
25	1	571	A
25	1	575	G
25	1	576	U
25	1	577	A
25	1	578	G
25	1	583	A
25	1	592	A
25	1	594	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	1	605	U
25	1	606	G
25	1	616	G
25	1	617	A
25	1	618	A
25	1	629	A
25	1	646	A
25	1	647	G
25	1	650	U
25	1	652	A
25	1	657	U
25	1	659	A
25	1	660	A
25	1	661	U
25	1	662	G
25	1	667	G
25	1	679	G
25	1	682	A
25	1	683	G
25	1	690	U
25	1	691	A
25	1	699	U
25	1	700	A
25	1	721	A
25	1	731	U
25	1	744	A
25	1	759	U
25	1	760	A
25	1	763	A
25	1	764	C
25	1	771	G
25	1	772	A
25	1	775	A
25	1	785	C
25	1	792	U
25	1	793	G
25	1	802	G
25	1	809	A
25	1	810	A
25	1	819	A
25	1	820	G
25	1	827	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	1	829	U
25	1	836	C
25	1	838	A
25	1	839	A
25	1	849	A
25	1	850	G
25	1	857	C
25	1	872	U
25	1	893	G
25	1	911	A
25	1	944	G
25	1	945	A
25	1	946	A
25	1	947	U
25	1	955	A
25	1	970	U
25	1	972	A
25	1	977	A
25	1	985	A
25	1	989	A
25	1	990	G
25	1	1005	G
25	1	1018	A
25	1	1025	A
25	1	1027	A
25	1	1040	A
25	1	1055	A
25	1	1056	U
25	1	1057	A
25	1	1066	G
25	1	1069	G
25	1	1070	A
25	1	1071	A
25	1	1077	U
25	1	1087	C
25	1	1094	A
25	1	1155	A
25	1	1156	G
25	1	1158	G
25	1	1173	A
25	1	1176	U
25	1	1179	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	1	1180	G
25	1	1186	A
25	1	1187	A
25	1	1214	C
25	1	1215	U
25	1	1216	U
25	1	1217	U
25	1	1218	G
25	1	1220	A
25	1	1250	G
25	1	1258	A
25	1	1274	G
25	1	1278	G
25	1	1288	G
25	1	1293	U
25	1	1294	G
25	1	1309	G
25	1	1310	A
25	1	1313	G
25	1	1323	A
25	1	1324	A
25	1	1337	A
25	1	1338	U
25	1	1339	U
25	1	1358	A
25	1	1366	U
25	1	1367	C
25	1	1378	U
25	1	1383	G
25	1	1389	U
25	1	1390	A
25	1	1402	A
25	1	1403	C
25	1	1405	G
25	1	1416	U
25	1	1421	A
25	1	1432	A
25	1	1453	G
25	1	1454	U
25	1	1462	G
25	1	1463	A
25	1	1464	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	1	1471	A
25	1	1472	C
25	1	1489	A
25	1	1490	G
25	1	1497	A
25	1	1499	U
25	1	1503	U
25	1	1504	U
25	1	1516	C
25	1	1517	A
25	1	1519	U
25	1	1526	G
25	1	1546	A
25	1	1557	C
25	1	1561	G
25	1	1575	A
25	1	1579	C
25	1	1588	U
25	1	1589	U
25	1	1590	C
25	1	1591	G
25	1	1595	C
25	1	1596	G
25	1	1604	C
25	1	1606	C
25	1	1609	U
25	1	1613	G
25	1	1616	A
25	1	1625	U
25	1	1627	G
25	1	1629	U
25	1	1631	G
25	1	1632	A
25	1	1634	A
25	1	1638	G
25	1	1651	C
25	1	1652	A
25	1	1654	A
25	1	1660	A
25	1	1663	G
25	1	1687	G
25	1	1690	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	1	1691	G
25	1	1692	C
25	1	1698	A
25	1	1718	G
25	1	1719	C
25	1	1737	U
25	1	1740	G
25	1	1744	A
25	1	1745	A
25	1	1747	G
25	1	1758	A
25	1	1759	G
25	1	1760	G
25	1	1773	A
25	1	1781	C
25	1	1785	G
25	1	1790	G
25	1	1791	G
25	1	1800	A
25	1	1826	G
25	1	1827	C
25	1	1828	U
25	1	1829	A
25	1	1835	U
25	1	1836	A
25	1	1837	A
25	1	1843	U
25	1	1856	A
25	1	1865	C
25	1	1866	A
25	1	1887	G
25	1	1895	C
25	1	1897	U
25	1	1898	C
25	1	1899	U
25	1	1900	G
25	1	1909	C
25	1	1911	A
25	1	1912	A
25	1	1923	A
25	1	1928	A
25	1	1933	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	1	1940	A
25	1	1941	C
25	1	1942	U
25	1	1943	A
25	1	1944	U
25	1	1956	G
25	1	1957	G
25	1	1963	A
25	1	1964	A
25	1	1965	A
25	1	1966	U
25	1	1967	U
25	1	1972	G
25	1	1982	U
25	1	1983	U
25	1	1994	C
25	1	1997	A
25	1	1998	A
25	1	1999	G
25	1	2004	A
25	1	2009	U
25	1	2018	U
25	1	2022	U
25	1	2023	C
25	1	2049	U
25	1	2058	A
25	1	2059	G
25	1	2060	A
25	1	2070	C
25	1	2073	G
25	1	2079	G
25	1	2082	C
25	1	2083	G
25	1	2087	A
25	1	2088	G
25	1	2089	A
25	1	2094	G
25	1	2096	G
25	1	2120	G
25	1	2126	C
25	1	2225	A
25	1	2226	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	1	2230	G
25	1	2231	C
25	1	2237	U
25	1	2239	A
25	1	2241	C
25	1	2252	A
25	1	2265	G
25	1	2266	G
25	1	2271	U
25	1	2279	G
25	1	2295	A
25	1	2302	C
25	1	2310	C
25	1	2315	A
25	1	2323	U
25	1	2330	G
25	1	2331	G
25	1	2332	U
25	1	2333	U
25	1	2335	G
25	1	2336	A
25	1	2337	A
25	1	2338	A
25	1	2339	U
25	1	2346	U
25	1	2349	A
25	1	2350	G
25	1	2361	U
25	1	2362	A
25	1	2372	G
25	1	2374	C
25	1	2377	C
25	1	2410	G
25	1	2412	C
25	1	2429	U
25	1	2430	C
25	1	2433	C
25	1	2452	A
25	1	2456	G
25	1	2457	A
25	1	2468	C
25	1	2471	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	1	2474	G
25	1	2475	A
25	1	2497	G
25	1	2502	C
25	1	2503	A
25	1	2529	G
25	1	2530	A
25	1	2531	U
25	1	2532	G
25	1	2545	A
25	1	2557	U
25	1	2562	G
25	1	2581	U
25	1	2593	A
25	1	2594	G
25	1	2609	G
25	1	2611	U
25	1	2612	U
25	1	2613	C
25	1	2626	G
25	1	2630	G
25	1	2636	U
25	1	2637	C
25	1	2640	U
25	1	2641	A
25	1	2657	G
25	1	2673	C
25	1	2680	U
25	1	2705	U
25	1	2716	U
25	1	2721	G
25	1	2732	A
25	1	2741	G
25	1	2753	U
25	1	2771	G
25	1	2775	A
25	1	2779	C
25	1	2784	A
25	1	2791	A
25	1	2792	A
25	1	2805	A
25	1	2807	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	1	2816	C
25	1	2817	A
25	1	2818	A
25	1	2820	U
25	1	2821	U
25	1	2823	G
25	1	2824	G
25	1	2828	U
25	1	2840	A
25	1	2843	A
25	1	2853	U
25	1	2854	A
25	1	2855	A
25	1	2887	G
25	1	2892	G
25	1	2893	A
25	1	2900	C
25	1	2903	A
25	1	2904	U
25	1	2911	A
25	1	2912	A
25	1	2913	G
25	1	2920	U
26	2	4	G
26	2	10	U
26	2	11	A
26	2	12	U
26	2	13	A
26	2	17	A
26	2	22	G
26	2	23	U
26	2	24	C
26	2	25	A
26	2	39	G
26	2	44	A
26	2	47	C
26	2	49	G
26	2	54	U
26	2	64	A
26	2	68	A
26	2	71	A
26	2	84	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	2	86	A
26	2	94	C
26	2	100	U
26	2	104	A
26	2	111	A
26	2	112	G

All (17) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
25	1	10	A
25	1	229	A
25	1	660	A
25	1	1069	G
25	1	1070	A
25	1	1178	C
25	1	1865	C
25	1	2094	G
25	1	2330	G
25	1	2611	U
25	1	2612	U
25	1	2783	U
25	1	2816	C
25	1	2817	A
25	1	2827	A
25	1	2911	A
25	1	2912	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
28	RD8	1	3001	-	34,35,35	2.60	7 (20%)	45,48,48	2.07	14 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
28	RD8	1	3001	-	-	5/17/31/31	0/4/4/4

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
28	1	3001	RD8	C30-N21	10.61	1.47	1.36
28	1	3001	RD8	O29-C30	7.33	1.45	1.35
28	1	3001	RD8	C26-N25	3.97	1.45	1.34
28	1	3001	RD8	C22-N21	-3.13	1.41	1.47
28	1	3001	RD8	O29-C23	-2.89	1.42	1.46
28	1	3001	RD8	C03-C04	2.56	1.54	1.49
28	1	3001	RD8	C22-C23	-2.28	1.49	1.52

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	1	3001	RD8	C22-N21-C30	-6.46	107.54	111.28
28	1	3001	RD8	C23-C22-N21	5.57	107.42	101.81
28	1	3001	RD8	C23-O29-C30	-3.76	107.18	110.15
28	1	3001	RD8	O31-C30-N21	-3.36	126.25	128.91
28	1	3001	RD8	O29-C30-O31	3.31	126.04	122.37
28	1	3001	RD8	O29-C30-N21	-3.07	107.72	109.83
28	1	3001	RD8	N17-N16-N15	-2.87	107.67	111.24
28	1	3001	RD8	C22-N21-C20	2.85	126.27	121.45
28	1	3001	RD8	C22-C23-C24	-2.70	110.09	113.08
28	1	3001	RD8	C18-C03-C02	2.55	119.78	116.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	1	3001	RD8	C14-C13-N17	-2.50	107.63	111.34
28	1	3001	RD8	O29-C23-C22	2.32	106.91	104.57
28	1	3001	RD8	C27-C26-N25	2.28	120.13	116.09
28	1	3001	RD8	C32-C02-C03	-2.28	120.05	123.64

There are no chirality outliers.


All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
28	1	3001	RD8	C22-C23-C24-N25
28	1	3001	RD8	O29-C23-C24-N25
28	1	3001	RD8	C19-C20-N21-C30
28	1	3001	RD8	C32-C20-N21-C30
28	1	3001	RD8	C13-C12-N11-C10

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-21873. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 206




Y Index: 184




Z Index: 179


6.3.2 Raw map



X Index: 206



Y Index: 198




Z Index: 179

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 905 nm^3 ; this corresponds to an approximate mass of 818 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.323\AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	3.04	3.32	3.07
Unmasked-calculated*	3.62	4.97	3.72

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.62 differs from the reported value 3.1 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-21873 and PDB model 6WQQ. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).

























































9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9477	 0.5710
1	 0.9581	 0.5770
2	 0.9105	 0.4880
A	 0.9215	 0.5660
B	 0.9284	 0.5790
C	 0.9648	 0.6010
D	 0.9250	 0.5600
E	 0.9326	 0.5790
F	 0.8932	 0.5310
G	 0.8807	 0.5080
H	 0.8669	 0.5070
I	 0.9637	 0.5840
J	 0.9262	 0.5560
K	 0.8894	 0.4980
L	 0.9177	 0.5630
M	 0.9387	 0.5690
N	 0.9556	 0.5650
O	 0.9098	 0.5230
P	 0.9573	 0.6190
Q	 0.9761	 0.6120
R	 0.9724	 0.5810
S	 0.9286	 0.5700
V	 0.9423	 0.5780
W	 0.8874	 0.5570
X	 0.9339	 0.5650
Y	 0.9336	 0.5680
Z	 0.9100	 0.5610
a	 0.8647	 0.5000

