



wwPDB EM Validation Summary Report ⓘ

Nov 29, 2022 – 07:48 PM JST

PDB ID : 7WUH
EMDB ID : EMD-32832
Title : SARS-CoV-2 Spike in complex with Fab of m31A7
Authors : Chen, X.; Wu, Y.-M.
Deposited on : 2022-02-08
Resolution : 4.70 Å (reported)
Based on initial model : 7CN9

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1242	
1	C	1242	
1	E	1242	
2	D	239	
2	H	239	
2	K	239	
3	F	240	
3	I	240	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	L	240	
4	B	3	
4	b	3	
5	G	2	
5	N	2	
5	O	2	
5	P	2	
5	R	2	
5	T	2	
5	V	2	
5	X	2	
6	J	4	
6	Y	4	
7	M	3	
7	Q	3	
7	Z	3	
7	e	3	
8	S	5	
8	W	5	
9	U	5	
10	a	4	
10	g	4	
11	c	2	
12	d	6	
13	f	6	

2 Entry composition i

There are 14 unique types of molecules in this entry. The entry contains 35569 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1038	8062	5137	1354	1535	36	0	0
1	C	1038	8072	5145	1353	1538	36	0	0
1	E	1044	8123	5177	1361	1549	36	0	0

There are 159 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	614	GLY	ASP	engineered mutation	UNP P0DTC2
A	682	GLY	ARG	variant	UNP P0DTC2
A	683	SER	ARG	variant	UNP P0DTC2
A	685	GLY	ARG	variant	UNP P0DTC2
A	986	PRO	LYS	variant	UNP P0DTC2
A	987	PRO	VAL	variant	UNP P0DTC2
A	1209	ASP	-	expression tag	UNP P0DTC2
A	1210	ILE	-	expression tag	UNP P0DTC2
A	1211	ARG	-	expression tag	UNP P0DTC2
A	1212	SER	-	expression tag	UNP P0DTC2
A	1213	LEU	-	expression tag	UNP P0DTC2
A	1214	VAL	-	expression tag	UNP P0DTC2
A	1215	PRO	-	expression tag	UNP P0DTC2
A	1216	ARG	-	expression tag	UNP P0DTC2
A	1217	GLY	-	expression tag	UNP P0DTC2
A	1218	SER	-	expression tag	UNP P0DTC2
A	1219	PRO	-	expression tag	UNP P0DTC2
A	1220	GLY	-	expression tag	UNP P0DTC2
A	1221	SER	-	expression tag	UNP P0DTC2
A	1222	GLY	-	expression tag	UNP P0DTC2
A	1223	TYR	-	expression tag	UNP P0DTC2
A	1224	ILE	-	expression tag	UNP P0DTC2
A	1225	PRO	-	expression tag	UNP P0DTC2
A	1226	GLU	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1227	ALA	-	expression tag	UNP P0DTC2
A	1228	PRO	-	expression tag	UNP P0DTC2
A	1229	ARG	-	expression tag	UNP P0DTC2
A	1230	ASP	-	expression tag	UNP P0DTC2
A	1231	GLY	-	expression tag	UNP P0DTC2
A	1232	GLN	-	expression tag	UNP P0DTC2
A	1233	ALA	-	expression tag	UNP P0DTC2
A	1234	TYR	-	expression tag	UNP P0DTC2
A	1235	VAL	-	expression tag	UNP P0DTC2
A	1236	ARG	-	expression tag	UNP P0DTC2
A	1237	LYS	-	expression tag	UNP P0DTC2
A	1238	ASP	-	expression tag	UNP P0DTC2
A	1239	GLY	-	expression tag	UNP P0DTC2
A	1240	GLU	-	expression tag	UNP P0DTC2
A	1241	TRP	-	expression tag	UNP P0DTC2
A	1242	VAL	-	expression tag	UNP P0DTC2
A	1243	LEU	-	expression tag	UNP P0DTC2
A	1244	LEU	-	expression tag	UNP P0DTC2
A	1245	SER	-	expression tag	UNP P0DTC2
A	1246	THR	-	expression tag	UNP P0DTC2
A	1247	PHE	-	expression tag	UNP P0DTC2
A	1248	LEU	-	expression tag	UNP P0DTC2
A	1249	GLY	-	expression tag	UNP P0DTC2
A	1250	HIS	-	expression tag	UNP P0DTC2
A	1251	HIS	-	expression tag	UNP P0DTC2
A	1252	HIS	-	expression tag	UNP P0DTC2
A	1253	HIS	-	expression tag	UNP P0DTC2
A	1254	HIS	-	expression tag	UNP P0DTC2
A	1255	HIS	-	expression tag	UNP P0DTC2
C	614	GLY	ASP	engineered mutation	UNP P0DTC2
C	682	GLY	ARG	variant	UNP P0DTC2
C	683	SER	ARG	variant	UNP P0DTC2
C	685	GLY	ARG	variant	UNP P0DTC2
C	986	PRO	LYS	variant	UNP P0DTC2
C	987	PRO	VAL	variant	UNP P0DTC2
C	1209	ASP	-	expression tag	UNP P0DTC2
C	1210	ILE	-	expression tag	UNP P0DTC2
C	1211	ARG	-	expression tag	UNP P0DTC2
C	1212	SER	-	expression tag	UNP P0DTC2
C	1213	LEU	-	expression tag	UNP P0DTC2
C	1214	VAL	-	expression tag	UNP P0DTC2
C	1215	PRO	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1216	ARG	-	expression tag	UNP P0DTC2
C	1217	GLY	-	expression tag	UNP P0DTC2
C	1218	SER	-	expression tag	UNP P0DTC2
C	1219	PRO	-	expression tag	UNP P0DTC2
C	1220	GLY	-	expression tag	UNP P0DTC2
C	1221	SER	-	expression tag	UNP P0DTC2
C	1222	GLY	-	expression tag	UNP P0DTC2
C	1223	TYR	-	expression tag	UNP P0DTC2
C	1224	ILE	-	expression tag	UNP P0DTC2
C	1225	PRO	-	expression tag	UNP P0DTC2
C	1226	GLU	-	expression tag	UNP P0DTC2
C	1227	ALA	-	expression tag	UNP P0DTC2
C	1228	PRO	-	expression tag	UNP P0DTC2
C	1229	ARG	-	expression tag	UNP P0DTC2
C	1230	ASP	-	expression tag	UNP P0DTC2
C	1231	GLY	-	expression tag	UNP P0DTC2
C	1232	GLN	-	expression tag	UNP P0DTC2
C	1233	ALA	-	expression tag	UNP P0DTC2
C	1234	TYR	-	expression tag	UNP P0DTC2
C	1235	VAL	-	expression tag	UNP P0DTC2
C	1236	ARG	-	expression tag	UNP P0DTC2
C	1237	LYS	-	expression tag	UNP P0DTC2
C	1238	ASP	-	expression tag	UNP P0DTC2
C	1239	GLY	-	expression tag	UNP P0DTC2
C	1240	GLU	-	expression tag	UNP P0DTC2
C	1241	TRP	-	expression tag	UNP P0DTC2
C	1242	VAL	-	expression tag	UNP P0DTC2
C	1243	LEU	-	expression tag	UNP P0DTC2
C	1244	LEU	-	expression tag	UNP P0DTC2
C	1245	SER	-	expression tag	UNP P0DTC2
C	1246	THR	-	expression tag	UNP P0DTC2
C	1247	PHE	-	expression tag	UNP P0DTC2
C	1248	LEU	-	expression tag	UNP P0DTC2
C	1249	GLY	-	expression tag	UNP P0DTC2
C	1250	HIS	-	expression tag	UNP P0DTC2
C	1251	HIS	-	expression tag	UNP P0DTC2
C	1252	HIS	-	expression tag	UNP P0DTC2
C	1253	HIS	-	expression tag	UNP P0DTC2
C	1254	HIS	-	expression tag	UNP P0DTC2
C	1255	HIS	-	expression tag	UNP P0DTC2
E	614	GLY	ASP	engineered mutation	UNP P0DTC2
E	682	GLY	ARG	variant	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	683	SER	ARG	variant	UNP P0DTC2
E	685	GLY	ARG	variant	UNP P0DTC2
E	986	PRO	LYS	variant	UNP P0DTC2
E	987	PRO	VAL	variant	UNP P0DTC2
E	1209	ASP	-	expression tag	UNP P0DTC2
E	1210	ILE	-	expression tag	UNP P0DTC2
E	1211	ARG	-	expression tag	UNP P0DTC2
E	1212	SER	-	expression tag	UNP P0DTC2
E	1213	LEU	-	expression tag	UNP P0DTC2
E	1214	VAL	-	expression tag	UNP P0DTC2
E	1215	PRO	-	expression tag	UNP P0DTC2
E	1216	ARG	-	expression tag	UNP P0DTC2
E	1217	GLY	-	expression tag	UNP P0DTC2
E	1218	SER	-	expression tag	UNP P0DTC2
E	1219	PRO	-	expression tag	UNP P0DTC2
E	1220	GLY	-	expression tag	UNP P0DTC2
E	1221	SER	-	expression tag	UNP P0DTC2
E	1222	GLY	-	expression tag	UNP P0DTC2
E	1223	TYR	-	expression tag	UNP P0DTC2
E	1224	ILE	-	expression tag	UNP P0DTC2
E	1225	PRO	-	expression tag	UNP P0DTC2
E	1226	GLU	-	expression tag	UNP P0DTC2
E	1227	ALA	-	expression tag	UNP P0DTC2
E	1228	PRO	-	expression tag	UNP P0DTC2
E	1229	ARG	-	expression tag	UNP P0DTC2
E	1230	ASP	-	expression tag	UNP P0DTC2
E	1231	GLY	-	expression tag	UNP P0DTC2
E	1232	GLN	-	expression tag	UNP P0DTC2
E	1233	ALA	-	expression tag	UNP P0DTC2
E	1234	TYR	-	expression tag	UNP P0DTC2
E	1235	VAL	-	expression tag	UNP P0DTC2
E	1236	ARG	-	expression tag	UNP P0DTC2
E	1237	LYS	-	expression tag	UNP P0DTC2
E	1238	ASP	-	expression tag	UNP P0DTC2
E	1239	GLY	-	expression tag	UNP P0DTC2
E	1240	GLU	-	expression tag	UNP P0DTC2
E	1241	TRP	-	expression tag	UNP P0DTC2
E	1242	VAL	-	expression tag	UNP P0DTC2
E	1243	LEU	-	expression tag	UNP P0DTC2
E	1244	LEU	-	expression tag	UNP P0DTC2
E	1245	SER	-	expression tag	UNP P0DTC2
E	1246	THR	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	1247	PHE	-	expression tag	UNP P0DTC2
E	1248	LEU	-	expression tag	UNP P0DTC2
E	1249	GLY	-	expression tag	UNP P0DTC2
E	1250	HIS	-	expression tag	UNP P0DTC2
E	1251	HIS	-	expression tag	UNP P0DTC2
E	1252	HIS	-	expression tag	UNP P0DTC2
E	1253	HIS	-	expression tag	UNP P0DTC2
E	1254	HIS	-	expression tag	UNP P0DTC2
E	1255	HIS	-	expression tag	UNP P0DTC2


- Molecule 2 is a protein called m31A7 Fab heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	D	218	Total	C	N	O	S	0	0
			1641	1039	265	331	6		
2	H	218	Total	C	N	O	S	0	0
			1641	1039	265	331	6		
2	K	218	Total	C	N	O	S	0	0
			1641	1039	265	331	6		

- Molecule 3 is a protein called m31A7 Fab light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	F	219	Total	C	N	O	S	0	0
			1705	1073	283	343	6		
3	I	219	Total	C	N	O	S	0	0
			1705	1073	283	343	6		
3	L	219	Total	C	N	O	S	0	0
			1705	1073	283	343	6		

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	B	3	Total	C	N	O	0	0
			38	22	2	14		
4	b	3	Total	C	N	O	0	0
			38	22	2	14		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	G	2	28	16	2	10	0	0
5	N	2	28	16	2	10	0	0
5	O	2	28	16	2	10	0	0
5	P	2	28	16	2	10	0	0
5	R	2	28	16	2	10	0	0
5	T	2	28	16	2	10	0	0
5	V	2	28	16	2	10	0	0
5	X	2	28	16	2	10	0	0

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	J	4	50	28	2	20	0	0
6	Y	4	50	28	2	20	0	0

- Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	M	3	39	22	2	15	0	0
7	Q	3	39	22	2	15	0	0
7	Z	3	39	22	2	15	0	0
7	e	3	39	22	2	15	0	0

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	S	5	61	34	2	25	0	0
8	W	5	61	34	2	25	0	0

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
9	U	5	61	34	2	25	0	0

- Molecule 10 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
10	a	4	49	28	2	19	0	0
10	g	4	49	28	2	19	0	0

- Molecule 11 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
11	c	2	24	14	1	9	0	0

- Molecule 12 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
12	d	6	75	42	3	30	0	0

- Molecule 13 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
13	f	6	72	40	2	30	0	0

- Molecule 14 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
14	A	1	70	40	5	25	0
14	A	1	70	40	5	25	0
14	A	1	70	40	5	25	0
14	A	1	70	40	5	25	0
14	A	1	70	40	5	25	0
14	C	1	112	64	8	40	0
14	C	1	112	64	8	40	0
14	C	1	112	64	8	40	0
14	C	1	112	64	8	40	0
14	C	1	112	64	8	40	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
14	C	1	Total	C	N	O	0
			112	64	8	40	
14	C	1	Total	C	N	O	0
			112	64	8	40	
14	C	1	Total	C	N	O	0
			112	64	8	40	
14	E	1	Total	C	N	O	0
			70	40	5	25	
14	E	1	Total	C	N	O	0
			70	40	5	25	
14	E	1	Total	C	N	O	0
			70	40	5	25	
14	E	1	Total	C	N	O	0
			70	40	5	25	
14	E	1	Total	C	N	O	0
			70	40	5	25	
14	K	1	Total	C	N	O	0
			14	8	1	5	

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Spike glycoprotein




ARG	F1103	V1033	T961	L828	L754	SER	V620	F541	R466	D889	V308
ASP	V1104	L1034	L962	A829	Q755	VAL	P621	N642	D467	L390	G311
GLY	Q1106	G1035	V963	ASP	Y756	ALA	S689	F543	I468	C391	S469
ILE	Q1036	Q1036	K964	ALA	G757	GLY	Q690	T549	T470	T392	I312
ALA	R1107	S1037	Q965	GLY	G758	ILE	A623	T549	T470	T393	I312
TYR	Y1110	F1042	Q901	PHE	F759	HIS	S691	G550	C480	R394	S316
VAL	E1111	C1043	N902	ILE	C760	ALA	S691	G550	C480	R394	S316
ARG	Q1112	N969	N903	LYS	T761	ASP	S691	G550	C480	R394	S316
LYS	Q1113	F970	A903	GLN	Q762	ASP	A694	G482	C482	Y396	N317
ASP	H1048	G971	R905	TYR	L763	GLN	A694	G482	C482	Y396	N317
ILE	L1049	A972	F906	GLY	N764	LEU	A694	G482	C482	Y396	N317
GLU	M1050	I973	N907	ASP	N764	LEU	A694	G482	C482	Y396	N317
TRP	N1119	S974	G908	CYS	A766	THR	M697	G485	C485	F400	R319
VAL	T1120	S974	I909	LEU	A766	THR	M697	G485	C485	F400	R319
LEU	F1121	L977	G910	GLY	I770	TRP	L699	G486	C486	I402	I326
ASP	V1122	R978	V911	ASP	I770	TRP	L699	G486	C486	I402	I326
SER	S1123	D979	Q913	ILE	E773	ARG	A701	G566	C488	R403	R328
THR	G1124	N914	Q914	ALA	O774	ARG	A701	G566	C488	R403	R328
PHE	N1125	L980	N914	ARG	E774	VAL	S704	L492	P491	D405	M331
LEU	C1126	L984	V915	ASP	E775	ASP	S704	L492	P491	D405	M331
HIS	D1127	D985	L916	ASP	K776	ASP	A706	G567	L492	E406	I332
ALA	V1060	D985	L916	LEU	K776	ASP	A706	G567	L492	E406	I332
HIS	V1128	P986	Y917	LEU	I778	LEU	I707	D574	A411	A411	P337
HIS	V1129	P987	E918	ILE	I778	LEU	I707	D574	A411	A411	P337
HIS	I1130	N919	F919	CYS	I778	VAL	Y707	A575	P412	P412	F338
HIS	N1134	Q920	N919	ALA	Q779	VAL	Y707	A575	P412	P412	F338
GLY	H1064	Q920	N919	GLN	E780	VAL	M641	D574	A411	A411	P337
SER	V1065	L922	R925	R954	F782	ASP	N641	D574	A411	A411	P337
LEU	T1066	A924	N925	R955	F782	ASP	N641	D574	A411	A411	P337
ILE	Y1067	A924	N925	R955	F782	ASP	N641	D574	A411	A411	P337
ASP	V1068	Q926	F927	R955	F782	ASP	N641	D574	A411	A411	P337
LEU	P1068	F927	F927	R955	F782	ASP	N641	D574	A411	A411	P337
GLN	A1070	A930	A930	R955	F782	ASP	N641	D574	A411	A411	P337
LEU	Q1071	L931	L931	R955	F782	ASP	N641	D574	A411	A411	P337
LEU	K1072	G932	G932	R955	F782	ASP	N641	D574	A411	A411	P337
PRO	N1073	G932	G932	R955	F782	ASP	N641	D574	A411	A411	P337
GLY	N1074	K933	K933	R955	F782	ASP	N641	D574	A411	A411	P337
GLY	F1075	L934	L934	R955	F782	ASP	N641	D574	A411	A411	P337
TYR	F1075	L934	L934	R955	F782	ASP	N641	D574	A411	A411	P337
GLY	T1076	Q935	Q935	R955	F782	ASP	N641	D574	A411	A411	P337
SER	A1080	D936	D936	R955	F782	ASP	N641	D574	A411	A411	P337
ILE	A1080	S937	S937	R955	F782	ASP	N641	D574	A411	A411	P337
ASP	A1080	L938	L938	R955	F782	ASP	N641	D574	A411	A411	P337
ARG	A1080	L938	L938	R955	F782	ASP	N641	D574	A411	A411	P337
SER	A1080	S937	S937	R955	F782	ASP	N641	D574	A411	A411	P337
LEU	D1084	Y1006	Y1006	R955	F782	ASP	N641	D574	A411	A411	P337
LEU	G1085	Y1007	Y1007	R955	F782	ASP	N641	D574	A411	A411	P337
VAL	K1086	V1008	V1008	R955	F782	ASP	N641	D574	A411	A411	P337
PRO	A1087	T1009	T1009	R955	F782	ASP	N641	D574	A411	A411	P337
ARG	A1087	Q1010	Q1010	R955	F782	ASP	N641	D574	A411	A411	P337
GLY	F1088	Q1011	Q1011	R955	F782	ASP	N641	D574	A411	A411	P337
PHE	F1089	L1012	L1012	R955	F782	ASP	N641	D574	A411	A411	P337
LYS	P1090	I1013	I1013	R955	F782	ASP	N641	D574	A411	A411	P337
ASN	R1091	R1014	R1014	R955	F782	ASP	N641	D574	A411	A411	P337
HIS	E1092	A1015	A1015	R955	F782	ASP	N641	D574	A411	A411	P337
THR	G1093	R1019	R1019	R955	F782	ASP	N641	D574	A411	A411	P337
PRO	V1096	L1024	L1024	R955	F782	ASP	N641	D574	A411	A411	P337
VAL	S1097	K1028	K1028	R955	F782	ASP	N641	D574	A411	A411	P337
GLU	M1098	M1029	M1029	R955	F782	ASP	N641	D574	A411	A411	P337
ALA	H1101	S1030	S1030	R955	F782	ASP	N641	D574	A411	A411	P337
PRO	H1102	C1032	C1032	R955	F782	ASP	N641	D574	A411	A411	P337



• Molecule 1: Spike glycoprotein





GLN	E96	E97	S98	R99	I100	I101	R102	SER	G103	LEU	W104	T33	LEU	W105	R34	F106	G107	T108	Y37	Y38	F43	F44	R44	V47	L48	H49	S50	T51	G52	D53	L54	F55	L56	P57	F58	W64	I128	P65	H66	A67	H68	V70	S71	GLY	THR	GLY	THR	LYS	R78	F79	D80	N81	P82	P85	P86	V90	Y91	N165	F92	A93	S94																																									
T95	E96	K97	S98	R99	I100	I101	R102	SER	G103	LEU	W104	T33	LEU	W105	R34	F106	G107	T108	Y37	Y38	F43	F44	R44	V47	L48	H49	S50	T51	G52	D53	L54	F55	L56	P57	F58	W64	I128	P65	H66	A67	H68	V70	S71	GLY	THR	GLY	THR	LYS	R78	F79	D80	N81	P82	P85	P86	V90	Y91	N165	F92	A93	S94																																									
Y170	V171	S172	GLN	PRO	PHE	LEU	MET	ASP	F400	GLU	LEU	GLY	F106	G107	T108	Q183	L189	R190	E191	F192	V193	F194	K195	D198	G199	Y200	F201	K202	L203	Y204	K206	H207	K129	T208	F275	P209	I210	ASN	LEU	VAL	R214	D215	Q218	G219	F220	S221	A222	L223	E224	P225	D228	L229	P295	D294	L296	S297	I231	G232	I233	N234	I235	T236																																								
R237	F238	L241	L242	H245	ARG	SER	TYR	LEU	THR	PRO	GLY	ASP	SER	SER	SER	GLY	TRP	THR	G261	A262	A263	Y265	Y269	L270	Q271	K272	R273	T274	F275	L276	K277	Y279	N280	E281	N282	G283	I285	V289	D290	C291	A292	D298	D299	L296	S297	E298	T299	K300	L303	R304	S305	T307	V308	E309	K310	Y313	S316	V401	I402	R403	E406	V407	R408	Q409	I410	A411	P412	G413	Q414	K417	I418	A419	D420	M421	Y422	Y423	K424	A344	T345	R346	T274	F275	S349	L276	K277	Y351	A352	W353	N354	R355	M360	C361	V362	A363	D364	L368	F374	G381	K386	L387	N388	C391
K304	S305	T307	V308	E309	K310	Y313	S316	V401	I402	R403	E406	V407	R408	Q409	I410	A411	P412	G413	Q414	K417	I418	A419	D420	M421	Y422	Y423	K424	A344	T345	R346	T274	F275	S349	L276	K277	Y351	A352	W353	N354	R355	M360	C361	V362	A363	D364	L368	F374	G381	K386	L387	N388	C391																																																		
F392	T393	M394	V395	Y396	A397	D398	S399	F400	TYR	V401	I402	R403	E406	V407	R408	Q409	I410	A411	P412	G413	Q414	K417	I418	A419	D420	M421	Y422	Y423	K424	A344	T345	R346	T274	F275	S349	L276	K277	Y351	A352	W353	N354	R355	M360	C361	V362	A363	D364	L368	F374	G381	K386	L387	N388	C391																																																
F464	I468	E471	I472	Y473	Q474	A475	G476	S477	T478	P479	M481	G482	V483	E484	F486	M487	C488	Y489	F490	P491	L492	Q493	S494	Y495	Q498	P499	T500	N501	D428	F429	A435	S438	M439	V445	G446	G447	M450	Y451	L452	Y453	R454	A520	P521	A522	T523	V524	C525	G526	P527	K528	K529																																																			
L533	V534	K535	C538	V539	N540	F541	T547	L552	T553	K557	K558	F562	Q563	Q564	D568	D571	T572	D574	A575	V576	R577	D578	P579	Q580	T581	L582	E583	I584	L586	D586	L587	T588	P589	C590	S591	F592	G593	G594	V595	T598	G601	T602	M603	T604	S605	N606	Q607	V608																																																						
A609	V610	L611	Q613	G614	V615	N616	C517	P621	VAL	ALA	ILE	HIS	ALA	ASP	GLN	LEU	THR	PRO	THR	ARG	VAL	ARG	TRP	SER	T638	V642	Q644	T645	R646	A647	I651	H655	V656	N657	N658	T666	G667	A668	G669	I670	C671	A672	S673	Y674	Q675	T676	Q677	N679	SER	PRO	GLY																																																			
SER	ALA	GLY	S686	Q690	S691	A694	M697	S698	L699	G700	A701	E702	N703	S704	V705	A706	Y707	N710	S711	I712	A713	I714	T715	T716	I720	S721	V722	T723	R724	E725	I726	L727	F728	V729	S730	M731	T732	K733	D737	C738	T739	M740	L741	I742	C743	G744	D745	C749	S750	N751	L752	L753																																																		
L754	Q755	Y756	G757	S758	F759	C760	N761	T762	L763	N764	K765	A766	L767	T768	G769	I770	A771	V772	E773	Q774	D775	K776	N777	I778	Q779	E780	F782	A783	Q784	L788	Y789	P792	D796	F797	G798	G799	F800	N801	F802	S803	Q804	L805	L806	P807	R815	S816	F817	E819	L822	K825	V826																																																			
G832	PHE	ILE	LYS	GLN	TYR	ASP	GLY	LEU	CYS	GLY	ASP	ILE	ALA	ALA	ARG	ASP	LEU	ILE	CYS	ALA	GLN	R854	R855	M856	G857	L858	P862	L865	T866	E867	E868	M869	L870	A871	Q872	Y873	T874	S875	A876	L877	L878	A879	T882	T883	S884	G885	W886	G889	L894	R895	L896	P897	F898																																																	
H899	N900	I901	N902	A903	Y904	R905	F906	N907	G908	N909	G910	N911	I912	Q913	N914	Y915	L916	Y917	E918	N919	Q920	K921	L922	I923	F927	N928	S929	A930	I931	L934	D935	D936	S937	L938	T941	A942	S943	A944	L945	G946	K947	L948	Q949	D950	Y951	I952	N953	Q954	Q957	N960	F961	L962	Y963	P897	F898																																															




● Molecule 2: m31A7 Fab heavy chain




● Molecule 2: m31A7 Fab heavy chain







• Molecule 2: m31A7 Fab heavy chain




• Molecule 3: m31A7 Fab light chain





• Molecule 3: m31A7 Fab light chain





• Molecule 3: m31A7 Fab light chain



• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose




• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  100%


MAG1
MAG2

- Molecule 6: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  25% 75%


MAG1
MAG2
BMA3
MAN4

- Molecule 6: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  50% 50%

MAG1
MAG2
BMA3
MAN4

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  33% 33% 33%

MAG1
MAG2
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  67% 33%


MAG1
MAG2
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  100%

MAG1
MAG2
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  33% 67%




- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  60% 40%




- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  20% 40% 40%



- Molecule 9: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  20% 60% 20%




- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  50% 50%



- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  75% 25%




- Molecule 11: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%

MAG1
FUC2

- Molecule 12: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  33% 67%

MAG1
MAG2
BMA3
MAN4
MAG5
MAN6

- Molecule 13: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  17% 83%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	108565	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.1	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	11.642	Depositor
Minimum map value	-3.915	Depositor
Average map value	-0.005	Depositor
Map value standard deviation	0.385	Depositor
Recommended contour level	1.1	Depositor
Map size (Å)	315.4, 315.4, 315.4	wwPDB
Map dimensions	380, 380, 380	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.83, 0.83, 0.83	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, MAN, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/8245	0.56	0/11227
1	C	0.31	0/8256	0.57	1/11234 (0.0%)
1	E	0.30	0/8308	0.55	1/11306 (0.0%)
2	D	0.26	0/1681	0.51	0/2292
2	H	0.27	0/1681	0.51	0/2292
2	K	0.26	0/1681	0.50	0/2292
3	F	0.26	0/1741	0.52	0/2361
3	I	0.26	0/1741	0.55	0/2361
3	L	0.27	0/1741	0.51	0/2361
All	All	0.29	0/35075	0.55	2/47726 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	995	ARG	CA-CB-CG	5.79	126.15	113.40
1	E	571	ASP	CB-CG-OD1	5.12	122.90	118.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	131	CYS	Peptide
1	A	800	PHE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8062	0	7808	563	0
1	C	8072	0	7852	528	0
1	E	8123	0	7890	537	0
2	D	1641	0	1604	69	0
2	H	1641	0	1603	56	0
2	K	1641	0	1603	59	0
3	F	1705	0	1669	71	0
3	I	1705	0	1669	56	0
3	L	1705	0	1669	67	0
4	B	38	0	32	3	0
4	b	38	0	34	0	0
5	G	28	0	25	0	0
5	N	28	0	25	2	0
5	O	28	0	25	1	0
5	P	28	0	25	5	0
5	R	28	0	25	0	0
5	T	28	0	25	1	0
5	V	28	0	25	2	0
5	X	28	0	25	2	0
6	J	50	0	43	1	0
6	Y	50	0	43	6	0
7	M	39	0	34	2	0
7	Q	39	0	34	1	0
7	Z	39	0	34	0	0
7	e	39	0	34	0	0
8	S	61	0	52	3	0
8	W	61	0	52	2	0
9	U	61	0	52	2	0
10	a	49	0	43	0	0
10	g	49	0	43	0	0
11	c	24	0	22	0	0
12	d	75	0	63	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
13	f	72	0	61	0	0
14	A	70	0	65	1	0
14	C	112	0	104	5	0
14	E	70	0	65	4	0
14	K	14	0	13	0	0
All	All	35569	0	34490	1880	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

The worst 5 of 1880 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:591:SER:O	1:A:615:VAL:HG13	1.48	1.12
1:A:591:SER:C	1:A:615:VAL:HG13	1.77	1.04
1:C:866:THR:H	1:C:869:MET:HE2	1.31	0.96
1:A:591:SER:CA	1:A:615:VAL:HG13	1.96	0.95
1:C:1028:LYS:O	1:C:1032:CYS:HB3	1.68	0.93

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1024/1242 (82%)	873 (85%)	148 (14%)	3 (0%)	41	76
1	C	1026/1242 (83%)	870 (85%)	156 (15%)	0	100	100
1	E	1028/1242 (83%)	884 (86%)	140 (14%)	4 (0%)	34	72
2	D	216/239 (90%)	202 (94%)	14 (6%)	0	100	100
2	H	216/239 (90%)	198 (92%)	18 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	K	216/239 (90%)	206 (95%)	10 (5%)	0	100	100
3	F	217/240 (90%)	203 (94%)	14 (6%)	0	100	100
3	I	217/240 (90%)	202 (93%)	15 (7%)	0	100	100
3	L	217/240 (90%)	201 (93%)	16 (7%)	0	100	100
All	All	4377/5163 (85%)	3839 (88%)	531 (12%)	7 (0%)	50	81

5 of 7 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	592	PHE
1	A	617	CYS
1	A	231	ILE
1	E	153	MET
1	E	1127	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	894/1077 (83%)	889 (99%)	5 (1%)	86	92
1	C	898/1077 (83%)	891 (99%)	7 (1%)	81	89
1	E	903/1077 (84%)	897 (99%)	6 (1%)	84	90
2	D	186/204 (91%)	186 (100%)	0	100	100
2	H	186/204 (91%)	186 (100%)	0	100	100
2	K	186/204 (91%)	186 (100%)	0	100	100
3	F	195/212 (92%)	195 (100%)	0	100	100
3	I	195/212 (92%)	193 (99%)	2 (1%)	76	86
3	L	195/212 (92%)	194 (100%)	1 (0%)	88	93
All	All	3838/4479 (86%)	3817 (100%)	21 (0%)	89	93

5 of 21 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	129	LYS
1	E	928	ASN
3	L	130	GLN
3	I	114	ARG
1	E	558	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 26 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	1036	GLN
1	E	439	ASN
2	H	6	GLN
1	E	121	ASN
1	E	644	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

79 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	B	1	1,4	14,14,15	0.19	0	17,19,21	0.53	0
4	NAG	B	2	4	14,14,15	0.24	0	17,19,21	0.59	0
4	FUC	B	3	4	10,10,11	0.63	0	14,14,16	0.88	0
5	NAG	G	1	5,1	14,14,15	0.29	0	17,19,21	0.46	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	G	2	5	14,14,15	0.30	0	17,19,21	0.39	0
6	NAG	J	1	6,1	14,14,15	0.23	0	17,19,21	0.36	0
6	NAG	J	2	6	14,14,15	0.19	0	17,19,21	0.46	0
6	BMA	J	3	6	11,11,12	0.47	0	15,15,17	0.82	0
6	MAN	J	4	6	11,11,12	0.77	1 (9%)	15,15,17	1.25	2 (13%)
7	NAG	M	1	7,1	14,14,15	0.92	1 (7%)	17,19,21	1.29	1 (5%)
7	NAG	M	2	7	14,14,15	0.90	1 (7%)	17,19,21	1.25	1 (5%)
7	BMA	M	3	7	11,11,12	0.53	0	15,15,17	0.86	0
5	NAG	N	1	5,1	14,14,15	0.27	0	17,19,21	0.46	0
5	NAG	N	2	5	14,14,15	0.32	0	17,19,21	1.32	2 (11%)
5	NAG	O	1	5,1	14,14,15	0.77	1 (7%)	17,19,21	0.66	0
5	NAG	O	2	5	14,14,15	0.40	0	17,19,21	1.30	2 (11%)
5	NAG	P	1	5,1	14,14,15	0.44	0	17,19,21	0.45	0
5	NAG	P	2	5	14,14,15	0.23	0	17,19,21	0.52	0
7	NAG	Q	1	7,1	14,14,15	0.37	0	17,19,21	0.61	0
7	NAG	Q	2	7	14,14,15	0.52	0	17,19,21	1.24	1 (5%)
7	BMA	Q	3	7	11,11,12	0.59	0	15,15,17	0.74	0
5	NAG	R	1	5,1	14,14,15	0.47	0	17,19,21	0.94	1 (5%)
5	NAG	R	2	5	14,14,15	0.26	0	17,19,21	0.43	0
8	NAG	S	1	1,8	14,14,15	0.28	0	17,19,21	0.49	0
8	NAG	S	2	8	14,14,15	0.39	0	17,19,21	0.92	1 (5%)
8	BMA	S	3	8	11,11,12	0.65	0	15,15,17	0.80	1 (6%)
8	MAN	S	4	8	11,11,12	0.57	0	15,15,17	1.07	2 (13%)
8	MAN	S	5	8	11,11,12	0.61	0	15,15,17	1.10	2 (13%)
5	NAG	T	1	5,1	14,14,15	0.36	0	17,19,21	0.39	0
5	NAG	T	2	5	14,14,15	0.41	0	17,19,21	1.24	1 (5%)
9	NAG	U	1	9,1	14,14,15	0.30	0	17,19,21	0.64	0
9	NAG	U	2	9	14,14,15	0.26	0	17,19,21	0.59	0
9	BMA	U	3	9	11,11,12	0.61	0	15,15,17	0.98	1 (6%)
9	MAN	U	4	9	11,11,12	0.61	0	15,15,17	1.19	2 (13%)
9	MAN	U	5	9	11,11,12	0.62	0	15,15,17	1.61	5 (33%)
5	NAG	V	1	5,1	14,14,15	0.56	0	17,19,21	0.53	0
5	NAG	V	2	5	14,14,15	0.24	0	17,19,21	0.41	0
8	NAG	W	1	1,8	14,14,15	0.16	0	17,19,21	0.69	0
8	NAG	W	2	8	14,14,15	0.26	0	17,19,21	0.39	0
8	BMA	W	3	8	11,11,12	0.74	1 (9%)	15,15,17	1.19	1 (6%)
8	MAN	W	4	8	11,11,12	0.94	1 (9%)	15,15,17	1.09	3 (20%)
8	MAN	W	5	8	11,11,12	0.64	0	15,15,17	0.93	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	X	1	5,1	14,14,15	0.66	1 (7%)	17,19,21	0.60	0
5	NAG	X	2	5	14,14,15	0.42	0	17,19,21	1.24	1 (5%)
6	NAG	Y	1	6,1	14,14,15	0.69	0	17,19,21	1.22	3 (17%)
6	NAG	Y	2	6	14,14,15	0.90	0	17,19,21	2.81	8 (47%)
6	BMA	Y	3	6	11,11,12	0.62	0	15,15,17	2.15	7 (46%)
6	MAN	Y	4	6	11,11,12	0.56	0	15,15,17	1.21	2 (13%)
7	NAG	Z	1	7,1	14,14,15	0.54	0	17,19,21	0.60	0
7	NAG	Z	2	7	14,14,15	0.23	0	17,19,21	0.62	0
7	BMA	Z	3	7	11,11,12	0.61	0	15,15,17	0.74	0
10	NAG	a	1	1,10	14,14,15	0.30	0	17,19,21	0.64	1 (5%)
10	NAG	a	2	10	14,14,15	0.55	0	17,19,21	1.31	1 (5%)
10	BMA	a	3	10	11,11,12	0.49	0	15,15,17	0.83	0
10	FUC	a	4	10	10,10,11	0.64	0	14,14,16	0.79	0
4	NAG	b	1	1,4	14,14,15	0.87	1 (7%)	17,19,21	0.80	0
4	NAG	b	2	4	14,14,15	0.19	0	17,19,21	0.47	0
4	FUC	b	3	4	10,10,11	0.75	0	14,14,16	1.00	0
11	NAG	c	1	11,1	14,14,15	0.20	0	17,19,21	0.48	0
11	FUC	c	2	11	10,10,11	0.65	0	14,14,16	0.82	0
12	NAG	d	1	12,1	14,14,15	0.49	0	17,19,21	0.87	1 (5%)
12	NAG	d	2	12	14,14,15	0.28	0	17,19,21	0.50	0
12	BMA	d	3	12	11,11,12	0.95	0	15,15,17	1.19	2 (13%)
12	MAN	d	4	12	11,11,12	1.06	2 (18%)	15,15,17	1.63	2 (13%)
12	NAG	d	5	12	14,14,15	0.25	0	17,19,21	0.36	0
12	MAN	d	6	12	11,11,12	0.60	0	15,15,17	1.17	2 (13%)
7	NAG	e	1	7,1	14,14,15	0.64	0	17,19,21	1.01	1 (5%)
7	NAG	e	2	7	14,14,15	0.29	0	17,19,21	0.41	0
7	BMA	e	3	7	11,11,12	0.50	0	15,15,17	0.96	1 (6%)
13	NAG	f	1	13,1	14,14,15	0.43	0	17,19,21	0.95	2 (11%)
13	NAG	f	2	13	14,14,15	0.27	0	17,19,21	0.52	0
13	BMA	f	3	13	11,11,12	1.22	2 (18%)	15,15,17	1.61	3 (20%)
13	MAN	f	4	13	11,11,12	0.83	0	15,15,17	1.07	1 (6%)
13	MAN	f	5	13	11,11,12	0.53	0	15,15,17	1.03	2 (13%)
13	MAN	f	6	13	11,11,12	0.88	0	15,15,17	0.98	1 (6%)
10	NAG	g	1	2,10	14,14,15	0.20	0	17,19,21	0.54	0
10	NAG	g	2	10	14,14,15	0.21	0	17,19,21	0.41	0
10	BMA	g	3	10	11,11,12	0.77	1 (9%)	15,15,17	0.91	1 (6%)
10	FUC	g	4	10	10,10,11	0.71	0	14,14,16	0.94	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	B	1	1,4	-	3/6/23/26	0/1/1/1
4	NAG	B	2	4	-	3/6/23/26	0/1/1/1
4	FUC	B	3	4	-	-	0/1/1/1
5	NAG	G	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	G	2	5	-	2/6/23/26	0/1/1/1
6	NAG	J	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	J	2	6	-	4/6/23/26	0/1/1/1
6	BMA	J	3	6	-	2/2/19/22	0/1/1/1
6	MAN	J	4	6	-	0/2/19/22	0/1/1/1
7	NAG	M	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	M	2	7	-	0/6/23/26	0/1/1/1
7	BMA	M	3	7	-	0/2/19/22	0/1/1/1
5	NAG	N	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	N	2	5	-	5/6/23/26	0/1/1/1
5	NAG	O	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	O	2	5	-	5/6/23/26	0/1/1/1
5	NAG	P	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	P	2	5	-	0/6/23/26	0/1/1/1
7	NAG	Q	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	Q	2	7	-	5/6/23/26	0/1/1/1
7	BMA	Q	3	7	-	2/2/19/22	0/1/1/1
5	NAG	R	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	R	2	5	-	4/6/23/26	0/1/1/1
8	NAG	S	1	1,8	-	1/6/23/26	0/1/1/1
8	NAG	S	2	8	-	2/6/23/26	0/1/1/1
8	BMA	S	3	8	-	2/2/19/22	0/1/1/1
8	MAN	S	4	8	-	0/2/19/22	0/1/1/1
8	MAN	S	5	8	-	1/2/19/22	0/1/1/1
5	NAG	T	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	T	2	5	-	3/6/23/26	0/1/1/1
9	NAG	U	1	9,1	-	3/6/23/26	0/1/1/1
9	NAG	U	2	9	-	2/6/23/26	0/1/1/1
9	BMA	U	3	9	-	2/2/19/22	0/1/1/1
9	MAN	U	4	9	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	MAN	U	5	9	-	2/2/19/22	0/1/1/1
5	NAG	V	1	5,1	-	4/6/23/26	0/1/1/1
5	NAG	V	2	5	-	2/6/23/26	0/1/1/1
8	NAG	W	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	W	2	8	-	1/6/23/26	0/1/1/1
8	BMA	W	3	8	-	1/2/19/22	0/1/1/1
8	MAN	W	4	8	-	1/2/19/22	0/1/1/1
8	MAN	W	5	8	-	0/2/19/22	0/1/1/1
5	NAG	X	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	X	2	5	-	4/6/23/26	0/1/1/1
6	NAG	Y	1	6,1	-	4/6/23/26	0/1/1/1
6	NAG	Y	2	6	-	5/6/23/26	0/1/1/1
6	BMA	Y	3	6	-	2/2/19/22	0/1/1/1
6	MAN	Y	4	6	-	0/2/19/22	0/1/1/1
7	NAG	Z	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	Z	2	7	-	2/6/23/26	0/1/1/1
7	BMA	Z	3	7	-	0/2/19/22	0/1/1/1
10	NAG	a	1	1,10	-	2/6/23/26	0/1/1/1
10	NAG	a	2	10	-	5/6/23/26	0/1/1/1
10	BMA	a	3	10	-	1/2/19/22	0/1/1/1
10	FUC	a	4	10	-	-	0/1/1/1
4	NAG	b	1	1,4	-	4/6/23/26	0/1/1/1
4	NAG	b	2	4	-	0/6/23/26	0/1/1/1
4	FUC	b	3	4	-	-	0/1/1/1
11	NAG	c	1	11,1	-	4/6/23/26	0/1/1/1
11	FUC	c	2	11	-	-	0/1/1/1
12	NAG	d	1	12,1	-	2/6/23/26	0/1/1/1
12	NAG	d	2	12	-	3/6/23/26	0/1/1/1
12	BMA	d	3	12	-	2/2/19/22	0/1/1/1
12	MAN	d	4	12	-	1/2/19/22	1/1/1/1
12	NAG	d	5	12	-	1/6/23/26	0/1/1/1
12	MAN	d	6	12	-	0/2/19/22	0/1/1/1
7	NAG	e	1	7,1	-	3/6/23/26	0/1/1/1
7	NAG	e	2	7	-	2/6/23/26	0/1/1/1
7	BMA	e	3	7	-	2/2/19/22	0/1/1/1
13	NAG	f	1	13,1	-	2/6/23/26	0/1/1/1
13	NAG	f	2	13	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	BMA	f	3	13	-	0/2/19/22	0/1/1/1
13	MAN	f	4	13	-	2/2/19/22	0/1/1/1
13	MAN	f	5	13	-	1/2/19/22	0/1/1/1
13	MAN	f	6	13	-	2/2/19/22	0/1/1/1
10	NAG	g	1	2,10	-	0/6/23/26	0/1/1/1
10	NAG	g	2	10	-	2/6/23/26	0/1/1/1
10	BMA	g	3	10	-	2/2/19/22	0/1/1/1
10	FUC	g	4	10	-	-	0/1/1/1

The worst 5 of 13 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	M	1	NAG	O5-C1	3.32	1.49	1.43
7	M	2	NAG	O5-C1	3.20	1.48	1.43
4	b	1	NAG	O5-C1	-3.00	1.38	1.43
13	f	3	BMA	C1-C2	2.77	1.58	1.52
12	d	4	MAN	C1-C2	2.65	1.58	1.52

The worst 5 of 72 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	Y	2	NAG	C1-C2-N2	-6.05	100.15	110.49
6	Y	2	NAG	O3-C3-C2	-5.46	98.16	109.47
7	M	1	NAG	C1-O5-C5	5.09	119.09	112.19
7	M	2	NAG	C1-O5-C5	4.87	118.79	112.19
12	d	4	MAN	C1-O5-C5	4.54	118.35	112.19

There are no chirality outliers.

5 of 145 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	Y	1	NAG	C8-C7-N2-C2
6	Y	1	NAG	O7-C7-N2-C2
6	Y	2	NAG	C8-C7-N2-C2
6	Y	2	NAG	O7-C7-N2-C2
7	Z	1	NAG	C4-C5-C6-O6


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
12	d	4	MAN	C1-C2-C3-C4-C5-O5


26 monomers are involved in 33 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	N	2	NAG	2	0
4	B	1	NAG	1	0
8	W	2	NAG	1	0
5	V	1	NAG	2	0
5	N	1	NAG	1	0
6	Y	1	NAG	1	0
5	V	2	NAG	1	0
8	W	3	BMA	2	0
7	Q	2	NAG	1	0
5	O	2	NAG	1	0
6	J	3	BMA	1	0
7	M	1	NAG	2	0
9	U	5	MAN	1	0
4	B	3	FUC	2	0
6	Y	2	NAG	5	0
5	X	2	NAG	1	0
5	P	1	NAG	5	0
8	S	2	NAG	3	0
5	P	2	NAG	1	0
8	W	4	MAN	1	0
5	X	1	NAG	1	0
9	U	1	NAG	1	0
8	S	1	NAG	1	0
8	S	3	BMA	2	0
5	T	2	NAG	1	0
6	J	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

























































5.6 Ligand geometry [i](#)

19 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
14	NAG	E	1304	1	14,14,15	0.17	0	17,19,21	0.58	0
14	NAG	K	301	2	14,14,15	0.19	0	17,19,21	0.39	0
14	NAG	E	1301	1	14,14,15	0.35	0	17,19,21	0.41	0
14	NAG	C	1303	1	14,14,15	0.21	0	17,19,21	0.35	0
14	NAG	E	1305	1	14,14,15	0.25	0	17,19,21	0.43	0
14	NAG	E	1303	1	14,14,15	0.51	0	17,19,21	0.65	1 (5%)
14	NAG	C	1302	1	14,14,15	0.44	0	17,19,21	0.68	1 (5%)
14	NAG	E	1302	1	14,14,15	0.25	0	17,19,21	0.36	0
14	NAG	C	1301	1	14,14,15	0.25	0	17,19,21	0.57	0
14	NAG	A	1304	1	14,14,15	0.48	0	17,19,21	1.16	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
14	NAG	C	1305	1	14,14,15	0.29	0	17,19,21	0.50	0
14	NAG	C	1307	1	14,14,15	0.24	0	17,19,21	0.51	0
14	NAG	A	1301	1	14,14,15	0.24	0	17,19,21	0.40	0
14	NAG	A	1302	1	14,14,15	0.22	0	17,19,21	0.51	0
14	NAG	A	1303	1	14,14,15	0.47	0	17,19,21	0.44	0
14	NAG	C	1308	1	14,14,15	0.85	1 (7%)	17,19,21	0.96	1 (5%)
14	NAG	C	1304	1	14,14,15	0.22	0	17,19,21	0.32	0
14	NAG	A	1305	1	14,14,15	0.26	0	17,19,21	0.71	0
14	NAG	C	1306	1	14,14,15	0.32	0	17,19,21	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	NAG	E	1304	1	-	2/6/23/26	0/1/1/1
14	NAG	K	301	2	-	2/6/23/26	0/1/1/1
14	NAG	E	1301	1	-	2/6/23/26	0/1/1/1
14	NAG	C	1303	1	-	2/6/23/26	0/1/1/1
14	NAG	E	1305	1	-	2/6/23/26	0/1/1/1
14	NAG	E	1303	1	-	4/6/23/26	0/1/1/1
14	NAG	C	1302	1	-	1/6/23/26	0/1/1/1
14	NAG	E	1302	1	-	2/6/23/26	0/1/1/1
14	NAG	C	1301	1	-	2/6/23/26	0/1/1/1
14	NAG	A	1304	1	-	4/6/23/26	0/1/1/1
14	NAG	C	1305	1	-	2/6/23/26	0/1/1/1
14	NAG	C	1307	1	-	2/6/23/26	0/1/1/1
14	NAG	A	1301	1	-	1/6/23/26	0/1/1/1
14	NAG	A	1302	1	-	2/6/23/26	0/1/1/1
14	NAG	A	1303	1	-	2/6/23/26	0/1/1/1
14	NAG	C	1308	1	-	0/6/23/26	0/1/1/1
14	NAG	C	1304	1	-	2/6/23/26	0/1/1/1
14	NAG	A	1305	1	-	3/6/23/26	0/1/1/1
14	NAG	C	1306	1	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	C	1308	NAG	O5-C1	2.61	1.47	1.43

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	C	1308	NAG	C1-O5-C5	3.55	117.00	112.19
14	A	1304	NAG	O5-C5-C6	2.26	110.75	107.20
14	A	1304	NAG	C6-C5-C4	-2.19	107.87	113.00
14	E	1303	NAG	C1-O5-C5	2.16	115.12	112.19
14	A	1304	NAG	C2-N2-C7	2.09	125.88	122.90

There are no chirality outliers.

5 of 39 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
14	A	1304	NAG	C8-C7-N2-C2
14	A	1304	NAG	O7-C7-N2-C2
14	A	1305	NAG	C8-C7-N2-C2
14	A	1305	NAG	O7-C7-N2-C2
14	E	1303	NAG	C4-C5-C6-O6


There are no ring outliers.



6 monomers are involved in 10 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
14	E	1304	NAG	3	0
14	E	1303	NAG	1	0
14	C	1301	NAG	3	0
14	A	1304	NAG	1	0
14	C	1307	NAG	1	0
14	C	1308	NAG	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient



equivalents in the CSD to analyse the geometry.






























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-32832. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 190



Y Index: 190



Z Index: 190


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 198



Y Index: 186



Z Index: 211


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 1.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 438 nm³; this corresponds to an approximate mass of 395 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.213 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-32832 and PDB model 7WUH. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.1).





































































9.4 Atom inclusion [i](#)



At the recommended contour level, 76% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (1.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7194	 0.2450
A	 0.8206	 0.2660
B	 0.7895	 0.3650
C	 0.8186	 0.2670
D	 0.4648	 0.1830
E	 0.8105	 0.2630
F	 0.4722	 0.1970
G	 0.5357	 0.3740
H	 0.4747	 0.1840
I	 0.4693	 0.1820
J	 0.8400	 0.3700
K	 0.5012	 0.1850
L	 0.4436	 0.1560
M	 0.9487	 0.3480
N	 0.9286	 0.4250
O	 0.8929	 0.3810
P	 0.9643	 0.4010
Q	 0.7949	 0.2830
R	 0.7500	 0.4520
S	 0.9016	 0.4280
T	 1.0000	 0.4440
U	 0.8852	 0.4100
V	 0.7143	 0.3780
W	 0.7377	 0.4040
X	 0.7500	 0.3580
Y	 0.8600	 0.3810
Z	 0.7949	 0.4160
a	 0.8367	 0.4420
b	 0.7368	 0.3940
c	 0.7500	 0.3630
d	 0.9467	 0.4620
e	 0.9487	 0.4430
f	 0.7500	 0.4300
g	 0.8367	 0.3510

