



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 19, 2023 – 06:15 PM JST

PDB ID : 8WVE
Title : Crystal Structure of Cyanobacterial Circadian Clock Protein KaiC
Authors : Furuike, Y.; Akiyama, S.
Deposited on : 2023-10-23
Resolution : 2.73 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3359 (2.74-2.70)
Clashscore	141614	3686 (2.74-2.70)
Ramachandran outliers	138981	3622 (2.74-2.70)
Sidechain outliers	138945	3623 (2.74-2.70)
RSRZ outliers	127900	3276 (2.74-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	519	 8% (Poor fit) 68% (Green) 16% (Yellow) 13% (Grey)
1	B	519	 8% (Poor fit) 69% (Green) 17% (Yellow) 13% (Grey)

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6562 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Circadian clock oscillator protein KaiC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	449	Total 3233	C 2050	N 566	O 603	S 14	0	0	0
1	B	453	Total 3173	C 2000	N 561	O 601	S 11	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	431	THR	SER	engineered mutation	UNP Q79PF4
A	432	VAL	THR	engineered mutation	UNP Q79PF4
B	431	THR	SER	engineered mutation	UNP Q79PF4
B	432	VAL	THR	engineered mutation	UNP Q79PF4

- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Mg	0	0
			2	2		
3	B	2	Total	Mg	0	0
			2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	15	Total	O	0	0
			15	15		
4	B	13	Total	O	0	0
			13	13		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Circadian clock oscillator protein KaiC



- Molecule 1: Circadian clock oscillator protein KaiC





4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	94.19Å 94.19Å 179.17Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	47.14 – 2.73 47.09 – 2.73	Depositor EDS
% Data completeness (in resolution range)	99.7 (47.14-2.73) 99.7 (47.09-2.73)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.88 (at 2.73Å)	Xtrriage
Refinement program	REFMAC 5.8.0415	Depositor
R, R_{free}	0.280 , 0.338 0.280 , 0.326	Depositor DCC
R_{free} test set	1109 reflections (4.65%)	wwPDB-VP
Wilson B-factor (Å ²)	63.0	Xtrriage
Anisotropy	0.842	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 67.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	0.054 for h,-h-k,-l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6562	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 48.97 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.9736e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/3281	0.46	0/4449
1	B	0.28	0/3216	0.46	0/4370
All	All	0.28	0/6497	0.46	0/8819

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3233	0	2997	61	0
1	B	3173	0	2876	61	0
2	A	62	0	24	2	0
2	B	62	0	24	1	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	15	0	0	0	0
4	B	13	0	0	0	0
All	All	6562	0	5921	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:PRO:HB2	1:B:139:ALA:HB2	1.48	0.94
1:A:142:VAL:HB	1:A:178:THR:HG22	1.50	0.93
1:B:170:ARG:O	1:B:174:ILE:HD12	1.69	0.92
1:B:356:LEU:HD22	1:B:387:VAL:HG11	1.51	0.90
1:A:183:GLU:OE1	1:A:193:ARG:NH2	2.11	0.84
1:A:420:MET:HG2	1:A:449:MET:HE1	1.62	0.80
1:A:21:MET:HE3	1:A:177:THR:HG21	1.64	0.79
1:B:287:THR:HG22	1:B:414:ASN:HD22	1.50	0.76
1:B:316:ALA:HB3	1:B:348:CYS:HB3	1.67	0.75
1:B:148:THR:HG23	1:B:182:THR:HG23	1.73	0.70
1:A:420:MET:HE2	1:A:442:TYR:HB2	1.75	0.69
1:B:337:GLU:O	1:B:341:GLN:HG3	1.93	0.68
1:B:356:LEU:CD2	1:B:387:VAL:HG11	2.23	0.67
1:B:305:ALA:HB2	1:B:374:ARG:HD3	1.77	0.67
1:B:440:LEU:CD2	1:B:453:ILE:HG13	2.25	0.67
1:B:21:MET:SD	1:B:141:ARG:NE	2.69	0.66
1:B:70:PRO:CB	1:B:139:ALA:HB2	2.25	0.66
1:A:215:ARG:HA	1:A:215:ARG:NE	2.12	0.63
1:A:64:ILE:HG21	1:A:102:LYS:HB3	1.82	0.61
1:A:211:LEU:HD21	1:B:234:GLU:OE1	2.00	0.61
1:B:207:LEU:HD21	1:B:220:LEU:HD12	1.83	0.59
1:A:147:VAL:HG21	1:A:180:MET:HE2	1.85	0.58
1:A:142:VAL:CB	1:A:178:THR:HG22	2.30	0.57
1:A:356:LEU:CD2	1:A:387:VAL:HG11	2.35	0.57
1:A:197:GLU:N	1:A:197:GLU:OE2	2.36	0.56
1:A:225:LEU:HB3	1:A:228:THR:HG23	1.87	0.56
1:A:442:TYR:HA	1:A:451:ARG:HA	1.88	0.56
1:B:70:PRO:O	1:B:139:ALA:HB1	2.07	0.55
1:B:147:VAL:HG21	1:B:180:MET:CE	2.37	0.55
1:A:311:ARG:HA	1:A:343:LEU:O	2.07	0.55
1:B:21:MET:HE3	1:B:177:THR:HG21	1.89	0.54
1:A:38:ILE:HA	1:A:177:THR:CG2	2.37	0.54
1:A:296:LEU:HD22	1:A:472:ILE:HD13	1.90	0.54
1:A:274:CYS:HG	1:A:278:PHE:HE1	1.56	0.54
1:A:420:MET:CE	1:A:442:TYR:HB2	2.37	0.53
1:A:337:GLU:O	1:A:341:GLN:HG3	2.08	0.53
1:A:75:THR:HG22	1:A:107:ASP:HA	1.89	0.53
1:A:63:GLY:HA3	1:A:141:ARG:HD2	1.89	0.53
1:B:38:ILE:HA	1:B:177:THR:CG2	2.39	0.53
1:A:265:SER:HB3	1:A:278:PHE:CE2	2.44	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:LEU:HD21	1:A:220:LEU:HD12	1.91	0.52
1:B:191:ILE:HD12	1:B:206:ILE:HD11	1.92	0.52
1:A:161:ARG:HB2	1:A:196:VAL:HG11	1.91	0.51
1:B:147:VAL:O	1:B:150:VAL:HG12	2.11	0.51
1:A:356:LEU:HD22	1:A:387:VAL:HG11	1.91	0.51
1:B:21:MET:HB2	1:B:38:ILE:CD1	2.40	0.51
1:A:269:ARG:HH21	1:A:272:GLU:HB3	1.75	0.51
1:A:442:TYR:HB3	1:A:449:MET:HE3	1.94	0.51
1:B:54:LEU:HD22	1:B:90:PHE:CZ	2.46	0.50
1:B:197:GLU:OE2	1:B:197:GLU:N	2.43	0.50
1:B:164:LEU:CD2	1:B:197:GLU:HA	2.41	0.50
1:A:191:ILE:HD12	1:A:198:GLU:HG3	1.93	0.49
1:B:71:GLY:HA2	1:B:141:ARG:O	2.11	0.49
1:A:147:VAL:HG11	1:A:180:MET:HE1	1.94	0.49
1:A:286:ALA:HA	1:A:438:ILE:O	2.12	0.49
1:B:267:VAL:HB	1:B:270:LEU:HB2	1.94	0.49
1:B:58:GLN:HG2	1:B:92:TRP:CH2	2.49	0.48
1:B:22:ARG:O	1:B:141:ARG:NH2	2.45	0.48
1:B:75:THR:O	1:B:108:ALA:HB3	2.14	0.48
1:A:469:GLU:HB2	1:A:483:PHE:CZ	2.48	0.48
1:A:21:MET:CE	1:A:177:THR:HG21	2.40	0.47
1:A:89:SER:OG	2:A:601:ATP:N6	2.42	0.47
1:B:64:ILE:HG23	1:B:69:GLU:O	2.15	0.47
1:B:59:PHE:O	1:B:141:ARG:NH1	2.48	0.47
1:B:265:SER:HB3	1:B:278:PHE:CE2	2.50	0.46
1:A:147:VAL:HG21	1:A:180:MET:CE	2.44	0.46
1:A:160:VAL:O	1:A:164:LEU:HB2	2.16	0.46
1:B:147:VAL:HG21	1:B:180:MET:HE3	1.98	0.46
1:B:147:VAL:HG11	1:B:180:MET:HE1	1.97	0.46
1:B:207:LEU:CD2	1:B:220:LEU:HD12	2.45	0.46
1:B:147:VAL:HG23	1:B:181:THR:O	2.15	0.46
1:A:225:LEU:HD12	1:A:230:HIS:HB3	1.96	0.46
1:B:89:SER:OG	2:B:601:ATP:N6	2.49	0.45
1:A:75:THR:O	1:A:108:ALA:HB3	2.17	0.45
1:B:317:TYR:HB3	1:B:351:PRO:HG3	1.98	0.45
1:B:264:SER:O	1:B:374:ARG:NH1	2.31	0.45
1:B:316:ALA:O	1:B:348:CYS:HA	2.17	0.45
1:B:21:MET:HG3	1:B:141:ARG:HH21	1.80	0.45
1:A:21:MET:HE3	1:A:177:THR:CG2	2.43	0.44
1:A:209:ASN:ND2	1:A:216:ARG:HG3	2.33	0.44
1:B:287:THR:CG2	1:B:414:ASN:HD22	2.23	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:390:ASN:O	1:B:394:GLN:HG3	2.18	0.44
1:A:469:GLU:CB	1:A:483:PHE:CZ	3.01	0.44
2:A:602:ATP:H3'	1:B:458:MET:O	2.18	0.44
1:A:449:MET:N	1:B:465:LYS:O	2.51	0.44
1:A:21:MET:SD	1:A:141:ARG:NE	2.91	0.43
1:A:269:ARG:O	1:A:273:MET:HG2	2.18	0.43
1:A:444:GLU:HG3	1:B:467:ILE:HD11	2.00	0.43
1:A:164:LEU:CD1	1:A:197:GLU:HA	2.48	0.43
1:B:134:ILE:O	1:B:138:ARG:N	2.50	0.43
1:A:440:LEU:CD2	1:A:453:ILE:HG13	2.49	0.43
1:B:21:MET:HB2	1:B:38:ILE:HD11	2.00	0.43
1:B:438:ILE:HD12	1:B:455:VAL:HG22	2.00	0.43
1:A:38:ILE:HA	1:A:177:THR:HG22	2.00	0.43
1:A:211:LEU:HD13	1:A:216:ARG:HD3	2.01	0.43
1:A:80:PRO:O	1:A:84:ILE:HG13	2.19	0.43
1:A:287:THR:HA	1:A:414:ASN:O	2.19	0.43
1:A:142:VAL:HB	1:A:178:THR:CG2	2.35	0.42
1:A:60:LEU:HD12	1:A:60:LEU:HA	1.93	0.42
1:B:377:ILE:HD12	1:B:412:PHE:CE1	2.54	0.42
1:B:28:PHE:HB2	1:B:246:ILE:HD12	2.00	0.42
1:B:164:LEU:HD21	1:B:197:GLU:HA	1.99	0.42
1:A:164:LEU:HD13	1:A:200:VAL:HB	2.01	0.42
1:A:265:SER:OG	1:A:270:LEU:HD23	2.20	0.42
1:A:313:ILE:HG13	1:A:372:PRO:HB3	2.02	0.42
1:B:286:ALA:HA	1:B:438:ILE:O	2.19	0.42
1:A:377:ILE:HD12	1:A:412:PHE:CE1	2.55	0.42
1:B:313:ILE:HG13	1:B:372:PRO:HB3	2.02	0.42
1:B:381:SER:HB3	1:B:414:ASN:OD1	2.20	0.42
1:A:305:ALA:HB2	1:A:374:ARG:HD2	2.02	0.41
1:A:350:TYR:HA	1:A:351:PRO:HD3	1.96	0.41
1:A:443:VAL:HG21	1:A:483:PHE:CZ	2.56	0.41
1:B:393:ARG:O	1:B:397:ILE:HG12	2.21	0.41
1:B:145:ASP:HA	1:B:146:SER:HA	1.71	0.41
1:B:412:PHE:N	1:B:412:PHE:CD1	2.86	0.41
1:B:430:ILE:HA	1:B:433:ILE:HD13	2.03	0.41
1:B:206:ILE:HD11	1:B:223:LEU:HD22	2.03	0.41
1:A:316:ALA:HB3	1:A:348:CYS:SG	2.62	0.40
1:B:208:ARG:HG3	1:B:208:ARG:HH21	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	439/519 (85%)	409 (93%)	29 (7%)	1 (0%)	47	72
1	B	443/519 (85%)	406 (92%)	32 (7%)	5 (1%)	14	32
All	All	882/1038 (85%)	815 (92%)	61 (7%)	6 (1%)	22	45

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	97	LEU
1	B	494	PRO
1	B	196	VAL
1	B	419	PHE
1	A	196	VAL
1	B	293	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	299/444 (67%)	262 (88%)	37 (12%)	4	10
1	B	283/444 (64%)	257 (91%)	26 (9%)	9	20
All	All	582/888 (66%)	519 (89%)	63 (11%)	6	14

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	MET
1	A	22	ARG
1	A	25	ILE
1	A	60	LEU
1	A	75	THR
1	A	83	ILE
1	A	141	ARG
1	A	147	VAL
1	A	159	VAL
1	A	164	LEU
1	A	180	MET
1	A	183	GLU
1	A	186	GLU
1	A	187	GLU
1	A	196	VAL
1	A	215	ARG
1	A	216	ARG
1	A	224	LYS
1	A	231	MET
1	A	245	ASN
1	A	260	ASN
1	A	269	ARG
1	A	273	MET
1	A	302	VAL
1	A	323	GLN
1	A	352	GLU
1	A	356	LEU
1	A	357	GLU
1	A	360	LEU
1	A	369	ASP
1	A	390	ASN
1	A	417	ASP
1	A	439	LEU
1	A	443	VAL
1	A	458	MET
1	A	469	GLU
1	A	471	MET
1	B	21	MET
1	B	30	ASP
1	B	54	LEU
1	B	75	THR
1	B	147	VAL
1	B	148	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	168	VAL
1	B	173	GLN
1	B	180	MET
1	B	183	GLU
1	B	196	VAL
1	B	216	ARG
1	B	224	LYS
1	B	241	ASP
1	B	270	LEU
1	B	273	MET
1	B	302	VAL
1	B	323	GLN
1	B	326	ARG
1	B	348	CYS
1	B	357	GLU
1	B	360	LEU
1	B	369	ASP
1	B	374	ARG
1	B	458	MET
1	B	469	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	209	ASN
1	A	245	ASN
1	A	260	ASN
1	A	304	ASN
1	A	361	GLN
1	B	414	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ATP	A	601	3	26,33,33	0.66	0	31,52,52	0.73	1 (3%)
2	ATP	B	602	3	26,33,33	0.65	0	31,52,52	0.78	1 (3%)
2	ATP	A	602	3	26,33,33	0.65	0	31,52,52	0.74	1 (3%)
2	ATP	B	601	3	26,33,33	0.65	0	31,52,52	0.85	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ATP	A	601	3	-	7/18/38/38	0/3/3/3
2	ATP	B	602	3	-	0/18/38/38	0/3/3/3
2	ATP	A	602	3	-	1/18/38/38	0/3/3/3
2	ATP	B	601	3	-	2/18/38/38	0/3/3/3

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	ATP	C5-C6-N6	2.34	123.91	120.35
2	B	601	ATP	C5-C6-N6	2.32	123.87	120.35
2	B	602	ATP	C5-C6-N6	2.18	123.67	120.35
2	A	602	ATP	C5-C6-N6	2.10	123.55	120.35

There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	601	ATP	C5'-O5'-PA-O1A
2	A	601	ATP	C5'-O5'-PA-O2A
2	A	601	ATP	C3'-C4'-C5'-O5'
2	A	601	ATP	O4'-C4'-C5'-O5'
2	B	601	ATP	PA-O3A-PB-O1B
2	A	601	ATP	PA-O3A-PB-O2B
2	A	602	ATP	PA-O3A-PB-O2B
2	A	601	ATP	C5'-O5'-PA-O3A
2	A	601	ATP	PA-O3A-PB-O1B
2	B	601	ATP	PA-O3A-PB-O2B


There are no ring outliers.


3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	ATP	1	0
2	A	602	ATP	1	0
2	B	601	ATP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	449/519 (86%)	0.62	43 (9%) 8 6	47, 69, 106, 117	0
1	B	453/519 (87%)	0.58	42 (9%) 8 7	45, 69, 116, 133	0
All	All	902/1038 (86%)	0.60	85 (9%) 8 7	45, 69, 110, 133	0

All (85) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	98	VAL	7.3
1	B	140	ARG	6.9
1	B	491	SER	6.6
1	A	61	TYR	6.1
1	B	176	ALA	4.8
1	B	470	PHE	4.7
1	A	139	ALA	4.4
1	A	178	THR	4.3
1	A	137	TYR	4.0
1	A	71	GLY	4.0
1	B	99	ASP	3.9
1	A	275	GLY	3.9
1	A	104	PHE	3.8
1	A	276	GLY	3.7
1	A	24	MET	3.5
1	B	55	PHE	3.5
1	A	493	SER	3.5
1	B	373	ALA	3.5
1	A	92	TRP	3.4
1	A	176	ALA	3.4
1	B	177	THR	3.3
1	A	133	ALA	3.3
1	B	151	PHE	3.3
1	A	479	ILE	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	177	THR	3.1
1	A	138	ARG	3.1
1	B	139	ALA	3.1
1	B	443	VAL	3.1
1	B	268	VAL	3.0
1	A	377	ILE	2.9
1	A	77	GLU	2.9
1	A	158	SER	2.9
1	B	164	LEU	2.9
1	A	74	VAL	2.8
1	A	329	TYR	2.8
1	A	105	ILE	2.8
1	A	106	LEU	2.8
1	A	65	ILE	2.8
1	B	106	LEU	2.7
1	A	91	GLY	2.7
1	B	149	SER	2.6
1	B	147	VAL	2.6
1	A	95	ALA	2.6
1	B	495	THR	2.6
1	A	404	LYS	2.5
1	B	494	PRO	2.5
1	A	57	ILE	2.5
1	B	134	ILE	2.5
1	A	467	ILE	2.4
1	B	249	LEU	2.4
1	B	261	VAL	2.4
1	B	39	GLY	2.4
1	A	72	VAL	2.4
1	B	421	GLY	2.4
1	B	70	PRO	2.4
1	B	38	ILE	2.4
1	A	383	LEU	2.4
1	A	483	PHE	2.3
1	A	22	ARG	2.2
1	B	74	VAL	2.2
1	A	340	ARG	2.2
1	B	450	SER	2.2
1	B	104	PHE	2.2
1	B	150	VAL	2.2
1	B	153	GLN	2.1
1	A	80	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	161	ARG	2.1
1	B	90	PHE	2.1
1	B	76	PHE	2.1
1	B	158	SER	2.1
1	A	161	ARG	2.1
1	B	24	MET	2.1
1	A	171	LEU	2.1
1	B	179	VAL	2.1
1	A	75	THR	2.1
1	B	269	ARG	2.1
1	B	105	ILE	2.1
1	A	247	PHE	2.1
1	A	468	ARG	2.1
1	A	476	GLY	2.1
1	B	477	PRO	2.0
1	A	421	GLY	2.0
1	B	276	GLY	2.0
1	A	134	ILE	2.0
1	B	178	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ATP	B	602	31/31	0.92	0.19	51,55,66,69	0
3	MG	A	603	1/1	0.92	0.16	65,65,65,65	0
2	ATP	A	602	31/31	0.93	0.15	52,54,69,71	0
3	MG	B	603	1/1	0.93	0.07	57,57,57,57	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	MG	B	604	1/1	0.93	0.11	44,44,44,44	0
3	MG	A	604	1/1	0.94	0.07	55,55,55,55	0
2	ATP	A	601	31/31	0.94	0.15	61,66,69,69	0
2	ATP	B	601	31/31	0.94	0.16	60,64,68,68	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around ATP A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ATP A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.