



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2024 – 02:06 PM JST

PDB ID : 8WYG
Title : Crystal Structure of the second bromodomain of human BRD2 in complex with the inhibitor 22
Authors : Xu, H.; Zhao, X.; Shen, H.; Xu, Y.; Wu, X.
Deposited on : 2023-10-30
Resolution : 3.13 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1735 (3.18-3.10)
Ramachandran outliers	138981	1677 (3.18-3.10)
Sidechain outliers	138945	1677 (3.18-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	136	
1	B	136	
1	C	136	
1	D	136	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3792 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bromodomain-containing protein 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	110	910	584	160	159	7	0	0	0
1	B	109	901	578	158	158	7	0	0	0
1	C	110	910	584	160	159	7	0	0	0
1	D	110	910	584	160	159	7	0	0	0

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	320	GLU	-	expression tag	UNP P25440
A	321	GLY	-	expression tag	UNP P25440
A	322	ASP	-	expression tag	UNP P25440
A	323	ILE	-	expression tag	UNP P25440
A	324	HIS	-	expression tag	UNP P25440
A	325	MET	-	expression tag	UNP P25440
A	326	LYS	-	expression tag	UNP P25440
A	327	LYS	-	expression tag	UNP P25440
A	328	GLY	-	expression tag	UNP P25440
A	329	HIS	-	expression tag	UNP P25440
A	330	HIS	-	expression tag	UNP P25440
A	331	HIS	-	expression tag	UNP P25440
A	332	HIS	-	expression tag	UNP P25440
A	333	HIS	-	expression tag	UNP P25440
A	334	HIS	-	expression tag	UNP P25440
A	335	GLU	-	expression tag	UNP P25440
A	336	ASN	-	expression tag	UNP P25440
A	337	LEU	-	expression tag	UNP P25440
A	338	TYR	-	expression tag	UNP P25440
A	339	PHE	-	expression tag	UNP P25440
A	340	GLN	-	expression tag	UNP P25440

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	341	GLY	-	expression tag	UNP P25440
A	342	GLY	-	expression tag	UNP P25440
A	343	SER	-	expression tag	UNP P25440
B	320	GLU	-	expression tag	UNP P25440
B	321	GLY	-	expression tag	UNP P25440
B	322	ASP	-	expression tag	UNP P25440
B	323	ILE	-	expression tag	UNP P25440
B	324	HIS	-	expression tag	UNP P25440
B	325	MET	-	expression tag	UNP P25440
B	326	LYS	-	expression tag	UNP P25440
B	327	LYS	-	expression tag	UNP P25440
B	328	GLY	-	expression tag	UNP P25440
B	329	HIS	-	expression tag	UNP P25440
B	330	HIS	-	expression tag	UNP P25440
B	331	HIS	-	expression tag	UNP P25440
B	332	HIS	-	expression tag	UNP P25440
B	333	HIS	-	expression tag	UNP P25440
B	334	HIS	-	expression tag	UNP P25440
B	335	GLU	-	expression tag	UNP P25440
B	336	ASN	-	expression tag	UNP P25440
B	337	LEU	-	expression tag	UNP P25440
B	338	TYR	-	expression tag	UNP P25440
B	339	PHE	-	expression tag	UNP P25440
B	340	GLN	-	expression tag	UNP P25440
B	341	GLY	-	expression tag	UNP P25440
B	342	GLY	-	expression tag	UNP P25440
B	343	SER	-	expression tag	UNP P25440
C	320	GLU	-	expression tag	UNP P25440
C	321	GLY	-	expression tag	UNP P25440
C	322	ASP	-	expression tag	UNP P25440
C	323	ILE	-	expression tag	UNP P25440
C	324	HIS	-	expression tag	UNP P25440
C	325	MET	-	expression tag	UNP P25440
C	326	LYS	-	expression tag	UNP P25440
C	327	LYS	-	expression tag	UNP P25440
C	328	GLY	-	expression tag	UNP P25440
C	329	HIS	-	expression tag	UNP P25440
C	330	HIS	-	expression tag	UNP P25440
C	331	HIS	-	expression tag	UNP P25440
C	332	HIS	-	expression tag	UNP P25440
C	333	HIS	-	expression tag	UNP P25440
C	334	HIS	-	expression tag	UNP P25440

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	335	GLU	-	expression tag	UNP P25440
C	336	ASN	-	expression tag	UNP P25440
C	337	LEU	-	expression tag	UNP P25440
C	338	TYR	-	expression tag	UNP P25440
C	339	PHE	-	expression tag	UNP P25440
C	340	GLN	-	expression tag	UNP P25440
C	341	GLY	-	expression tag	UNP P25440
C	342	GLY	-	expression tag	UNP P25440
C	343	SER	-	expression tag	UNP P25440
D	320	GLU	-	expression tag	UNP P25440
D	321	GLY	-	expression tag	UNP P25440
D	322	ASP	-	expression tag	UNP P25440
D	323	ILE	-	expression tag	UNP P25440
D	324	HIS	-	expression tag	UNP P25440
D	325	MET	-	expression tag	UNP P25440
D	326	LYS	-	expression tag	UNP P25440
D	327	LYS	-	expression tag	UNP P25440
D	328	GLY	-	expression tag	UNP P25440
D	329	HIS	-	expression tag	UNP P25440
D	330	HIS	-	expression tag	UNP P25440
D	331	HIS	-	expression tag	UNP P25440
D	332	HIS	-	expression tag	UNP P25440
D	333	HIS	-	expression tag	UNP P25440
D	334	HIS	-	expression tag	UNP P25440
D	335	GLU	-	expression tag	UNP P25440
D	336	ASN	-	expression tag	UNP P25440
D	337	LEU	-	expression tag	UNP P25440
D	338	TYR	-	expression tag	UNP P25440
D	339	PHE	-	expression tag	UNP P25440
D	340	GLN	-	expression tag	UNP P25440
D	341	GLY	-	expression tag	UNP P25440
D	342	GLY	-	expression tag	UNP P25440
D	343	SER	-	expression tag	UNP P25440


- Molecule 2 is 2-[[5-[2-(4-fluoranyl-2,6-dimethyl-phenoxy)-5-(2-oxidanylpropan-2-yl)phenyl]-1-methyl-2-oxidanylidene-pyridin-4-yl]amino]- {N}-(4-oxidanylcyclohexyl)ethanamide (three-letter code: XHN) (formula: C₃₁H₃₈FN₃O₅) (labeled as "Ligand of Interest" by depositor).

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: Bromodomain-containing protein 2




- Molecule 1: Bromodomain-containing protein 2



- Molecule 1: Bromodomain-containing protein 2



- Molecule 1: Bromodomain-containing protein 2



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	91.78Å 95.50Å 109.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	71.85 – 3.13	Depositor
% Data completeness (in resolution range)	99.9 (71.85-3.13)	Depositor
R_{merge}	0.36	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC 5.8.0189	Depositor
R, R_{free}	0.195 , 0.257	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	3792	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: XHN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.68	0/935	0.85	2/1258 (0.2%)
1	B	0.65	0/926	0.89	2/1247 (0.2%)
1	C	0.69	0/935	0.86	1/1258 (0.1%)
1	D	0.65	0/935	0.85	0/1258
All	All	0.66	0/3731	0.86	5/5021 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	444	ASP	CB-CG-OD1	7.41	124.97	118.30
1	C	435	VAL	CB-CA-C	-6.50	99.05	111.40
1	B	417	ASP	CB-CG-OD2	-5.91	112.98	118.30
1	A	444	ASP	CB-CG-OD2	-5.38	113.46	118.30
1	B	435	VAL	CB-CA-C	-5.09	101.72	111.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	910	0	898	13	0
1	B	901	0	885	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	910	0	898	3	0
1	D	910	0	898	6	0
2	A	40	0	0	0	0
2	B	40	0	0	1	0
2	C	40	0	0	1	0
2	D	40	0	0	0	0
3	C	1	0	0	0	0
All	All	3792	0	3579	27	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (27) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:501:XHN:CAO	2:B:501:XHN:FAT	1.56	1.42
2:C:501:XHN:FAT	2:C:501:XHN:CAO	1.60	1.39
1:D:426:TYR:OH	1:D:443:GLN:NE2	2.34	0.61
1:D:370:TRP:HA	1:D:373:TYR:CD2	2.40	0.57
1:C:395:ASP:OD2	1:C:397:SER:OG	2.25	0.54
1:A:353:CYS:HA	1:A:356:ILE:HD12	1.90	0.53
1:B:356:ILE:O	1:B:360:LEU:HG	2.10	0.52
1:C:357:LEU:HD21	1:C:400:LYS:HA	1.94	0.50
1:A:347:SER:HA	1:A:350:LEU:HB2	1.94	0.49
1:D:357:LEU:HD21	1:D:400:LYS:HA	1.96	0.48
1:D:353:CYS:HA	1:D:356:ILE:HD12	1.98	0.46
1:A:383:LEU:HB3	1:A:386:TYR:HB2	1.99	0.45
1:B:361:LEU:HD22	1:B:373:TYR:CE1	2.51	0.45
1:A:427:LYS:HD3	1:B:451:ALA:O	2.17	0.44
1:A:345:LYS:HB2	1:A:348:GLU:HB3	1.99	0.44
1:A:353:CYS:O	1:A:356:ILE:HB	2.17	0.44
1:D:402:LYS:NZ	1:D:417:ASP:OD2	2.45	0.44
1:A:372:PHE:HZ	1:A:439:ALA:HB2	1.83	0.43
1:D:361:LEU:HA	1:D:373:TYR:HE1	1.83	0.43
1:A:363:LYS:O	1:A:364:LYS:C	2.57	0.43
1:A:410:ASP:N	1:A:410:ASP:OD1	2.52	0.43
1:A:345:LYS:HB2	1:A:348:GLU:CB	2.49	0.42
1:B:347:SER:HA	1:B:350:LEU:HB2	2.01	0.42
1:C:370:TRP:HA	1:C:373:TYR:CD2	2.55	0.42
1:A:381:LEU:HB2	1:A:383:LEU:HD13	2.02	0.41
1:A:422:PHE:CZ	1:A:443:GLN:HA	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:381:LEU:CB	1:A:383:LEU:HD13	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	108/136 (79%)	102 (94%)	6 (6%)	0	100	100
1	B	107/136 (79%)	105 (98%)	2 (2%)	0	100	100
1	C	108/136 (79%)	101 (94%)	7 (6%)	0	100	100
1	D	108/136 (79%)	106 (98%)	2 (2%)	0	100	100
All	All	431/544 (79%)	414 (96%)	17 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	96/118 (81%)	91 (95%)	5 (5%)	23	53
1	B	95/118 (80%)	87 (92%)	8 (8%)	11	35
1	C	96/118 (81%)	91 (95%)	5 (5%)	23	53
1	D	96/118 (81%)	88 (92%)	8 (8%)	11	36

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	383/472 (81%)	357 (93%)	26 (7%)	16	43

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	347	SER
1	A	363	LYS
1	A	412	GLN
1	A	423	SER
1	A	435	VAL
1	B	351	LYS
1	B	379	SER
1	B	383	LEU
1	B	395	ASP
1	B	401	ARG
1	B	406	ARG
1	B	435	VAL
1	B	441	LYS
1	C	351	LYS
1	C	363	LYS
1	C	383	LEU
1	C	395	ASP
1	C	435	VAL
1	D	345	LYS
1	D	348	GLU
1	D	358	LYS
1	D	383	LEU
1	D	400	LYS
1	D	427	LYS
1	D	435	VAL
1	D	449	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	424	ASN
1	A	429	ASN
1	B	405	ASN
1	B	424	ASN
1	B	443	GLN
1	C	424	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	443	GLN
1	D	352	HIS
1	D	424	ASN
1	D	443	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	XHN	A	501	-	43,43,43	2.46	10 (23%)	57,63,63	1.67	6 (10%)
2	XHN	B	501	-	43,43,43	3.52	8 (18%)	57,63,63	1.76	13 (22%)
2	XHN	C	501	-	43,43,43	3.20	8 (18%)	57,63,63	1.77	11 (19%)
2	XHN	D	501	-	43,43,43	3.15	8 (18%)	57,63,63	1.77	11 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	XHN	A	501	-	-	1/23/33/33	0/4/4/4
2	XHN	B	501	-	-	0/23/33/33	0/4/4/4
2	XHN	C	501	-	-	2/23/33/33	0/4/4/4
2	XHN	D	501	-	-	0/23/33/33	0/4/4/4

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	XHN	CAH-CAE	-17.54	1.41	1.53
2	D	501	XHN	CAH-CAE	-15.45	1.42	1.53
2	C	501	XHN	CAH-CAE	-13.21	1.44	1.53
2	C	501	XHN	FAT-CAO	10.04	1.60	1.36
2	A	501	XHN	CAH-CAE	-9.81	1.46	1.53
2	B	501	XHN	FAT-CAO	8.30	1.56	1.36
2	C	501	XHN	CAA-CAU	-7.89	1.38	1.49
2	B	501	XHN	CAA-CAU	-6.29	1.41	1.49
2	D	501	XHN	FAT-CAO	6.01	1.50	1.36
2	B	501	XHN	CAR-CAM	-5.82	1.39	1.51
2	A	501	XHN	CAS-CAQ	-5.70	1.39	1.51
2	D	501	XHN	CAA-CAU	-5.41	1.42	1.49
2	D	501	XHN	CAR-CAM	-5.40	1.40	1.51
2	D	501	XHN	CAS-CAQ	-5.38	1.40	1.51
2	B	501	XHN	CAS-CAQ	-5.22	1.40	1.51
2	C	501	XHN	CAR-CAM	-5.14	1.40	1.51
2	A	501	XHN	CAA-CAU	-5.10	1.42	1.49
2	A	501	XHN	CAR-CAM	-5.03	1.41	1.51
2	C	501	XHN	CAS-CAQ	-4.33	1.42	1.51
2	A	501	XHN	FAT-CAO	-4.13	1.26	1.36
2	C	501	XHN	CAW-CAV	2.96	1.42	1.36
2	B	501	XHN	CAW-CAV	2.82	1.42	1.36
2	D	501	XHN	CBL-CBK	2.79	1.58	1.51
2	A	501	XHN	CBL-CBK	2.57	1.57	1.51
2	D	501	XHN	CBJ-CBI	-2.33	1.47	1.52
2	B	501	XHN	CBJ-CBI	-2.22	1.47	1.52
2	A	501	XHN	CAN-CAO	2.22	1.41	1.37
2	A	501	XHN	CAX-NAY	-2.17	1.32	1.39
2	C	501	XHN	CAU-CAV	-2.13	1.39	1.43
2	C	501	XHN	OAK-CAH	2.11	1.47	1.44
2	D	501	XHN	CBM-CBH	2.11	1.56	1.52
2	A	501	XHN	OAK-CAH	2.10	1.47	1.44
2	B	501	XHN	CAZ-NAY	2.04	1.41	1.36
2	A	501	XHN	CAF-CAE	2.02	1.42	1.39

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	XHN	CAA-CAU-CAV	8.93	128.61	120.00
2	C	501	XHN	CAA-CAU-CAV	7.25	126.99	120.00
2	D	501	XHN	CAA-CAU-CAV	6.69	126.45	120.00
2	B	501	XHN	CAA-CAU-CAV	5.85	125.65	120.00
2	D	501	XHN	CAB-CAA-CAU	4.58	126.95	121.50
2	C	501	XHN	CAP-CAO-CAN	-4.12	118.32	123.52
2	D	501	XHN	CBI-CBJ-CBK	-3.80	105.11	111.61
2	C	501	XHN	CAM-CAN-CAO	3.80	122.00	119.26
2	B	501	XHN	CAP-CAO-CAN	-3.51	119.09	123.52
2	D	501	XHN	OAK-CAH-CAE	3.39	114.68	109.13
2	B	501	XHN	CBI-CBJ-CBK	-3.37	105.84	111.61
2	B	501	XHN	CBJ-CBI-CBH	-3.37	107.76	111.48
2	D	501	XHN	CAF-CAA-CAU	-3.34	114.26	119.62
2	D	501	XHN	CAZ-NAY-CAX	-3.22	119.11	123.00
2	B	501	XHN	CBL-CBM-CBH	-3.13	108.02	111.48
2	A	501	XHN	CBI-CBJ-CBK	-3.10	106.31	111.61
2	C	501	XHN	CBI-CBJ-CBK	-3.04	106.41	111.61
2	B	501	XHN	FAT-CAO-CAP	2.97	122.50	118.25
2	B	501	XHN	CAZ-NAY-CAX	-2.97	119.41	123.00
2	A	501	XHN	CAJ-CAH-CAI	-2.83	107.02	110.49
2	A	501	XHN	CBL-CBM-CBH	-2.73	108.47	111.48
2	C	501	XHN	CAZ-NAY-CAX	-2.71	119.72	123.00
2	A	501	XHN	CAW-CAV-N	-2.67	120.54	124.88
2	D	501	XHN	FAT-CAO-CAP	2.65	122.03	118.25
2	C	501	XHN	CBJ-CBI-CBH	-2.62	108.59	111.48
2	B	501	XHN	OAK-CAH-CAE	2.62	113.41	109.13
2	B	501	XHN	CA-C-NBF	-2.59	109.92	116.10
2	A	501	XHN	OAK-CAH-CAE	2.57	113.34	109.13
2	D	501	XHN	CAP-CAO-CAN	-2.56	120.29	123.52
2	C	501	XHN	CBL-CBM-CBH	-2.53	108.68	111.48
2	B	501	XHN	CAJ-CAH-CAI	-2.53	107.39	110.49
2	C	501	XHN	CAQ-CAP-CAO	2.47	121.04	119.26
2	D	501	XHN	CAM-CAN-CAO	2.38	120.97	119.26
2	D	501	XHN	CBI-CBH-NBF	-2.38	105.65	110.56
2	C	501	XHN	FAT-CAO-CAP	2.37	121.64	118.25
2	B	501	XHN	OBA-CAX-CAW	-2.37	119.65	125.72
2	C	501	XHN	OAK-CAH-CAE	2.34	112.96	109.13
2	B	501	XHN	CAQ-CAP-CAO	2.34	120.95	119.26
2	D	501	XHN	OBA-CAX-CAW	-2.18	120.14	125.72
2	B	501	XHN	O-C-NBF	2.15	126.58	122.95
2	C	501	XHN	CAJ-CAH-CAI	-2.06	107.97	110.49

There are no chirality outliers.

All (3) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	A	501	XHN	CAF-CAE-CAH-CAJ
2	C	501	XHN	CAF-CAE-CAH-CAJ
2	C	501	XHN	CAD-CAE-CAH-CAJ



There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	XHN	1	0
2	C	501	XHN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.