



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 16, 2020 – 11:18 pm BST

PDB ID : 2WZS
Title : Structure of the Family GH92 Inverting Mannosidase BT3990 from *Bacteroides thetaiotaomicron* VPI-5482 in complex with Mannoimidazole
Authors : Zhu, Y.; Suits, M.D.L.; Thompson, A.; Chavan, S.; Dinev, Z.; Dumon, C.; Smith, N.; Moremen, K.W.; Xiang, Y.; Siriwardena, A.; Williams, S.J.; Gilbert, H.J.; Davies, G.J.
Deposited on : 2009-12-02
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	738	
1	B	738	
1	C	738	
1	D	738	
1	E	738	
1	F	738	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	738	<p>3% 90% 9%</p>
1	H	738	<p>5% 87% 11%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	B	805	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 49858 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PUTATIVE ALPHA-1,2-MANNOSIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	736	5982	3837	985	1126	34	0	4	0
1	B	736	5980	3835	984	1127	34	0	2	0
1	C	736	5965	3824	983	1125	33	0	0	0
1	D	738	6015	3862	987	1133	33	0	5	0
1	E	736	5950	3816	982	1119	33	0	0	0
1	F	735	5955	3820	981	1120	34	0	2	0
1	G	736	5943	3810	977	1123	33	0	0	0
1	H	736	5966	3825	982	1125	34	0	1	0

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	G	1	Total 1	Ca 1	0	0
2	D	1	Total 1	Ca 1	0	0
2	E	1	Total 1	Ca 1	0	0
2	H	1	Total 1	Ca 1	0	0
2	B	1	Total 1	Ca 1	0	0
2	C	1	Total 1	Ca 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Ca 1 1	0	0
2	F	1	Total Ca 1 1	0	0

- Molecule 3 is (5R,6R,7S,8R)-5-(HYDROXYMETHYL)-5,6,7,8-TETRAHYDROIMIDAZO[1,2-A]PYRIDINE-6,7,8-TRIOL (three-letter code: MVL) (formula: C₈H₁₂N₂O₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 14 8 2 4	0	0
3	B	1	Total C N O 14 8 2 4	0	0
3	C	1	Total C N O 14 8 2 4	0	0
3	D	1	Total C N O 14 8 2 4	0	0
3	E	1	Total C N O 14 8 2 4	0	0
3	F	1	Total C N O 14 8 2 4	0	0
3	G	1	Total C N O 14 8 2 4	0	0
3	H	1	Total C N O 14 8 2 4	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	D	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	349	Total	O	0	0
			349	349		
5	B	320	Total	O	0	0
			320	320		
5	C	279	Total	O	0	0
			279	279		
5	D	323	Total	O	0	0
			323	323		
5	E	261	Total	O	0	0
			261	261		
5	F	179	Total	O	0	0
			179	179		
5	G	87	Total	O	0	0
			87	87		
5	H	70	Total	O	0	0
			70	70		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: PUTATIVE ALPHA-1,2-MANNOSEDASE



- Molecule 1: PUTATIVE ALPHA-1,2-MANNOSEDASE




- Molecule 1: PUTATIVE ALPHA-1,2-MANNOSEDASE




- Molecule 1: PUTATIVE ALPHA-1,2-MANNOSEDASE






- Molecule 1: PUTATIVE ALPHA-1,2-MANNOSEDASE

Chain E: 90% 9%




- Molecule 1: PUTATIVE ALPHA-1,2-MANNOSEDASE

Chain F: 91% 2% 8%




- Molecule 1: PUTATIVE ALPHA-1,2-MANNOSEDASE

Chain G: 90% 3% 9%



- Molecule 1: PUTATIVE ALPHA-1,2-MANNOSEDASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	109.19Å 152.39Å 221.45Å 90.00° 94.21° 90.00°	Depositor
Resolution (Å)	218.22 – 2.25 45.40 – 2.25	Depositor EDS
% Data completeness (in resolution range)	100.0 (218.22-2.25) 100.0 (45.40-2.25)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.99 (at 2.24Å)	Xtrriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.200 , 0.242 0.201 , 0.241	Depositor DCC
R_{free} test set	17260 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	26.2	Xtrriage
Anisotropy	0.328	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	49858	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CA, MVL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/6175	0.58	0/8376
1	B	0.47	0/6167	0.57	0/8364
1	C	0.46	0/6146	0.57	0/8338
1	D	0.47	0/6213	0.57	0/8429
1	E	0.50	0/6131	0.58	0/8320
1	F	0.52	0/6142	0.58	0/8334
1	G	0.54	0/6124	0.57	1/8314 (0.0%)
1	H	0.56	0/6150	0.57	1/8344 (0.0%)
All	All	0.50	0/49248	0.57	2/66819 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	H	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	164	ASP	CB-CG-OD1	5.45	123.21	118.30
1	H	689	LEU	CA-CB-CG	5.27	127.42	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	H	520	SER	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5982	0	5660	27	0
1	B	5980	0	5658	39	0
1	C	5965	0	5632	32	0
1	D	6015	0	5693	21	0
1	E	5950	0	5611	42	0
1	F	5955	0	5622	36	0
1	G	5943	0	5584	34	0
1	H	5966	0	5630	51	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
3	A	14	0	10	1	0
3	B	14	0	10	0	0
3	C	14	0	10	0	0
3	D	14	0	10	1	0
3	E	14	0	10	0	0
3	F	14	0	10	1	0
3	G	14	0	10	1	0
3	H	14	0	10	0	0
4	A	18	0	24	0	0
4	B	24	0	32	10	0
4	C	24	0	32	0	0
4	D	24	0	32	1	0
4	E	18	0	24	2	0
4	F	6	0	8	0	0
5	A	349	0	0	1	0
5	B	320	0	0	4	0
5	C	279	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	323	0	0	5	0
5	E	261	0	0	6	0
5	F	179	0	0	4	0
5	G	87	0	0	0	0
5	H	70	0	0	3	0
All	All	49858	0	45322	284	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (284) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:592[B]:MET:CE	1:F:592[B]:MET:HA	1.59	1.32
1:H:592[B]:MET:CE	1:H:592[B]:MET:HA	1.75	1.16
1:H:592[B]:MET:HE3	1:H:592[B]:MET:HA	1.35	1.06
1:F:592[B]:MET:HE3	1:F:592[B]:MET:HA	0.99	0.98
1:B:42:ASN:O	4:B:805:GOL:H31	1.68	0.93
1:F:592[B]:MET:HE3	1:F:592[B]:MET:CA	1.96	0.93
1:B:42:ASN:O	4:B:805:GOL:C3	2.20	0.90
1:B:44:TYR:HD1	4:B:805:GOL:H2	1.37	0.89
1:F:592[B]:MET:CE	1:F:592[B]:MET:CA	2.46	0.85
1:E:319:LEU:HG	5:E:2129:HOH:O	1.76	0.84
1:H:592[B]:MET:HE2	1:H:592[B]:MET:HA	1.58	0.82
1:C:706:MET:HE3	1:C:741:ARG:HH22	1.44	0.81
1:B:315:LYS:HZ3	4:B:804:GOL:H32	1.43	0.81
1:C:706:MET:HE3	1:C:741:ARG:NH2	1.96	0.79
1:D:459:GLU:HB3	1:D:532:THR:HG22	1.64	0.79
1:E:197:LYS:HE2	5:E:2086:HOH:O	1.84	0.77
1:B:459:GLU:HB3	1:B:532:THR:HG22	1.65	0.76
1:H:459:GLU:HB3	1:H:532:THR:HG22	1.69	0.75
1:E:459:GLU:OE1	1:E:532:THR:HB	1.89	0.73
1:D:558[A]:GLU:H	1:D:558[A]:GLU:CD	1.92	0.72
1:G:671:MET:HG2	1:G:706:MET:HE1	1.71	0.72
1:B:44:TYR:CD1	4:B:805:GOL:H2	2.25	0.71
1:B:453:TYR:CE1	1:B:519:GLN:HG3	2.26	0.71
1:F:209:THR:HG22	5:F:2031:HOH:O	1.91	0.69
1:F:526:LYS:HA	1:F:575:ASP:HB3	1.74	0.69
1:B:315:LYS:NZ	4:B:804:GOL:H32	2.06	0.69
1:H:453:TYR:CE1	1:H:519:GLN:HG3	2.27	0.69
1:C:453:TYR:CE1	1:C:519:GLN:HG3	2.29	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:736:ARG:HH11	1:B:736:ARG:HB3	1.58	0.68
1:H:592[B]:MET:HE3	1:H:592[B]:MET:CA	2.20	0.67
1:G:706:MET:HE3	1:G:741:ARG:HH22	1.59	0.67
1:B:87:PRO:HD3	4:B:805:GOL:H32	1.77	0.67
1:A:453:TYR:CE1	1:A:519:GLN:HG3	2.30	0.66
1:D:503:ASP:OD1	1:D:505:GLU:HG3	1.96	0.66
1:A:558[B]:GLU:H	1:A:558[B]:GLU:CD	1.98	0.66
1:A:157:ASP:HA	1:A:238:LYS:HG2	1.77	0.65
1:C:257:GLU:HG3	5:C:2108:HOH:O	1.96	0.65
1:G:643:GLU:OE2	1:G:649:SER:OG	2.14	0.65
1:G:706:MET:CE	1:G:741:ARG:HH22	2.09	0.65
1:C:706:MET:CE	1:C:741:ARG:HH22	2.09	0.64
1:F:453:TYR:CE1	1:F:519:GLN:HG3	2.31	0.64
1:B:42:ASN:O	4:B:805:GOL:H32	1.98	0.64
1:B:453:TYR:CZ	1:B:519:GLN:HG3	2.33	0.63
1:F:459:GLU:HG2	1:F:531:PHE:O	1.98	0.63
1:D:519:GLN:HG2	5:D:2212:HOH:O	1.99	0.63
1:A:597:TYR:CE2	1:A:599:HIS:HB2	2.35	0.62
1:F:547:PRO:HG2	1:F:613:TYR:CE2	2.35	0.61
1:B:43:THR:HA	4:B:805:GOL:H31	1.82	0.61
1:A:453:TYR:CZ	1:A:519:GLN:HG3	2.36	0.61
1:H:453:TYR:CZ	1:H:519:GLN:HG3	2.36	0.60
1:B:597:TYR:CE2	1:B:599:HIS:HB2	2.36	0.60
1:B:26:VAL:HG11	1:B:124:PRO:HG3	1.84	0.59
1:G:538:HIS:HA	1:G:604:ILE:HD12	1.84	0.59
1:H:157:ASP:HA	1:H:238:LYS:HG3	1.82	0.59
1:D:453:TYR:CZ	1:D:519:GLN:HG3	2.38	0.58
1:C:706:MET:CE	1:C:741:ARG:NH2	2.65	0.58
1:F:453:TYR:CZ	1:F:519:GLN:HG3	2.39	0.58
1:D:20:LYS:N	5:D:2001:HOH:O	2.36	0.58
1:B:176:PRO:HD2	1:B:177:GLU:OE1	2.04	0.57
1:E:538:HIS:HA	1:E:604:ILE:HD12	1.86	0.57
1:G:597:TYR:CE2	1:G:599:HIS:HB2	2.40	0.57
1:G:607:MET:HA	1:G:610:LEU:HD22	1.86	0.57
1:A:459:GLU:OE1	1:A:532:THR:HB	2.05	0.57
1:E:462:ALA:CB	1:E:532:THR:HG22	2.34	0.57
1:E:32:SER:HB3	5:E:2012:HOH:O	2.04	0.56
1:E:671:MET:HG2	1:E:706:MET:HE1	1.86	0.56
1:F:564:MET:HE1	1:F:607:MET:HG2	1.86	0.56
1:G:453:TYR:CE1	1:G:519:GLN:HG3	2.40	0.56
1:G:453:TYR:CZ	1:G:519:GLN:HG3	2.41	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:459:GLU:OE1	1:C:532:THR:HB	2.05	0.56
1:C:459:GLU:HB3	1:C:532:THR:HG22	1.87	0.56
1:C:395:VAL:HG21	1:C:532:THR:HG21	1.88	0.56
1:H:715:LYS:HG3	1:H:747:ASP:HA	1.88	0.55
1:G:293:GLY:HA3	1:G:677:LYS:HB2	1.87	0.55
1:B:519:GLN:NE2	1:B:521:PRO:O	2.40	0.55
1:E:724:PHE:HE2	4:E:804:GOL:H11	1.71	0.55
1:H:377:LEU:HD21	1:H:418:THR:HG21	1.88	0.55
1:H:477:LEU:O	1:H:481:LEU:HB2	2.07	0.55
1:A:168:LYS:HG3	1:A:187:ARG:HG3	1.88	0.54
1:C:564:MET:CE	1:C:607:MET:HG2	2.37	0.54
1:D:453:TYR:CE1	1:D:519:GLN:HG3	2.42	0.54
1:E:597:TYR:CE2	1:E:599:HIS:HB2	2.43	0.54
1:E:547:PRO:HG2	1:E:613:TYR:CE2	2.42	0.54
1:F:405:ASP:OD1	1:F:409:LYS:NZ	2.36	0.54
1:E:26:VAL:HG11	1:E:124:PRO:HG3	1.90	0.54
1:G:462:ALA:CB	1:G:532:THR:HG22	2.38	0.54
1:B:477:LEU:HG	1:B:481:LEU:HD22	1.90	0.54
1:G:459:GLU:HG2	1:G:531:PHE:O	2.09	0.53
1:F:519:GLN:HG2	5:F:2142:HOH:O	2.09	0.53
1:F:564:MET:CE	1:F:607:MET:HG2	2.39	0.53
1:F:331:TYR:CZ	1:F:375:THR:HG23	2.43	0.52
1:H:528:GLY:HA2	1:H:531:PHE:O	2.10	0.52
1:H:157:ASP:OD1	1:H:238:LYS:HE3	2.09	0.52
1:G:533:GLU:OE2	3:G:801:MVL:O2	2.27	0.52
1:H:248:ARG:NH2	1:H:267:GLY:O	2.38	0.52
1:E:395:VAL:HG21	1:E:532:THR:HG21	1.92	0.51
1:E:583:ILE:HD12	1:E:585:GLU:HB2	1.92	0.51
1:G:432:PRO:HB2	1:G:433:GLU:OE2	2.11	0.51
3:A:801:MVL:H7	5:A:2267:HOH:O	2.09	0.51
3:D:801:MVL:H7	5:D:2233:HOH:O	2.08	0.51
1:B:736:ARG:NH1	1:B:736:ARG:HB3	2.23	0.51
3:F:801:MVL:H7	5:F:2151:HOH:O	2.11	0.51
1:G:157:ASP:HA	1:G:238:LYS:HG3	1.91	0.51
1:G:547:PRO:HG2	1:G:613:TYR:CE2	2.45	0.51
1:H:486:LYS:CD	1:H:486:LYS:H	2.23	0.51
1:C:407:TYR:HE2	1:C:416:ILE:HD12	1.75	0.51
1:D:462:ALA:CB	1:D:532:THR:HG23	2.41	0.51
1:D:597:TYR:CE2	1:D:599:HIS:HB2	2.46	0.51
1:B:77:ARG:HH21	1:B:109:GLU:HA	1.75	0.50
1:F:606:HIS:HB3	5:F:2175:HOH:O	2.10	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:206:LYS:HD2	1:B:237:PHE:CD1	2.46	0.50
1:A:507:LYS:HZ2	1:A:559:MET:HE2	1.75	0.50
1:E:209:THR:HB	1:E:237:PHE:HA	1.93	0.50
1:F:597:TYR:CE2	1:F:599:HIS:HB2	2.45	0.50
1:A:554:MET:O	1:A:559:MET:HE2	2.11	0.50
1:H:526:LYS:HA	1:H:575:ASP:HB3	1.94	0.50
1:E:617:PRO:HG2	5:E:2257:HOH:O	2.11	0.50
1:B:395:VAL:HG21	1:B:532:THR:HG21	1.94	0.49
1:G:706:MET:CE	1:G:741:ARG:NH2	2.75	0.49
1:C:620:ALA:O	1:C:624:LEU:HB2	2.12	0.49
1:C:564:MET:HE1	1:C:607:MET:HG2	1.95	0.49
1:G:677:LYS:HE3	1:G:696:ASN:O	2.12	0.49
1:H:202:ILE:HG12	1:H:249:ILE:HD13	1.95	0.49
1:E:526:LYS:HA	1:E:575:ASP:HB3	1.95	0.49
1:E:462:ALA:HB3	1:E:532:THR:HG22	1.94	0.48
1:F:417:LYS:O	1:F:421:GLU:HG3	2.13	0.48
1:G:417:LYS:O	1:G:421:GLU:HG3	2.13	0.48
1:A:459:GLU:HG2	1:A:531:PHE:O	2.13	0.48
1:A:507:LYS:NZ	1:A:559:MET:HE2	2.27	0.48
1:C:219:LEU:HD11	1:C:234:ILE:HD12	1.96	0.48
1:H:546:ASP:N	1:H:547:PRO:HD3	2.28	0.48
1:F:462:ALA:CB	1:F:532:THR:HG22	2.43	0.48
1:G:331:TYR:CZ	1:G:375:THR:HG23	2.48	0.48
1:E:157:ASP:HA	1:E:238:LYS:HG3	1.95	0.48
1:H:192:VAL:HG22	5:H:2022:HOH:O	2.14	0.48
1:A:331:TYR:CZ	1:A:375:THR:HG23	2.48	0.48
1:B:703:ILE:HD13	1:B:706:MET:HE2	1.94	0.48
1:E:608:ILE:HG21	1:E:624:LEU:HD13	1.94	0.48
1:H:346:PHE:CD1	1:H:402:ILE:CD1	2.97	0.48
1:H:331:TYR:HB3	1:H:379:SER:HB3	1.96	0.48
1:G:135:ASP:OD2	1:H:571:PRO:HB3	2.14	0.48
1:C:477:LEU:HG	1:C:481:LEU:HD22	1.95	0.48
1:E:459:GLU:HG2	1:E:531:PHE:O	2.14	0.48
1:C:597:TYR:CE2	1:C:599:HIS:HB2	2.49	0.47
1:F:206:LYS:HE3	1:F:237:PHE:HB2	1.97	0.47
1:G:316:PHE:CE2	1:G:330:PRO:HG3	2.49	0.47
1:F:219:LEU:HD11	1:F:234:ILE:HD12	1.96	0.47
1:H:185:THR:HG23	1:H:198:ASN:HB3	1.96	0.47
1:B:462:ALA:CB	1:B:532:THR:HG23	2.44	0.47
1:B:547:PRO:HG2	1:B:613:TYR:CE2	2.49	0.47
1:E:22:TRP:CZ2	1:E:290:GLU:HG2	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:477:LEU:HG	1:A:481:LEU:HD22	1.95	0.47
1:E:293:GLY:HA3	1:E:677:LYS:HB2	1.96	0.47
1:E:706:MET:HE3	1:E:741:ARG:HH22	1.80	0.47
1:G:60:THR:O	1:G:77:ARG:NH1	2.44	0.47
1:D:86:SER:HB2	5:D:2260:HOH:O	2.15	0.47
1:B:101:VAL:HG13	1:B:156:ASN:ND2	2.29	0.47
1:C:519:GLN:NE2	1:C:521:PRO:O	2.48	0.47
1:C:61:GLY:O	1:C:77:ARG:HD3	2.15	0.47
1:E:608:ILE:CG2	1:E:624:LEU:HD13	2.45	0.47
1:A:453:TYR:CD1	1:A:519:GLN:HG3	2.49	0.46
1:C:689:LEU:HD11	1:C:729:ILE:HD12	1.97	0.46
1:E:447:LYS:HG3	1:E:448:LEU:HD13	1.97	0.46
1:F:519:GLN:NE2	1:F:521:PRO:O	2.49	0.46
1:E:331:TYR:CZ	1:E:375:THR:HG23	2.50	0.46
1:E:724:PHE:CE2	4:E:804:GOL:H31	2.50	0.46
1:G:28:PRO:O	1:G:308:ARG:NH2	2.49	0.46
1:A:365:ASN:O	1:A:369:GLN:HG2	2.16	0.46
1:G:162:VAL:HG22	1:G:234:ILE:HG12	1.97	0.46
1:B:365:ASN:O	1:B:369:GLN:HG2	2.16	0.46
1:E:706:MET:CE	1:E:741:ARG:HH22	2.28	0.46
1:G:202:ILE:HG23	1:G:249:ILE:HG12	1.97	0.46
1:H:529:ASP:HB3	5:H:2043:HOH:O	2.16	0.46
1:D:395:VAL:HG21	1:D:532:THR:HG21	1.98	0.46
1:G:526:LYS:HA	1:G:575:ASP:HB3	1.98	0.45
1:C:56:TRP:CE2	1:C:147:VAL:HG11	2.51	0.45
1:F:26:VAL:HG11	1:F:124:PRO:HG3	1.98	0.45
1:G:86:SER:HB2	1:G:87:PRO:HD2	1.98	0.45
1:C:202:ILE:HG23	1:C:249:ILE:HG12	1.98	0.45
1:A:361:TYR:N	1:A:362:PRO:CD	2.79	0.45
1:B:331:TYR:CZ	1:B:375:THR:HG23	2.51	0.45
1:A:395:VAL:HG21	1:A:532:THR:HG21	1.98	0.45
1:A:607:MET:O	1:A:610:LEU:HB2	2.16	0.45
1:C:525:LEU:HD13	1:C:573:ILE:HG13	1.99	0.45
1:D:197:LYS:NZ	4:D:802:GOL:O3	2.50	0.45
1:F:592[B]:MET:HE2	1:F:592[B]:MET:HA	1.81	0.45
1:F:592[B]:MET:HG3	1:F:631:MET:SD	2.57	0.45
1:A:459:GLU:HB3	1:A:532:THR:HG22	1.99	0.45
1:F:707:SER:HB2	1:F:711:ALA:O	2.17	0.45
1:C:395:VAL:CG2	1:C:532:THR:HG21	2.46	0.45
1:B:559[B]:MET:HG3	5:B:2212:HOH:O	2.17	0.45
1:H:361:TYR:N	1:H:362:PRO:CD	2.80	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:681:LEU:O	1:H:688:SER:HA	2.17	0.45
1:C:459:GLU:O	1:C:463:ARG:HG3	2.17	0.45
1:E:292:GLU:HG3	1:E:678:LYS:HB3	1.98	0.45
1:B:706:MET:HB2	1:B:706:MET:HE3	1.83	0.44
1:E:209:THR:HG22	5:E:2091:HOH:O	2.16	0.44
1:B:592:MET:HG2	1:B:631:MET:SD	2.58	0.44
1:D:128:LYS:HA	1:D:138:THR:O	2.17	0.44
1:A:442:TYR:CE2	1:A:443:GLU:HG2	2.53	0.44
1:E:99:PRO:HB2	1:E:136:ILE:HD13	2.00	0.44
1:C:345:GLY:HA3	1:C:385:TRP:CE2	2.52	0.44
1:B:459:GLU:OE1	1:B:532:THR:HB	2.16	0.44
1:C:199:TYR:O	1:C:251:SER:HA	2.18	0.44
1:E:305:CYS:O	1:E:649:SER:HB3	2.18	0.44
1:E:462:ALA:CB	1:E:532:THR:CG2	2.95	0.44
1:F:744:LYS:HB2	1:F:747:ASP:OD2	2.17	0.44
1:H:591:VAL:O	1:H:592[B]:MET:HE3	2.18	0.44
1:C:90:ASN:HB3	1:C:189:SER:OG	2.18	0.44
1:F:431:HIS:HB3	1:F:434:VAL:O	2.18	0.44
1:F:510:ARG:HG3	1:F:522:PHE:CD1	2.53	0.44
1:G:330:PRO:HB3	1:G:388:PRO:HB2	1.99	0.44
1:G:519:GLN:NE2	1:G:521:PRO:O	2.49	0.44
1:H:592[B]:MET:CE	1:H:592[B]:MET:CA	2.62	0.44
1:H:611:TYR:HB2	1:H:620:ALA:HB2	2.00	0.44
1:D:459:GLU:HG2	1:D:531:PHE:O	2.18	0.43
1:F:706:MET:HB3	1:F:741:ARG:HH21	1.83	0.43
1:H:376:TYR:CE1	1:H:422:GLY:HA2	2.52	0.43
1:H:39:SER:HB3	1:H:588:GLU:OE2	2.18	0.43
1:E:546:ASP:N	1:E:547:PRO:HD3	2.33	0.43
1:H:525:LEU:HD13	1:H:573:ILE:HD11	2.00	0.43
1:G:706:MET:HE2	1:G:741:ARG:NH2	2.33	0.43
1:H:331:TYR:CZ	1:H:375:THR:HG23	2.54	0.43
1:A:507:LYS:NZ	1:A:559:MET:CE	2.80	0.43
1:F:62:LYS:NZ	1:F:109:GLU:OE2	2.51	0.43
1:A:431:HIS:HB3	1:A:434:VAL:O	2.19	0.43
1:D:157:ASP:HA	1:D:238:LYS:HG2	2.01	0.43
1:C:375:THR:HG21	1:C:383:PRO:HD3	2.01	0.43
1:F:592[A]:MET:HE2	1:F:640:CYS:HB2	2.01	0.43
1:H:205:ASP:OD2	1:H:246:ASN:HB2	2.18	0.43
1:C:310:LEU:HD21	1:C:361:TYR:CE2	2.54	0.43
1:B:315:LYS:HZ3	4:B:804:GOL:C3	2.23	0.42
1:B:375:THR:HG21	1:B:383:PRO:HD3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:519:GLN:NE2	1:D:521:PRO:O	2.44	0.42
1:G:387:SER:O	1:G:391:ARG:NH1	2.51	0.42
1:H:597:TYR:CE2	1:H:599:HIS:HB2	2.54	0.42
1:A:206:LYS:HA	1:A:207:PRO:HD3	1.93	0.42
1:A:345:GLY:HA3	1:A:385:TRP:CE2	2.55	0.42
1:A:292:GLU:HG3	1:A:678:LYS:HB3	2.01	0.42
1:H:486:LYS:HD2	1:H:486:LYS:H	1.84	0.42
1:B:519:GLN:HG2	5:B:2200:HOH:O	2.20	0.42
1:A:706:MET:HE2	1:A:706:MET:HB2	1.96	0.42
1:H:345:GLY:HA3	1:H:385:TRP:CE2	2.54	0.42
1:H:736:ARG:NH1	1:H:736:ARG:HB3	2.35	0.42
1:E:564:MET:HE3	1:E:607:MET:HG2	2.02	0.42
1:F:29:LEU:HD23	1:F:45:PRO:HG3	2.01	0.42
1:H:77:ARG:HH21	1:H:109:GLU:HG2	1.85	0.42
1:E:607:MET:O	1:E:610:LEU:HB2	2.19	0.42
1:C:671:MET:HG2	1:C:706:MET:HE1	2.02	0.42
1:F:177:GLU:CD	1:F:177:GLU:H	2.23	0.41
1:E:571:PRO:HB2	1:E:573:ILE:HG23	2.02	0.41
1:G:607:MET:O	1:G:610:LEU:HB2	2.20	0.41
1:H:96:SER:OG	1:H:164:ASP:HB3	2.20	0.41
1:H:472:TRP:HB2	1:H:545:HIS:CD2	2.54	0.41
1:B:202:ILE:HG12	1:B:249:ILE:HG12	2.02	0.41
1:E:592:MET:HE2	1:E:640:CYS:HB2	2.02	0.41
1:H:342:THR:O	1:H:343:ASP:HB2	2.19	0.41
1:D:86:SER:HB2	1:D:87:PRO:HD2	2.02	0.41
1:H:548:GLN:HA	1:H:551:ILE:HD12	2.02	0.41
1:D:725:LYS:HE2	5:D:2303:HOH:O	2.21	0.41
1:E:365:ASN:O	1:E:369:GLN:HG2	2.20	0.41
1:H:346:PHE:CG	1:H:402:ILE:HD12	2.55	0.41
1:B:606:HIS:HB3	5:B:2270:HOH:O	2.20	0.41
1:C:331:TYR:HB3	1:C:379:SER:HB3	2.03	0.41
1:H:332:ASN:C	1:H:332:ASN:OD1	2.60	0.41
1:H:475:TYR:CE1	1:H:752:PHE:CE1	3.08	0.41
1:C:459:GLU:HG2	1:C:531:PHE:O	2.21	0.41
1:E:609:TYR:CZ	1:E:660:TYR:HB2	2.56	0.41
1:B:219:LEU:HD11	1:B:234:ILE:HD12	2.03	0.41
1:F:352:CYS:HA	1:F:355:PRO:HG2	2.02	0.41
1:H:90:ASN:OD1	1:H:91:ASP:N	2.53	0.41
1:D:365:ASN:O	1:D:369:GLN:HG2	2.21	0.40
1:H:28:PRO:O	1:H:308:ARG:NH2	2.54	0.40
1:H:32:SER:HB3	5:H:2001:HOH:O	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:529:ASP:HB3	5:B:2207:HOH:O	2.21	0.40
1:G:354:PHE:CD2	1:G:402:ILE:HD12	2.56	0.40
1:A:599:HIS:HE1	1:A:651:TRP:CE2	2.39	0.40
1:D:26:VAL:HG11	1:D:124:PRO:HG3	2.03	0.40
1:E:565:ASP:OD2	1:E:619:LYS:NZ	2.49	0.40
1:H:519:GLN:NE2	1:H:521:PRO:O	2.54	0.40
1:D:444:TYR:HB3	1:D:452:PRO:HD3	2.04	0.40
1:E:519:GLN:HG2	5:E:2198:HOH:O	2.21	0.40
1:F:462:ALA:HB1	1:F:532:THR:HG22	2.04	0.40
1:H:77:ARG:NH2	1:H:109:GLU:HG2	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	738/738 (100%)	712 (96%)	26 (4%)	0	100	100
1	B	736/738 (100%)	708 (96%)	28 (4%)	0	100	100
1	C	734/738 (100%)	713 (97%)	21 (3%)	0	100	100
1	D	741/738 (100%)	715 (96%)	26 (4%)	0	100	100
1	E	734/738 (100%)	710 (97%)	23 (3%)	1 (0%)	51	60
1	F	735/738 (100%)	708 (96%)	27 (4%)	0	100	100
1	G	734/738 (100%)	699 (95%)	34 (5%)	1 (0%)	51	60
1	H	735/738 (100%)	699 (95%)	34 (5%)	2 (0%)	41	46
All	All	5887/5904 (100%)	5664 (96%)	219 (4%)	4 (0%)	51	60

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	521	PRO
1	G	529	ASP
1	H	529	ASP
1	E	529	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	637/637 (100%)	615 (96%)	22 (4%)	36	43
1	B	637/637 (100%)	615 (96%)	22 (4%)	36	43
1	C	634/637 (100%)	610 (96%)	24 (4%)	33	39
1	D	641/637 (101%)	620 (97%)	21 (3%)	38	46
1	E	630/637 (99%)	608 (96%)	22 (4%)	36	43
1	F	632/637 (99%)	612 (97%)	20 (3%)	39	47
1	G	629/637 (99%)	607 (96%)	22 (4%)	36	43
1	H	634/637 (100%)	605 (95%)	29 (5%)	27	30
All	All	5074/5096 (100%)	4892 (96%)	182 (4%)	36	42

All (182) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	77	ARG
1	A	168	LYS
1	A	172	ILE
1	A	206	LYS
1	A	209	THR
1	A	215	GLU
1	A	237	PHE
1	A	284	GLN
1	A	307	TYR
1	A	385	TRP
1	A	448	LEU
1	A	456	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	481	LEU
1	A	532	THR
1	A	539	TYR
1	A	559	MET
1	A	573	ILE
1	A	610	LEU
1	A	689	LEU
1	A	692	ASP
1	A	708	PHE
1	A	739	LEU
1	B	77	ARG
1	B	101	VAL
1	B	206	LYS
1	B	237	PHE
1	B	307	TYR
1	B	385	TRP
1	B	481	LEU
1	B	486	LYS
1	B	505	GLU
1	B	532	THR
1	B	539	TYR
1	B	559[A]	MET
1	B	559[B]	MET
1	B	573	ILE
1	B	596	ASN
1	B	610	LEU
1	B	624	LEU
1	B	689	LEU
1	B	708	PHE
1	B	730	LYS
1	B	736	ARG
1	B	739	LEU
1	C	77	ARG
1	C	101	VAL
1	C	177	GLU
1	C	185	THR
1	C	206	LYS
1	C	237	PHE
1	C	284	GLN
1	C	385	TRP
1	C	416	ILE
1	C	448	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	481	LEU
1	C	504	LYS
1	C	532	THR
1	C	539	TYR
1	C	559	MET
1	C	564	MET
1	C	573	ILE
1	C	596	ASN
1	C	610	LEU
1	C	624	LEU
1	C	689	LEU
1	C	708	PHE
1	C	736	ARG
1	C	739	LEU
1	D	77	ARG
1	D	101	VAL
1	D	237	PHE
1	D	284	GLN
1	D	319	LEU
1	D	385	TRP
1	D	481	LEU
1	D	505	GLU
1	D	532	THR
1	D	539	TYR
1	D	558[A]	GLU
1	D	558[B]	GLU
1	D	573	ILE
1	D	633	THR
1	D	689	LEU
1	D	708	PHE
1	D	730[A]	LYS
1	D	730[B]	LYS
1	D	736	ARG
1	D	739	LEU
1	D	756	LEU
1	E	77	ARG
1	E	206	LYS
1	E	209	THR
1	E	237	PHE
1	E	284	GLN
1	E	385	TRP
1	E	416	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	447	LYS
1	E	448	LEU
1	E	460	ASN
1	E	475	TYR
1	E	481	LEU
1	E	520	SER
1	E	532	THR
1	E	539	TYR
1	E	573	ILE
1	E	610	LEU
1	E	624	LEU
1	E	689	LEU
1	E	692	ASP
1	E	708	PHE
1	E	739	LEU
1	F	77	ARG
1	F	101	VAL
1	F	177	GLU
1	F	209	THR
1	F	215	GLU
1	F	237	PHE
1	F	284	GLN
1	F	385	TRP
1	F	481	LEU
1	F	539	TYR
1	F	559	MET
1	F	573	ILE
1	F	596	ASN
1	F	610	LEU
1	F	692	ASP
1	F	708	PHE
1	F	730	LYS
1	F	736	ARG
1	F	739	LEU
1	F	744	LYS
1	G	77	ARG
1	G	101	VAL
1	G	168	LYS
1	G	209	THR
1	G	237	PHE
1	G	238	LYS
1	G	268	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	385	TRP
1	G	448	LEU
1	G	456	LYS
1	G	460	ASN
1	G	481	LEU
1	G	532	THR
1	G	539	TYR
1	G	604	ILE
1	G	610	LEU
1	G	624	LEU
1	G	649	SER
1	G	689	LEU
1	G	708	PHE
1	G	730	LYS
1	G	739	LEU
1	H	77	ARG
1	H	101	VAL
1	H	172	ILE
1	H	185	THR
1	H	206	LYS
1	H	208	PHE
1	H	237	PHE
1	H	249	ILE
1	H	307	TYR
1	H	319	LEU
1	H	385	TRP
1	H	397	ASN
1	H	448	LEU
1	H	486	LYS
1	H	520	SER
1	H	532	THR
1	H	539	TYR
1	H	573	ILE
1	H	596	ASN
1	H	610	LEU
1	H	624	LEU
1	H	633	THR
1	H	691	ILE
1	H	692	ASP
1	H	707	SER
1	H	708	PHE
1	H	715	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	736	ARG
1	H	744	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	713	HIS
1	F	74	ASN
1	G	548	GLN
1	G	740	ASN
1	H	398	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 35 ligands modelled in this entry, 8 are monoatomic - leaving 27 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	E	802	-	5,5,5	0.35	0	5,5,5	0.24	0
4	GOL	D	802	-	5,5,5	0.35	0	5,5,5	0.71	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	C	802	-	5,5,5	0.28	0	5,5,5	0.30	0
4	GOL	B	805	-	5,5,5	0.53	0	5,5,5	0.94	0
4	GOL	B	802	-	5,5,5	0.38	0	5,5,5	0.31	0
3	MVL	D	801	2	13,15,15	0.94	0	11,22,22	1.46	1 (9%)
4	GOL	A	802	-	5,5,5	0.47	0	5,5,5	0.32	0
4	GOL	F	802	-	5,5,5	0.39	0	5,5,5	0.27	0
3	MVL	F	801	2	13,15,15	0.84	0	11,22,22	1.61	1 (9%)
3	MVL	E	801	2	13,15,15	0.76	0	11,22,22	1.53	2 (18%)
4	GOL	C	805	-	5,5,5	0.41	0	5,5,5	0.25	0
3	MVL	G	801	2	13,15,15	0.84	0	11,22,22	1.69	2 (18%)
3	MVL	B	801	2	13,15,15	0.74	0	11,22,22	1.38	1 (9%)
4	GOL	E	803	-	5,5,5	0.35	0	5,5,5	0.42	0
4	GOL	A	803	-	5,5,5	0.35	0	5,5,5	0.19	0
4	GOL	C	803	-	5,5,5	0.43	0	5,5,5	0.46	0
3	MVL	A	801	2	13,15,15	0.86	0	11,22,22	1.48	1 (9%)
4	GOL	E	804	-	5,5,5	0.33	0	5,5,5	0.22	0
4	GOL	D	803	-	5,5,5	0.35	0	5,5,5	0.34	0
4	GOL	D	804	-	5,5,5	0.36	0	5,5,5	0.31	0
3	MVL	C	801	2	13,15,15	0.93	1 (7%)	11,22,22	1.76	3 (27%)
4	GOL	B	803	-	5,5,5	0.41	0	5,5,5	0.48	0
3	MVL	H	801	2	13,15,15	0.81	0	11,22,22	1.57	1 (9%)
4	GOL	D	805	-	5,5,5	0.29	0	5,5,5	0.45	0
4	GOL	C	804	-	5,5,5	0.40	0	5,5,5	0.30	0
4	GOL	A	804	-	5,5,5	0.36	0	5,5,5	0.28	0
4	GOL	B	804	-	5,5,5	0.47	0	5,5,5	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	E	802	-	-	2/4/4/4	-
4	GOL	D	802	-	-	4/4/4/4	-
4	GOL	C	802	-	-	3/4/4/4	-
4	GOL	B	805	-	-	2/4/4/4	-
4	GOL	B	802	-	-	0/4/4/4	-
3	MVL	D	801	2	-	0/2/22/22	0/1/2/2
4	GOL	A	802	-	-	4/4/4/4	-
4	GOL	F	802	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MVL	F	801	2	-	1/2/22/22	0/1/2/2
3	MVL	E	801	2	-	0/2/22/22	0/1/2/2
4	GOL	C	805	-	-	0/4/4/4	-
3	MVL	G	801	2	-	0/2/22/22	0/1/2/2
3	MVL	B	801	2	-	0/2/22/22	0/1/2/2
4	GOL	E	803	-	-	4/4/4/4	-
4	GOL	A	803	-	-	3/4/4/4	-
4	GOL	C	803	-	-	2/4/4/4	-
3	MVL	A	801	2	-	0/2/22/22	0/1/2/2
4	GOL	E	804	-	-	3/4/4/4	-
4	GOL	D	803	-	-	3/4/4/4	-
4	GOL	D	804	-	-	2/4/4/4	-
3	MVL	C	801	2	-	0/2/22/22	0/1/2/2
4	GOL	B	803	-	-	2/4/4/4	-
3	MVL	H	801	2	-	0/2/22/22	0/1/2/2
4	GOL	D	805	-	-	2/4/4/4	-
4	GOL	C	804	-	-	4/4/4/4	-
4	GOL	A	804	-	-	2/4/4/4	-
4	GOL	B	804	-	-	1/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	801	MVL	C1-C2	-2.01	1.48	1.51

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	801	MVL	C4-C3-C2	4.30	116.77	110.24
3	H	801	MVL	C4-C3-C2	4.16	116.56	110.24
3	C	801	MVL	C4-C3-C2	4.14	116.53	110.24
3	D	801	MVL	C4-C3-C2	4.07	116.42	110.24
3	A	801	MVL	C4-C3-C2	4.06	116.41	110.24
3	E	801	MVL	C4-C3-C2	4.03	116.37	110.24
3	G	801	MVL	C4-C3-C2	3.96	116.25	110.24
3	B	801	MVL	C4-C3-C2	3.55	115.63	110.24
3	C	801	MVL	C3-C4-C5	2.40	115.43	111.37
3	C	801	MVL	O2-C2-C3	2.36	113.50	108.55
3	E	801	MVL	O3-C3-C4	-2.16	105.36	110.35
3	G	801	MVL	O2-C2-C3	2.10	112.96	108.55

There are no chirality outliers.

All (44) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	802	GOL	O1-C1-C2-C3
4	D	802	GOL	C1-C2-C3-O3
4	C	802	GOL	C1-C2-C3-O3
3	F	801	MVL	C4-C5-C6-O6
4	E	803	GOL	O1-C1-C2-O2
4	E	803	GOL	O1-C1-C2-C3
4	E	803	GOL	C1-C2-C3-O3
4	E	804	GOL	O1-C1-C2-O2
4	E	804	GOL	O1-C1-C2-C3
4	D	803	GOL	O1-C1-C2-C3
4	B	803	GOL	O1-C1-C2-C3
4	C	804	GOL	C1-C2-C3-O3
4	A	804	GOL	O1-C1-C2-C3
4	A	802	GOL	O1-C1-C2-C3
4	A	802	GOL	C1-C2-C3-O3
4	A	802	GOL	O2-C2-C3-O3
4	C	802	GOL	O2-C2-C3-O3
4	E	803	GOL	O2-C2-C3-O3
4	B	805	GOL	O1-C1-C2-C3
4	E	802	GOL	C1-C2-C3-O3
4	C	803	GOL	O1-C1-C2-C3
4	D	803	GOL	C1-C2-C3-O3
4	C	803	GOL	O1-C1-C2-O2
4	D	803	GOL	O1-C1-C2-O2
4	C	804	GOL	O2-C2-C3-O3
4	A	804	GOL	O1-C1-C2-O2
4	A	802	GOL	O1-C1-C2-O2
4	D	802	GOL	O1-C1-C2-O2
4	D	802	GOL	O2-C2-C3-O3
4	B	803	GOL	O1-C1-C2-O2
4	A	803	GOL	O1-C1-C2-O2
4	C	802	GOL	O1-C1-C2-C3
4	D	805	GOL	O1-C1-C2-C3
4	D	804	GOL	O1-C1-C2-O2
4	A	803	GOL	O1-C1-C2-C3
4	A	803	GOL	C1-C2-C3-O3
4	B	805	GOL	O1-C1-C2-O2
4	D	805	GOL	O1-C1-C2-O2
4	C	804	GOL	O1-C1-C2-O2
4	E	802	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	E	804	GOL	C1-C2-C3-O3
4	D	804	GOL	O1-C1-C2-C3
4	C	804	GOL	O1-C1-C2-C3
4	B	804	GOL	O1-C1-C2-C3

There are no ring outliers.

8 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	802	GOL	1	0
4	B	805	GOL	7	0
3	D	801	MVL	1	0
3	F	801	MVL	1	0
3	G	801	MVL	1	0
3	A	801	MVL	1	0
4	E	804	GOL	2	0
4	B	804	GOL	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	736/738 (99%)	-0.15	2 (0%) 94 94	14, 22, 33, 41	0
1	B	736/738 (99%)	-0.19	0 100 100	13, 21, 32, 39	0
1	C	736/738 (99%)	-0.25	0 100 100	13, 22, 33, 41	0
1	D	738/738 (100%)	-0.19	1 (0%) 95 96	13, 21, 32, 50	0
1	E	736/738 (99%)	-0.20	2 (0%) 94 94	15, 23, 34, 43	0
1	F	735/738 (99%)	-0.09	12 (1%) 72 74	15, 24, 35, 41	0
1	G	736/738 (99%)	-0.05	19 (2%) 56 59	17, 24, 35, 49	0
1	H	736/738 (99%)	0.20	39 (5%) 26 29	17, 25, 35, 47	0
All	All	5889/5904 (99%)	-0.12	75 (1%) 77 79	13, 23, 34, 50	0

All (75) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	710	GLY	5.3
1	H	321	ALA	4.1
1	H	520	SER	3.6
1	H	739	LEU	3.5
1	H	711	ALA	3.4
1	H	740	ASN	3.3
1	H	730	LYS	3.2
1	H	708	PHE	3.1
1	F	710	GLY	3.1
1	H	709	ASN	3.1
1	H	322	ASN	3.0
1	H	521	PRO	2.8
1	H	688	SER	2.8
1	H	707	SER	2.8
1	H	727	GLY	2.7
1	G	103	GLN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	706	MET	2.6
1	H	690	VAL	2.6
1	F	441	GLY	2.6
1	G	710	GLY	2.6
1	H	199	TYR	2.6
1	H	376	TYR	2.6
1	H	736	ARG	2.6
1	F	442	TYR	2.6
1	H	268	LYS	2.6
1	E	736	ARG	2.5
1	H	257	GLU	2.5
1	F	489	SER	2.4
1	G	101	VAL	2.4
1	H	324	GLN	2.4
1	H	686	GLY	2.4
1	H	683	PHE	2.4
1	A	402	ILE	2.4
1	H	323	GLY	2.4
1	G	209	THR	2.4
1	H	691	ILE	2.4
1	G	160	TYR	2.3
1	H	692	ASP	2.3
1	G	321	ALA	2.3
1	H	732	ASP	2.3
1	H	504	LYS	2.3
1	H	518	PHE	2.3
1	G	105	VAL	2.3
1	G	558	GLU	2.3
1	H	264	ASN	2.3
1	H	704	ASP	2.3
1	G	559	MET	2.3
1	F	454	ASP	2.2
1	G	223	VAL	2.2
1	G	456	LYS	2.2
1	A	349	THR	2.2
1	H	693	ALA	2.2
1	H	728	THR	2.2
1	F	746	GLU	2.2
1	F	407	TYR	2.2
1	F	453	TYR	2.2
1	G	102	GLY	2.2
1	G	222	ASN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	428	GLU	2.2
1	G	505	GLU	2.1
1	H	177	GLU	2.1
1	G	484	PRO	2.1
1	F	727	GLY	2.1
1	D	216	ASN	2.1
1	H	256	PHE	2.1
1	H	293	GLY	2.1
1	G	158	HIS	2.1
1	F	711	ALA	2.1
1	H	171	TYR	2.1
1	G	712	ASP	2.0
1	G	172	ILE	2.0
1	E	711	ALA	2.0
1	G	224	ALA	2.0
1	F	455	VAL	2.0
1	F	430	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	C	803	6/6	0.72	0.20	51,51,51,52	0
4	GOL	A	803	6/6	0.72	0.19	56,57,57,57	0
4	GOL	B	803	6/6	0.77	0.17	44,45,45,47	0
4	GOL	C	804	6/6	0.80	0.19	64,64,64,65	0
4	GOL	A	804	6/6	0.80	0.17	45,45,46,47	0
4	GOL	D	802	6/6	0.81	0.20	40,41,41,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	GOL	D	803	6/6	0.83	0.20	49,50,51,52	0
4	GOL	E	803	6/6	0.84	0.14	48,48,49,49	0
4	GOL	B	804	6/6	0.84	0.17	37,39,39,40	0
4	GOL	B	805	6/6	0.86	0.26	29,31,32,34	0
4	GOL	E	804	6/6	0.87	0.32	40,41,42,44	0
4	GOL	F	802	6/6	0.87	0.17	53,53,54,54	0
4	GOL	E	802	6/6	0.89	0.17	49,50,51,51	0
4	GOL	C	805	6/6	0.89	0.13	38,39,40,40	0
3	MVL	H	801	14/14	0.89	0.18	33,34,34,36	0
4	GOL	B	802	6/6	0.90	0.16	39,40,41,41	0
4	GOL	C	802	6/6	0.90	0.16	36,37,37,38	0
4	GOL	D	804	6/6	0.91	0.16	38,40,40,41	0
4	GOL	A	802	6/6	0.91	0.23	52,53,53,54	0
3	MVL	F	801	14/14	0.95	0.11	21,25,29,29	0
4	GOL	D	805	6/6	0.95	0.08	32,33,34,34	0
3	MVL	G	801	14/14	0.96	0.12	27,31,32,33	0
3	MVL	B	801	14/14	0.96	0.17	9,14,15,16	0
3	MVL	C	801	14/14	0.96	0.12	17,19,21,22	0
3	MVL	E	801	14/14	0.97	0.12	13,15,17,18	0
3	MVL	A	801	14/14	0.97	0.12	12,15,16,17	0
3	MVL	D	801	14/14	0.97	0.14	14,17,18,20	0
2	CA	H	800	1/1	0.98	0.18	33,33,33,33	0
2	CA	F	800	1/1	0.98	0.11	23,23,23,23	0
2	CA	A	800	1/1	0.99	0.13	20,20,20,20	0
2	CA	E	800	1/1	0.99	0.10	18,18,18,18	0
2	CA	G	800	1/1	0.99	0.13	28,28,28,28	0
2	CA	B	800	1/1	0.99	0.19	17,17,17,17	0
2	CA	D	800	1/1	1.00	0.18	17,17,17,17	0
2	CA	C	800	1/1	1.00	0.13	22,22,22,22	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.