



## wwPDB EM Validation Summary Report ⓘ

Nov 7, 2023 – 07:52 PM JST

PDB ID : 7X08  
EMDB ID : EMD-32920  
Title : S protein of SARS-CoV-2 in complex with 2G1  
Authors : Guo, Y.Y.; Zhang, Y.Y.; Zhou, Q.  
Deposited on : 2022-02-21  
Resolution : 2.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1283	 77% 9% 14%
1	B	1283	 77% 9% 14%
1	C	1283	 77% 9% 14%
2	H	452	 44% 44% 53%
2	I	452	 43% 44% 53%
2	J	452	 43% 44% 53%
3	L	216	 93% 87% 10% ..
3	M	216	 95% 87% 10% ..
3	N	216	 93% 87% 10% ..

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	2	100% 100%
4	E	2	100%
4	F	2	50% 100%
4	G	2	50% 50%
4	K	2	50% 100%
4	O	2	100%
4	P	2	50% 50% 50%
4	Q	2	100% 100%
4	R	2	100%
4	S	2	50% 50% 50%
4	T	2	50% 100%
4	U	2	50% 50% 50%
4	V	2	50% 50% 50%
4	W	2	50% 50% 50%
4	X	2	50% 100%
4	Y	2	50% 50% 50%
4	Z	2	50% 50% 50%
4	a	2	50% 100%
4	b	2	50% 50% 50%
4	c	2	50% 100%
4	d	2	50% 50% 50%
4	e	2	50% 50% 50%
4	f	2	50% 100%
4	g	2	50% 50% 50%

## 2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 36396 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1099	8595	5483	1436	1636	40	0	0
1	B	1099	8595	5483	1436	1636	40	0	0
1	C	1099	8595	5483	1436	1636	40	0	0

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	817	PRO	PHE	engineered mutation	UNP P0DTC2
A	892	PRO	ALA	engineered mutation	UNP P0DTC2
A	899	PRO	ALA	engineered mutation	UNP P0DTC2
A	942	PRO	ALA	engineered mutation	UNP P0DTC2
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
A	1274	LEU	-	expression tag	UNP P0DTC2
A	1275	GLU	-	expression tag	UNP P0DTC2
A	1276	ASP	-	expression tag	UNP P0DTC2
A	1277	TYR	-	expression tag	UNP P0DTC2
A	1278	LYS	-	expression tag	UNP P0DTC2
A	1279	ASP	-	expression tag	UNP P0DTC2
A	1280	ASP	-	expression tag	UNP P0DTC2
A	1281	ASP	-	expression tag	UNP P0DTC2
A	1282	ASP	-	expression tag	UNP P0DTC2
A	1283	LYS	-	expression tag	UNP P0DTC2
B	817	PRO	PHE	engineered mutation	UNP P0DTC2
B	892	PRO	ALA	engineered mutation	UNP P0DTC2
B	899	PRO	ALA	engineered mutation	UNP P0DTC2
B	942	PRO	ALA	engineered mutation	UNP P0DTC2
B	986	PRO	LYS	engineered mutation	UNP P0DTC2
B	987	PRO	VAL	engineered mutation	UNP P0DTC2
B	1274	LEU	-	expression tag	UNP P0DTC2
B	1275	GLU	-	expression tag	UNP P0DTC2

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1276	ASP	-	expression tag	UNP P0DTC2
B	1277	TYR	-	expression tag	UNP P0DTC2
B	1278	LYS	-	expression tag	UNP P0DTC2
B	1279	ASP	-	expression tag	UNP P0DTC2
B	1280	ASP	-	expression tag	UNP P0DTC2
B	1281	ASP	-	expression tag	UNP P0DTC2
B	1282	ASP	-	expression tag	UNP P0DTC2
B	1283	LYS	-	expression tag	UNP P0DTC2
C	817	PRO	PHE	engineered mutation	UNP P0DTC2
C	892	PRO	ALA	engineered mutation	UNP P0DTC2
C	899	PRO	ALA	engineered mutation	UNP P0DTC2
C	942	PRO	ALA	engineered mutation	UNP P0DTC2
C	986	PRO	LYS	engineered mutation	UNP P0DTC2
C	987	PRO	VAL	engineered mutation	UNP P0DTC2
C	1274	LEU	-	expression tag	UNP P0DTC2
C	1275	GLU	-	expression tag	UNP P0DTC2
C	1276	ASP	-	expression tag	UNP P0DTC2
C	1277	TYR	-	expression tag	UNP P0DTC2
C	1278	LYS	-	expression tag	UNP P0DTC2
C	1279	ASP	-	expression tag	UNP P0DTC2
C	1280	ASP	-	expression tag	UNP P0DTC2
C	1281	ASP	-	expression tag	UNP P0DTC2
C	1282	ASP	-	expression tag	UNP P0DTC2
C	1283	LYS	-	expression tag	UNP P0DTC2

- Molecule 2 is a protein called heavy chain of 2G1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	214	Total	C	N	O	S	0	0
			1603	1016	268	311	8		
2	I	214	Total	C	N	O	S	0	0
			1603	1016	268	311	8		
2	J	214	Total	C	N	O	S	0	0
			1603	1016	268	311	8		

- Molecule 3 is a protein called light chain of 2G1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	L	211	Total	C	N	O	S	0	0
			1550	964	260	321	5		
3	M	211	Total	C	N	O	S	0	0
			1550	964	260	321	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	N	211	1550	964	260	321	5	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
4	D	2	Total	C	N	O	0	0
			28	16	2	10		
4	E	2	Total	C	N	O	0	0
			28	16	2	10		
4	F	2	Total	C	N	O	0	0
			28	16	2	10		
4	G	2	Total	C	N	O	0	0
			28	16	2	10		
4	K	2	Total	C	N	O	0	0
			28	16	2	10		
4	O	2	Total	C	N	O	0	0
			28	16	2	10		
4	P	2	Total	C	N	O	0	0
			28	16	2	10		
4	Q	2	Total	C	N	O	0	0
			28	16	2	10		
4	R	2	Total	C	N	O	0	0
			28	16	2	10		
4	S	2	Total	C	N	O	0	0
			28	16	2	10		
4	T	2	Total	C	N	O	0	0
			28	16	2	10		
4	U	2	Total	C	N	O	0	0
			28	16	2	10		
4	V	2	Total	C	N	O	0	0
			28	16	2	10		
4	W	2	Total	C	N	O	0	0
			28	16	2	10		
4	X	2	Total	C	N	O	0	0
			28	16	2	10		
4	Y	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	Z	2	Total 28	C 16	N 2	O 10	0	0
4	a	2	Total 28	C 16	N 2	O 10	0	0
4	b	2	Total 28	C 16	N 2	O 10	0	0
4	c	2	Total 28	C 16	N 2	O 10	0	0
4	d	2	Total 28	C 16	N 2	O 10	0	0
4	e	2	Total 28	C 16	N 2	O 10	0	0
4	f	2	Total 28	C 16	N 2	O 10	0	0
4	g	2	Total 28	C 16	N 2	O 10	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
5	A	1	Total 14	8	1	5	0
5	A	1	Total 14	8	1	5	0
5	A	1	Total 14	8	1	5	0
5	A	1	Total 14	8	1	5	0
5	A	1	Total 14	8	1	5	0
5	A	1	Total 14	8	1	5	0
5	A	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	C	1	Total 14	8	1	5	0
5	C	1	Total 14	8	1	5	0
5	C	1	Total 14	8	1	5	0
5	C	1	Total 14	8	1	5	0


*Continued on next page...*



Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
5	C	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 6 is LINOLEIC ACID (three-letter code: EIC) (formula:  $C_{18}H_{32}O_2$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
6	A	1	Total	C	O	0
			20	18	2	
6	A	1	Total	C	O	0
			20	18	2	
6	B	1	Total	C	O	0
			20	18	2	















• Molecule 3: light chain of 2G1



• Molecule 3: light chain of 2G1



• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 50% 100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 50% 100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O: 100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P: 50% 50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose







- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	349830	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.225	Depositor
Minimum map value	-0.112	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.025	Depositor
Map size (Å)	313.056, 313.056, 313.056	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.087, 1.087, 1.087	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, EIC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.45	0/8797	0.52	0/11975
1	B	0.45	0/8797	0.51	0/11975
1	C	0.45	0/8797	0.51	0/11975
2	H	0.46	0/1641	0.58	0/2229
2	I	0.46	0/1641	0.58	0/2229
2	J	0.46	0/1641	0.58	0/2229
3	L	0.44	0/1589	0.56	0/2169
3	M	0.44	0/1589	0.56	0/2169
3	N	0.44	0/1589	0.56	0/2169
All	All	0.45	0/36081	0.53	0/49119

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1089/1283 (85%)	1011 (93%)	72 (7%)	6 (1%)	25	50
1	B	1089/1283 (85%)	1011 (93%)	73 (7%)	5 (0%)	29	54
1	C	1089/1283 (85%)	1013 (93%)	71 (6%)	5 (0%)	29	54
2	H	212/452 (47%)	185 (87%)	26 (12%)	1 (0%)	29	54
2	I	212/452 (47%)	185 (87%)	26 (12%)	1 (0%)	29	54
2	J	212/452 (47%)	185 (87%)	26 (12%)	1 (0%)	29	54
3	L	209/216 (97%)	172 (82%)	29 (14%)	8 (4%)	3	7
3	M	209/216 (97%)	172 (82%)	29 (14%)	8 (4%)	3	7
3	N	209/216 (97%)	172 (82%)	29 (14%)	8 (4%)	3	7
All	All	4530/5853 (77%)	4106 (91%)	381 (8%)	43 (1%)	21	40

5 of 43 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	67	ALA
1	B	67	ALA
1	C	67	ALA
3	L	53	VAL
3	L	112	GLN

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	959/1125 (85%)	851 (89%)	108 (11%)	6	13
1	B	959/1125 (85%)	854 (89%)	105 (11%)	6	14
1	C	959/1125 (85%)	852 (89%)	107 (11%)	6	13
2	H	180/398 (45%)	167 (93%)	13 (7%)	14	34
2	I	180/398 (45%)	167 (93%)	13 (7%)	14	34

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	J	180/398 (45%)	167 (93%)	13 (7%)	14	34
3	L	175/180 (97%)	158 (90%)	17 (10%)	8	19
3	M	175/180 (97%)	158 (90%)	17 (10%)	8	19
3	N	175/180 (97%)	158 (90%)	17 (10%)	8	19
All	All	3942/5109 (77%)	3532 (90%)	410 (10%)	10	16

5 of 410 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	173	GLN
1	C	676	THR
3	N	132	ASN
1	C	212	LEU
1	C	389	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 102 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	1125	ASN
1	C	556	ASN
3	N	40	GLN
1	C	69	HIS
1	C	317	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

48 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	D	1	4,1	14,14,15	1.16	1 (7%)	17,19,21	0.60	0
4	NAG	D	2	4	14,14,15	2.27	2 (14%)	17,19,21	0.98	2 (11%)
4	NAG	E	1	4,1	14,14,15	0.31	0	17,19,21	0.62	0
4	NAG	E	2	4	14,14,15	0.53	0	17,19,21	0.47	0
4	NAG	F	1	4,1	14,14,15	0.70	1 (7%)	17,19,21	0.69	0
4	NAG	F	2	4	14,14,15	0.41	0	17,19,21	1.40	3 (17%)
4	NAG	G	1	4,1	14,14,15	0.72	1 (7%)	17,19,21	0.67	0
4	NAG	G	2	4	14,14,15	0.29	0	17,19,21	0.65	0
4	NAG	K	1	4,1	14,14,15	1.16	1 (7%)	17,19,21	0.61	0
4	NAG	K	2	4	14,14,15	2.27	2 (14%)	17,19,21	0.97	2 (11%)
4	NAG	O	1	4,1	14,14,15	0.31	0	17,19,21	0.62	0
4	NAG	O	2	4	14,14,15	0.53	0	17,19,21	0.47	0
4	NAG	P	1	4,1	14,14,15	0.72	1 (7%)	17,19,21	0.67	0
4	NAG	P	2	4	14,14,15	0.29	0	17,19,21	0.65	0
4	NAG	Q	1	4,1	14,14,15	1.14	1 (7%)	17,19,21	0.61	0
4	NAG	Q	2	4	14,14,15	2.27	2 (14%)	17,19,21	0.98	2 (11%)
4	NAG	R	1	4,1	14,14,15	0.30	0	17,19,21	0.61	0
4	NAG	R	2	4	14,14,15	0.51	0	17,19,21	0.48	0
4	NAG	S	1	4,1	14,14,15	0.71	1 (7%)	17,19,21	0.67	0
4	NAG	S	2	4	14,14,15	0.31	0	17,19,21	0.65	0
4	NAG	T	1	4,1	14,14,15	0.41	0	17,19,21	1.16	2 (11%)
4	NAG	T	2	4	14,14,15	0.40	0	17,19,21	1.16	2 (11%)
4	NAG	U	1	4,1	14,14,15	0.29	0	17,19,21	0.63	0
4	NAG	U	2	4	14,14,15	0.40	0	17,19,21	1.16	2 (11%)
4	NAG	V	1	4,1	14,14,15	0.37	0	17,19,21	0.72	0
4	NAG	V	2	4	14,14,15	0.31	0	17,19,21	1.31	2 (11%)
4	NAG	W	1	4,1	14,14,15	0.24	0	17,19,21	0.68	1 (5%)
4	NAG	W	2	4	14,14,15	0.17	0	17,19,21	0.47	0
4	NAG	X	1	4,1	14,14,15	0.41	0	17,19,21	1.16	2 (11%)
4	NAG	X	2	4	14,14,15	0.41	0	17,19,21	1.18	2 (11%)
4	NAG	Y	1	4,1	14,14,15	0.29	0	17,19,21	0.63	0
4	NAG	Y	2	4	14,14,15	0.41	0	17,19,21	1.16	1 (5%)
4	NAG	Z	1	4,1	14,14,15	0.36	0	17,19,21	0.72	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	Z	2	4	14,14,15	0.29	0	17,19,21	1.32	2 (11%)
4	NAG	a	1	4,1	14,14,15	0.71	1 (7%)	17,19,21	0.70	0
4	NAG	a	2	4	14,14,15	0.40	0	17,19,21	1.41	3 (17%)
4	NAG	b	1	4,1	14,14,15	0.25	0	17,19,21	0.69	1 (5%)
4	NAG	b	2	4	14,14,15	0.16	0	17,19,21	0.47	0
4	NAG	c	1	4,1	14,14,15	0.41	0	17,19,21	1.17	1 (5%)
4	NAG	c	2	4	14,14,15	0.42	0	17,19,21	1.18	2 (11%)
4	NAG	d	1	4,1	14,14,15	0.28	0	17,19,21	0.62	0
4	NAG	d	2	4	14,14,15	0.42	0	17,19,21	1.16	2 (11%)
4	NAG	e	1	4,1	14,14,15	0.36	0	17,19,21	0.73	0
4	NAG	e	2	4	14,14,15	0.29	0	17,19,21	1.32	2 (11%)
4	NAG	f	1	4,1	14,14,15	0.70	1 (7%)	17,19,21	0.69	0
4	NAG	f	2	4	14,14,15	0.41	0	17,19,21	1.41	3 (17%)
4	NAG	g	1	4,1	14,14,15	0.25	0	17,19,21	0.67	1 (5%)
4	NAG	g	2	4	14,14,15	0.16	0	17,19,21	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	D	2	4	-	2/6/23/26	0/1/1/1
4	NAG	E	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	E	2	4	-	2/6/23/26	0/1/1/1
4	NAG	F	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	F	2	4	-	5/6/23/26	0/1/1/1
4	NAG	G	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	G	2	4	-	3/6/23/26	0/1/1/1
4	NAG	K	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	K	2	4	-	2/6/23/26	0/1/1/1
4	NAG	O	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	O	2	4	-	2/6/23/26	0/1/1/1
4	NAG	P	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	P	2	4	-	3/6/23/26	0/1/1/1
4	NAG	Q	1	4,1	-	2/6/23/26	0/1/1/1

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	Q	2	4	-	2/6/23/26	0/1/1/1
4	NAG	R	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	R	2	4	-	2/6/23/26	0/1/1/1
4	NAG	S	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	S	2	4	-	3/6/23/26	0/1/1/1
4	NAG	T	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	T	2	4	-	0/6/23/26	0/1/1/1
4	NAG	U	1	4,1	-	6/6/23/26	0/1/1/1
4	NAG	U	2	4	-	0/6/23/26	0/1/1/1
4	NAG	V	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	V	2	4	-	3/6/23/26	0/1/1/1
4	NAG	W	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	W	2	4	-	0/6/23/26	0/1/1/1
4	NAG	X	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	X	2	4	-	0/6/23/26	0/1/1/1
4	NAG	Y	1	4,1	-	6/6/23/26	0/1/1/1
4	NAG	Y	2	4	-	0/6/23/26	0/1/1/1
4	NAG	Z	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	Z	2	4	-	3/6/23/26	0/1/1/1
4	NAG	a	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	a	2	4	-	5/6/23/26	0/1/1/1
4	NAG	b	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	b	2	4	-	0/6/23/26	0/1/1/1
4	NAG	c	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	c	2	4	-	0/6/23/26	0/1/1/1
4	NAG	d	1	4,1	-	6/6/23/26	0/1/1/1
4	NAG	d	2	4	-	0/6/23/26	0/1/1/1
4	NAG	e	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	e	2	4	-	3/6/23/26	0/1/1/1
4	NAG	f	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	f	2	4	-	5/6/23/26	0/1/1/1
4	NAG	g	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	g	2	4	-	0/6/23/26	0/1/1/1

The worst 5 of 15 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	K	2	NAG	O5-C1	-7.18	1.32	1.43

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	2	NAG	O5-C1	-7.17	1.32	1.43
4	Q	2	NAG	O5-C1	-7.12	1.32	1.43
4	Q	2	NAG	C1-C2	-4.47	1.45	1.52
4	K	2	NAG	C1-C2	-4.42	1.45	1.52

The worst 5 of 40 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	f	2	NAG	C2-N2-C7	4.48	129.28	122.90
4	a	2	NAG	C2-N2-C7	4.43	129.22	122.90
4	F	2	NAG	C2-N2-C7	4.42	129.20	122.90
4	Z	2	NAG	C2-N2-C7	4.28	128.99	122.90
4	e	2	NAG	C2-N2-C7	4.28	128.99	122.90

There are no chirality outliers.


5 of 93 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	U	1	NAG	O5-C5-C6-O6
4	Y	1	NAG	O5-C5-C6-O6
4	d	1	NAG	O5-C5-C6-O6
4	D	2	NAG	O5-C5-C6-O6
4	K	2	NAG	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.










































































## 5.6 Ligand geometry [i](#)

33 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	NAG	C	1307	1	14,14,15	0.40	0	17,19,21	1.16	2 (11%)
5	NAG	B	1301	1	14,14,15	0.19	0	17,19,21	0.38	0
5	NAG	B	1303	1	14,14,15	0.41	0	17,19,21	1.18	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	NAG	A	1309	1	14,14,15	0.28	0	17,19,21	0.62	0
5	NAG	B	1307	1	14,14,15	0.83	1 (7%)	17,19,21	0.57	0
5	NAG	C	1303	1	14,14,15	0.41	0	17,19,21	1.17	2 (11%)
5	NAG	A	1310	1	14,14,15	0.51	0	17,19,21	0.35	0
5	NAG	B	1306	1	14,14,15	0.29	0	17,19,21	0.62	0
6	EIC	A	1312	-	19,19,19	0.57	0	19,19,19	0.96	0
5	NAG	C	1302	1	14,14,15	0.47	0	17,19,21	0.63	0
5	NAG	C	1310	1	14,14,15	0.51	0	17,19,21	0.35	0
5	NAG	A	1304	1	14,14,15	0.29	0	17,19,21	0.40	0
5	NAG	B	1304	1	14,14,15	0.31	0	17,19,21	0.40	0
5	NAG	B	1309	1	14,14,15	0.30	0	17,19,21	0.61	0
5	NAG	C	1304	1	14,14,15	0.31	0	17,19,21	0.39	0
5	NAG	A	1305	1	14,14,15	0.75	1 (7%)	17,19,21	0.59	0
5	NAG	C	1308	1	14,14,15	0.61	0	17,19,21	0.74	1 (5%)
5	NAG	A	1301	1	14,14,15	0.21	0	17,19,21	0.38	0
5	NAG	B	1302	1	14,14,15	0.46	0	17,19,21	0.61	0
5	NAG	B	1310	1	14,14,15	0.53	0	17,19,21	0.36	0
5	NAG	C	1309	1	14,14,15	0.28	0	17,19,21	0.62	0
5	NAG	B	1308	1	14,14,15	0.61	0	17,19,21	0.75	1 (5%)
5	NAG	A	1308	1	14,14,15	0.63	0	17,19,21	0.74	1 (5%)
6	EIC	B	1311	-	19,19,19	0.57	0	19,19,19	0.96	0
6	EIC	A	1311	-	19,19,19	0.55	0	19,19,19	0.99	0
5	NAG	A	1306	1	14,14,15	0.29	0	17,19,21	0.62	0
5	NAG	C	1301	1	14,14,15	0.21	0	17,19,21	0.38	0
5	NAG	A	1303	1	14,14,15	0.41	0	17,19,21	1.17	2 (11%)
5	NAG	B	1305	1	14,14,15	0.75	1 (7%)	17,19,21	0.60	0
5	NAG	C	1305	1	14,14,15	0.74	0	17,19,21	0.59	0
5	NAG	A	1307	1	14,14,15	0.86	1 (7%)	17,19,21	0.55	0
5	NAG	C	1306	1	14,14,15	0.29	0	17,19,21	0.63	0
5	NAG	A	1302	1	14,14,15	0.46	0	17,19,21	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	C	1307	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1301	1	-	2/6/23/26	0/1/1/1
5	NAG	B	1303	1	-	0/6/23/26	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	1309	1	-	4/6/23/26	0/1/1/1
5	NAG	B	1307	1	-	1/6/23/26	0/1/1/1
5	NAG	C	1303	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1310	1	-	2/6/23/26	0/1/1/1
5	NAG	B	1306	1	-	2/6/23/26	0/1/1/1
6	EIC	A	1312	-	-	7/17/17/17	-
5	NAG	C	1302	1	-	4/6/23/26	0/1/1/1
5	NAG	C	1310	1	-	2/6/23/26	0/1/1/1
5	NAG	A	1304	1	-	2/6/23/26	0/1/1/1
5	NAG	B	1304	1	-	2/6/23/26	0/1/1/1
5	NAG	B	1309	1	-	4/6/23/26	0/1/1/1
5	NAG	C	1304	1	-	2/6/23/26	0/1/1/1
5	NAG	A	1305	1	-	4/6/23/26	0/1/1/1
5	NAG	C	1308	1	-	2/6/23/26	0/1/1/1
5	NAG	A	1301	1	-	2/6/23/26	0/1/1/1
5	NAG	B	1302	1	-	3/6/23/26	0/1/1/1
5	NAG	B	1310	1	-	2/6/23/26	0/1/1/1
5	NAG	C	1309	1	-	4/6/23/26	0/1/1/1
5	NAG	B	1308	1	-	2/6/23/26	0/1/1/1
5	NAG	A	1308	1	-	2/6/23/26	0/1/1/1
6	EIC	B	1311	-	-	6/17/17/17	-
6	EIC	A	1311	-	-	11/17/17/17	-
5	NAG	A	1306	1	-	2/6/23/26	0/1/1/1
5	NAG	C	1301	1	-	2/6/23/26	0/1/1/1
5	NAG	A	1303	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1305	1	-	4/6/23/26	0/1/1/1
5	NAG	C	1305	1	-	4/6/23/26	0/1/1/1
5	NAG	A	1307	1	-	1/6/23/26	0/1/1/1
5	NAG	C	1306	1	-	2/6/23/26	0/1/1/1
5	NAG	A	1302	1	-	3/6/23/26	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1307	NAG	O5-C1	-2.84	1.39	1.43
5	B	1307	NAG	O5-C1	-2.70	1.39	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1305	NAG	C1-C2	2.03	1.55	1.52
5	B	1305	NAG	C1-C2	2.02	1.55	1.52

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	1303	NAG	C8-C7-N2	2.32	120.02	116.10
5	C	1307	NAG	C8-C7-N2	2.32	120.02	116.10
5	B	1303	NAG	C8-C7-N2	2.30	120.00	116.10
5	A	1303	NAG	C8-C7-N2	2.29	119.98	116.10
5	B	1308	NAG	C1-O5-C5	2.25	115.23	112.19

There are no chirality outliers.



5 of 90 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
5	A	1306	NAG	C8-C7-N2-C2
5	A	1306	NAG	O7-C7-N2-C2
5	A	1309	NAG	C8-C7-N2-C2
5	A	1309	NAG	O7-C7-N2-C2
5	B	1306	NAG	C8-C7-N2-C2



There are no ring outliers.

No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
































































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-32920. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 144



Y Index: 144




Z Index: 144


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 129



Y Index: 149




Z Index: 102


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.025. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 166 nm<sup>3</sup>; this corresponds to an approximate mass of 150 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of 0.370 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-32920 and PDB model 7X08. Per-residue inclusion information can be found in section 3 on page 10.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.025 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.025).

## 9.4 Atom inclusion [i](#)







































































At the recommended contour level, 70% of all backbone atoms, 65% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.025) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6510	 0.4580
A	 0.8590	 0.5880
B	 0.8700	 0.5880
C	 0.8690	 0.5860
D	 0.2500	 0.2500
E	 0.6070	 0.4790
F	 0.3210	 0.5030
G	 0.5360	 0.4310
H	 0.0780	 0.1200
I	 0.0920	 0.1100
J	 0.0860	 0.1060
K	 0.2500	 0.2200
L	 0.0690	 0.1070
M	 0.0470	 0.1040
N	 0.0610	 0.0970
O	 0.6070	 0.4680
P	 0.4640	 0.3490
Q	 0.1430	 0.1630
R	 0.7140	 0.5060
S	 0.4640	 0.4080
T	 0.2860	 0.2750
U	 0.2860	 0.1200
V	 0.3930	 0.3170
W	 0.4290	 0.3570
X	 0.2500	 0.2390
Y	 0.4290	 0.3580
Z	 0.5360	 0.4500
a	 0.3210	 0.3630
b	 0.4290	 0.3930
c	 0.2860	 0.2180
d	 0.3210	 0.2290
e	 0.5710	 0.3330
f	 0.2500	 0.3990
g	 0.4290	 0.3100

