



# Full wwPDB X-ray Structure Validation Report ⓘ

May 28, 2020 – 09:01 pm BST

PDB ID : 1X1Q  
Title : Crystal structure of tryptophan synthase beta chain from *Thermus thermophilus* HB8  
Authors : Asada, Y.; Kunishima, N.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)  
Deposited on : 2005-04-11  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	418	 3% 64% 25% • 8%
1	B	418	 5% 57% 25% • 15%

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5984 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called tryptophan synthase beta chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	385	2953	1882	521	541	1	8	8	0	0
1	B	354	2728	1742	476	502	1	7	5	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	MODIFIED RESIDUE	UNP P16609
A	15	MSE	MET	MODIFIED RESIDUE	UNP P16609
A	123	MSE	MET	MODIFIED RESIDUE	UNP P16609
A	156	MSE	MET	MODIFIED RESIDUE	UNP P16609
A	171	MSE	MET	MODIFIED RESIDUE	UNP P16609
A	221	MSE	MET	MODIFIED RESIDUE	UNP P16609
A	222	MSE	MET	MODIFIED RESIDUE	UNP P16609
A	308	MSE	MET	MODIFIED RESIDUE	UNP P16609
A	389	MSE	MET	MODIFIED RESIDUE	UNP P16609
A	411	MSE	MET	MODIFIED RESIDUE	UNP P16609
B	1	MSE	MET	MODIFIED RESIDUE	UNP P16609
B	15	MSE	MET	MODIFIED RESIDUE	UNP P16609
B	123	MSE	MET	MODIFIED RESIDUE	UNP P16609
B	156	MSE	MET	MODIFIED RESIDUE	UNP P16609
B	171	MSE	MET	MODIFIED RESIDUE	UNP P16609
B	221	MSE	MET	MODIFIED RESIDUE	UNP P16609
B	222	MSE	MET	MODIFIED RESIDUE	UNP P16609
B	308	MSE	MET	MODIFIED RESIDUE	UNP P16609
B	389	MSE	MET	MODIFIED RESIDUE	UNP P16609
B	411	MSE	MET	MODIFIED RESIDUE	UNP P16609

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Cl 1 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	174	Total O 174 174	0	0
3	B	128	Total O 128 128	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: tryptophan synthase beta chain



- Molecule 1: tryptophan synthase beta chain



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	92.19Å 109.99Å 74.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.60 – 2.50 29.60 – 2.49	Depositor EDS
% Data completeness (in resolution range)	99.6 (29.60-2.50) 98.9 (29.60-2.49)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	0.11	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.79 (at 2.48Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.201 , 0.245 0.202 , 0.245	Depositor DCC
$R_{free}$ test set	1371 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	33.2	Xtrriage
Anisotropy	0.284	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 57.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	5984	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.36% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.40	1/3009 (0.0%)	0.62	0/4062
1	B	0.40	1/2779 (0.0%)	0.62	0/3755
All	All	0.40	2/5788 (0.0%)	0.62	0/7817

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	199	TRP	NE1-CE2	9.12	1.49	1.37
1	A	199	TRP	NE1-CE2	8.94	1.49	1.37

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2953	0	2955	103	0
1	B	2728	0	2732	92	0
2	A	1	0	0	0	0
3	A	174	0	0	6	0
3	B	128	0	0	5	0
All	All	5984	0	5687	187	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (187) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:ARG:HH11	1:A:206:THR:HG21	1.10	1.13
1:A:42:LEU:HD23	1:A:200:ILE:HD11	1.06	1.04
1:A:42:LEU:CD2	1:A:200:ILE:HD11	1.88	1.02
1:A:127:ARG:NH1	1:A:206:THR:HG21	1.80	0.97
1:B:386:VAL:HA	1:B:389:MSE:HE3	1.43	0.97
1:A:42:LEU:HD23	1:A:200:ILE:CD1	1.94	0.96
1:A:271:GLU:HG3	1:A:272:GLY:H	1.44	0.82
1:A:409:GLU:HG3	1:A:412:ARG:HH22	1.48	0.78
1:A:290:ARG:HH11	1:A:290:ARG:HB3	1.48	0.77
1:A:127:ARG:HH11	1:A:206:THR:CG2	1.94	0.77
1:A:308:MSE:HE1	1:A:333:VAL:N	2.00	0.76
1:A:308:MSE:CE	1:A:334:GLY:H	1.98	0.75
1:B:188:LEU:H	1:B:188:LEU:HD23	1.52	0.75
1:B:156:MSE:O	1:B:180:PRO:HA	1.90	0.72
1:A:290:ARG:HA	1:A:311:LEU:HD12	1.71	0.71
1:A:78:THR:OG1	1:A:98:LYS:HE2	1.90	0.71
1:B:386:VAL:CA	1:B:389:MSE:HE3	2.22	0.69
1:B:258:ASN:HB3	3:B:483:HOH:O	1.94	0.67
1:B:166:LEU:HD21	1:B:170:ARG:NH2	2.10	0.67
1:A:384:LYS:HE2	3:A:1062:HOH:O	1.96	0.66
1:B:275:LYS:HD2	1:B:347:GLU:OE2	1.97	0.64
1:B:357:LEU:HD11	1:B:410:VAL:HG13	1.80	0.64
1:A:196:ILE:O	1:A:200:ILE:HG12	1.98	0.63
1:A:212:SER:OG	1:A:214:VAL:HG13	1.99	0.63
1:A:290:ARG:HB3	1:A:290:ARG:NH1	2.12	0.62
1:A:104:HIS:C	1:A:106:GLY:H	2.02	0.62
1:B:166:LEU:HD21	1:B:170:ARG:HH21	1.64	0.61
1:B:257:SER:O	1:B:260:ILE:HG22	2.00	0.61
1:A:271:GLU:HG3	1:A:272:GLY:N	2.14	0.61
1:B:352:THR:OG1	1:B:355:GLU:HG3	2.01	0.60
1:B:128:VAL:CG2	1:B:209:ILE:HG13	2.32	0.59
1:B:192:THR:HG22	1:B:327:GLY:HA3	1.84	0.59
1:A:354:GLU:O	1:A:358:GLU:HG3	2.02	0.59
1:A:409:GLU:HG3	1:A:412:ARG:NH2	2.16	0.59
1:A:164:GLN:O	1:A:168:VAL:HG23	2.03	0.59
1:B:17:THR:HA	1:B:63:LEU:HD13	1.85	0.58
1:A:308:MSE:HE3	1:A:334:GLY:H	1.67	0.58

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:100:GLU:HB2	1:A:399:LEU:O	2.04	0.57
1:B:155:TYR:CE2	1:B:179:ARG:HD2	2.40	0.57
1:B:357:LEU:HD21	1:B:414:LEU:HD21	1.85	0.57
1:B:116:GLN:HG2	1:B:222:MSE:HE3	1.86	0.56
1:B:163:ARG:HG3	1:B:164:GLN:HG2	1.87	0.56
1:A:390:ASP:HB2	1:A:393:GLN:HG3	1.88	0.56
1:B:406:ASP:O	1:B:410:VAL:HG23	2.06	0.56
1:B:386:VAL:N	1:B:387:PRO:HD2	2.21	0.55
1:A:257:SER:O	1:A:260:ILE:HG22	2.06	0.55
1:A:224:ARG:HD3	1:A:336:GLU:OE1	2.06	0.55
1:A:50:GLU:OE2	1:A:217:HIS:NE2	2.40	0.55
1:B:92:GLY:HA3	1:B:386:VAL:O	2.06	0.55
1:B:365:ARG:NH1	3:B:521:HOH:O	2.33	0.54
1:B:164:GLN:O	1:B:168:VAL:HG23	2.08	0.54
1:A:308:MSE:HE1	1:A:334:GLY:H	1.73	0.53
1:A:411:MSE:HE3	1:B:169:PHE:CD1	2.44	0.53
1:A:391:LYS:HD3	3:A:1107:HOH:O	2.07	0.53
1:B:42:LEU:HD21	1:B:199:TRP:CZ3	2.44	0.53
1:B:188:LEU:H	1:B:188:LEU:CD2	2.21	0.53
1:A:158:GLU:O	1:A:162:ARG:HD2	2.08	0.52
1:B:125:LYS:HE3	1:B:203:VAL:O	2.09	0.52
1:B:188:LEU:HD23	1:B:188:LEU:N	2.23	0.52
1:B:385:VAL:O	1:B:389:MSE:HG3	2.10	0.52
1:B:44:PRO:HG2	3:B:468:HOH:O	2.09	0.51
1:A:170:ARG:O	1:A:174:LEU:HD22	2.10	0.51
1:A:258:ASN:HB3	3:A:1092:HOH:O	2.10	0.51
1:A:277:ILE:HG21	1:A:381:TYR:CE2	2.46	0.51
1:B:156:MSE:HE2	1:B:160:ASP:HB3	1.93	0.51
1:B:219:TYR:O	1:B:223:VAL:HG23	2.10	0.51
1:B:196:ILE:O	1:B:200:ILE:HG12	2.11	0.51
1:A:113:THR:HG21	1:A:140:SER:OG	2.11	0.50
1:A:291:HIS:O	1:A:295:ILE:HG13	2.11	0.50
1:B:123:MSE:HE2	1:B:125:LYS:NZ	2.27	0.50
1:B:116:GLN:CG	1:B:222:MSE:HE3	2.41	0.50
1:B:42:LEU:HG	1:B:200:ILE:HD11	1.94	0.50
1:B:81:TYR:O	1:B:96:PHE:HA	2.11	0.50
1:A:24:PRO:HG3	1:A:221:MSE:HB2	1.94	0.50
1:A:308:MSE:HE1	1:A:333:VAL:H	1.77	0.50
1:B:217:HIS:ND1	1:B:218:PRO:HA	2.26	0.50
1:A:290:ARG:HH11	1:A:290:ARG:CB	2.20	0.49
1:A:166:LEU:HD11	1:B:407:VAL:HG13	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:42:LEU:CD1	1:B:328:LEU:HD21	2.41	0.49
1:A:252:ALA:O	1:A:258:ASN:ND2	2.46	0.49
1:B:402:ARG:HD2	1:B:404:ASP:OD2	2.13	0.49
1:A:246:PRO:O	1:A:274:PRO:HB3	2.12	0.49
1:A:178:VAL:O	1:A:180:PRO:HD3	2.12	0.49
1:A:414:LEU:HD12	1:A:415:GLY:N	2.28	0.49
1:B:218:PRO:HB2	1:B:221:MSE:HE2	1.94	0.49
1:B:85:ARG:HD3	1:B:366:LEU:O	2.13	0.49
1:A:155:TYR:CE2	1:A:194:GLU:HG3	2.47	0.49
1:A:214:VAL:HG22	1:A:214:VAL:O	2.12	0.49
1:A:308:MSE:CE	1:A:332:GLY:HA3	2.43	0.49
1:B:277:ILE:HG21	1:B:381:TYR:CE2	2.48	0.49
1:A:308:MSE:CE	1:A:333:VAL:H	2.25	0.49
1:A:414:LEU:HD12	1:A:415:GLY:H	1.78	0.49
1:B:38:VAL:CG1	1:B:42:LEU:HB3	2.43	0.48
1:A:255:GLY:N	3:A:1163:HOH:O	2.45	0.48
1:B:129:ILE:HD11	1:B:199:TRP:HB2	1.95	0.48
1:A:330:TYR:CD2	1:A:331:PRO:HD2	2.48	0.48
1:A:411:MSE:HB2	1:B:169:PHE:CD2	2.49	0.48
1:B:409:GLU:HG3	1:B:412:ARG:NH2	2.27	0.48
1:B:410:VAL:HG12	1:B:414:LEU:HD12	1.94	0.48
1:B:116:GLN:CD	1:B:222:MSE:HE3	2.34	0.48
1:B:48:GLU:OE2	1:B:48:GLU:HA	2.13	0.48
1:A:217:HIS:ND1	1:A:218:PRO:HA	2.29	0.48
1:A:308:MSE:HE1	1:A:332:GLY:C	2.34	0.48
1:B:224:ARG:HG3	1:B:336:GLU:OE1	2.13	0.48
1:B:390:ASP:HB3	1:B:392:ASP:OD1	2.14	0.48
1:A:411:MSE:SE	1:B:169:PHE:HB2	2.63	0.47
1:B:42:LEU:HD11	1:B:328:LEU:HD21	1.96	0.47
1:B:197:ARG:HH11	1:B:197:ARG:HG3	1.79	0.47
1:B:103:LEU:HD12	1:B:108:HIS:HA	1.95	0.47
1:B:271:GLU:HA	1:B:271:GLU:OE1	2.13	0.47
1:A:104:HIS:C	1:A:106:GLY:N	2.67	0.47
1:B:340:TYR:HB3	1:B:346:ALA:HB3	1.97	0.47
1:A:262:LEU:HD22	1:A:398:ASN:HB2	1.96	0.47
1:B:405:LYS:HG3	1:B:406:ASP:N	2.29	0.47
1:B:98:LYS:HE2	1:B:234:VAL:HG23	1.97	0.46
1:A:368:GLY:HA2	1:B:174:LEU:HD12	1.96	0.46
1:B:128:VAL:HG21	1:B:209:ILE:CD1	2.45	0.46
1:A:98:LYS:HD2	1:A:98:LYS:HA	1.61	0.45
1:B:160:ASP:HA	1:B:163:ARG:HG2	1.98	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:ARG:HB3	1:A:206:THR:HG22	1.99	0.45
1:B:409:GLU:HG3	1:B:412:ARG:HH22	1.80	0.45
1:B:131:GLU:OE1	1:B:208:TYR:OH	2.31	0.45
1:B:141:VAL:HG13	1:B:209:ILE:HD12	1.99	0.45
1:A:374:GLU:O	1:A:377:HIS:HB2	2.17	0.45
1:B:231:GLY:HA3	1:B:265:PRO:CG	2.48	0.44
1:A:412:ARG:C	1:A:414:LEU:H	2.20	0.44
1:A:184:GLY:HA3	1:A:190:ASP:OD2	2.18	0.44
1:A:308:MSE:HE1	1:A:332:GLY:HA3	2.00	0.44
1:A:386:VAL:N	1:A:387:PRO:CD	2.81	0.44
1:A:37:TYR:HB2	1:A:305:GLY:HA2	2.00	0.44
1:A:78:THR:O	1:A:98:LYS:HE3	2.18	0.43
1:A:330:TYR:CG	1:A:331:PRO:HD2	2.53	0.43
1:A:59:ASP:OD1	1:A:61:ALA:HB3	2.18	0.43
1:B:156:MSE:HB3	1:B:161:VAL:CG2	2.48	0.43
1:A:358:GLU:HB2	3:A:1039:HOH:O	2.18	0.43
1:B:212:SER:OG	1:B:214:VAL:HG22	2.18	0.43
1:A:146:ALA:O	1:B:85:ARG:NH1	2.46	0.43
1:B:18:LEU:HD22	1:B:19:PRO:HD2	2.00	0.43
1:A:260:ILE:CG2	1:A:261:GLY:N	2.82	0.43
1:A:308:MSE:HE1	1:A:332:GLY:CA	2.49	0.43
1:B:129:ILE:HG13	1:B:208:TYR:HD1	1.84	0.43
1:B:380:ALA:O	1:B:383:ALA:HB3	2.19	0.43
1:A:169:PHE:CZ	1:B:411:MSE:HA	2.53	0.43
1:A:273:ARG:HG2	1:A:274:PRO:O	2.19	0.43
1:B:260:ILE:HD11	1:B:336:GLU:HG2	2.01	0.43
1:A:241:LEU:HD23	1:A:242:PHE:CE2	2.54	0.42
1:A:333:VAL:CG1	1:A:333:VAL:O	2.67	0.42
1:A:158:GLU:HB3	1:A:162:ARG:HH11	1.84	0.42
1:A:24:PRO:HB3	1:A:30:PHE:CE1	2.54	0.42
1:A:406:ASP:O	1:A:410:VAL:HG23	2.19	0.42
1:B:249:LEU:HD23	1:B:396:VAL:HB	2.02	0.42
1:A:125:LYS:HE2	3:A:1099:HOH:O	2.18	0.42
1:B:224:ARG:HG2	1:B:260:ILE:HG13	2.02	0.42
1:A:203:VAL:HG13	1:A:204:ARG:N	2.34	0.42
1:A:28:GLY:HA3	1:A:217:HIS:CG	2.55	0.42
1:A:50:GLU:OE2	1:A:54:ARG:NH1	2.52	0.42
1:A:411:MSE:CE	1:B:169:PHE:HB2	2.49	0.42
1:B:233:GLU:O	1:B:237:GLN:HG3	2.20	0.42
1:A:181:VAL:HG21	1:A:191:ALA:HA	2.02	0.42
1:A:110:ILE:HA	1:A:113:THR:OG1	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:214:VAL:HG12	1:B:334:GLY:CA	2.50	0.41
1:B:371:PRO:O	1:B:403:GLY:HA3	2.20	0.41
1:B:50:GLU:OE2	1:B:54:ARG:NH1	2.52	0.41
1:A:37:TYR:HE1	1:A:307:TYR:HB2	1.86	0.41
1:A:303:LEU:HB2	1:A:310:LEU:HD21	2.02	0.41
1:A:162:ARG:N	1:A:162:ARG:HD2	2.35	0.41
1:A:308:MSE:CE	1:A:333:VAL:N	2.75	0.41
1:B:170:ARG:O	1:B:174:LEU:CD2	2.68	0.41
1:B:413:LEU:HD12	1:B:414:LEU:HG	2.02	0.41
1:A:19:PRO:O	1:A:57:LYS:NZ	2.51	0.41
1:A:92:GLY:HA3	1:A:386:VAL:O	2.21	0.41
1:B:54:ARG:HG3	3:B:467:HOH:O	2.19	0.41
1:B:37:TYR:C	1:B:37:TYR:CD1	2.94	0.41
1:A:33:TYR:CD2	1:A:308:MSE:HA	2.55	0.41
1:A:36:ARG:HG3	1:A:36:ARG:O	2.21	0.41
1:B:132:THR:HG23	1:B:156:MSE:HG3	2.02	0.41
1:B:66:LEU:O	1:B:70:LEU:HG	2.21	0.41
1:B:258:ASN:OD1	1:B:398:ASN:ND2	2.54	0.41
1:A:168:VAL:HG12	1:A:172:LYS:HE3	2.03	0.40
1:A:29:ARG:NH2	1:A:37:TYR:OH	2.49	0.40
1:A:59:ASP:HA	1:A:60:PRO:HD3	1.97	0.40
1:B:273:ARG:HG2	1:B:274:PRO:O	2.20	0.40
1:A:164:GLN:NE2	1:A:164:GLN:HA	2.36	0.40
1:A:43:ILE:O	1:A:47:GLU:HG2	2.22	0.40
1:B:36:ARG:HG2	3:B:443:HOH:O	2.21	0.40
1:A:168:VAL:HA	1:A:171:MSE:HE3	2.02	0.40
1:A:369:ILE:O	1:A:371:PRO:HD3	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	381/418 (91%)	361 (95%)	15 (4%)	5 (1%)	12	21
1	B	348/418 (83%)	332 (95%)	14 (4%)	2 (1%)	25	43
All	All	729/836 (87%)	693 (95%)	29 (4%)	7 (1%)	15	28

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	271	GLU
1	A	257	SER
1	A	105	THR
1	A	183	ALA
1	A	254	GLY
1	B	413	LEU
1	B	389	MSE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	296/311 (95%)	281 (95%)	15 (5%)	24	45
1	B	277/311 (89%)	265 (96%)	12 (4%)	29	53
All	All	573/622 (92%)	546 (95%)	27 (5%)	26	49

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	ARG
1	A	54	ARG
1	A	118	LEU
1	A	162	ARG
1	A	174	LEU
1	A	197	ARG
1	A	213	VAL
1	A	214	VAL
1	A	218	PRO

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	258	ASN
1	A	273	ARG
1	A	310	LEU
1	A	330	TYR
1	A	371	PRO
1	A	399	LEU
1	B	36	ARG
1	B	42	LEU
1	B	54	ARG
1	B	131	GLU
1	B	136	GLN
1	B	190	ASP
1	B	218	PRO
1	B	236	ARG
1	B	258	ASN
1	B	271	GLU
1	B	354	GLU
1	B	398	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	GLN
1	A	164	GLN
1	A	291	HIS
1	A	304	HIS
1	A	398	ASN
1	B	94	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	377/418 (90%)	-0.17	12 (3%) 47 51	15, 29, 55, 79	2 (0%)
1	B	347/418 (83%)	-0.02	20 (5%) 23 24	15, 31, 68, 90	1 (0%)
All	All	724/836 (86%)	-0.09	32 (4%) 34 37	15, 30, 62, 90	3 (0%)

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	190	ASP	7.4
1	A	285	GLY	6.0
1	B	189	LYS	5.8
1	B	282	ALA	5.5
1	B	188	LEU	5.2
1	A	286	LEU	4.3
1	B	191	ALA	4.0
1	B	272	GLY	3.8
1	A	187	THR	3.8
1	B	187	THR	3.7
1	A	414	LEU	3.7
1	A	284	GLU	3.4
1	B	270	PRO	3.4
1	B	271	GLU	3.3
1	B	281	ALA	3.1
1	B	357	LEU	3.0
1	A	312	TYR	2.7
1	B	162	ARG	2.7
1	B	325	SER	2.7
1	B	255	GLY	2.7
1	B	412	ARG	2.4
1	A	311	LEU	2.3
1	A	42	LEU	2.3
1	B	178	VAL	2.2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	414	LEU	2.2
1	B	399	LEU	2.2
1	A	255	GLY	2.2
1	A	412	ARG	2.1
1	B	323	SER	2.1
1	A	185	SER	2.1
1	A	283	GLY	2.1
1	B	413	LEU	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	CL	A	1001	1/1	0.99	0.18	30,30,30,30	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.