



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 16, 2023 – 12:59 AM EDT

PDB ID : 1XAE
Title : Crystal structure of wild type yellow fluorescent protein zFP538 from *Zoanthus*
Authors : Remington, S.J.; Wachter, R.M.; Yarbrough, D.K.; Branchaud, B.; Anderson, D.C.; Kallio, K.; Lukyanov, K.A.
Deposited on : 2004-08-25
Resolution : 2.70 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	229	 3% 37% 45% 15% ..
1	B	229	 3% 35% 45% 16% ..

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3616 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called fluorescent protein FP538.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	223	1766	1135	293	321	17	0	0	0
1	B	222	1759	1130	291	321	17	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	66	CH7	LYS	chromophore	UNP 6090875
A	66	CH7	TYR	chromophore	UNP 6090875
A	66	CH7	GLY	chromophore	UNP 6090875
B	66	CH7	LYS	chromophore	UNP 6090875
B	66	CH7	TYR	chromophore	UNP 6090875
B	66	CH7	GLY	chromophore	UNP 6090875

- Molecule 2 is BETA-MERCAPTOETHANOL (three-letter code: BME) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	S	0	0
			4	2	1	1		
2	B	1	Total	C	O	S	0	0
			4	2	1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	43	Total	O	0	0
			43	43		
3	B	40	Total	O	0	0
			40	40		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: fluorescent protein FP538



- Molecule 1: fluorescent protein FP538



4 Data and refinement statistics i

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	121.16Å 121.16Å 111.69Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	6.00 – 2.70 39.66 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.9 (6.00-2.70) 99.9 (39.66-2.60)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.30 (at 2.61Å)	Xtrriage
Refinement program	TNT 5E	Depositor
R, R_{free}	0.205 , 0.255 0.210 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	48.1	Xtrriage
Anisotropy	0.057	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 104.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.034 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3616	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CSO, NFA, CH7, BME

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.45	15/1761 (0.9%)	1.08	13/2375 (0.5%)
1	B	0.81	14/1754 (0.8%)	1.09	17/2368 (0.7%)
All	All	1.18	29/3515 (0.8%)	1.08	30/4743 (0.6%)

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	157	LYS	CB-CG	49.81	2.87	1.52
1	B	10	GLU	CD-OE2	6.23	1.32	1.25
1	A	10	GLU	CD-OE2	6.12	1.32	1.25
1	A	117	GLU	CD-OE2	6.05	1.32	1.25
1	A	150	GLU	CD-OE2	6.03	1.32	1.25
1	A	207	GLU	CD-OE2	5.87	1.32	1.25
1	A	196	GLU	CD-OE2	5.87	1.32	1.25
1	B	58	GLU	CD-OE2	5.86	1.32	1.25
1	B	196	GLU	CD-OE2	5.85	1.32	1.25
1	A	50	GLU	CD-OE2	5.79	1.32	1.25
1	A	74	GLU	CD-OE2	5.59	1.31	1.25
1	A	32	GLU	CD-OE2	5.53	1.31	1.25
1	B	117	GLU	CD-OE2	5.53	1.31	1.25
1	A	221	GLU	CD-OE2	5.52	1.31	1.25
1	A	146	GLU	CD-OE2	5.49	1.31	1.25
1	B	32	GLU	CD-OE2	5.49	1.31	1.25
1	B	19	GLU	CD-OE2	5.47	1.31	1.25
1	B	146	GLU	CD-OE2	5.37	1.31	1.25
1	B	221	GLU	CD-OE2	5.37	1.31	1.25
1	B	11	GLU	CD-OE2	5.35	1.31	1.25
1	A	11	GLU	CD-OE2	5.34	1.31	1.25
1	B	207	GLU	CD-OE2	5.30	1.31	1.25
1	B	50	GLU	CD-OE2	5.26	1.31	1.25
1	B	74	GLU	CD-OE2	5.26	1.31	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	100	GLU	CD-OE2	5.19	1.31	1.25
1	A	58	GLU	CD-OE2	5.13	1.31	1.25
1	A	19	GLU	CD-OE2	5.12	1.31	1.25
1	B	100	GLU	CD-OE2	5.08	1.31	1.25
1	B	150	GLU	CD-OE2	5.07	1.31	1.25

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	226	PHE	C-N-CD	-7.24	104.67	120.60
1	A	101	ASP	CB-CG-OD2	-7.00	112.00	118.30
1	B	208	ASP	CB-CG-OD2	-6.87	112.12	118.30
1	B	69	ASP	CB-CG-OD2	-6.79	112.19	118.30
1	B	173	ASP	CB-CG-OD2	-6.47	112.47	118.30
1	B	101	ASP	CB-CG-OD2	-6.42	112.52	118.30
1	B	182	ASP	CB-CG-OD2	-6.37	112.57	118.30
1	A	81	ASP	CB-CG-OD2	-6.36	112.57	118.30
1	B	178	ARG	NE-CZ-NH1	6.22	123.41	120.30
1	A	182	ASP	CB-CG-OD2	-6.20	112.72	118.30
1	A	182	ASP	CB-CG-OD1	6.12	123.81	118.30
1	B	110	ASP	CB-CG-OD2	-6.07	112.83	118.30
1	A	208	ASP	CB-CG-OD2	-6.06	112.85	118.30
1	A	69	ASP	CB-CG-OD2	-6.03	112.88	118.30
1	B	208	ASP	CB-CG-OD1	5.94	123.64	118.30
1	B	81	ASP	CB-CG-OD2	-5.89	113.00	118.30
1	A	78	ASP	CB-CG-OD2	-5.87	113.02	118.30
1	A	59	ASP	CB-CG-OD2	-5.77	113.11	118.30
1	B	81	ASP	CB-CG-OD1	5.70	123.43	118.30
1	B	110	ASP	CB-CG-OD1	5.66	123.39	118.30
1	A	81	ASP	CB-CG-OD1	5.63	123.37	118.30
1	B	182	ASP	CB-CG-OD1	5.62	123.36	118.30
1	B	69	ASP	CB-CG-OD1	5.57	123.31	118.30
1	A	59	ASP	CB-CG-OD1	5.57	123.31	118.30
1	A	78	ASP	CB-CG-OD1	5.37	123.13	118.30
1	B	59	ASP	CB-CG-OD2	-5.35	113.49	118.30
1	A	101	ASP	CB-CG-OD1	5.29	123.06	118.30
1	B	78	ASP	CB-CG-OD2	-5.24	113.59	118.30
1	A	208	ASP	CB-CG-OD1	5.20	122.98	118.30
1	B	59	ASP	CB-CG-OD1	5.06	122.85	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1766	0	1687	148	0
1	B	1759	0	1672	150	0
2	A	4	0	5	1	0
2	B	4	0	5	0	0
3	A	43	0	0	4	0
3	B	40	0	0	6	0
All	All	3616	0	3369	297	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 43.

All (297) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:76:PRO:HG2	1:B:79:ILE:HD12	1.18	1.16
1:A:28:VAL:HB	1:A:50:GLU:HB2	1.25	1.16
1:B:141:MET:HE3	1:B:172:LYS:HG3	1.33	1.09
1:A:76:PRO:HG2	1:A:79:ILE:HG13	1.42	1.00
1:A:62:SER:HB3	1:A:204:LEU:HD21	1.48	0.95
1:B:8:LEU:HD22	1:B:12:MET:HE1	1.47	0.94
1:B:160:ILE:HG22	1:B:186:LYS:HB2	1.51	0.91
1:A:28:VAL:HG12	1:A:49:ILE:HG12	1.51	0.91
1:A:97:PHE:HB2	1:A:105:CYS:HB2	1.54	0.89
1:B:209:ARG:HG2	1:B:209:ARG:HH11	1.35	0.89
1:B:109:VAL:HG22	1:B:124:SER:HB3	1.55	0.88
1:A:28:VAL:HB	1:A:50:GLU:CB	2.05	0.86
1:A:209:ARG:HG2	1:A:209:ARG:HH11	1.40	0.86
1:B:150:GLU:HB2	1:B:165:VAL:HB	1.58	0.85
1:B:14:MET:HE1	1:B:35:GLY:HA3	1.58	0.83
1:B:28:VAL:HB	1:B:50:GLU:HB2	1.59	0.83
1:A:6:HIS:HB3	1:A:87:CYS:HB2	1.60	0.82
1:A:76:PRO:HG2	1:A:79:ILE:CG1	2.08	0.82
1:B:160:ILE:CG2	1:B:186:LYS:HB2	2.10	0.81
1:A:111:ILE:HD12	1:A:122:HIS:HD2	1.46	0.81
1:B:111:ILE:HD13	1:B:122:HIS:HD2	1.44	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:23:ASN:HD21	1:B:131:PHE:HB2	1.47	0.79
1:A:66:CH7:NZ	1:A:66:CH7:HA31	1.96	0.79
1:A:112:THR:HG22	1:A:188:LYS:HZ3	1.46	0.79
1:B:111:ILE:HD13	1:B:122:HIS:CD2	2.18	0.78
1:B:209:ARG:HG2	1:B:209:ARG:NH1	1.96	0.78
1:B:76:PRO:CG	1:B:79:ILE:HD12	2.06	0.77
1:A:9:LYS:H	1:A:12:MET:CE	1.98	0.77
1:A:8:LEU:CD1	1:A:84:LYS:HG2	2.15	0.77
1:B:13:THR:HG22	1:B:34:ILE:HD13	1.67	0.76
1:A:209:ARG:HG2	1:A:209:ARG:NH1	1.97	0.76
1:A:112:THR:HG22	1:A:188:LYS:NZ	1.99	0.75
1:B:23:ASN:ND2	1:B:131:PHE:HB2	2.01	0.75
1:B:9:LYS:HG3	1:B:118:ASN:OD1	1.86	0.75
1:A:14:MET:HE1	1:A:35:GLY:HA3	1.69	0.74
1:B:98:LEU:HD22	3:B:590:HOH:O	1.87	0.74
1:A:154:PRO:HG3	1:A:195:PRO:O	1.89	0.72
1:B:8:LEU:CD2	1:B:12:MET:HE1	2.19	0.72
1:A:145:TRP:CZ3	1:A:167:MET:HB3	2.24	0.72
1:B:92:THR:HG22	1:B:110:ASP:HA	1.71	0.72
1:A:109:VAL:HG22	1:A:124:SER:HB3	1.72	0.72
1:B:66:CH7:HG1	1:B:221:GLU:HB2	1.71	0.71
1:B:66:CH7:NZ	1:B:66:CH7:HA31	2.04	0.71
1:A:160:ILE:HG22	1:A:186:LYS:HA	1.72	0.71
1:A:191:PRO:HB2	1:A:194:MET:HE3	1.73	0.70
1:B:76:PRO:HG2	1:B:79:ILE:CD1	2.11	0.70
1:A:151:LYS:HE3	1:A:197:TRP:CE3	2.26	0.69
1:A:111:ILE:HD12	1:A:122:HIS:CD2	2.28	0.69
1:A:11:GLU:HG3	1:A:36:TYR:CZ	2.27	0.69
1:B:150:GLU:HB3	1:B:202:HIS:HE1	1.56	0.69
1:B:100:GLU:HG2	1:B:177:TYR:CE1	2.27	0.69
1:B:207:GLU:HG2	1:B:209:ARG:CD	2.24	0.68
1:A:11:GLU:HG3	1:A:36:TYR:CE2	2.29	0.67
1:B:130:ASN:O	1:B:132:PRO:HD3	1.95	0.66
1:B:202:HIS:HB3	1:B:221:GLU:OE2	1.95	0.66
1:B:168:TYR:CE2	1:B:178:ARG:HG3	2.31	0.65
1:A:82:TYR:HE1	1:A:194:MET:HE1	1.60	0.65
1:A:130:ASN:O	1:A:132:PRO:HD3	1.96	0.65
1:B:11:GLU:HG3	1:B:36:TYR:CE2	2.31	0.65
1:A:8:LEU:HA	1:A:12:MET:HE1	1.77	0.65
1:A:28:VAL:CG1	1:A:49:ILE:HG12	2.27	0.65
1:B:13:THR:CG2	1:B:34:ILE:HD13	2.26	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:66:CH7:HD1	1:B:66:CH7:N2	2.10	0.65
1:A:113:VAL:HG11	2:A:587:BME:H12	1.79	0.64
1:B:101:ASP:OD1	1:B:132:PRO:HG2	1.97	0.64
1:B:14:MET:HE1	1:B:35:GLY:CA	2.26	0.64
1:B:209:ARG:O	1:B:216:LYS:NZ	2.30	0.64
1:A:6:HIS:CE1	1:A:85:ASN:HA	2.32	0.64
1:A:54:LEU:O	1:A:140:LYS:NZ	2.30	0.64
1:A:58:GLU:OE1	1:A:206:ARG:HD2	1.97	0.63
1:A:8:LEU:HD23	1:A:12:MET:HE3	1.80	0.63
1:A:21:CSO:HA	1:A:25:HIS:O	1.99	0.63
1:A:10:GLU:O	1:A:37:PRO:HD2	1.99	0.63
1:B:54:LEU:O	1:B:140:LYS:NZ	2.32	0.63
1:A:82:TYR:CE1	1:A:194:MET:HE1	2.34	0.62
1:B:82:TYR:HE1	1:B:194:MET:HE1	1.65	0.62
1:A:8:LEU:HD13	1:A:84:LYS:HG2	1.82	0.61
1:A:158:GLN:HB3	1:A:160:ILE:HG13	1.81	0.61
1:A:8:LEU:HD11	1:A:84:LYS:HG2	1.82	0.61
1:B:208:ASP:O	1:B:209:ARG:HD2	2.00	0.61
1:A:66:CH7:N2	1:A:66:CH7:HD1	2.13	0.61
1:A:35:GLY:HA3	1:A:72:PHE:CE2	2.36	0.60
1:A:70:ARG:HA	1:A:70:ARG:NE	2.16	0.60
1:A:8:LEU:HA	1:A:12:MET:CE	2.31	0.60
1:A:9:LYS:H	1:A:12:MET:HE2	1.66	0.60
1:B:204:LEU:HB2	1:B:221:GLU:HG3	1.83	0.60
1:B:11:GLU:HB2	1:B:36:TYR:HE2	1.64	0.60
1:B:209:ARG:HH11	1:B:209:ARG:CG	2.13	0.60
1:B:210:SER:HB3	1:B:215:GLN:HA	1.83	0.60
1:A:101:ASP:OD1	1:A:132:PRO:HG2	2.01	0.60
1:A:111:ILE:CD1	1:A:122:HIS:HD2	2.14	0.60
1:A:207:GLU:CD	1:A:209:ARG:HE	2.05	0.59
1:B:186:LYS:HG2	3:B:618:HOH:O	2.01	0.59
1:A:207:GLU:O	1:A:209:ARG:HD2	2.02	0.59
1:A:155:VAL:HG12	1:A:158:GLN:HB2	1.84	0.59
1:B:141:MET:HA	1:B:172:LYS:HE3	1.85	0.58
1:B:46:LEU:HD11	1:B:219:LEU:HD12	1.85	0.58
1:B:42:GLN:HE22	1:B:72:PHE:HB2	1.68	0.58
1:B:10:GLU:O	1:B:37:PRO:HD2	2.03	0.58
1:B:6:HIS:HE1	1:B:85:ASN:ND2	2.01	0.57
1:A:150:GLU:HB2	1:A:165:VAL:HB	1.86	0.57
1:B:11:GLU:HB2	1:B:36:TYR:CE2	2.39	0.57
1:A:160:ILE:CG2	1:A:186:LYS:HG3	2.35	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:145:TRP:CZ3	1:B:167:MET:HB3	2.39	0.57
1:B:46:LEU:HD13	1:B:217:TRP:NE1	2.20	0.57
1:B:141:MET:O	1:B:172:LYS:HG2	2.05	0.56
1:A:168:TYR:CZ	1:A:178:ARG:HD2	2.40	0.56
1:A:208:ASP:O	1:A:209:ARG:HD2	2.05	0.56
1:B:13:THR:O	1:B:119:CYS:HA	2.05	0.56
1:B:80:VAL:HB	1:B:195:PRO:HB3	1.87	0.56
1:A:14:MET:HB2	1:A:122:HIS:HE1	1.71	0.56
1:B:9:LYS:O	1:B:37:PRO:HG2	2.06	0.56
1:A:150:GLU:HB3	1:A:202:HIS:HE1	1.71	0.56
1:B:136:PRO:HB3	1:B:171:LEU:HD22	1.89	0.55
1:B:12:MET:CE	1:B:37:PRO:HG3	2.36	0.55
1:A:76:PRO:HG2	1:A:79:ILE:CD1	2.37	0.55
1:A:11:GLU:HB2	1:A:36:TYR:HE2	1.71	0.55
1:A:36:TYR:HB2	1:A:39:LYS:HB2	1.89	0.55
1:A:82:TYR:CG	1:A:161:LEU:HD22	2.42	0.55
1:A:214:ASN:HB3	1:A:216:LYS:HD3	1.88	0.54
1:B:151:LYS:HE3	1:B:197:TRP:CE3	2.42	0.54
1:B:81:ASP:OD2	1:B:84:LYS:HG3	2.07	0.54
1:A:9:LYS:O	1:A:37:PRO:HG2	2.08	0.54
1:B:53:PRO:HA	1:B:215:GLN:OE1	2.08	0.54
1:A:156:PRO:O	1:A:157:LYS:HB2	2.08	0.54
1:B:162:LYS:HE2	3:B:592:HOH:O	2.07	0.54
1:B:222:HIS:CE1	1:B:224:ILE:HD11	2.43	0.54
1:A:155:VAL:CG2	1:A:160:ILE:HD12	2.38	0.53
1:B:28:VAL:HG11	1:B:49:ILE:HD11	1.90	0.53
1:A:136:PRO:HB3	1:A:171:LEU:HD22	1.89	0.53
1:A:82:TYR:CD2	1:A:161:LEU:HD22	2.43	0.53
1:B:28:VAL:HG12	1:B:49:ILE:HG13	1.91	0.53
1:B:70:ARG:NE	1:B:70:ARG:HA	2.24	0.53
1:B:111:ILE:CD1	1:B:122:HIS:HD2	2.18	0.53
1:B:155:VAL:HG21	1:B:160:ILE:HD12	1.91	0.53
1:A:93:TRP:CZ2	1:A:109:VAL:HG21	2.42	0.53
1:A:11:GLU:HB2	1:A:36:TYR:CE2	2.44	0.52
1:A:136:PRO:O	1:A:141:MET:N	2.36	0.52
1:B:8:LEU:HB3	1:B:12:MET:HE1	1.90	0.52
1:B:202:HIS:ND1	1:B:202:HIS:N	2.58	0.52
1:A:157:LYS:CB	1:A:157:LYS:CG	2.87	0.52
1:A:14:MET:HE1	1:A:35:GLY:CA	2.39	0.52
1:A:155:VAL:HG21	1:A:160:ILE:CD1	2.40	0.52
1:B:35:GLY:HA3	1:B:72:PHE:CE2	2.45	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:158:GLN:HB3	1:B:160:ILE:HG13	1.90	0.52
1:A:15:LYS:NZ	1:A:32:GLU:HB3	2.24	0.52
1:A:8:LEU:HD23	1:A:12:MET:CE	2.38	0.52
1:B:12:MET:HE3	1:B:37:PRO:HG3	1.90	0.52
1:A:6:HIS:HB3	1:A:87:CYS:CB	2.35	0.52
1:B:82:TYR:CE1	1:B:194:MET:HE1	2.44	0.52
1:A:198:HIS:HB2	1:A:226:PHE:O	2.10	0.52
1:B:28:VAL:CG1	1:B:49:ILE:HD11	2.40	0.52
1:A:136:PRO:HA	1:A:141:MET:HB2	1.92	0.51
1:A:221:GLU:HG2	1:A:222:HIS:N	2.25	0.51
1:A:141:MET:HE3	1:A:172:LYS:HG3	1.93	0.51
1:B:8:LEU:HD22	1:B:12:MET:CE	2.31	0.51
1:B:21:CSO:SG	1:B:24:GLY:HA2	2.50	0.51
1:A:25:HIS:NE2	1:A:51:GLY:O	2.36	0.51
1:A:207:GLU:OE2	1:A:209:ARG:NE	2.43	0.51
1:A:136:PRO:CB	1:A:171:LEU:HD22	2.41	0.50
1:B:23:ASN:HD21	1:B:131:PHE:CB	2.22	0.50
1:B:91:TYR:N	1:B:188:LYS:HD2	2.25	0.50
1:B:222:HIS:HE1	3:B:627:HOH:O	1.95	0.50
1:B:222:HIS:NE2	1:B:224:ILE:HD11	2.26	0.50
1:B:150:GLU:HB3	1:B:202:HIS:CE1	2.42	0.50
1:A:36:TYR:CB	1:A:39:LYS:HB2	2.42	0.50
1:A:155:VAL:HG21	1:A:160:ILE:HD12	1.94	0.50
1:B:74:GLU:HG2	1:B:224:ILE:HG23	1.93	0.50
1:A:70:ARG:HA	1:A:70:ARG:CZ	2.42	0.50
1:A:114:SER:HB3	1:A:117:GLU:HB2	1.94	0.50
1:B:97:PHE:HB2	1:B:105:CYS:HB2	1.94	0.50
1:B:6:HIS:CE1	1:B:85:ASN:ND2	2.79	0.49
1:B:207:GLU:OE2	1:B:209:ARG:NE	2.28	0.49
1:A:57:SER:HB3	1:A:137:VAL:HA	1.93	0.49
1:B:99:PHE:HB3	1:B:177:TYR:OH	2.12	0.49
1:B:55:PRO:HD2	1:B:56:PHE:CE2	2.47	0.49
1:A:14:MET:HB2	1:A:122:HIS:CE1	2.47	0.49
1:A:13:THR:O	1:A:119:CYS:HA	2.12	0.49
1:A:191:PRO:CB	1:A:194:MET:HE3	2.42	0.48
1:B:198:HIS:HB2	1:B:226:PHE:O	2.14	0.48
1:A:38:PHE:HB2	3:A:592:HOH:O	2.13	0.48
1:B:116:LYS:HG3	1:B:117:GLU:HG2	1.94	0.48
1:A:114:SER:O	1:A:118:ASN:N	2.47	0.48
1:A:220:THR:HG22	1:A:220:THR:O	2.13	0.48
1:B:100:GLU:HG2	1:B:177:TYR:CD1	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:140:LYS:O	1:A:172:LYS:NZ	2.30	0.48
1:B:29:ILE:HD13	1:B:217:TRP:HH2	1.79	0.47
1:B:42:GLN:NE2	1:B:72:PHE:HB2	2.29	0.47
1:B:82:TYR:CE1	1:B:194:MET:CE	2.97	0.47
1:B:191:PRO:HB2	1:B:194:MET:HE3	1.95	0.47
1:A:191:PRO:CG	1:A:194:MET:HE1	2.45	0.47
1:A:82:TYR:CE1	1:A:194:MET:CE	2.98	0.47
1:B:125:ILE:O	1:B:125:ILE:HG22	2.15	0.47
1:A:209:ARG:HH11	1:A:209:ARG:CG	2.16	0.47
1:A:75:TYR:HA	1:A:225:ALA:HB3	1.97	0.46
1:A:103:ALA:HB2	1:A:131:PHE:HA	1.97	0.46
1:A:12:MET:O	1:A:34:ILE:HA	2.15	0.46
1:A:11:GLU:CB	1:A:36:TYR:CE2	2.99	0.46
1:A:104:VAL:HG12	1:B:106:ILE:HD11	1.97	0.46
1:A:168:TYR:CE2	1:A:178:ARG:HD2	2.50	0.46
1:B:17:HIS:HD2	1:B:30:THR:HG22	1.80	0.46
1:A:171:LEU:HD21	1:A:177:TYR:HB2	1.98	0.46
1:A:93:TRP:CZ2	1:A:109:VAL:CG2	2.99	0.46
1:A:144:ASN:OD1	1:A:205:LEU:HA	2.16	0.46
1:B:204:LEU:HB2	1:B:221:GLU:CG	2.46	0.46
1:A:95:ARG:HB2	1:A:183:THR:HG23	1.96	0.46
1:A:196:GLU:O	1:A:197:TRP:C	2.55	0.46
1:B:11:GLU:CB	1:B:36:TYR:CE2	2.99	0.46
1:B:28:VAL:HG12	1:B:49:ILE:CG1	2.46	0.45
1:A:135:GLY:HA3	3:A:596:HOH:O	2.16	0.45
1:B:11:GLU:CG	1:B:36:TYR:CE2	2.99	0.45
1:A:53:PRO:HA	1:A:215:GLN:OE1	2.16	0.45
1:A:109:VAL:HG22	1:A:124:SER:CB	2.45	0.45
1:A:203:LYS:O	1:A:221:GLU:HA	2.16	0.45
1:A:191:PRO:HG2	1:A:194:MET:HE1	1.99	0.45
1:B:191:PRO:CG	1:B:194:MET:HE1	2.47	0.45
1:A:52:GLY:HA2	1:A:53:PRO:C	2.36	0.45
1:B:49:ILE:O	1:B:50:GLU:HG3	2.17	0.44
1:A:6:HIS:N	3:A:614:HOH:O	2.50	0.44
1:A:11:GLU:CG	1:A:36:TYR:CE2	2.99	0.44
1:A:103:ALA:CB	1:A:131:PHE:CD2	3.00	0.44
1:A:9:LYS:HB2	1:A:12:MET:SD	2.58	0.44
1:A:145:TRP:CE3	1:A:167:MET:HB3	2.52	0.44
1:B:97:PHE:CD1	1:B:97:PHE:N	2.86	0.44
1:A:82:TYR:CD1	1:A:194:MET:HE2	2.52	0.44
1:B:47:CSO:O	1:B:49:ILE:HG23	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:35:GLY:HA3	1:A:72:PHE:HE2	1.82	0.44
1:A:91:TYR:N	1:A:188:LYS:HD2	2.33	0.43
1:A:222:HIS:CE1	1:A:224:ILE:HD11	2.53	0.43
1:B:158:GLN:HB3	1:B:160:ILE:CG1	2.48	0.43
1:B:70:ARG:HB2	1:B:83:PHE:CD2	2.53	0.43
1:B:91:TYR:CB	1:B:187:ALA:HA	2.48	0.43
1:A:211:ASP:HB2	1:A:212:ALA:H	1.28	0.43
1:A:74:GLU:O	1:A:74:GLU:HG2	2.18	0.43
1:A:141:MET:CE	1:A:172:LYS:HG3	2.48	0.43
1:B:100:GLU:CG	1:B:177:TYR:CE1	2.99	0.43
1:A:9:LYS:H	1:A:12:MET:HE1	1.79	0.43
1:B:82:TYR:CD1	1:B:194:MET:HE2	2.54	0.43
1:B:14:MET:HB2	1:B:122:HIS:CE1	2.52	0.43
1:B:56:PHE:CD2	1:B:56:PHE:N	2.87	0.43
1:B:8:LEU:HD12	1:B:84:LYS:HD3	2.00	0.43
1:A:13:THR:HA	1:A:33:GLY:O	2.19	0.43
1:B:91:TYR:HB2	1:B:187:ALA:HA	2.00	0.43
1:B:116:LYS:CG	1:B:117:GLU:HG2	2.49	0.43
1:B:25:HIS:NE2	1:B:51:GLY:O	2.52	0.42
1:B:197:TRP:CZ3	1:B:199:PHE:CZ	3.07	0.42
1:A:46:LEU:HD11	1:A:219:LEU:HD12	2.01	0.42
1:A:161:LEU:HB2	1:A:185:TYR:HB2	2.01	0.42
1:A:165:VAL:HG12	1:A:181:PHE:HB2	2.01	0.42
1:B:42:GLN:O	1:B:220:THR:HA	2.19	0.42
1:B:98:LEU:HD12	1:B:98:LEU:HA	1.78	0.42
1:A:14:MET:HG3	1:A:16:TYR:OH	2.20	0.42
1:A:82:TYR:HD1	1:A:194:MET:HE2	1.85	0.42
1:A:20:GLY:HA3	1:A:27:PHE:CZ	2.55	0.42
1:A:57:SER:O	1:A:60:ILE:HG12	2.20	0.42
1:A:145:TRP:CZ3	1:A:167:MET:CB	3.00	0.42
1:B:11:GLU:HG2	1:B:12:MET:N	2.34	0.42
1:B:65:NFA:O	1:B:66:CH7:NZ	2.53	0.42
1:B:183:THR:HG22	1:B:184:VAL:N	2.35	0.42
1:A:165:VAL:CG1	1:A:181:PHE:HB2	2.50	0.42
1:B:48:VAL:HG23	1:B:217:TRP:HZ3	1.85	0.42
1:B:55:PRO:HD2	1:B:56:PHE:CD2	2.55	0.42
1:B:189:SER:HB2	3:B:608:HOH:O	2.19	0.42
1:B:206:ARG:HB2	1:B:219:LEU:CD2	2.50	0.42
1:B:162:LYS:HE2	1:B:162:LYS:HB3	1.71	0.42
1:B:127:ASN:ND2	3:B:598:HOH:O	2.29	0.41
1:B:14:MET:HB2	1:B:122:HIS:HE1	1.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:155:VAL:CG2	1:B:162:LYS:CG	2.98	0.41
1:B:8:LEU:CB	1:B:12:MET:HE1	2.50	0.41
1:B:29:ILE:HD13	1:B:217:TRP:CH2	2.54	0.41
1:B:114:SER:O	1:B:118:ASN:N	2.53	0.41
1:B:80:VAL:HB	1:B:195:PRO:CB	2.50	0.41
1:B:190:VAL:HA	1:B:191:PRO:HD3	1.91	0.41
1:A:9:LYS:HA	1:A:9:LYS:HD2	1.80	0.41
1:A:69:ASP:HB2	3:A:595:HOH:O	2.20	0.41
1:A:104:VAL:O	1:A:128:GLY:HA2	2.20	0.41
1:B:171:LEU:HG	1:B:175:GLY:O	2.19	0.41
1:B:70:ARG:CB	1:B:83:PHE:CD2	3.04	0.41
1:A:82:TYR:CG	1:A:161:LEU:CD2	3.04	0.41
1:A:191:PRO:HG2	1:A:194:MET:CE	2.50	0.41
1:B:103:ALA:CB	1:B:131:PHE:CD2	3.04	0.41
1:B:145:TRP:CE3	1:B:167:MET:HB3	2.56	0.41
1:A:167:MET:HG3	1:A:181:PHE:CZ	2.56	0.41
1:B:66:CH7:CG	1:B:221:GLU:HB2	2.45	0.41
1:B:82:TYR:HE1	1:B:194:MET:CE	2.32	0.40
1:B:191:PRO:CB	1:B:194:MET:CE	2.99	0.40
1:B:152:ILE:HG13	1:B:200:ILE:HG13	2.03	0.40
1:A:161:LEU:HD12	1:A:161:LEU:HA	1.92	0.40
1:B:12:MET:HE2	1:B:37:PRO:CG	2.51	0.40
1:A:191:PRO:CB	1:A:194:MET:CE	3.00	0.40
1:B:16:TYR:O	1:B:30:THR:HA	2.21	0.40
1:B:105:CYS:HA	1:B:127:ASN:O	2.22	0.40
1:B:207:GLU:HG2	1:B:209:ARG:HD2	2.00	0.40
1:A:112:THR:CG2	1:A:188:LYS:NZ	2.80	0.40
1:A:129:MET:HE2	1:A:129:MET:HB2	1.90	0.40
1:B:36:TYR:HB2	1:B:39:LYS:HB2	2.03	0.40
1:B:100:GLU:HG2	1:B:177:TYR:HE1	1.83	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	216/229 (94%)	204 (94%)	11 (5%)	1 (0%)	29	54
1	B	215/229 (94%)	207 (96%)	6 (3%)	2 (1%)	17	40
All	All	431/458 (94%)	411 (95%)	17 (4%)	3 (1%)	22	46

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	115	VAL
1	B	212	ALA
1	B	227	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	182/194 (94%)	154 (85%)	28 (15%)	2	7
1	B	181/194 (93%)	145 (80%)	36 (20%)	1	3
All	All	363/388 (94%)	299 (82%)	64 (18%)	2	4

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	LYS
1	A	10	GLU
1	A	14	MET
1	A	15	LYS
1	A	32	GLU
1	A	44	ILE
1	A	49	ILE
1	A	57	SER
1	A	78	ASP
1	A	100	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	108	ASN
1	A	114	SER
1	A	129	MET
1	A	144	ASN
1	A	153	MET
1	A	158	GLN
1	A	161	LEU
1	A	162	LYS
1	A	171	LEU
1	A	183	THR
1	A	189	SER
1	A	202	HIS
1	A	209	ARG
1	A	211	ASP
1	A	216	LYS
1	A	218	GLN
1	A	220	THR
1	A	222	HIS
1	B	10	GLU
1	B	13	THR
1	B	14	MET
1	B	44	ILE
1	B	46	LEU
1	B	57	SER
1	B	58	GLU
1	B	86	SER
1	B	97	PHE
1	B	98	LEU
1	B	111	ILE
1	B	112	THR
1	B	116	LYS
1	B	119	CYS
1	B	124	SER
1	B	138	MET
1	B	150	GLU
1	B	153	MET
1	B	158	GLN
1	B	160	ILE
1	B	162	LYS
1	B	172	LYS
1	B	173	ASP
1	B	176	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	186	LYS
1	B	196	GLU
1	B	202	HIS
1	B	203	LYS
1	B	204	LEU
1	B	209	ARG
1	B	210	SER
1	B	211	ASP
1	B	216	LYS
1	B	218	GLN
1	B	220	THR
1	B	221	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	HIS
1	A	85	ASN
1	A	118	ASN
1	A	158	GLN
1	A	180	GLN
1	A	202	HIS
1	B	6	HIS
1	B	17	HIS
1	B	42	GLN
1	B	85	ASN
1	B	180	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CSO	B	47	1	3,6,7	0.94	0	0,6,8	-	-
1	CH7	A	66	1	23,25,26	2.43	11 (47%)	28,34,36	1.46	4 (14%)
1	NFA	B	65	1	12,12,12	1.51	2 (16%)	15,15,15	0.70	0
1	NFA	A	65	1	12,12,12	1.34	2 (16%)	15,15,15	0.90	1 (6%)
1	CH7	B	66	1	23,25,26	2.41	10 (43%)	28,34,36	1.46	5 (17%)
1	CSO	B	21	1	3,6,7	0.93	0	0,6,8	-	-
1	CSO	A	47	1	3,6,7	0.84	0	0,6,8	-	-
1	CSO	A	21	1	3,6,7	0.79	0	0,6,8	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSO	B	47	1	-	0/1/5/7	-
1	CH7	A	66	1	-	1/6/35/36	0/3/3/3
1	NFA	B	65	1	-	5/8/8/8	0/1/1/1
1	NFA	A	65	1	-	5/8/8/8	0/1/1/1
1	CH7	B	66	1	-	1/6/35/36	0/3/3/3
1	CSO	B	21	1	-	0/1/5/7	-
1	CSO	A	47	1	-	0/1/5/7	-
1	CSO	A	21	1	-	0/1/5/7	-

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	66	CH7	OH-CZ	-4.91	1.25	1.37
1	A	66	CH7	OH-CZ	-4.83	1.25	1.37
1	B	66	CH7	CE1-CZ	4.00	1.46	1.38
1	A	66	CH7	CE1-CZ	3.98	1.46	1.38
1	A	66	CH7	CB2-CA2	3.88	1.38	1.35
1	A	66	CH7	CG2-CB2	-3.85	1.39	1.46
1	B	66	CH7	CG2-CB2	-3.85	1.39	1.46
1	B	65	NFA	O-C	3.84	1.31	1.23
1	A	66	CH7	CE2-CZ	3.78	1.46	1.38
1	B	66	CH7	CB2-CA2	3.60	1.38	1.35
1	B	66	CH7	CE2-CZ	3.53	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	65	NFA	O-C	3.52	1.30	1.23
1	B	66	CH7	C1-N3	3.31	1.43	1.38
1	A	66	CH7	C1-N3	3.20	1.43	1.38
1	B	65	NFA	C-NXT	3.12	1.40	1.32
1	B	66	CH7	CB-CA1	3.07	1.55	1.50
1	A	66	CH7	CB-CA1	2.93	1.55	1.50
1	B	66	CH7	CA3-N3	-2.74	1.41	1.47
1	A	65	NFA	C-NXT	2.63	1.39	1.32
1	B	66	CH7	CD1-CG2	2.32	1.44	1.39
1	A	66	CH7	CA3-N3	-2.25	1.42	1.47
1	A	66	CH7	CD2-CG2	2.25	1.43	1.39
1	A	66	CH7	CD1-CG2	2.19	1.43	1.39
1	A	66	CH7	CE-NZ	-2.18	1.42	1.47
1	B	66	CH7	CD2-CG2	2.11	1.43	1.39

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	66	CH7	CE-NZ-CA1	-3.40	112.41	117.16
1	B	66	CH7	CE-NZ-CA1	-3.29	112.56	117.16
1	B	66	CH7	CE1-CZ-CE2	-2.97	114.76	119.77
1	A	66	CH7	CE1-CZ-CE2	-2.97	114.76	119.77
1	B	66	CH7	O2-C2-CA2	2.51	132.37	130.96
1	B	66	CH7	O3-C3-CA3	-2.46	118.95	126.39
1	A	66	CH7	O3-C3-CA3	-2.43	119.05	126.39
1	A	66	CH7	CD2-CE2-CZ	2.30	122.40	119.88
1	A	65	NFA	C-CA-N	2.12	117.53	109.45
1	B	66	CH7	CD2-CE2-CZ	2.12	122.20	119.88

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	65	NFA	NXT-C-CA-N
1	A	65	NFA	O-C-CA-CB
1	A	65	NFA	NXT-C-CA-CB
1	B	65	NFA	NXT-C-CA-N
1	A	66	CH7	C3-CA3-N3-C2
1	B	66	CH7	C3-CA3-N3-C2
1	B	65	NFA	O-C-CA-N
1	B	65	NFA	O-C-CA-CB
1	A	65	NFA	C-CA-CB-CG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	A	65	NFA	O-C-CA-N
1	B	65	NFA	NXT-C-CA-CB
1	B	65	NFA	C-CA-CB-CG

There are no ring outliers.

6 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	47	CSO	1	0
1	A	66	CH7	2	0
1	B	65	NFA	1	0
1	B	66	CH7	5	0
1	B	21	CSO	1	0
1	A	21	CSO	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	BME	A	587	1	3,3,3	0.62	0	1,2,2	0.26	0
2	BME	B	587	1	3,3,3	0.98	0	1,2,2	1.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BME	A	587	1	-	1/1/1/1	-
2	BME	B	587	1	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	587	BME	O1-C1-C2-S2
2	B	587	BME	O1-C1-C2-S2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	587	BME	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	219/229 (95%)	0.29	7 (3%) 47 48	38, 52, 75, 91	0
1	B	218/229 (95%)	0.31	7 (3%) 47 48	33, 54, 74, 97	0
All	All	437/458 (95%)	0.30	14 (3%) 47 48	33, 53, 74, 97	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	212	ALA	5.2
1	A	190	VAL	5.1
1	B	212	ALA	3.6
1	B	211	ASP	3.3
1	A	211	ASP	3.2
1	A	210	SER	2.9
1	A	156	PRO	2.6
1	A	85	ASN	2.5
1	B	173	ASP	2.4
1	A	209	ARG	2.3
1	B	210	SER	2.3
1	B	208	ASP	2.1
1	B	214	ASN	2.1
1	B	209	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	CSO	B	21	7/8	0.84	0.17	49,56,62,70	0
1	CH7	B	66	23/24	0.86	0.23	29,57,100,100	0
1	CH7	A	66	23/24	0.87	0.24	42,62,100,100	0
1	NFA	B	65	12/12	0.88	0.20	43,48,61,100	0
1	CSO	B	47	7/8	0.89	0.16	48,50,73,96	0
1	CSO	A	21	7/8	0.90	0.18	34,50,56,64	0
1	NFA	A	65	12/12	0.91	0.23	34,47,66,69	0
1	CSO	A	47	7/8	0.94	0.15	40,49,81,94	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	BME	A	587	4/4	0.93	0.19	39,82,97,100	0
2	BME	B	587	4/4	0.95	0.16	54,67,73,100	0

6.5 Other polymers [i](#)

There are no such residues in this entry.