



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 22, 2023 – 10:44 PM JST

PDB ID : 7XEI
Title : SARS-CoV-2-prototyped-RBD and CB6-092-Fab complex
Authors : Wang, Y.; Feng, Y.
Deposited on : 2022-03-31
Resolution : 2.76 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1235 (2.78-2.74)
Clashscore	141614	1277 (2.78-2.74)
Ramachandran outliers	138981	1257 (2.78-2.74)
Sidechain outliers	138945	1257 (2.78-2.74)
RSRZ outliers	127900	1207 (2.78-2.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	227	<div style="display: flex; align-items: center;"> <div style="width: 11%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 65%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 19%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 14%; height: 10px; background-color: grey;"></div> </div>
1	B	227	<div style="display: flex; align-items: center;"> <div style="width: 15%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 67%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 14%; height: 10px; background-color: grey;"></div> </div>
2	C	233	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 64%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 27%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: grey;"></div> </div>
2	E	233	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 73%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div>
3	D	216	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> </div>
3	F	216	<div style="display: flex; align-items: center;"> <div style="width: 9%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 70%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 29%; height: 10px; background-color: yellow; margin-right: 5px;"></div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9648 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	196	1552	995	259	290	8	0	0	0
1	B	195	1543	989	257	289	8	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	538	HIS	-	expression tag	UNP P0DTC2
A	539	HIS	-	expression tag	UNP P0DTC2
A	540	HIS	-	expression tag	UNP P0DTC2
A	541	HIS	-	expression tag	UNP P0DTC2
A	542	HIS	-	expression tag	UNP P0DTC2
A	543	HIS	-	expression tag	UNP P0DTC2
A	544	HIS	-	expression tag	UNP P0DTC2
A	545	HIS	-	expression tag	UNP P0DTC2
B	538	HIS	-	expression tag	UNP P0DTC2
B	539	HIS	-	expression tag	UNP P0DTC2
B	540	HIS	-	expression tag	UNP P0DTC2
B	541	HIS	-	expression tag	UNP P0DTC2
B	542	HIS	-	expression tag	UNP P0DTC2
B	543	HIS	-	expression tag	UNP P0DTC2
B	544	HIS	-	expression tag	UNP P0DTC2
B	545	HIS	-	expression tag	UNP P0DTC2

- Molecule 2 is a protein called CB6-092-Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	216	1619	1028	269	314	8	0	0	0
2	E	218	1632	1035	271	318	8	0	0	0

- Molecule 3 is a protein called CB6-092-Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	D	215	Total	C	N	O	S	0	0	0
			1651	1030	277	339	5			
3	F	215	Total	C	N	O	S	0	0	0
			1651	1030	277	339	5			

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	80.05Å 112.20Å 101.74Å 90.00° 100.90° 90.00°	Depositor
Resolution (Å)	49.95 – 2.76 74.61 – 2.76	Depositor EDS
% Data completeness (in resolution range)	91.4 (49.95-2.76) 91.5 (74.61-2.76)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.43 (at 2.77Å)	Xtrriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.215 , 0.263 0.216 , 0.261	Depositor DCC
R_{free} test set	2015 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å ²)	54.1	Xtrriage
Anisotropy	0.592	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 43.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	9648	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/1596	0.69	5/2172 (0.2%)
1	B	0.41	0/1587	0.63	2/2161 (0.1%)
2	C	0.38	0/1659	0.63	2/2262 (0.1%)
2	E	0.31	0/1673	0.56	0/2283
3	D	0.29	0/1685	0.52	0/2287
3	F	0.35	0/1685	0.62	2/2287 (0.1%)
All	All	0.35	0/9885	0.61	11/13452 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	346	ARG	NE-CZ-NH2	12.66	126.63	120.30
1	A	346	ARG	NE-CZ-NH1	-9.39	115.61	120.30
3	F	24	ARG	CA-CB-CG	7.93	130.84	113.40
1	B	386	LYS	CA-CB-CG	7.61	130.14	113.40
1	B	390	LEU	CB-CG-CD2	7.55	123.83	111.00
2	C	111	GLN	CA-CB-CG	-7.01	97.97	113.40
3	F	24	ARG	CB-CA-C	6.71	123.82	110.40
1	A	335	LEU	C-N-CA	-6.00	106.69	121.70
1	A	335	LEU	CA-CB-CG	5.59	128.17	115.30
1	A	346	ARG	CB-CA-C	-5.13	100.14	110.40
2	C	216	ARG	CB-CG-CD	5.02	124.66	111.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	443	SER	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1552	0	1473	37	0
1	B	1543	0	1460	41	1
2	C	1619	0	1580	47	1
2	E	1632	0	1595	28	0
3	D	1651	0	1605	15	0
3	F	1651	0	1605	36	0
All	All	9648	0	9318	188	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (188) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:374:PHE:O	1:B:386:LYS:NZ	1.95	0.98
1:B:365:TYR:N	1:B:388:ASN:HD21	1.66	0.93
1:B:365:TYR:H	1:B:388:ASN:HD21	1.17	0.88
1:B:365:TYR:H	1:B:388:ASN:ND2	1.76	0.84
1:B:387:LEU:HA	1:B:390:LEU:CD1	2.08	0.82
1:B:386:LYS:O	1:B:390:LEU:HD12	1.80	0.82
2:E:47:TRP:HE1	2:E:50:VAL:HG23	1.47	0.78
1:B:369:TYR:CE2	1:B:385:THR:HB	2.20	0.77
2:C:111:GLN:HG3	3:D:43:ALA:HB2	1.68	0.76
1:A:358:ILE:HB	1:A:395:VAL:HG23	1.68	0.75
3:F:189:GLU:HA	3:F:213:ARG:HD2	1.69	0.73
2:E:2:VAL:HA	2:E:25:SER:O	1.89	0.71
1:B:386:LYS:O	1:B:390:LEU:CD1	2.39	0.71
1:B:387:LEU:HA	1:B:390:LEU:HD13	1.72	0.70
2:E:2:VAL:HG12	2:E:26:GLY:HA3	1.73	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:187:VAL:HG21	3:D:137:LEU:HD11	1.76	0.66
2:E:177:GLN:HA	3:F:162:GLN:HE22	1.60	0.65
3:F:134:VAL:HG23	3:F:181:LEU:HB3	1.77	0.65
2:E:11:LEU:HB2	2:E:153:PRO:HG3	1.79	0.64
3:F:138:LEU:HD21	3:F:198:VAL:HG21	1.80	0.64
2:C:177:GLN:HA	3:D:162:GLN:HE22	1.64	0.63
1:B:439:ASN:O	1:B:443:SER:HB2	1.99	0.62
2:E:125:PRO:HB3	2:E:151:TYR:HB3	1.81	0.62
2:C:201:ILE:HG12	2:C:216:ARG:HB2	1.81	0.62
1:B:369:TYR:HE2	1:B:385:THR:HB	1.64	0.62
3:D:169:ASP:OD1	3:D:171:LYS:HG2	2.00	0.62
2:C:149:LYS:HA	2:C:183:SER:HB2	1.82	0.61
2:C:190:VAL:HG21	2:C:195:LEU:HD21	1.83	0.61
1:A:431:GLY:HA2	1:A:515:PHE:CD2	2.34	0.61
2:E:215:LYS:NZ	3:F:125:GLU:OE1	2.33	0.61
1:A:386:LYS:HE2	1:B:374:PHE:O	2.01	0.61
1:B:387:LEU:CA	1:B:390:LEU:HD12	2.31	0.60
1:A:369:TYR:CE1	1:A:384:PRO:HB2	2.36	0.60
2:E:98:VAL:HG22	2:E:106:LEU:HG	1.82	0.60
3:D:37:GLN:HB2	3:D:47:LEU:HD11	1.83	0.59
1:B:444:LYS:H	1:B:499:PRO:HD3	1.68	0.59
1:B:387:LEU:CA	1:B:390:LEU:CD1	2.81	0.58
1:B:374:PHE:HA	1:B:436:TRP:HB3	1.86	0.58
1:A:383:SER:HB3	1:A:386:LYS:HD2	1.85	0.57
3:F:189:GLU:HA	3:F:213:ARG:CD	2.34	0.57
1:A:365:TYR:N	1:A:365:TYR:CD2	2.72	0.57
2:C:125:PRO:HB3	2:C:151:TYR:HB3	1.87	0.57
2:E:132:PRO:HD2	2:E:218:GLU:HB2	1.87	0.57
1:A:476:GLY:HA2	2:C:27:PHE:HA	1.86	0.56
2:E:68:THR:HG23	2:E:81:GLN:HB3	1.88	0.55
1:B:461:LEU:HD22	1:B:465:GLU:HB3	1.89	0.55
1:A:461:LEU:HD22	1:A:465:GLU:HB3	1.89	0.55
1:B:369:TYR:CE1	1:B:384:PRO:HB2	2.42	0.54
2:C:12:VAL:HG11	2:C:85:LEU:HD13	1.89	0.54
3:F:109:LYS:HA	3:F:142:TYR:OH	2.08	0.54
2:E:176:LEU:HD13	2:E:182:TYR:CE2	2.43	0.53
1:A:395:VAL:HG12	1:A:515:PHE:HA	1.90	0.53
3:D:8:PRO:HG3	3:D:11:LEU:HD13	1.91	0.53
1:A:365:TYR:CD1	1:A:387:LEU:HG	2.44	0.52
3:F:188:TYR:O	3:F:194:TYR:OH	2.25	0.52
3:D:122:PRO:HD3	3:D:134:VAL:HG22	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:387:LEU:HD11	1:A:515:PHE:CZ	2.45	0.52
2:C:4:LEU:HD21	2:C:27:PHE:HE2	1.75	0.52
3:D:33:LEU:HD11	3:D:88:CYS:HB2	1.90	0.52
3:D:147:LYS:O	3:D:198:VAL:HA	2.10	0.51
1:B:365:TYR:N	1:B:388:ASN:ND2	2.41	0.51
2:C:12:VAL:HG21	2:C:85:LEU:HD12	1.92	0.51
1:A:386:LYS:NZ	1:B:372:ALA:O	2.40	0.51
2:E:12:VAL:HG11	2:E:85:LEU:HD12	1.93	0.51
2:E:47:TRP:NE1	2:E:50:VAL:HG23	2.21	0.51
2:C:33:TYR:CE2	2:C:100:PRO:HG3	2.46	0.51
2:C:123:LYS:HD2	2:C:124:GLY:N	2.25	0.50
3:F:153:ASP:OD1	3:F:192:LYS:HB2	2.12	0.50
2:E:93:TYR:O	2:E:112:GLY:HA2	2.11	0.50
1:B:438:SER:HB3	1:B:509:ARG:HG3	1.94	0.50
2:C:8:GLY:O	2:C:18:LEU:HD11	2.12	0.49
2:C:12:VAL:HG13	2:C:117:VAL:HB	1.94	0.49
2:E:179:SER:HB2	2:E:181:LEU:H	1.77	0.49
1:A:393:THR:OG1	1:A:517:LEU:HA	2.12	0.49
1:B:415:THR:HB	2:E:56:THR:HG21	1.94	0.49
2:C:18:LEU:HD22	2:C:19:ARG:H	1.77	0.49
2:E:111:GLN:HA	3:F:43:ALA:HB2	1.94	0.49
1:A:390:LEU:HD23	1:A:390:LEU:HA	1.67	0.49
2:C:216:ARG:HG2	2:C:217:VAL:N	2.28	0.49
1:B:365:TYR:H	1:B:388:ASN:CG	2.16	0.48
3:F:33:LEU:HD21	3:F:88:CYS:HB2	1.95	0.48
2:C:47:TRP:HZ2	2:C:50:VAL:HG12	1.78	0.48
2:C:78:LEU:HD12	2:C:79:PHE:H	1.79	0.48
3:F:89:GLN:NE2	3:F:91:SER:OG	2.45	0.48
1:A:415:THR:HB	2:C:56:THR:HG21	1.95	0.48
2:C:66:ARG:HD3	2:C:86:ARG:NH2	2.29	0.48
2:E:190:VAL:HG21	2:E:200:TYR:CZ	2.48	0.48
2:E:147:LEU:HG	2:E:149:LYS:HG3	1.96	0.48
3:F:198:VAL:O	3:F:206:PRO:HA	2.14	0.48
3:F:42:LYS:HA	3:F:42:LYS:HD2	1.69	0.47
3:F:121:PRO:HB3	3:F:211:PHE:CE1	2.50	0.47
1:B:395:VAL:HG23	1:B:524:VAL:HG21	1.96	0.47
3:F:146:ALA:O	3:F:147:LYS:HD2	2.15	0.47
1:B:358:ILE:HB	1:B:395:VAL:HB	1.96	0.47
3:D:116:SER:OG	3:D:139:ASN:HB3	2.14	0.47
1:B:466:ARG:HH21	1:B:466:ARG:HB3	1.79	0.47
3:D:33:LEU:HD22	3:D:71:PHE:CG	2.50	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:376:THR:HB	1:B:435:ALA:HB3	1.97	0.47
2:C:200:TYR:O	2:C:216:ARG:HA	2.15	0.47
3:F:66:GLY:HA3	3:F:71:PHE:HA	1.97	0.47
1:A:350:VAL:HG22	1:A:422:ASN:HB3	1.97	0.47
1:B:335:LEU:H	1:B:335:LEU:HG	1.54	0.46
1:B:385:THR:C	1:B:387:LEU:H	2.19	0.46
1:B:456:PHE:HB3	1:B:473:TYR:CD2	2.50	0.46
2:E:149:LYS:HA	2:E:183:SER:HB2	1.96	0.46
3:F:54:LEU:HD11	3:F:58:VAL:HB	1.96	0.46
3:D:182:THR:O	3:D:183:LEU:HD23	2.15	0.46
1:B:392:PHE:CD2	1:B:515:PHE:HB3	2.51	0.46
1:B:449:TYR:HD1	1:B:494:SER:HG	1.63	0.46
1:B:379:CYS:SG	1:B:384:PRO:HB3	2.54	0.46
2:E:67:PHE:CE1	2:E:82:MET:HB3	2.51	0.46
3:F:77:SER:HB2	3:F:79:GLN:NE2	2.30	0.46
3:F:80:PRO:HA	3:F:108:ILE:HG13	1.96	0.46
1:A:392:PHE:CG	1:A:515:PHE:HB3	2.51	0.46
2:C:130:LEU:HD21	2:C:147:LEU:HB2	1.97	0.46
1:A:360:ASN:ND2	1:A:523:THR:HB	2.31	0.46
1:A:455:LEU:HD11	2:C:101:MET:HG3	1.97	0.45
2:C:42:GLY:C	2:C:43:LYS:HD3	2.37	0.45
3:F:37:GLN:HB2	3:F:47:LEU:HD11	1.98	0.45
1:A:369:TYR:HE1	1:A:384:PRO:HB2	1.80	0.45
1:A:385:THR:OG1	1:A:386:LYS:N	2.50	0.45
2:C:11:LEU:HB2	2:C:153:PRO:HG3	1.99	0.45
3:F:17:ASP:O	3:F:78:LEU:N	2.42	0.45
1:B:366:SER:H	1:B:388:ASN:HD21	1.65	0.45
2:C:61:ASP:HA	2:C:64:LYS:HG3	1.99	0.45
2:C:158:VAL:HA	2:C:203:ASN:O	2.17	0.45
2:E:29:VAL:HG13	2:E:34:MET:HG3	1.97	0.45
3:F:79:GLN:HB3	3:F:80:PRO:CD	2.46	0.45
1:A:431:GLY:HA2	1:A:515:PHE:HD2	1.78	0.45
1:B:386:LYS:HB3	1:B:386:LYS:HE3	1.68	0.45
2:E:82:MET:CB	2:E:85:LEU:HD21	2.46	0.45
1:A:376:THR:HB	1:A:435:ALA:HB3	1.99	0.44
2:C:187:VAL:HG11	3:D:137:LEU:HD11	2.00	0.44
1:A:334:ASN:ND2	1:A:360:ASN:O	2.50	0.44
1:B:337:PRO:HB2	1:B:340:GLU:HG3	1.99	0.44
2:C:197:THR:OG1	2:C:198:GLN:N	2.51	0.44
3:F:134:VAL:CG2	3:F:181:LEU:HB3	2.45	0.44
2:C:82:MET:HE2	2:C:85:LEU:HD21	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:165:VAL:HG22	3:F:177:LEU:HD12	2.00	0.44
3:F:214:GLY:O	3:F:215:GLU:HB3	2.17	0.44
2:C:34:MET:HB3	2:C:78:LEU:HD22	1.99	0.43
2:C:96:ALA:HB3	2:C:106:LEU:HD23	1.99	0.43
3:F:163:GLU:HA	3:F:178:SER:O	2.18	0.43
1:A:526:GLY:O	1:A:528:LYS:N	2.50	0.43
3:F:128:LYS:HB2	3:F:128:LYS:HE2	1.83	0.43
3:F:107:GLU:HG2	3:F:108:ILE:N	2.33	0.43
3:F:199:THR:HG23	3:F:206:PRO:HG3	2.00	0.43
1:A:431:GLY:HA2	1:A:515:PHE:CE2	2.53	0.43
1:B:334:ASN:O	1:B:361:CYS:HB2	2.18	0.43
2:C:50:VAL:CG1	2:C:58:PHE:HB2	2.47	0.43
3:F:130:GLY:HA2	3:F:185:LYS:HE3	2.01	0.43
2:C:98:VAL:HG22	2:C:106:LEU:HG	2.00	0.42
2:C:201:ILE:HA	2:C:216:ARG:HA	2.01	0.42
2:C:132:PRO:HB3	2:C:143:ALA:O	2.19	0.42
2:E:82:MET:HB2	2:E:85:LEU:HD21	2.02	0.42
3:F:193:VAL:HG23	3:F:211:PHE:O	2.20	0.42
2:C:187:VAL:HG11	3:D:137:LEU:CD1	2.49	0.42
2:E:71:ARG:HG2	2:E:78:LEU:HD12	2.01	0.42
2:C:4:LEU:HD21	2:C:27:PHE:CE2	2.54	0.42
1:A:377:PHE:CD2	1:A:434:ILE:HG12	2.55	0.42
2:C:158:VAL:HG21	2:C:186:SER:HB2	2.01	0.42
1:A:421:TYR:CD1	1:A:457:ARG:HB3	2.54	0.42
1:A:444:LYS:HG2	1:A:448:ASN:HB2	2.02	0.42
1:B:366:SER:H	1:B:388:ASN:ND2	2.17	0.42
1:A:365:TYR:N	1:A:365:TYR:HD2	2.15	0.41
1:B:341:VAL:HG13	1:B:342:PHE:CD2	2.55	0.41
2:C:86:ARG:O	2:C:117:VAL:HG11	2.19	0.41
2:E:190:VAL:HG21	2:E:200:TYR:OH	2.20	0.41
1:A:340:GLU:O	1:A:344:ALA:HB2	2.20	0.41
1:A:425:LEU:HD21	1:A:512:VAL:HG11	2.02	0.41
1:A:439:ASN:O	1:A:443:SER:OG	2.37	0.41
1:A:505:TYR:OH	3:D:92:ALA:HB1	2.20	0.41
2:C:123:LYS:HD2	2:C:124:GLY:H	1.84	0.41
2:C:6:GLU:OE1	2:C:94:TYR:HA	2.21	0.41
3:F:153:ASP:OD2	3:F:192:LYS:HB2	2.20	0.41
1:A:392:PHE:CD2	1:A:515:PHE:HB3	2.55	0.41
1:B:395:VAL:HG22	1:B:515:PHE:HD2	1.85	0.41
2:E:176:LEU:HD13	2:E:182:TYR:CD2	2.55	0.41
3:F:136:CYS:HB2	3:F:150:TRP:CZ2	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:334:ASN:ND2	1:A:361:CYS:HA	2.36	0.40
1:B:387:LEU:HA	1:B:390:LEU:HD12	1.86	0.40
2:C:50:VAL:HG13	2:C:58:PHE:HB2	2.02	0.40
2:C:69:ILE:CG1	2:C:78:LEU:HD11	2.51	0.40
2:C:206:HIS:HB3	2:C:211:THR:OG1	2.21	0.40
3:F:35:TRP:CG	3:F:73:LEU:HD23	2.56	0.40
2:C:179:SER:HB3	2:C:181:LEU:H	1.87	0.40
2:E:33:TYR:CE2	2:E:100:PRO:HG3	2.57	0.40
3:F:165:VAL:HG12	3:F:166:THR:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:440:ASN:OD1	2:C:193:SER:OG[1_556]	2.18	0.02

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	194/227 (86%)	187 (96%)	7 (4%)	0	100	100
1	B	193/227 (85%)	182 (94%)	11 (6%)	0	100	100
2	C	212/233 (91%)	202 (95%)	10 (5%)	0	100	100
2	E	216/233 (93%)	208 (96%)	8 (4%)	0	100	100
3	D	213/216 (99%)	205 (96%)	8 (4%)	0	100	100
3	F	213/216 (99%)	202 (95%)	11 (5%)	0	100	100
All	All	1241/1352 (92%)	1186 (96%)	55 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	169/200 (84%)	163 (96%)	6 (4%)	35	55
1	B	168/200 (84%)	165 (98%)	3 (2%)	59	75
2	C	180/197 (91%)	172 (96%)	8 (4%)	28	47
2	E	182/197 (92%)	175 (96%)	7 (4%)	33	53
3	D	189/190 (100%)	183 (97%)	6 (3%)	39	59
3	F	189/190 (100%)	180 (95%)	9 (5%)	25	44
All	All	1077/1174 (92%)	1038 (96%)	39 (4%)	35	55

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	365	TYR
1	A	367	VAL
1	A	386	LYS
1	A	440	ASN
1	A	455	LEU
1	A	517	LEU
1	B	335	LEU
1	B	346	ARG
1	B	427	ASP
2	C	21	SER
2	C	27	PHE
2	C	31	TRP
2	C	74	SER
2	C	144	LEU
2	C	183	SER
2	C	185	SER
2	C	202	CYS
3	D	7	SER
3	D	65	SER
3	D	79	GLN
3	D	129	SER
3	D	181	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	D	210	SER
2	E	27	PHE
2	E	31	TRP
2	E	49	SER
2	E	88	GLU
2	E	150	ASP
2	E	185	SER
2	E	192	SER
3	F	1	ASP
3	F	26	SER
3	F	70	ASP
3	F	76	SER
3	F	83	PHE
3	F	90	GLN
3	F	124	ASP
3	F	178	SER
3	F	209	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	360	ASN
1	B	388	ASN
1	B	450	ASN
3	D	149	GLN
3	D	162	GLN
2	E	39	GLN
3	F	162	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	196/227 (86%)	0.90	24 (12%) 4 4	36, 54, 112, 156	0
1	B	195/227 (85%)	1.11	34 (17%) 1 1	39, 66, 140, 165	0
2	C	216/233 (92%)	0.67	9 (4%) 36 43	31, 53, 86, 153	0
2	E	218/233 (93%)	0.63	6 (2%) 53 62	37, 54, 81, 113	0
3	D	215/216 (99%)	0.54	3 (1%) 75 82	37, 51, 79, 104	0
3	F	215/216 (99%)	0.89	20 (9%) 8 10	40, 59, 100, 134	0
All	All	1255/1352 (92%)	0.78	96 (7%) 13 16	31, 56, 107, 165	0

All (96) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	E	102	TYR	6.3
1	B	520	ALA	5.5
1	B	518	LEU	5.1
1	A	363	ALA	5.1
1	A	391	CYS	5.1
1	B	524	VAL	4.9
1	B	519	HIS	4.7
1	A	359	SER	4.5
1	A	369	TYR	4.5
3	F	78	LEU	4.4
3	F	183	LEU	4.3
1	A	335	LEU	4.2
1	B	515	PHE	4.2
1	B	384	PRO	4.1
3	F	214	GLY	3.9
1	B	363	ALA	3.8
1	B	450	ASN	3.8
1	B	381	GLY	3.6
3	F	207	VAL	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	387	LEU	3.6
1	B	365	TYR	3.5
2	C	102	TYR	3.5
1	B	521	PRO	3.4
1	A	392	PHE	3.4
1	B	522	ALA	3.4
1	A	372	ALA	3.3
1	B	480	CYS	3.2
1	B	444	LYS	3.2
3	F	79	GLN	3.2
2	C	216	ARG	3.1
1	A	360	ASN	3.0
1	B	391	CYS	3.0
1	B	335	LEU	3.0
3	F	94	SER	3.0
1	B	517	LEU	3.0
1	B	364	ASP	2.9
3	D	187	ASP	2.9
3	F	24	ARG	2.9
2	E	179	SER	2.9
1	B	369	TYR	2.9
1	B	338	PHE	2.8
1	A	368	LEU	2.8
1	A	373	SER	2.8
1	B	392	PHE	2.8
1	A	346	ARG	2.7
3	F	152	VAL	2.7
2	C	197	THR	2.7
2	C	136	SER	2.7
1	B	390	LEU	2.6
3	F	215	GLU	2.6
1	A	358	ILE	2.6
1	B	382	VAL	2.5
2	E	29	VAL	2.5
2	E	31	TRP	2.5
1	B	523	THR	2.5
1	A	441	LEU	2.4
1	B	525	CYS	2.4
3	F	106	LEU	2.4
3	F	148	VAL	2.4
2	C	110	GLY	2.3
3	D	36	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	F	13	ALA	2.3
1	A	519	HIS	2.3
1	A	347	PHE	2.3
3	F	192	LYS	2.3
1	B	333	THR	2.3
2	E	85	LEU	2.3
1	A	341	VAL	2.3
3	F	81	GLU	2.2
3	F	196	CYS	2.2
1	A	338	PHE	2.2
2	C	195	LEU	2.2
3	F	163	GLU	2.2
1	A	433	VAL	2.2
3	F	133	SER	2.2
1	A	461	LEU	2.1
1	A	527	PRO	2.1
1	B	505	TYR	2.1
1	B	347	PHE	2.1
3	D	134	VAL	2.1
1	B	348	ALA	2.1
3	F	32	TYR	2.1
1	B	395	VAL	2.1
1	A	379	CYS	2.1
1	B	513	LEU	2.0
1	B	402	ILE	2.0
2	E	181	LEU	2.0
3	F	11	LEU	2.0
2	C	5	VAL	2.0
3	F	48	ILE	2.0
1	A	423	TYR	2.0
1	B	389	ASP	2.0
2	C	194	SER	2.0
1	B	400	PHE	2.0
2	C	187	VAL	2.0
1	A	370	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.