

Full wwPDB X-ray Structure Validation Report (i)

Feb 5, 2024 – 08:09 PM JST

PDB ID	:	8XJ0
Title	:	Crystal structure of AmFab mutant - P40C/E165C (Light chain),
		G10C/P210C(Heavy chain)
Authors	:	Senda, M.; Yoshikawa, M.; Nakamura, H.; Ohkuri, T.; Senda, T.
Deposited on	:	2023-12-20
Resolution	:	3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	1149(3.34-3.26)
Clashscore	141614	1205 (3.34-3.26)
Ramachandran outliers	138981	1183 (3.34-3.26)
Sidechain outliers	138945	1182 (3.34-3.26)
RSRZ outliers	127900	1115 (3.34-3.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain				
1	А	215	66%		31%		••
1	С	215	72%		26%		•
1	Е	215	72%		26%		•
1	G	215	3% 67%	15%	·	16%	_
2	В	225	71%		26%		·
2	D	225	71%		25%		•



Mol	Chain	Length	Quality of chain					
2	F	225	72%	23%	•••			
2	Н	225	4% 64%	30%	6%			



2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 12286 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	911	Total	С	Ν	0	\mathbf{S}	0	0	0
1	A	211	1558	971	267	313	7	0	0	0
1	C	911	Total	С	Ν	0	S	0	0	0
1		211	1582	989	271	315	7	0	0	0
1	F	911	Total	С	Ν	0	S	0	0	0
1		211	1549	969	266	307	7	0	0	0
1	C	180	Total	С	Ν	0	S	0	0	0
I G	180	1265	797	215	246	$\overline{7}$	U	0	0	

• Molecule 1 is a protein called Adalimumab Fab Light chain.

• Molecule 2 is a protein called Adalimumab Fab Heavy chain.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
0	D	217	Total	С	Ν	0	\mathbf{S}	0	0	0
	D	217	1596	1007	266	315	8	0	0	0
0	п	917	Total	С	Ν	0	S	0	0	0
	D	217	1603	1011	269	315	8	0	0	0
0	Б	216	Total	С	Ν	0	S	0	0	0
		210	1587	999	267	313	8	0	0	0
0	ц	919	Total	С	Ν	0	S	0	0	0
	212	1546	969	260	309	8	0	U	0	



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Adalimumab Fab Light chain







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	47.62Å 193.08Å 220.92Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	48.27 - 3.30	Depositor
Resolution (A)	48.46 - 3.30	EDS
% Data completeness	99.8 (48.27-3.30)	Depositor
(in resolution range)	99.9 (48.46-3.30)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.88 (at 3.33 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
P. P.	0.186 , 0.268	Depositor
n, n_{free}	0.189 , 0.268	DCC
R_{free} test set	1545 reflections $(4.86%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	66.5	Xtriage
Anisotropy	0.830	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33, 57.1	EDS
L-test for $twinning^2$	$ < L >=0.47, < L^2>=0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12286	wwPDB-VP
Average B, all atoms $(Å^2)$	69.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 36.06 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.3009e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.52	0/1591	0.70	0/2175	
1	С	0.53	0/1615	0.76	0/2200	
1	Е	0.43	0/1582	0.64	0/2161	
1	G	0.43	0/1292	0.71	1/1776~(0.1%)	
2	В	0.54	0/1634	0.69	0/2238	
2	D	0.54	0/1641	0.70	0/2245	
2	F	0.48	0/1624	0.67	0/2221	
2	Н	0.51	0/1582	0.70	0/2169	
All	All	0.50	0/12561	0.70	1/17185~(0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	G	49	TYR	CA-CB-CG	5.45	123.76	113.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1558	0	1432	43	0
1	С	1582	0	1500	44	0
1	Е	1549	0	1430	38	0
1	G	1265	0	1085	23	0



Mal	Chain	Non U	U (model)	U(addad)	Clashes	Summ Clashes
IVIOI	Unam		n(model)	n(audeu)	Clashes	Symm-Clashes
2	В	1596	0	1498	38	0
2	D	1603	0	1512	38	0
2	F	1587	0	1486	32	0
2	Н	1546	0	1429	44	0
All	All	12286	0	11372	285	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (285) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:B:103:SER:HB2	1:E:92:ASN:HB2	1.67	0.76	
2:H:91:THR:HG23	2:H:118:THR:HA	1.68	0.75	
2:H:129:VAL:HG11	2:H:215:VAL:HG11	1.71	0.73	
2:B:40:ALA:HB3	2:B:43:LYS:HB2	1.71	0.72	
2:F:40:ALA:HB3	2:F:43:LYS:HB2	1.73	0.71	
2:B:17:SER:HB3	2:B:84:ASN:HA	1.72	0.70	
2:B:10:CYS:SG	2:B:11:LEU:N	2.64	0.70	
1:E:113:PRO:HB3	1:E:139:PHE:HB3	1.74	0.69	
1:C:95:PRO:HB2	1:C:97:THR:HG23	1.74	0.69	
1:A:83:VAL:HB	1:A:106:ILE:HG12	1.75	0.69	
2:B:91:THR:HG23	2:B:118:THR:HA	1.74	0.68	
1:A:131:SER:HB3	1:A:180:THR:HG22	1.77	0.67	
2:D:10:CYS:SG	2:D:11:LEU:N	2.68	0.67	
2:B:64:VAL:HG13	2:B:68:PHE:CD2	2.30	0.67	
2:H:129:VAL:HA	2:H:149:LEU:O	1.95	0.67	
1:E:131:SER:HB3	1:E:180:THR:HG22	1.77	0.66	
2:B:171:VAL:HG22	2:B:190:VAL:HG12	1.77	0.66	
2:D:83:MET:HB3	2:D:86:LEU:HD21	1.77	0.66	
1:G:2:ILE:HG12	1:G:90:ARG:NH1	2.11	0.65	
1:C:141:PRO:HD2	1:C:198:HIS:HE1	1.61	0.65	
2:F:127:PRO:HB3	2:F:153:TYR:HB3	1.79	0.65	
2:D:1:GLU:OE1	2:D:1:GLU:N	2.23	0.64	
2:F:83:MET:HB3	2:F:86:LEU:HD21	1.77	0.64	
2:H:13:GLN:H	2:H:16:ARG:HH11	1.45	0.64	
2:B:76:LYS:O	2:B:78:SER:HB2	1.98	0.63	
2:H:2:VAL:HA	2:H:26:GLY:HA3	1.81	0.63	
1:E:30:ARG:HG3	1:E:31:ASN:H	1.63	0.63	
2:B:57:HIS:O	2:B:58:ILE:HG13	2.00	0.62	
2:D:9:GLY:HA3	2:D:117:VAL:HG22	1.81	0.62	



	lo uo pugo	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:135:LEU:HD22	2:D:189:VAL:HG11	1.82	0.62	
1:A:35:TRP:HB2	1:A:48:ILE:HB	1.82	0.62	
1:E:55:GLN:HB3	1:E:58:VAL:HG21	1.82	0.62	
1:A:114:SER:HB2	1:A:137:ASN:HB3	1.81	0.61	
1:A:146:VAL:HG22	1:A:196:VAL:HG22	1.80	0.61	
1:A:4:MET:HE2	1:A:23:CYS:SG	2.40	0.61	
1:G:30:ARG:HG3	1:G:31:ASN:H	1.66	0.61	
2:H:22:CYS:HB3	2:H:79:LEU:HB3	1.84	0.60	
1:G:2:ILE:HG12	1:G:90:ARG:HH11	1.67	0.60	
1:C:113:PRO:HB3	1:C:139:PHE:CD1	2.36	0.60	
1:A:113:PRO:HB3	1:A:139:PHE:HB3	1.85	0.59	
1:C:114:SER:HB2	1:C:137:ASN:HB3	1.84	0.59	
1:C:54:LEU:HD21	1:C:58:VAL:O	2.02	0.59	
1:A:195:GLU:HB3	1:A:206:THR:HG23	1.84	0.59	
1:C:141:PRO:HD2	1:C:198:HIS:CE1	2.38	0.58	
1:E:21:ILE:HD12	1:E:73:LEU:HD23	1.85	0.58	
1:E:19:VAL:O	1:E:74:THR:HA	2.03	0.58	
2:D:127:PRO:HB3	2:D:153:TYR:HB3	1.86	0.58	
1:G:48:ILE:HD13	1:G:54:LEU:HA	1.85	0.58	
1:E:151:ASP:HA	1:E:191:VAL:HG13	1.85	0.58	
1:G:105:GLU:OE2	1:G:140:TYR:OH	2.18	0.58	
2:F:12:VAL:HG21	2:F:86:LEU:HD12	1.84	0.58	
1:C:114:SER:HB3	1:C:116:PHE:CE1	2.40	0.57	
2:H:83:MET:HB3	2:H:86:LEU:HD21	1.86	0.57	
1:C:83:VAL:HB	1:C:106:ILE:HG12	1.86	0.57	
2:D:152:ASP:HA	2:D:183:LEU:HB3	1.87	0.57	
2:H:68:PHE:CE2	2:H:83:MET:HG2	2.40	0.57	
2:B:174:PHE:O	2:B:186:LEU:HD11	2.05	0.56	
2:B:150:VAL:HB	2:B:186:LEU:HB3	1.88	0.56	
2:F:159:THR:HG23	2:F:207:ASN:HB3	1.87	0.56	
1:A:86:TYR:HE2	1:A:104:VAL:HG11	1.71	0.56	
1:C:39:LYS:NZ	1:C:81:GLU:O	2.38	0.55	
2:H:13:GLN:HB2	2:H:16:ARG:HD3	1.89	0.55	
2:H:134:PRO:HD3	2:H:146:LEU:HB3	1.88	0.55	
1:A:33:LEU:HD22	1:A:71:PHE:CG	2.42	0.55	
1:A:91:TYR:HA	1:A:96:TYR:HD1	1.71	0.55	
1:C:30:ARG:H	1:C:68:GLY:HA2	1.71	0.54	
2:D:67:ARG:HD3	2:D:87:ARG:HH21	1.72	0.54	
2:F:178:LEU:HD13	2:F:184:TYR:CE1	2.42	0.54	
2:B:99:VAL:HG13	2:B:106:SER:HB3	1.89	0.54	
2:B:53:TRP:CZ3	2:B:54:ASN:HB3	2.43	0.54	



	,	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:G:136:LEU:HD21	1:G:196:VAL:HG21	1.90	0.54	
1:E:116:PHE:CE2	2:F:145:ALA:HB3	2.43	0.53	
2:D:36:TRP:HD1	2:D:70:ILE:HD12	1.73	0.53	
2:D:146:LEU:HD13	2:D:219:VAL:HG11	1.90	0.53	
1:G:80:PRO:HA	1:G:106:ILE:HG13	1.90	0.53	
2:H:150:VAL:HB	2:H:186:LEU:HB2	1.90	0.53	
1:A:30:ARG:HG3	1:A:31:ASN:H	1.72	0.53	
1:A:6:GLN:HG3	1:A:88:CYS:SG	2.49	0.53	
2:H:143:THR:HG23	2:H:192:VAL:O	2.09	0.53	
2:B:105:ALA:HB3	2:F:105:ALA:HB3	1.91	0.53	
1:C:90:ARG:NH1	1:C:93:ARG:O	2.41	0.53	
1:E:198:HIS:CD2	1:E:199:GLN:H	2.27	0.52	
2:H:13:GLN:H	2:H:16:ARG:NH1	2.07	0.52	
2:D:51:ILE:HG22	2:D:58:ILE:HG23	1.92	0.52	
2:H:168:THR:O	2:H:171:VAL:HG22	2.09	0.52	
1:E:33:LEU:HD22	1:E:71:PHE:CG	2.45	0.52	
1:E:131:SER:CB	1:E:180:THR:HG22	2.39	0.52	
1:A:136:LEU:HD11	1:A:196:VAL:HG21	1.91	0.51	
2:B:178:LEU:HD13	2:B:184:TYR:CE1	2.45	0.51	
1:G:108:ARG:NH2	1:G:111:ALA:HB2	2.24	0.51	
2:D:62:ASP:O	2:D:64:VAL:N	2.43	0.51	
2:H:127:PRO:CA	2:H:153:TYR:HB3	2.41	0.51	
1:C:113:PRO:HD2	1:C:201:LEU:HD11	1.92	0.51	
2:D:62:ASP:C	2:D:64:VAL:H	2.14	0.51	
2:F:11:LEU:HD11	2:F:120:SER:HB3	1.93	0.51	
1:A:30:ARG:H	1:A:68:GLY:HA2	1.75	0.51	
1:A:193:ALA:HB2	1:A:208:SER:HB3	1.93	0.51	
1:A:112:ALA:HB2	1:A:200:GLY:O	2.11	0.50	
2:B:17:SER:CB	2:B:84:ASN:HA	2.39	0.50	
2:H:83:MET:HE1	2:H:117:VAL:HG11	1.92	0.50	
2:B:100:SER:HA	2:B:109:ASP:OD2	2.11	0.50	
2:F:203:ILE:HG12	2:F:218:LYS:HA	1.94	0.50	
2:H:200:GLN:HG3	2:H:202:TYR:CE1	2.46	0.50	
1:E:90:ARG:HD3	1:E:97:THR:CG2	2.42	0.50	
2:D:19:ARG:HB2	2:D:82:GLN:OE1	2.12	0.50	
1:G:83:VAL:HG21	1:G:166:GLN:HB3	1.93	0.50	
1:C:186:TYR:CE2	1:C:212:GLY:HA3	2.47	0.50	
1:C:114:SER:HB3	1:C:116:PHE:HE1	1.76	0.49	
2:H:12:VAL:HG11	2:H:86:LEU:HD12	1.93	0.49	
2:H:52:THR:CG2	2:H:57:HIS:HB2	2.41	0.49	
1:C:120:PRO:HD3	1:C:132:VAL:HG22	1.95	0.49	



	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:166:GLN:HE21	1:C:171:SER:HB3	1.77	0.49
1:C:30:ARG:N	1:C:68:GLY:HA2	2.27	0.49
2:F:91:THR:HG23	2:F:118:THR:HA	1.94	0.49
2:B:127:PRO:HB3	2:B:153:TYR:HB3	1.94	0.49
1:E:90:ARG:HD3	1:E:97:THR:HG22	1.94	0.49
2:F:156:GLU:OE1	2:F:157:PRO:HA	2.13	0.49
1:A:39:LYS:NZ	1:A:168:SER:OG	2.34	0.48
2:D:40:ALA:HB3	2:D:43:LYS:HG3	1.94	0.48
2:F:215:VAL:HG12	2:F:216:ASP:H	1.78	0.48
2:H:127:PRO:HA	2:H:153:TYR:HB3	1.95	0.48
2:B:34:MET:HB3	2:B:79:LEU:HD22	1.95	0.48
1:C:9:SER:O	1:C:102:THR:HA	2.14	0.48
1:E:158:ASN:HB3	1:E:179:LEU:CD1	2.43	0.48
1:A:77:SER:O	1:A:77:SER:OG	2.20	0.48
1:E:81:GLU:HA	1:E:168:SER:HB2	1.96	0.48
1:C:119:PRO:HB3	1:C:209:PHE:CE1	2.48	0.48
1:C:119:PRO:HB3	1:C:209:PHE:CZ	2.49	0.48
2:D:200:GLN:HG2	2:D:202:TYR:CZ	2.48	0.48
1:G:84:ALA:HB3	1:G:86:TYR:CE2	2.49	0.48
1:A:142:ARG:HG3	1:A:173:TYR:CG	2.49	0.48
1:E:55:GLN:HB3	1:E:58:VAL:CG2	2.42	0.48
1:E:175:LEU:HD23	1:E:176:SER:N	2.29	0.48
1:G:135:LEU:HD22	2:H:189:VAL:HG11	1.95	0.48
2:B:19:ARG:HD3	2:B:82:GLN:OE1	2.14	0.48
2:F:172:HIS:N	2:F:189:VAL:O	2.38	0.48
1:C:135:LEU:HD21	2:D:189:VAL:HG21	1.96	0.48
1:G:148:TRP:CZ3	1:G:194:CYS:HB3	2.49	0.47
2:H:36:TRP:HE1	2:H:79:LEU:HG	1.78	0.47
1:A:27:GLN:HE21	1:A:90:ARG:HH12	1.60	0.47
2:B:18:LEU:HD12	2:B:19:ARG:H	1.79	0.47
1:A:21:ILE:HG12	1:A:102:THR:HG21	1.96	0.47
1:C:158:ASN:OD1	1:C:158:ASN:N	2.36	0.47
1:C:33:LEU:HD22	1:C:71:PHE:CD2	2.49	0.47
2:D:38:ARG:HD3	2:D:94:TYR:CE2	2.50	0.47
2:F:63:SER:O	2:F:65:GLU:N	2.47	0.47
2:F:171:VAL:HG22	2:F:190:VAL:HB	1.97	0.47
2:H:178:LEU:HD13	2:H:184:TYR:CE1	2.50	0.47
1:A:37:GLN:HB2	1:A:47:LEU:HD11	1.96	0.47
1:A:129:THR:HA	1:A:182:SER:HA	1.97	0.47
2:B:194:SER:O	2:B:197:LEU:HB2	2.14	0.47
2:H:54:ASN:O	2:H:56:GLY:N	2.47	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:H:86:LEU:HB3	2:H:119:VAL:HG11	1.97	0.47
2:D:13:GLN:HG3	2:D:16:ARG:HG2	1.96	0.47
2:D:55:SER:OG	2:D:72:ARG:HG2	2.14	0.47
1:E:18:ARG:HA	1:E:75:ILE:O	2.15	0.47
2:H:73:ASP:HB2	2:H:80:TYR:HE2	1.80	0.47
2:B:11:LEU:HD12	2:B:12:VAL:H	1.80	0.47
2:D:183:LEU:HD23	2:D:183:LEU:HA	1.63	0.47
2:H:39:GLN:HG3	2:H:44:GLY:O	2.15	0.47
1:C:167:ASP:HB3	1:C:170:ASP:OD1	2.15	0.46
2:F:65:GLU:C	2:F:67:ARG:H	2.19	0.46
2:H:10:CYS:HB3	2:H:11:LEU:H	1.52	0.46
1:A:141:PRO:HD2	1:A:198:HIS:CE1	2.51	0.46
2:H:179:GLN:HE21	2:H:183:LEU:C	2.18	0.46
1:C:135:LEU:HD12	1:C:136:LEU:N	2.30	0.46
1:E:186:TYR:HA	1:E:192:TYR:OH	2.16	0.46
1:A:30:ARG:HA	1:A:68:GLY:HA2	1.98	0.46
2:B:167:LEU:HD12	2:B:168:THR:N	2.31	0.46
2:F:215:VAL:HG12	2:F:216:ASP:N	2.31	0.46
1:A:32:TYR:OH	2:F:105:ALA:O	2.23	0.45
2:B:67:ARG:O	2:B:84:ASN:HB2	2.15	0.45
1:A:85:THR:HG23	1:A:103:LYS:HA	1.98	0.45
1:A:147:GLN:HG2	1:A:154:LEU:HD21	1.98	0.45
2:H:208:HIS:CE1	2:H:211:SER:HB2	2.52	0.45
1:C:63:SER:O	1:C:73:LEU:HD12	2.17	0.45
1:E:78:LEU:HD12	1:E:78:LEU:HA	1.67	0.45
1:A:29:ILE:O	1:A:32:TYR:HB2	2.16	0.45
2:H:52:THR:HG21	2:H:57:HIS:HB2	1.98	0.45
1:G:30:ARG:HG3	1:G:31:ASN:OD1	2.17	0.45
2:D:102:LEU:H	2:D:102:LEU:HD22	1.81	0.45
1:E:44:PRO:HD2	2:F:111:TRP:CE3	2.52	0.45
2:H:163:ASN:HB3	2:H:166:ALA:HB3	1.98	0.45
2:B:53:TRP:CE3	2:B:54:ASN:HB3	2.52	0.45
2:B:149:LEU:HD12	2:B:186:LEU:O	2.17	0.45
1:G:30:ARG:CG	1:G:31:ASN:H	2.29	0.45
2:H:173:THR:HG22	2:H:188:SER:OG	2.17	0.45
2:B:99:VAL:CG1	2:B:106:SER:HB3	2.46	0.45
2:F:83:MET:HE2	2:F:86:LEU:HD21	1.99	0.44
1:G:95:PRO:HB2	1:G:97:THR:HG22	1.98	0.44
2:H:35:HIS:HB2	2:H:97:ALA:HB3	1.99	0.44
2:B:196:SER:HB2	2:B:200:GLN:HB2	1.99	0.44
2:B:197:LEU:HD12	2:B:197:LEU:HA	1.79	0.44



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:D:179:GLN:C	2:D:181:SER:H	2.20	0.44
1:E:108:ARG:NH2	1:E:111:ALA:HB2	2.32	0.44
2:H:49:SER:OG	2:H:59:ASP:O	2.34	0.44
2:D:51:ILE:HD13	2:D:51:ILE:HG21	1.78	0.44
1:E:83:VAL:HG21	1:E:166:GLN:HB3	2.00	0.44
2:H:186:LEU:HD23	2:H:186:LEU:HA	1.71	0.44
1:A:83:VAL:HG23	1:A:104:VAL:O	2.18	0.44
2:D:67:ARG:CD	2:D:87:ARG:HH21	2.31	0.44
1:E:22:THR:HG22	1:E:72:THR:HG22	2.00	0.44
1:E:31:ASN:OD1	1:E:31:ASN:N	2.47	0.44
1:E:136:LEU:HD13	1:E:175:LEU:HB3	1.99	0.44
1:A:30:ARG:CG	1:A:31:ASN:H	2.31	0.44
1:C:108:ARG:NH2	1:C:111:ALA:HB2	2.33	0.44
2:H:171:VAL:HG12	2:H:190:VAL:HG13	1.99	0.44
1:C:113:PRO:HB3	1:C:139:PHE:HB3	2.00	0.43
2:F:36:TRP:O	2:F:48:VAL:HB	2.18	0.43
1:G:96:TYR:OH	2:H:104:THR:HG22	2.18	0.43
2:B:156:GLU:HG2	2:B:184:TYR:CE2	2.52	0.43
1:C:30:ARG:HG3	1:C:31:ASN:H	1.82	0.43
1:A:83:VAL:HG13	1:A:83:VAL:O	2.18	0.43
1:C:150:VAL:O	1:C:153:ALA:HB3	2.18	0.43
2:D:134:PRO:HB3	2:D:146:LEU:HB3	2.01	0.43
1:G:198:HIS:CG	1:G:199:GLN:N	2.87	0.43
1:C:30:ARG:O	1:C:68:GLY:N	2.43	0.43
2:D:13:GLN:HG3	2:D:16:ARG:CG	2.48	0.43
1:C:113:PRO:HD2	1:C:201:LEU:CD1	2.49	0.43
1:A:114:SER:HB2	1:A:137:ASN:CB	2.49	0.43
2:B:51:ILE:HD11	2:B:55:SER:HA	2.00	0.43
1:C:140:TYR:HB3	1:C:141:PRO:HD3	2.01	0.43
2:F:150:VAL:HB	2:F:186:LEU:HB2	2.01	0.43
1:G:78:LEU:HD12	1:G:78:LEU:HA	1.78	0.43
2:H:6:GLU:HG3	2:H:96:CYS:SG	2.59	0.43
2:H:54:ASN:OD1	2:H:54:ASN:N	2.51	0.43
2:D:12:VAL:HB	2:D:18:LEU:HD23	2.00	0.43
2:D:64:VAL:HG13	2:D:68:PHE:CG	2.54	0.43
1:G:55:GLN:HB3	1:G:58:VAL:CG2	2.49	0.42
1:A:140:TYR:CG	1:A:141:PRO:HA	2.54	0.42
1:C:30:ARG:HG3	1:C:31:ASN:OD1	2.20	0.42
2:D:158:VAL:HG12	2:D:208:HIS:HB2	2.01	0.42
2:D:196:SER:O	2:D:197:LEU:HD12	2.19	0.42
1:A:92:ASN:N	1:A:92:ASN:OD1	2.51	0.42



	ti a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:92:ASN:O	1:C:93:ARG:HB3	2.20	0.42
2:D:64:VAL:HG13	2:D:68:PHE:HB2	2.01	0.42
1:E:124:GLN:HG2	1:E:129:THR:O	2.19	0.42
1:G:37:GLN:HB2	1:G:86:TYR:CE1	2.55	0.42
1:A:54:LEU:HD21	1:A:58:VAL:O	2.19	0.42
1:E:90:ARG:HH21	1:E:92:ASN:HD21	1.65	0.42
1:G:95:PRO:O	1:G:97:THR:HG23	2.20	0.42
2:F:159:THR:CG2	2:F:207:ASN:HB3	2.49	0.42
2:F:186:LEU:HD23	2:F:186:LEU:HA	1.49	0.42
1:C:163:VAL:HG12	1:C:164:THR:O	2.20	0.42
2:D:98:LYS:HG2	2:D:99:VAL:N	2.34	0.42
1:E:170:ASP:OD1	1:E:172:THR:OG1	2.37	0.42
1:G:167:ASP:OD2	1:G:170:ASP:N	2.50	0.42
1:A:186:TYR:HA	1:A:192:TYR:OH	2.19	0.41
1:E:142:ARG:HG2	1:E:173:TYR:CG	2.55	0.41
2:H:68:PHE:CZ	2:H:83:MET:HG2	2.55	0.41
1:C:186:TYR:HA	1:C:192:TYR:OH	2.20	0.41
2:B:29:PHE:HB2	2:B:77:ASN:OD1	2.21	0.41
1:C:176:SER:HB3	2:D:174:PHE:CZ	2.55	0.41
1:C:95:PRO:O	1:C:97:THR:N	2.52	0.41
2:F:125:LYS:HG2	2:F:183:LEU:HD13	2.03	0.41
1:E:176:SER:HB3	2:F:174:PHE:CZ	2.55	0.41
1:A:162:SER:OG	2:B:175:PRO:HG2	2.20	0.41
2:F:98:LYS:HG2	2:F:99:VAL:O	2.21	0.41
2:H:192:VAL:HG22	2:H:193:PRO:O	2.21	0.41
2:B:190:VAL:HG23	2:B:192:VAL:HG13	2.03	0.41
2:D:27:PHE:CE2	2:D:29:PHE:HA	2.56	0.41
1:C:29:ILE:HG22	1:C:92:ASN:ND2	2.36	0.41
1:C:92:ASN:OD1	1:C:92:ASN:N	2.54	0.41
2:D:1:GLU:O	2:D:1:GLU:HG2	2.21	0.41
1:E:30:ARG:HG3	1:E:31:ASN:OD1	2.20	0.41
1:E:83:VAL:HB	1:E:106:ILE:HG12	2.03	0.41
1:E:159:SER:HA	1:E:178:THR:O	2.21	0.41
2:F:127:PRO:CB	2:F:153:TYR:HB3	2.48	0.41
2:H:88:ALA:O	2:H:91:THR:OG1	2.28	0.41
2:B:30:ASP:O	2:B:53:TRP:HB2	2.21	0.41
1:E:146:VAL:HG22	1:E:196:VAL:HG22	2.03	0.41
2:F:61:ALA:C	2:F:63:SER:H	2.24	0.41
1:A:34:ALA:HA	1:A:49:TYR:HA	2.03	0.40
2:F:163:ASN:HB2	2:F:167:LEU:H	1.85	0.40
1:A:44:PRO:HD2	2:B:111:TRP:CE3	2.56	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:LEU:HA	1:A:78:LEU:HD12	1.88	0.40
1:G:49:TYR:CZ	1:G:53:THR:HG21	2.56	0.40
2:B:31:ASP:O	1:E:93:ARG:NH1	2.53	0.40
1:C:34:ALA:HB2	1:C:91:TYR:HE2	1.87	0.40
2:D:12:VAL:O	2:D:119:VAL:HA	2.22	0.40
2:D:67:ARG:NH1	2:D:90:ASP:OD2	2.49	0.40
2:F:67:ARG:HH12	2:F:87:ARG:HG2	1.86	0.40
1:A:79:GLN:NE2	1:C:57:GLY:O	2.54	0.40
1:E:20:THR:HA	1:E:73:LEU:O	2.22	0.40
2:H:146:LEU:HD23	2:H:192:VAL:HG11	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	P	erce	entiles
1	А	209/215~(97%)	182 (87%)	25~(12%)	2 (1%)		15	46
1	С	209/215~(97%)	182 (87%)	24 (12%)	3 (1%)		11	38
1	Е	209/215~(97%)	183 (88%)	25 (12%)	1 (0%)		29	61
1	G	174/215~(81%)	146 (84%)	27 (16%)	1 (1%)		25	57
2	В	213/225~(95%)	189 (89%)	22 (10%)	2 (1%)		17	48
2	D	213/225~(95%)	191 (90%)	18 (8%)	4 (2%)		8	34
2	F	212/225~(94%)	187 (88%)	17 (8%)	8 (4%)		3	19
2	Н	208/225~(92%)	184 (88%)	16 (8%)	8 (4%)		3	19
All	All	1647/1760~(94%)	1444 (88%)	174 (11%)	29 (2%)		8	35

All (29) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
2	D	166	ALA
2	F	28	THR
1	С	96	TYR
2	D	63	SER
2	D	77	ASN
1	Е	9	SER
2	F	64	VAL
2	F	136	SER
2	F	187	SER
1	G	131	SER
2	Н	10	CYS
2	Н	102	LEU
2	Н	148	CYS
2	D	102	LEU
2	F	66	GLY
1	С	113	PRO
2	F	10	CYS
2	F	211	SER
2	Н	64	VAL
2	Н	89	GLU
1	А	113	PRO
2	В	102	LEU
2	Н	152	ASP
2	Н	180	SER
1	А	60	SER
1	С	152	ASN
2	F	135	SER
2	Н	41	PRO
2	В	157	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentile	\mathbf{s}
1	А	163/187~(87%)	159~(98%)	4 (2%)	47 72	
1	С	171/187~(91%)	170 (99%)	1 (1%)	86 91	
1	Е	160/187~(86%)	159 (99%)	1 (1%)	86 91	



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	G	115/187~(62%)	114 (99%)	1 (1%)	78 87
2	В	171/190~(90%)	170 (99%)	1 (1%)	86 91
2	D	172/190~(90%)	170~(99%)	2(1%)	71 83
2	F	169/190~(89%)	165~(98%)	4 (2%)	49 73
2	Н	164/190~(86%)	162~(99%)	2(1%)	71 83
All	All	1285/1508~(85%)	1269 (99%)	16 (1%)	71 83

Continued from previous page...

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	54	LEU
1	А	61	ARG
1	А	165	CYS
1	А	211	ARG
2	В	205	ASN
1	С	154	LEU
2	D	205	ASN
2	D	214	LYS
1	Е	165	CYS
2	F	10	CYS
2	F	30	ASP
2	F	67	ARG
2	F	196	SER
1	G	54	LEU
2	Н	10	CYS
2	Н	76	LYS

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such side chains are listed below:

Mol	Chain	Res	Type
1	Ε	198	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$\mathbf{OWAB}(\mathbf{\AA}^2)$	$Q{<}0.9$
1	А	211/215~(98%)	-0.16	0 100 100	42, 57, 83, 107	0
1	С	211/215~(98%)	-0.07	0 100 100	46, 60, 87, 122	0
1	Ε	211/215~(98%)	0.23	4 (1%) 66 65	55, 84, 120, 158	0
1	G	180/215~(83%)	0.29	7 (3%) 39 37	48, 83, 120, 151	0
2	В	217/225~(96%)	-0.07	0 100 100	37, 57, 76, 99	0
2	D	217/225~(96%)	-0.01	0 100 100	41, 61, 86, 107	0
2	F	216/225~(96%)	0.14	1 (0%) 91 91	43, 72, 119, 145	0
2	Н	212/225~(94%)	0.26	10 (4%) 31 29	41, 66, 123, 153	0
All	All	1675/1760~(95%)	0.07	22 (1%) 77 77	37, 64, 114, 158	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	Н	134	PRO	3.8
2	Н	202	TYR	3.1
1	G	195	GLU	3.1
1	G	134	CYS	3.1
1	G	148	TRP	2.8
2	Н	147	GLY	2.8
1	Е	194	CYS	2.8
1	Е	209	PHE	2.7
1	G	203	SER	2.6
2	Н	146	LEU	2.6
1	G	120	PRO	2.6
1	G	194	CYS	2.6
2	Н	197	LEU	2.6
1	Е	193	ALA	2.4
2	Н	219	VAL	2.3
1	Е	155	GLN	2.3



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	Н	189	VAL	2.3
1	G	116	PHE	2.2
2	Н	201	THR	2.1
2	Н	133	ALA	2.0
2	Н	188	SER	2.0
2	F	146	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

