



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 13, 2023 – 04:08 PM JST

PDB ID : 5XLA
Title : The structure of hemagglutinin G228S mutant from an avian-origin H4N6 influenza virus in complex with human receptor analog LSTc
Authors : Song, H.; Qi, J.; Gao, G.F.
Deposited on : 2017-05-10
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	503	77% 17% . . .
1	B	503	85% 12% . .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 8332 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	490	Total 3861	C 2410	N 686	O 749	S 16	0	0	0
1	B	490	Total 3861	C 2410	N 686	O 749	S 16	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	225	SER	GLY	engineered mutation	UNP A3KF09
B	225	SER	GLY	engineered mutation	UNP A3KF09

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	Total 14	C 8	N 1	O 5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	B	1	14	8	1	5	0	0

- Molecule 3 is N-acetyl-alpha-neuraminic acid (three-letter code: SIA) (formula: C₁₁H₁₉NO₉).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	21	11	1	9	0	0
3	B	1	21	11	1	9	0	0


- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	218	Total	O	0	0
			218	218		
4	B	322	Total	O	0	0
			322	322		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hemagglutinin

Chain A: 



- Molecule 1: Hemagglutinin

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	100.72Å 100.72Å 686.66Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.27 – 2.10 43.27 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.8 (43.27-2.10) 94.0 (43.27-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.94 (at 2.10Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.210 , 0.240 0.212 , 0.241	Depositor DCC
R_{free} test set	3991 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	29.0	Xtrriage
Anisotropy	0.428	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 50.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	8332	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 48.49 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.5349e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SIA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	2/3939 (0.1%)	0.60	4/5341 (0.1%)
1	B	0.29	0/3939	0.48	0/5341
All	All	0.34	2/7878 (0.0%)	0.54	4/10682 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
All	All	0	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	193	LYS	CB-CG	-6.01	1.36	1.52
1	A	193	LYS	CD-CE	-5.26	1.38	1.51

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	193	LYS	N-CA-C	6.76	129.25	111.00
1	A	188	GLN	CA-CB-CG	5.60	125.73	113.40
1	A	160	LEU	CA-CB-CG	5.45	127.84	115.30
1	A	158	TYR	C-N-CD	5.26	139.44	128.40

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	187	GLU	Peptide
1	A	192	TYR	Peptide
1	B	5	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3861	0	3729	86	0
1	B	3861	0	3729	43	0
2	A	14	0	13	1	0
2	B	14	0	13	1	0
3	A	21	0	18	0	0
3	B	21	0	18	1	0
4	A	218	0	0	9	0
4	B	322	0	0	12	0
All	All	8332	0	7520	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:385:LYS:HG2	1:B:386:THR:HG23	1.17	1.15
1:A:189:THR:HA	1:A:193:LYS:HA	1.37	1.04
1:A:366:LYS:NZ	4:A:701:HOH:O	1.93	1.02
1:B:5:GLY:N	4:B:701:HOH:O	1.94	1.00
1:B:5:GLY:HA2	1:B:468:PHE:HA	1.51	0.92
1:B:385:LYS:CG	1:B:386:THR:HG23	2.00	0.92
1:B:385:LYS:HG2	1:B:386:THR:CG2	2.03	0.87
1:A:184:THR:H	1:A:187:GLU:CG	1.90	0.83
1:A:443:ASN:OD1	4:A:702:HOH:O	1.97	0.82
1:A:338:GLU:OE1	4:A:703:HOH:O	2.02	0.78
1:A:188:GLN:HE22	1:A:192:TYR:HD2	1.33	0.76
1:A:204:LYS:HE2	1:A:238:ASP:HA	1.67	0.76
1:A:384:GLU:HG2	1:A:385:LYS:H	1.49	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:455:GLU:OE2	4:A:704:HOH:O	2.04	0.75
1:B:99:PRO:O	4:B:702:HOH:O	2.04	0.75
1:B:131:LYS:NZ	4:B:706:HOH:O	2.20	0.75
1:A:443:ASN:C	1:A:443:ASN:HD22	1.90	0.75
1:A:387:ASN:OD1	1:A:389:LYS:NZ	2.21	0.74
1:B:93:CYS:O	1:B:221:ARG:NH1	2.20	0.74
1:A:183:SER:H	1:A:187:GLU:HG3	1.52	0.74
1:A:151:VAL:HG23	1:A:191:LEU:HD12	1.69	0.73
1:A:184:THR:O	1:A:214:ILE:HG21	1.88	0.72
1:A:162:ASN:ND2	4:A:709:HOH:O	2.19	0.71
1:A:28:ASP:OD2	4:A:706:HOH:O	2.10	0.69
1:A:184:THR:H	1:A:187:GLU:HG2	1.56	0.69
1:A:189:THR:O	1:A:193:LYS:HG2	1.93	0.69
1:B:282:ASP:OD2	4:B:703:HOH:O	2.10	0.67
1:A:181:HIS:HB2	1:A:213:ASN:O	1.95	0.66
1:B:43:ASN:HB3	1:B:295:ILE:HD13	1.79	0.65
1:B:166:ILE:HG22	1:B:168:ASN:OD1	1.97	0.65
1:A:188:GLN:HE21	1:A:188:GLN:HA	1.61	0.64
1:A:322:PRO:O	1:A:323:GLU:HB2	1.98	0.64
1:A:369:GLN:OE1	4:A:708:HOH:O	2.14	0.64
1:A:188:GLN:NE2	1:A:192:TYR:HD2	1.95	0.64
1:A:188:GLN:HE21	1:A:188:GLN:CA	2.11	0.64
1:A:180:HIS:HB2	1:A:249:ILE:HD11	1.80	0.63
1:A:182:PRO:HB3	1:A:187:GLU:HB3	1.80	0.62
1:A:43:ASN:HB3	1:A:295:ILE:HD13	1.83	0.61
1:B:142:ASP:OD1	1:B:143:PHE:N	2.29	0.61
1:A:379:LEU:HD11	1:A:426:LEU:HD21	1.83	0.61
1:B:481:ASN:ND2	4:B:713:HOH:O	2.33	0.61
1:B:345:ILE:O	4:B:705:HOH:O	2.16	0.61
1:A:171:TYR:CE2	1:A:256:LYS:HG2	2.36	0.60
1:A:184:THR:H	1:A:187:GLU:HG3	1.64	0.60
1:B:302:ASP:OD1	1:B:386:THR:HB	2.02	0.59
1:B:238:ASP:OD2	4:B:704:HOH:O	2.16	0.59
1:A:159:PRO:O	1:A:161:GLN:NE2	2.37	0.57
1:B:357:GLU:HG3	4:B:940:HOH:O	2.05	0.57
1:A:134:ALA:O	1:A:221:ARG:NH2	2.39	0.55
1:A:98:VAL:HG22	1:A:229:PHE:HB2	1.89	0.55
1:A:117:ILE:HD11	1:A:254:HIS:NE2	2.22	0.55
1:A:126:VAL:HG13	1:A:159:PRO:HD2	1.89	0.55
1:A:329:LEU:HG	1:A:439:ASP:OD1	2.07	0.55
1:B:450:ARG:NH2	4:B:716:HOH:O	2.39	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:PRO:CB	1:A:187:GLU:HB3	2.36	0.54
2:B:601:NAG:H83	4:B:800:HOH:O	2.06	0.54
1:B:171:TYR:CZ	1:B:256:LYS:HD2	2.42	0.54
1:A:5:GLY:HA2	1:A:468:PHE:HA	1.88	0.54
1:A:383:ILE:O	1:A:383:ILE:HG22	2.07	0.54
1:A:123:TRP:O	1:A:124:ASN:O	2.25	0.53
1:B:385:LYS:HG2	1:B:386:THR:N	2.24	0.53
1:A:18:ASN:ND2	4:A:705:HOH:O	2.04	0.52
1:A:152:LYS:HD3	1:A:193:LYS:NZ	2.23	0.52
1:A:127:LYS:HB3	1:A:151:VAL:CG1	2.39	0.52
1:B:329:LEU:HD21	4:B:772:HOH:O	2.08	0.52
1:A:152:LYS:NZ	1:A:190:ASN:HA	2.25	0.52
1:A:142:ASP:CG	1:A:143:PHE:H	2.14	0.51
1:A:219:LEU:HG	1:A:222:GLY:HA2	1.92	0.50
1:A:443:ASN:O	1:A:443:ASN:ND2	2.38	0.50
1:A:125:THR:HG22	1:A:153:SER:OG	2.11	0.50
1:B:329:LEU:HG	1:B:439:ASP:OD1	2.11	0.50
1:B:125:THR:HG22	1:B:125:THR:O	2.12	0.50
1:A:175:TYR:CE2	1:A:254:HIS:HB3	2.46	0.50
1:B:217:ARG:HB2	1:B:224:SER:O	2.12	0.49
1:A:158:TYR:CD1	1:A:194:ASN:OD1	2.65	0.49
1:B:124:ASN:HB3	1:B:161:GLN:HE22	1.76	0.49
1:A:123:TRP:CD2	1:A:150:LEU:HD21	2.47	0.49
1:A:357:GLU:OE2	1:A:472:ASP:HB2	2.14	0.48
1:A:6:ASN:HB3	1:A:7:PRO:HD3	1.96	0.47
1:A:383:ILE:O	1:A:383:ILE:CG2	2.62	0.47
1:B:127:LYS:HG3	1:B:153:SER:HA	1.97	0.47
1:A:158:TYR:CE1	1:A:194:ASN:OD1	2.67	0.47
1:A:382:LEU:C	1:A:384:GLU:H	2.18	0.47
1:B:372:ILE:HG23	1:B:376:ASN:ND2	2.30	0.47
1:A:152:LYS:HZ2	1:A:190:ASN:HA	1.80	0.46
1:A:63:ILE:HG13	1:A:101:TYR:CZ	2.51	0.46
1:A:386:THR:O	1:A:387:ASN:HB3	2.14	0.46
1:B:357:GLU:OE2	1:B:472:ASP:HB2	2.15	0.46
1:A:127:LYS:HB3	1:A:151:VAL:HG12	1.97	0.46
1:A:192:TYR:CZ	1:A:247:ASN:HA	2.50	0.46
2:A:601:NAG:H83	4:A:737:HOH:O	2.15	0.45
1:A:443:ASN:C	1:A:443:ASN:ND2	2.64	0.45
1:A:131:LYS:HD3	1:A:141:ASN:O	2.17	0.45
1:B:413:ASP:OD1	4:B:707:HOH:O	2.21	0.45
1:A:172:ALA:HB2	1:A:235:GLU:HG3	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:LYS:HD3	1:A:193:LYS:HZ1	1.80	0.45
1:A:183:SER:N	1:A:187:GLU:HG3	2.25	0.45
1:A:188:GLN:HA	1:A:188:GLN:NE2	2.28	0.45
1:B:385:LYS:CD	1:B:386:THR:HG23	2.47	0.44
1:A:137:ARG:NE	1:A:142:ASP:OD2	2.24	0.44
1:A:142:ASP:OD1	1:A:143:PHE:N	2.48	0.44
1:A:93:CYS:SG	1:A:94:TYR:N	2.86	0.43
1:A:152:LYS:HE3	1:A:191:LEU:CA	2.47	0.43
1:A:171:TYR:CE2	1:A:173:ARG:HG2	2.53	0.43
1:B:54:LEU:HD22	1:B:82:VAL:HB	1.98	0.43
1:B:278:LYS:HB3	1:B:302:ASP:HB3	2.00	0.43
1:A:124:ASN:HB3	1:A:159:PRO:HG2	2.00	0.43
1:B:152:LYS:HD2	1:B:156:ASN:OD1	2.19	0.43
1:A:94:TYR:OH	1:A:225:SER:HB2	2.18	0.43
1:B:48:CYS:SG	1:B:277:SER:HB3	2.58	0.43
1:B:279:CYS:HB2	1:B:302:ASP:O	2.19	0.42
1:A:134:ALA:HB1	1:A:221:ARG:HB3	2.00	0.42
1:A:136:LYS:HD3	1:A:139:ASN:OD1	2.20	0.42
1:A:279:CYS:HB2	1:A:302:ASP:O	2.20	0.42
1:B:124:ASN:OD1	1:B:159:PRO:HG3	2.20	0.42
1:A:186:THR:HA	1:A:189:THR:HG22	2.02	0.42
1:B:133:GLY:N	3:B:602:SIA:O1B	2.53	0.42
1:A:136:LYS:HB3	1:A:139:ASN:HA	2.01	0.41
1:A:110:ASN:HA	1:A:263:SER:O	2.21	0.41
1:B:195:ASN:HA	1:B:196:PRO:HA	1.90	0.41
1:A:173:ARG:HD3	1:A:254:HIS:CE1	2.55	0.41
1:B:125:THR:HG22	1:B:153:SER:HB3	2.03	0.41
1:B:160:LEU:HD23	1:B:245:ILE:HG23	2.03	0.41
1:B:204:LYS:HE2	1:B:238:ASP:HA	2.03	0.41
1:A:148:ASN:HB3	1:A:250:ALA:HB3	2.03	0.41
1:A:167:ASN:HA	1:A:173:ARG:CZ	2.51	0.40
1:B:164:THR:HG23	1:B:239:LEU:HD23	2.02	0.40
1:A:125:THR:HG22	1:A:125:THR:O	2.20	0.40
1:A:380:ASN:OD1	1:A:381:ARG:N	2.54	0.40
1:A:199:VAL:HG11	1:A:248:LEU:HD13	2.03	0.40
1:B:110:ASN:HA	1:B:263:SER:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	486/503 (97%)	458 (94%)	21 (4%)	7 (1%)	11	6
1	B	486/503 (97%)	460 (95%)	23 (5%)	3 (1%)	25	21
All	All	972/1006 (97%)	918 (94%)	44 (4%)	10 (1%)	15	11

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	124	ASN
1	A	187	GLU
1	A	193	LYS
1	B	6	ASN
1	B	124	ASN
1	A	383	ILE
1	A	6	ASN
1	A	182	PRO
1	B	383	ILE
1	A	158	TYR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	423/433 (98%)	408 (96%)	15 (4%)	36	38
1	B	423/433 (98%)	418 (99%)	5 (1%)	71	77
All	All	846/866 (98%)	826 (98%)	20 (2%)	49	53

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	HIS
1	A	117	ILE
1	A	141	ASN
1	A	152	LYS
1	A	153	SER
1	A	158	TYR
1	A	160	LEU
1	A	188	GLN
1	A	208	THR
1	A	225	SER
1	A	239	LEU
1	A	244	THR
1	A	323	GLU
1	A	382	LEU
1	A	443	ASN
1	B	14	HIS
1	B	186	THR
1	B	192	TYR
1	B	239	LEU
1	B	243	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	156	ASN
1	A	188	GLN
1	A	223	GLN
1	A	443	ASN
1	B	342	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SIA	B	602	-	21,21,21	1.55	2 (9%)	25,31,31	1.72	1 (4%)
2	NAG	A	601	1	14,14,15	0.40	0	17,19,21	0.52	0
3	SIA	A	602	-	21,21,21	1.51	3 (14%)	25,31,31	1.26	1 (4%)
2	NAG	B	601	1	14,14,15	0.27	0	17,19,21	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SIA	B	602	-	-	1/20/38/38	0/1/1/1
2	NAG	A	601	1	-	2/6/23/26	0/1/1/1
3	SIA	A	602	-	-	1/20/38/38	0/1/1/1
2	NAG	B	601	1	-	2/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	602	SIA	O6-C2	4.62	1.47	1.43
3	A	602	SIA	O6-C2	4.52	1.47	1.43
3	B	602	SIA	C2-C1	3.47	1.59	1.53
3	A	602	SIA	C2-C1	3.31	1.58	1.53
3	A	602	SIA	C7-C6	2.00	1.55	1.53

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	602	SIA	O1A-C1-C2	-7.04	112.92	123.59
3	A	602	SIA	O1A-C1-C2	-4.01	117.51	123.59

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	601	NAG	C8-C7-N2-C2
2	A	601	NAG	O7-C7-N2-C2
2	B	601	NAG	C8-C7-N2-C2
2	B	601	NAG	O7-C7-N2-C2
3	A	602	SIA	O1A-C1-C2-O6
3	B	602	SIA	O1B-C1-C2-O6


There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	602	SIA	1	0
2	A	601	NAG	1	0
2	B	601	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.




6.4 Ligands


Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around SIA A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

Unable to reproduce the depositor's R factor - this section is therefore empty.