



Full wwPDB EM Validation Report ⓘ

Apr 30, 2024 – 12:55 AM JST

PDB ID : 8XOU
EMDB ID : EMD-38541
Title : Prohead portal vertex of bacteriophage lambda
Authors : Wang, J.W.; Gu, Z.W.
Deposited on : 2024-01-02
Resolution : 5.58 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 5.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	533	
1	B1	533	
1	B2	533	
1	B3	533	
1	B4	533	
1	B5	533	
1	b	533	
1	b1	533	
1	b2	533	


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	b3	533	44% 87% 11%
1	b4	533	39% 87% 11%
1	b5	533	43% 87% 11%
2	A0	341	20% 97% ..
2	A1	341	17% 97% ..
2	A2	341	20% 97% ..
2	A3	341	20% 97% ..
2	A4	341	20% 97% ..
2	C0	341	19% 97% ..
2	C1	341	21% 97% ..
2	C2	341	21% 97% ..
2	C3	341	26% 97% ..
2	C4	341	23% 97% ..
2	D0	341	26% 97% ..
2	D1	341	27% 97% ..
2	D2	341	28% 97% ..
2	D3	341	26% 97% ..
2	D4	341	21% 97% ..
2	E0	341	29% 97% ..
2	E1	341	27% 97% ..
2	E2	341	30% 97% ..
2	E3	341	28% 97% ..
2	E4	341	28% 97% ..
2	F0	341	27% 97% ..
2	F1	341	23% 97% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F2	341	
2	F3	341	
2	F4	341	
2	G0	341	
2	G1	341	
2	G2	341	
2	G3	341	
2	G4	341	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 123582 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Portal protein B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	B	474	3711	2319	672	697	23	0	0
1	b	474	3711	2319	672	697	23	0	0
1	B1	474	3711	2319	672	697	23	0	0
1	b1	474	3711	2319	672	697	23	0	0
1	B2	474	3711	2319	672	697	23	0	0
1	b2	474	3711	2319	672	697	23	0	0
1	B3	474	3711	2319	672	697	23	0	0
1	b3	474	3711	2319	672	697	23	0	0
1	B4	474	3711	2319	672	697	23	0	0
1	b4	474	3711	2319	672	697	23	0	0
1	B5	474	3711	2319	672	697	23	0	0
1	b5	474	3711	2319	672	697	23	0	0

- Molecule 2 is a protein called Major capsid protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	A0	335	2635	1660	453	510	12	0	0
2	G0	335	2635	1660	453	510	12	0	0
2	C0	335	2635	1660	453	510	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D0	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	E0	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	F0	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	A1	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	G1	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	C1	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	D1	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	E1	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	F1	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	A2	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	G2	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	C2	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	D2	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	E2	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	F2	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	A3	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	G3	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	C3	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	D3	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	E3	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	F3	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A4	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	G4	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	C4	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	D4	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	E4	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		
2	F4	335	Total	C	N	O	S	0	0
			2635	1660	453	510	12		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Portal protein B





- Molecule 1: Portal protein B









• Molecule 1: Portal protein B




• Molecule 1: Portal protein B





• Molecule 1: Portal protein B







• Molecule 1: Portal protein B






• Molecule 1: Portal protein B







• Molecule 1: Portal protein B








• Molecule 1: Portal protein B




• Molecule 1: Portal protein B







• Molecule 2: Major capsid protein




• Molecule 2: Major capsid protein




• Molecule 2: Major capsid protein






• Molecule 2: Major capsid protein









• Molecule 2: Major capsid protein




• Molecule 2: Major capsid protein




• Molecule 2: Major capsid protein




• Molecule 2: Major capsid protein




• Molecule 2: Major capsid protein




• Molecule 2: Major capsid protein




• Molecule 2: Major capsid protein







• Molecule 2: Major capsid protein




• Molecule 2: Major capsid protein





• Molecule 2: Major capsid protein











• Molecule 2: Major capsid protein



• Molecule 2: Major capsid protein




• Molecule 2: Major capsid protein




• Molecule 2: Major capsid protein







• Molecule 2: Major capsid protein




• Molecule 2: Major capsid protein




• Molecule 2: Major capsid protein







• Molecule 2: Major capsid protein



• Molecule 2: Major capsid protein




• Molecule 2: Major capsid protein



• Molecule 2: Major capsid protein





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	50921	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.826	Depositor
Minimum map value	-0.434	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.097	Depositor
Recommended contour level	0.3	Depositor
Map size (\AA)	334.47424, 334.47424, 334.47424	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.30654, 1.30654, 1.30654	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.30	0/3793	0.64	1/5131 (0.0%)
1	B1	0.30	0/3793	0.64	1/5131 (0.0%)
1	B2	0.30	0/3793	0.64	1/5131 (0.0%)
1	B3	0.30	0/3793	0.64	1/5131 (0.0%)
1	B4	0.30	0/3793	0.64	1/5131 (0.0%)
1	B5	0.30	0/3793	0.64	1/5131 (0.0%)
1	b	0.30	0/3793	0.64	1/5131 (0.0%)
1	b1	0.30	0/3793	0.64	1/5131 (0.0%)
1	b2	0.30	0/3793	0.64	1/5131 (0.0%)
1	b3	0.30	0/3793	0.64	1/5131 (0.0%)
1	b4	0.30	0/3793	0.64	1/5131 (0.0%)
1	b5	0.30	0/3793	0.64	1/5131 (0.0%)
2	A0	0.29	0/2687	0.64	1/3637 (0.0%)
2	A1	0.29	0/2687	0.64	1/3637 (0.0%)
2	A2	0.29	0/2687	0.64	0/3637
2	A3	0.29	0/2687	0.64	1/3637 (0.0%)
2	A4	0.29	0/2687	0.64	1/3637 (0.0%)
2	C0	0.29	0/2687	0.64	1/3637 (0.0%)
2	C1	0.29	0/2687	0.64	0/3637
2	C2	0.29	0/2687	0.64	1/3637 (0.0%)
2	C3	0.29	0/2687	0.64	1/3637 (0.0%)
2	C4	0.29	0/2687	0.64	0/3637
2	D0	0.29	0/2687	0.64	1/3637 (0.0%)
2	D1	0.29	0/2687	0.64	1/3637 (0.0%)
2	D2	0.29	0/2687	0.64	1/3637 (0.0%)
2	D3	0.29	0/2687	0.64	1/3637 (0.0%)
2	D4	0.29	0/2687	0.64	1/3637 (0.0%)
2	E0	0.29	0/2687	0.64	0/3637
2	E1	0.29	0/2687	0.64	1/3637 (0.0%)
2	E2	0.29	0/2687	0.64	1/3637 (0.0%)
2	E3	0.29	0/2687	0.64	1/3637 (0.0%)
2	E4	0.29	0/2687	0.64	0/3637
2	F0	0.29	0/2687	0.64	1/3637 (0.0%)
2	F1	0.29	0/2687	0.64	0/3637

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
2	F2	0.29	0/2687	0.64	1/3637 (0.0%)
2	F3	0.29	0/2687	0.64	1/3637 (0.0%)
2	F4	0.29	0/2687	0.64	0/3637
2	G0	0.29	0/2687	0.64	0/3637
2	G1	0.29	0/2687	0.64	1/3637 (0.0%)
2	G2	0.29	0/2687	0.64	0/3637
2	G3	0.29	0/2687	0.64	0/3637
2	G4	0.29	0/2687	0.64	1/3637 (0.0%)
All	All	0.30	0/126126	0.64	32/170682 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	4
1	B1	0	4
1	B2	0	4
1	B3	0	4
1	B4	0	4
1	B5	0	4
1	b	0	4
1	b1	0	4
1	b2	0	4
1	b3	0	4
1	b4	0	4
1	b5	0	4
2	A0	0	1
2	A1	0	1
2	A2	0	1
2	A3	0	1
2	A4	0	1
2	C0	0	1
2	C1	0	1
2	C2	0	1
2	C3	0	1
2	C4	0	1
2	D0	0	1
2	D1	0	1
2	D2	0	1
2	D3	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
2	D4	0	1
2	E0	0	1
2	E1	0	1
2	E2	0	1
2	E3	0	1
2	E4	0	1
2	F0	0	1
2	F1	0	1
2	F2	0	1
2	F3	0	1
2	F4	0	1
2	G0	0	1
2	G1	0	1
2	G2	0	1
2	G3	0	1
2	G4	0	1
All	All	0	78

There are no bond length outliers.

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	b4	375	ARG	CB-CG-CD	6.00	127.21	111.60
1	B	375	ARG	CB-CG-CD	5.99	127.18	111.60
1	b	375	ARG	CB-CG-CD	5.99	127.17	111.60
1	B4	375	ARG	CB-CG-CD	5.99	127.17	111.60
1	B3	375	ARG	CB-CG-CD	5.99	127.17	111.60
1	B2	375	ARG	CB-CG-CD	5.98	127.15	111.60
1	B5	375	ARG	CB-CG-CD	5.98	127.15	111.60
1	b2	375	ARG	CB-CG-CD	5.97	127.13	111.60
1	b3	375	ARG	CB-CG-CD	5.97	127.12	111.60
1	b1	375	ARG	CB-CG-CD	5.97	127.12	111.60
1	b5	375	ARG	CB-CG-CD	5.96	127.11	111.60
1	B1	375	ARG	CB-CG-CD	5.96	127.10	111.60
2	G4	50	MET	CA-CB-CG	5.03	121.86	113.30
2	A4	50	MET	CA-CB-CG	5.03	121.84	113.30
2	D2	50	MET	CA-CB-CG	5.02	121.84	113.30
2	F3	50	MET	CA-CB-CG	5.02	121.84	113.30
2	D4	50	MET	CA-CB-CG	5.02	121.84	113.30
2	D1	50	MET	CA-CB-CG	5.02	121.83	113.30
2	A3	50	MET	CA-CB-CG	5.02	121.83	113.30
2	F0	50	MET	CA-CB-CG	5.02	121.83	113.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E3	50	MET	CA-CB-CG	5.02	121.83	113.30
2	A1	50	MET	CA-CB-CG	5.01	121.82	113.30
2	C2	50	MET	CA-CB-CG	5.01	121.83	113.30
2	D0	50	MET	CA-CB-CG	5.01	121.82	113.30
2	F2	50	MET	CA-CB-CG	5.01	121.82	113.30
2	D3	50	MET	CA-CB-CG	5.01	121.82	113.30
2	E1	50	MET	CA-CB-CG	5.01	121.81	113.30
2	C0	50	MET	CA-CB-CG	5.01	121.81	113.30
2	G1	50	MET	CA-CB-CG	5.00	121.81	113.30
2	A0	50	MET	CA-CB-CG	5.00	121.81	113.30
2	E2	50	MET	CA-CB-CG	5.00	121.81	113.30
2	C3	50	MET	CA-CB-CG	5.00	121.80	113.30

There are no chirality outliers.

All (78) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	A0	135	VAL	Peptide
2	A1	135	VAL	Peptide
2	A2	135	VAL	Peptide
2	A3	135	VAL	Peptide
2	A4	135	VAL	Peptide
1	B	321	ALA	Peptide
1	B	364	ALA	Peptide
1	B	374	SER	Peptide
1	B	375	ARG	Sidechain
1	B1	321	ALA	Peptide
1	B1	364	ALA	Peptide
1	B1	374	SER	Peptide
1	B1	375	ARG	Sidechain
1	B2	321	ALA	Peptide
1	B2	364	ALA	Peptide
1	B2	374	SER	Peptide
1	B2	375	ARG	Sidechain
1	B3	321	ALA	Peptide
1	B3	364	ALA	Peptide
1	B3	374	SER	Peptide
1	B3	375	ARG	Sidechain
1	B4	321	ALA	Peptide
1	B4	364	ALA	Peptide
1	B4	374	SER	Peptide
1	B4	375	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B5	321	ALA	Peptide
1	B5	364	ALA	Peptide
1	B5	374	SER	Peptide
1	B5	375	ARG	Sidechain
2	C0	135	VAL	Peptide
2	C1	135	VAL	Peptide
2	C2	135	VAL	Peptide
2	C3	135	VAL	Peptide
2	C4	135	VAL	Peptide
2	D0	135	VAL	Peptide
2	D1	135	VAL	Peptide
2	D2	135	VAL	Peptide
2	D3	135	VAL	Peptide
2	D4	135	VAL	Peptide
2	E0	135	VAL	Peptide
2	E1	135	VAL	Peptide
2	E2	135	VAL	Peptide
2	E3	135	VAL	Peptide
2	E4	135	VAL	Peptide
2	F0	135	VAL	Peptide
2	F1	135	VAL	Peptide
2	F2	135	VAL	Peptide
2	F3	135	VAL	Peptide
2	F4	135	VAL	Peptide
2	G0	135	VAL	Peptide
2	G1	135	VAL	Peptide
2	G2	135	VAL	Peptide
2	G3	135	VAL	Peptide
2	G4	135	VAL	Peptide
1	b	321	ALA	Peptide
1	b	364	ALA	Peptide
1	b	374	SER	Peptide
1	b	375	ARG	Sidechain
1	b1	321	ALA	Peptide
1	b1	364	ALA	Peptide
1	b1	374	SER	Peptide
1	b1	375	ARG	Sidechain
1	b2	321	ALA	Peptide
1	b2	364	ALA	Peptide
1	b2	374	SER	Peptide
1	b2	375	ARG	Sidechain
1	b3	321	ALA	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	b3	364	ALA	Peptide
1	b3	374	SER	Peptide
1	b3	375	ARG	Sidechain
1	b4	321	ALA	Peptide
1	b4	364	ALA	Peptide
1	b4	374	SER	Peptide
1	b4	375	ARG	Sidechain
1	b5	321	ALA	Peptide
1	b5	364	ALA	Peptide
1	b5	374	SER	Peptide
1	b5	375	ARG	Sidechain

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	472/533 (89%)	436 (92%)	33 (7%)	3 (1%)	25	65
1	B1	472/533 (89%)	436 (92%)	33 (7%)	3 (1%)	25	65
1	B2	472/533 (89%)	437 (93%)	32 (7%)	3 (1%)	25	65
1	B3	472/533 (89%)	436 (92%)	33 (7%)	3 (1%)	25	65
1	B4	472/533 (89%)	437 (93%)	32 (7%)	3 (1%)	25	65
1	B5	472/533 (89%)	437 (93%)	32 (7%)	3 (1%)	25	65
1	b	472/533 (89%)	436 (92%)	33 (7%)	3 (1%)	25	65
1	b1	472/533 (89%)	436 (92%)	33 (7%)	3 (1%)	25	65
1	b2	472/533 (89%)	436 (92%)	33 (7%)	3 (1%)	25	65
1	b3	472/533 (89%)	437 (93%)	32 (7%)	3 (1%)	25	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	b4	472/533 (89%)	436 (92%)	33 (7%)	3 (1%)	25	65
1	b5	472/533 (89%)	437 (93%)	32 (7%)	3 (1%)	25	65
2	A0	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	A1	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	A2	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	A3	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	A4	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	C0	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	C1	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	C2	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	C3	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	C4	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	D0	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	D1	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	D2	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	D3	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	D4	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	E0	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	E1	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	E2	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	E3	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	E4	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	F0	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	F1	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	F2	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	F3	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	F4	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	G0	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	G1	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	G2	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
2	G3	333/341 (98%)	288 (86%)	45 (14%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	G4	333/341 (98%)	288 (86%)	45 (14%)	0	100	100
All	All	15654/16626 (94%)	13877 (89%)	1741 (11%)	36 (0%)	50	81

All (36) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	322	PRO
1	b	322	PRO
1	B1	322	PRO
1	b1	322	PRO
1	B2	322	PRO
1	b2	322	PRO
1	B3	322	PRO
1	b3	322	PRO
1	B4	322	PRO
1	b4	322	PRO
1	B5	322	PRO
1	b5	322	PRO
1	B	289	GLN
1	b	289	GLN
1	B1	289	GLN
1	b1	289	GLN
1	B2	289	GLN
1	b2	289	GLN
1	B3	289	GLN
1	b3	289	GLN
1	B4	289	GLN
1	b4	289	GLN
1	B5	289	GLN
1	b5	289	GLN
1	B	286	LEU
1	b	286	LEU
1	B1	286	LEU
1	b1	286	LEU
1	B2	286	LEU
1	b2	286	LEU
1	B3	286	LEU
1	b3	286	LEU
1	B4	286	LEU
1	b4	286	LEU
1	B5	286	LEU
1	b5	286	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	373/428 (87%)	370 (99%)	3 (1%)	81	89
1	B1	373/428 (87%)	370 (99%)	3 (1%)	81	89
1	B2	373/428 (87%)	370 (99%)	3 (1%)	81	89
1	B3	373/428 (87%)	370 (99%)	3 (1%)	81	89
1	B4	373/428 (87%)	370 (99%)	3 (1%)	81	89
1	B5	373/428 (87%)	370 (99%)	3 (1%)	81	89
1	b	373/428 (87%)	370 (99%)	3 (1%)	81	89
1	b1	373/428 (87%)	370 (99%)	3 (1%)	81	89
1	b2	373/428 (87%)	370 (99%)	3 (1%)	81	89
1	b3	373/428 (87%)	370 (99%)	3 (1%)	81	89
1	b4	373/428 (87%)	370 (99%)	3 (1%)	81	89
1	b5	373/428 (87%)	370 (99%)	3 (1%)	81	89
2	A0	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	A1	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	A2	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	A3	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	A4	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	C0	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	C1	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	C2	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	C3	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	C4	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	D0	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	D1	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	D2	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	D3	284/290 (98%)	282 (99%)	2 (1%)	84	90

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	D4	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	E0	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	E1	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	E2	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	E3	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	E4	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	F0	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	F1	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	F2	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	F3	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	F4	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	G0	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	G1	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	G2	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	G3	284/290 (98%)	282 (99%)	2 (1%)	84	90
2	G4	284/290 (98%)	282 (99%)	2 (1%)	84	90
All	All	12996/13836 (94%)	12900 (99%)	96 (1%)	84	90

All (96) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	116	LYS
1	B	259	LYS
1	B	386	ARG
1	b	116	LYS
1	b	259	LYS
1	b	386	ARG
1	B1	116	LYS
1	B1	259	LYS
1	B1	386	ARG
1	b1	116	LYS
1	b1	259	LYS
1	b1	386	ARG
1	B2	116	LYS
1	B2	259	LYS
1	B2	386	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	b2	116	LYS
1	b2	259	LYS
1	b2	386	ARG
1	B3	116	LYS
1	B3	259	LYS
1	B3	386	ARG
1	b3	116	LYS
1	b3	259	LYS
1	b3	386	ARG
1	B4	116	LYS
1	B4	259	LYS
1	B4	386	ARG
1	b4	116	LYS
1	b4	259	LYS
1	b4	386	ARG
1	B5	116	LYS
1	B5	259	LYS
1	B5	386	ARG
1	b5	116	LYS
1	b5	259	LYS
1	b5	386	ARG
2	A0	263	LYS
2	A0	295	ARG
2	G0	263	LYS
2	G0	295	ARG
2	C0	263	LYS
2	C0	295	ARG
2	D0	263	LYS
2	D0	295	ARG
2	E0	263	LYS
2	E0	295	ARG
2	F0	263	LYS
2	F0	295	ARG
2	A1	263	LYS
2	A1	295	ARG
2	G1	263	LYS
2	G1	295	ARG
2	C1	263	LYS
2	C1	295	ARG
2	D1	263	LYS
2	D1	295	ARG
2	E1	263	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E1	295	ARG
2	F1	263	LYS
2	F1	295	ARG
2	A2	263	LYS
2	A2	295	ARG
2	G2	263	LYS
2	G2	295	ARG
2	C2	263	LYS
2	C2	295	ARG
2	D2	263	LYS
2	D2	295	ARG
2	E2	263	LYS
2	E2	295	ARG
2	F2	263	LYS
2	F2	295	ARG
2	A3	263	LYS
2	A3	295	ARG
2	G3	263	LYS
2	G3	295	ARG
2	C3	263	LYS
2	C3	295	ARG
2	D3	263	LYS
2	D3	295	ARG
2	E3	263	LYS
2	E3	295	ARG
2	F3	263	LYS
2	F3	295	ARG
2	A4	263	LYS
2	A4	295	ARG
2	G4	263	LYS
2	G4	295	ARG
2	C4	263	LYS
2	C4	295	ARG
2	D4	263	LYS
2	D4	295	ARG
2	E4	263	LYS
2	E4	295	ARG
2	F4	263	LYS
2	F4	295	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (278) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	34	GLN
1	B	39	ASN
1	B	78	GLN
1	B	265	GLN
1	B	356	GLN
1	B	379	GLN
1	B	487	GLN
1	b	34	GLN
1	b	39	ASN
1	b	78	GLN
1	b	265	GLN
1	b	356	GLN
1	b	379	GLN
1	b	487	GLN
1	B1	34	GLN
1	B1	39	ASN
1	B1	75	GLN
1	B1	78	GLN
1	B1	265	GLN
1	B1	356	GLN
1	B1	379	GLN
1	B1	487	GLN
1	b1	34	GLN
1	b1	39	ASN
1	b1	78	GLN
1	b1	265	GLN
1	b1	356	GLN
1	b1	379	GLN
1	b1	487	GLN
1	B2	34	GLN
1	B2	39	ASN
1	B2	75	GLN
1	B2	78	GLN
1	B2	265	GLN
1	B2	356	GLN
1	B2	379	GLN
1	B2	487	GLN
1	b2	34	GLN
1	b2	39	ASN
1	b2	75	GLN
1	b2	78	GLN
1	b2	181	ASN
1	b2	265	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	b2	356	GLN
1	b2	379	GLN
1	b2	487	GLN
1	B3	34	GLN
1	B3	39	ASN
1	B3	78	GLN
1	B3	265	GLN
1	B3	356	GLN
1	B3	379	GLN
1	B3	487	GLN
1	b3	34	GLN
1	b3	39	ASN
1	b3	78	GLN
1	b3	265	GLN
1	b3	356	GLN
1	b3	487	GLN
1	B4	34	GLN
1	B4	39	ASN
1	B4	78	GLN
1	B4	265	GLN
1	B4	356	GLN
1	B4	379	GLN
1	B4	487	GLN
1	b4	34	GLN
1	b4	39	ASN
1	b4	78	GLN
1	b4	265	GLN
1	b4	356	GLN
1	b4	379	GLN
1	b4	487	GLN
1	B5	34	GLN
1	B5	39	ASN
1	B5	78	GLN
1	B5	265	GLN
1	B5	356	GLN
1	B5	379	GLN
1	B5	487	GLN
1	b5	34	GLN
1	b5	39	ASN
1	b5	78	GLN
1	b5	265	GLN
1	b5	356	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	b5	379	GLN
1	b5	487	GLN
2	A0	15	GLN
2	A0	82	HIS
2	A0	115	ASN
2	A0	161	ASN
2	A0	299	ASN
2	A0	339	GLN
2	G0	15	GLN
2	G0	115	ASN
2	G0	161	ASN
2	G0	299	ASN
2	G0	339	GLN
2	C0	15	GLN
2	C0	82	HIS
2	C0	115	ASN
2	C0	161	ASN
2	C0	256	GLN
2	C0	299	ASN
2	C0	339	GLN
2	D0	15	GLN
2	D0	43	GLN
2	D0	115	ASN
2	D0	161	ASN
2	D0	276	ASN
2	D0	299	ASN
2	D0	339	GLN
2	E0	15	GLN
2	E0	115	ASN
2	E0	161	ASN
2	E0	256	GLN
2	E0	299	ASN
2	E0	339	GLN
2	F0	15	GLN
2	F0	43	GLN
2	F0	82	HIS
2	F0	115	ASN
2	F0	161	ASN
2	F0	299	ASN
2	F0	339	GLN
2	A1	15	GLN
2	A1	43	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A1	82	HIS
2	A1	115	ASN
2	A1	161	ASN
2	A1	299	ASN
2	A1	339	GLN
2	G1	15	GLN
2	G1	115	ASN
2	G1	161	ASN
2	G1	299	ASN
2	G1	339	GLN
2	C1	15	GLN
2	C1	82	HIS
2	C1	115	ASN
2	C1	161	ASN
2	C1	256	GLN
2	C1	299	ASN
2	C1	339	GLN
2	D1	15	GLN
2	D1	43	GLN
2	D1	115	ASN
2	D1	161	ASN
2	D1	276	ASN
2	D1	299	ASN
2	D1	339	GLN
2	E1	15	GLN
2	E1	115	ASN
2	E1	161	ASN
2	E1	256	GLN
2	E1	299	ASN
2	E1	339	GLN
2	F1	15	GLN
2	F1	82	HIS
2	F1	115	ASN
2	F1	161	ASN
2	F1	299	ASN
2	F1	339	GLN
2	A2	15	GLN
2	A2	82	HIS
2	A2	115	ASN
2	A2	161	ASN
2	A2	299	ASN
2	A2	339	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	G2	15	GLN
2	G2	115	ASN
2	G2	161	ASN
2	G2	299	ASN
2	G2	339	GLN
2	C2	15	GLN
2	C2	82	HIS
2	C2	115	ASN
2	C2	161	ASN
2	C2	256	GLN
2	C2	299	ASN
2	C2	339	GLN
2	D2	15	GLN
2	D2	43	GLN
2	D2	115	ASN
2	D2	161	ASN
2	D2	276	ASN
2	D2	299	ASN
2	D2	339	GLN
2	E2	15	GLN
2	E2	115	ASN
2	E2	161	ASN
2	E2	256	GLN
2	E2	299	ASN
2	E2	339	GLN
2	F2	15	GLN
2	F2	82	HIS
2	F2	115	ASN
2	F2	161	ASN
2	F2	299	ASN
2	F2	339	GLN
2	A3	15	GLN
2	A3	82	HIS
2	A3	115	ASN
2	A3	161	ASN
2	A3	276	ASN
2	A3	299	ASN
2	A3	339	GLN
2	G3	15	GLN
2	G3	115	ASN
2	G3	161	ASN
2	G3	256	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	G3	299	ASN
2	G3	339	GLN
2	C3	15	GLN
2	C3	82	HIS
2	C3	115	ASN
2	C3	161	ASN
2	C3	256	GLN
2	C3	299	ASN
2	C3	339	GLN
2	D3	15	GLN
2	D3	43	GLN
2	D3	115	ASN
2	D3	161	ASN
2	D3	276	ASN
2	D3	299	ASN
2	D3	339	GLN
2	E3	15	GLN
2	E3	115	ASN
2	E3	161	ASN
2	E3	256	GLN
2	E3	299	ASN
2	E3	339	GLN
2	F3	15	GLN
2	F3	82	HIS
2	F3	115	ASN
2	F3	161	ASN
2	F3	299	ASN
2	F3	339	GLN
2	A4	15	GLN
2	A4	82	HIS
2	A4	115	ASN
2	A4	161	ASN
2	A4	276	ASN
2	A4	299	ASN
2	A4	339	GLN
2	G4	15	GLN
2	G4	115	ASN
2	G4	161	ASN
2	G4	256	GLN
2	G4	299	ASN
2	G4	339	GLN
2	C4	15	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C4	82	HIS
2	C4	115	ASN
2	C4	161	ASN
2	C4	256	GLN
2	C4	299	ASN
2	C4	339	GLN
2	D4	15	GLN
2	D4	43	GLN
2	D4	115	ASN
2	D4	161	ASN
2	D4	276	ASN
2	D4	299	ASN
2	D4	339	GLN
2	E4	15	GLN
2	E4	115	ASN
2	E4	161	ASN
2	E4	256	GLN
2	E4	299	ASN
2	E4	339	GLN
2	F4	15	GLN
2	F4	82	HIS
2	F4	115	ASN
2	F4	161	ASN
2	F4	299	ASN
2	F4	339	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-38541. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 169




Y Index: 106




Z Index: 145


6.3.2 Raw map



X Index: 170



Y Index: 106




Z Index: 146


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.3. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1132 nm³; this corresponds to an approximate mass of 1022 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)




*Reported resolution corresponds to spatial frequency of 0.179 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.179 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	5.58	-	-
Author-provided FSC curve	5.58	7.03	5.97
Unmasked-calculated*	7.32	8.95	7.58

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.32 differs from the reported value 5.58 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-38541 and PDB model 8XOU. Per-residue inclusion information can be found in section [3](#) on page [8](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.3 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.3).

9.4 Atom inclusion [i](#)



At the recommended contour level, 71% of all backbone atoms, 54% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

















The table lists the average atom inclusion at the recommended contour level (0.3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.5380	0.1520
A0	0.6420	0.1570
A1	0.6540	0.1590
A2	0.6370	0.1580
A3	0.6200	0.1610
A4	0.6210	0.1620
B	0.4050	0.1410
B1	0.3830	0.1190
B2	0.3820	0.1130
B3	0.4190	0.1380
B4	0.4550	0.1500
B5	0.4560	0.1590
C0	0.6160	0.1700
C1	0.6260	0.1640
C2	0.6150	0.1630
C3	0.5800	0.1630
C4	0.5930	0.1660
D0	0.5910	0.1480
D1	0.5910	0.1450
D2	0.5940	0.1460
D3	0.5910	0.1440
D4	0.6070	0.1510
E0	0.5600	0.1600
E1	0.5920	0.1530
E2	0.5770	0.1540
E3	0.5850	0.1570
E4	0.5730	0.1640
F0	0.6140	0.1580
F1	0.6250	0.1580
F2	0.5970	0.1560
F3	0.6040	0.1600
F4	0.5750	0.1590
G0	0.6360	0.1810
G1	0.6440	0.1840
G2	0.6160	0.1880



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
G3	 0.5990	 0.1830
G4	 0.5990	 0.1830
b	 0.3950	 0.1240
b1	 0.3760	 0.1100
b2	 0.3900	 0.1200
b3	 0.4310	 0.1450
b4	 0.4610	 0.1590
b5	 0.4360	 0.1490