



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 14, 2023 – 07:04 PM JST

PDB ID : 7XRT
Title : Bacteroides thetaiotaomicron ferulic acid esterase (BT_4077)
Authors : Du, G.M.; Wang, Y.L.; Xin, F.J.
Deposited on : 2022-05-11
Resolution : 2.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	291	 89% 8%
1	B	291	 82% 10% 8%
1	C	291	 87% 5% 8%
1	D	291	 85% 7% 8%
1	E	291	 86% 6% 8%
1	F	291	 87% 5% 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	291	 9% 84% 8% 8%
1	H	291	 2% 84% 8% 8%
1	I	291	 4% 85% 7% 8%
1	J	291	 6% 86% 6% 8%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 23462 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ferulic acid esterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	268	2153	1385	361	395	12	0	0	0
1	B	268	2157	1388	361	396	12	0	1	0
1	C	268	2157	1388	361	396	12	0	0	0
1	D	268	2140	1377	358	393	12	0	0	0
1	E	268	2153	1385	360	396	12	0	0	0
1	F	268	2153	1385	360	396	12	0	0	0
1	G	268	2144	1378	360	394	12	0	0	0
1	H	268	2144	1378	360	394	12	0	0	0
1	I	268	2149	1383	360	394	12	0	0	0
1	J	268	2149	1383	360	394	12	0	0	0

There are 230 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	MET	-	initiating methionine	UNP Q8A0E4
A	-1	GLY	-	expression tag	UNP Q8A0E4
A	0	SER	-	expression tag	UNP Q8A0E4
A	1	SER	-	expression tag	UNP Q8A0E4
A	2	HIS	-	expression tag	UNP Q8A0E4
A	3	HIS	-	expression tag	UNP Q8A0E4
A	4	HIS	-	expression tag	UNP Q8A0E4
A	5	HIS	-	expression tag	UNP Q8A0E4
A	6	HIS	-	expression tag	UNP Q8A0E4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	7	HIS	-	expression tag	UNP Q8A0E4
A	8	SER	-	expression tag	UNP Q8A0E4
A	9	SER	-	expression tag	UNP Q8A0E4
A	10	GLY	-	expression tag	UNP Q8A0E4
A	11	LEU	-	expression tag	UNP Q8A0E4
A	12	VAL	-	expression tag	UNP Q8A0E4
A	13	PRO	-	expression tag	UNP Q8A0E4
A	14	ARG	-	expression tag	UNP Q8A0E4
A	15	GLY	-	expression tag	UNP Q8A0E4
A	16	SER	-	expression tag	UNP Q8A0E4
A	17	HIS	-	expression tag	UNP Q8A0E4
A	18	MET	-	expression tag	UNP Q8A0E4
A	19	LEU	-	expression tag	UNP Q8A0E4
A	20	GLU	-	expression tag	UNP Q8A0E4
B	-2	MET	-	initiating methionine	UNP Q8A0E4
B	-1	GLY	-	expression tag	UNP Q8A0E4
B	0	SER	-	expression tag	UNP Q8A0E4
B	1	SER	-	expression tag	UNP Q8A0E4
B	2	HIS	-	expression tag	UNP Q8A0E4
B	3	HIS	-	expression tag	UNP Q8A0E4
B	4	HIS	-	expression tag	UNP Q8A0E4
B	5	HIS	-	expression tag	UNP Q8A0E4
B	6	HIS	-	expression tag	UNP Q8A0E4
B	7	HIS	-	expression tag	UNP Q8A0E4
B	8	SER	-	expression tag	UNP Q8A0E4
B	9	SER	-	expression tag	UNP Q8A0E4
B	10	GLY	-	expression tag	UNP Q8A0E4
B	11	LEU	-	expression tag	UNP Q8A0E4
B	12	VAL	-	expression tag	UNP Q8A0E4
B	13	PRO	-	expression tag	UNP Q8A0E4
B	14	ARG	-	expression tag	UNP Q8A0E4
B	15	GLY	-	expression tag	UNP Q8A0E4
B	16	SER	-	expression tag	UNP Q8A0E4
B	17	HIS	-	expression tag	UNP Q8A0E4
B	18	MET	-	expression tag	UNP Q8A0E4
B	19	LEU	-	expression tag	UNP Q8A0E4
B	20	GLU	-	expression tag	UNP Q8A0E4
C	-2	MET	-	initiating methionine	UNP Q8A0E4
C	-1	GLY	-	expression tag	UNP Q8A0E4
C	0	SER	-	expression tag	UNP Q8A0E4
C	1	SER	-	expression tag	UNP Q8A0E4
C	2	HIS	-	expression tag	UNP Q8A0E4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	3	HIS	-	expression tag	UNP Q8A0E4
C	4	HIS	-	expression tag	UNP Q8A0E4
C	5	HIS	-	expression tag	UNP Q8A0E4
C	6	HIS	-	expression tag	UNP Q8A0E4
C	7	HIS	-	expression tag	UNP Q8A0E4
C	8	SER	-	expression tag	UNP Q8A0E4
C	9	SER	-	expression tag	UNP Q8A0E4
C	10	GLY	-	expression tag	UNP Q8A0E4
C	11	LEU	-	expression tag	UNP Q8A0E4
C	12	VAL	-	expression tag	UNP Q8A0E4
C	13	PRO	-	expression tag	UNP Q8A0E4
C	14	ARG	-	expression tag	UNP Q8A0E4
C	15	GLY	-	expression tag	UNP Q8A0E4
C	16	SER	-	expression tag	UNP Q8A0E4
C	17	HIS	-	expression tag	UNP Q8A0E4
C	18	MET	-	expression tag	UNP Q8A0E4
C	19	LEU	-	expression tag	UNP Q8A0E4
C	20	GLU	-	expression tag	UNP Q8A0E4
D	-2	MET	-	initiating methionine	UNP Q8A0E4
D	-1	GLY	-	expression tag	UNP Q8A0E4
D	0	SER	-	expression tag	UNP Q8A0E4
D	1	SER	-	expression tag	UNP Q8A0E4
D	2	HIS	-	expression tag	UNP Q8A0E4
D	3	HIS	-	expression tag	UNP Q8A0E4
D	4	HIS	-	expression tag	UNP Q8A0E4
D	5	HIS	-	expression tag	UNP Q8A0E4
D	6	HIS	-	expression tag	UNP Q8A0E4
D	7	HIS	-	expression tag	UNP Q8A0E4
D	8	SER	-	expression tag	UNP Q8A0E4
D	9	SER	-	expression tag	UNP Q8A0E4
D	10	GLY	-	expression tag	UNP Q8A0E4
D	11	LEU	-	expression tag	UNP Q8A0E4
D	12	VAL	-	expression tag	UNP Q8A0E4
D	13	PRO	-	expression tag	UNP Q8A0E4
D	14	ARG	-	expression tag	UNP Q8A0E4
D	15	GLY	-	expression tag	UNP Q8A0E4
D	16	SER	-	expression tag	UNP Q8A0E4
D	17	HIS	-	expression tag	UNP Q8A0E4
D	18	MET	-	expression tag	UNP Q8A0E4
D	19	LEU	-	expression tag	UNP Q8A0E4
D	20	GLU	-	expression tag	UNP Q8A0E4
E	-2	MET	-	initiating methionine	UNP Q8A0E4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-1	GLY	-	expression tag	UNP Q8A0E4
E	0	SER	-	expression tag	UNP Q8A0E4
E	1	SER	-	expression tag	UNP Q8A0E4
E	2	HIS	-	expression tag	UNP Q8A0E4
E	3	HIS	-	expression tag	UNP Q8A0E4
E	4	HIS	-	expression tag	UNP Q8A0E4
E	5	HIS	-	expression tag	UNP Q8A0E4
E	6	HIS	-	expression tag	UNP Q8A0E4
E	7	HIS	-	expression tag	UNP Q8A0E4
E	8	SER	-	expression tag	UNP Q8A0E4
E	9	SER	-	expression tag	UNP Q8A0E4
E	10	GLY	-	expression tag	UNP Q8A0E4
E	11	LEU	-	expression tag	UNP Q8A0E4
E	12	VAL	-	expression tag	UNP Q8A0E4
E	13	PRO	-	expression tag	UNP Q8A0E4
E	14	ARG	-	expression tag	UNP Q8A0E4
E	15	GLY	-	expression tag	UNP Q8A0E4
E	16	SER	-	expression tag	UNP Q8A0E4
E	17	HIS	-	expression tag	UNP Q8A0E4
E	18	MET	-	expression tag	UNP Q8A0E4
E	19	LEU	-	expression tag	UNP Q8A0E4
E	20	GLU	-	expression tag	UNP Q8A0E4
F	-2	MET	-	initiating methionine	UNP Q8A0E4
F	-1	GLY	-	expression tag	UNP Q8A0E4
F	0	SER	-	expression tag	UNP Q8A0E4
F	1	SER	-	expression tag	UNP Q8A0E4
F	2	HIS	-	expression tag	UNP Q8A0E4
F	3	HIS	-	expression tag	UNP Q8A0E4
F	4	HIS	-	expression tag	UNP Q8A0E4
F	5	HIS	-	expression tag	UNP Q8A0E4
F	6	HIS	-	expression tag	UNP Q8A0E4
F	7	HIS	-	expression tag	UNP Q8A0E4
F	8	SER	-	expression tag	UNP Q8A0E4
F	9	SER	-	expression tag	UNP Q8A0E4
F	10	GLY	-	expression tag	UNP Q8A0E4
F	11	LEU	-	expression tag	UNP Q8A0E4
F	12	VAL	-	expression tag	UNP Q8A0E4
F	13	PRO	-	expression tag	UNP Q8A0E4
F	14	ARG	-	expression tag	UNP Q8A0E4
F	15	GLY	-	expression tag	UNP Q8A0E4
F	16	SER	-	expression tag	UNP Q8A0E4
F	17	HIS	-	expression tag	UNP Q8A0E4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	18	MET	-	expression tag	UNP Q8A0E4
F	19	LEU	-	expression tag	UNP Q8A0E4
F	20	GLU	-	expression tag	UNP Q8A0E4
G	-2	MET	-	initiating methionine	UNP Q8A0E4
G	-1	GLY	-	expression tag	UNP Q8A0E4
G	0	SER	-	expression tag	UNP Q8A0E4
G	1	SER	-	expression tag	UNP Q8A0E4
G	2	HIS	-	expression tag	UNP Q8A0E4
G	3	HIS	-	expression tag	UNP Q8A0E4
G	4	HIS	-	expression tag	UNP Q8A0E4
G	5	HIS	-	expression tag	UNP Q8A0E4
G	6	HIS	-	expression tag	UNP Q8A0E4
G	7	HIS	-	expression tag	UNP Q8A0E4
G	8	SER	-	expression tag	UNP Q8A0E4
G	9	SER	-	expression tag	UNP Q8A0E4
G	10	GLY	-	expression tag	UNP Q8A0E4
G	11	LEU	-	expression tag	UNP Q8A0E4
G	12	VAL	-	expression tag	UNP Q8A0E4
G	13	PRO	-	expression tag	UNP Q8A0E4
G	14	ARG	-	expression tag	UNP Q8A0E4
G	15	GLY	-	expression tag	UNP Q8A0E4
G	16	SER	-	expression tag	UNP Q8A0E4
G	17	HIS	-	expression tag	UNP Q8A0E4
G	18	MET	-	expression tag	UNP Q8A0E4
G	19	LEU	-	expression tag	UNP Q8A0E4
G	20	GLU	-	expression tag	UNP Q8A0E4
H	-2	MET	-	initiating methionine	UNP Q8A0E4
H	-1	GLY	-	expression tag	UNP Q8A0E4
H	0	SER	-	expression tag	UNP Q8A0E4
H	1	SER	-	expression tag	UNP Q8A0E4
H	2	HIS	-	expression tag	UNP Q8A0E4
H	3	HIS	-	expression tag	UNP Q8A0E4
H	4	HIS	-	expression tag	UNP Q8A0E4
H	5	HIS	-	expression tag	UNP Q8A0E4
H	6	HIS	-	expression tag	UNP Q8A0E4
H	7	HIS	-	expression tag	UNP Q8A0E4
H	8	SER	-	expression tag	UNP Q8A0E4
H	9	SER	-	expression tag	UNP Q8A0E4
H	10	GLY	-	expression tag	UNP Q8A0E4
H	11	LEU	-	expression tag	UNP Q8A0E4
H	12	VAL	-	expression tag	UNP Q8A0E4
H	13	PRO	-	expression tag	UNP Q8A0E4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	14	ARG	-	expression tag	UNP Q8A0E4
H	15	GLY	-	expression tag	UNP Q8A0E4
H	16	SER	-	expression tag	UNP Q8A0E4
H	17	HIS	-	expression tag	UNP Q8A0E4
H	18	MET	-	expression tag	UNP Q8A0E4
H	19	LEU	-	expression tag	UNP Q8A0E4
H	20	GLU	-	expression tag	UNP Q8A0E4
I	-2	MET	-	initiating methionine	UNP Q8A0E4
I	-1	GLY	-	expression tag	UNP Q8A0E4
I	0	SER	-	expression tag	UNP Q8A0E4
I	1	SER	-	expression tag	UNP Q8A0E4
I	2	HIS	-	expression tag	UNP Q8A0E4
I	3	HIS	-	expression tag	UNP Q8A0E4
I	4	HIS	-	expression tag	UNP Q8A0E4
I	5	HIS	-	expression tag	UNP Q8A0E4
I	6	HIS	-	expression tag	UNP Q8A0E4
I	7	HIS	-	expression tag	UNP Q8A0E4
I	8	SER	-	expression tag	UNP Q8A0E4
I	9	SER	-	expression tag	UNP Q8A0E4
I	10	GLY	-	expression tag	UNP Q8A0E4
I	11	LEU	-	expression tag	UNP Q8A0E4
I	12	VAL	-	expression tag	UNP Q8A0E4
I	13	PRO	-	expression tag	UNP Q8A0E4
I	14	ARG	-	expression tag	UNP Q8A0E4
I	15	GLY	-	expression tag	UNP Q8A0E4
I	16	SER	-	expression tag	UNP Q8A0E4
I	17	HIS	-	expression tag	UNP Q8A0E4
I	18	MET	-	expression tag	UNP Q8A0E4
I	19	LEU	-	expression tag	UNP Q8A0E4
I	20	GLU	-	expression tag	UNP Q8A0E4
J	-2	MET	-	initiating methionine	UNP Q8A0E4
J	-1	GLY	-	expression tag	UNP Q8A0E4
J	0	SER	-	expression tag	UNP Q8A0E4
J	1	SER	-	expression tag	UNP Q8A0E4
J	2	HIS	-	expression tag	UNP Q8A0E4
J	3	HIS	-	expression tag	UNP Q8A0E4
J	4	HIS	-	expression tag	UNP Q8A0E4
J	5	HIS	-	expression tag	UNP Q8A0E4
J	6	HIS	-	expression tag	UNP Q8A0E4
J	7	HIS	-	expression tag	UNP Q8A0E4
J	8	SER	-	expression tag	UNP Q8A0E4
J	9	SER	-	expression tag	UNP Q8A0E4

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	10	GLY	-	expression tag	UNP Q8A0E4
J	11	LEU	-	expression tag	UNP Q8A0E4
J	12	VAL	-	expression tag	UNP Q8A0E4
J	13	PRO	-	expression tag	UNP Q8A0E4
J	14	ARG	-	expression tag	UNP Q8A0E4
J	15	GLY	-	expression tag	UNP Q8A0E4
J	16	SER	-	expression tag	UNP Q8A0E4
J	17	HIS	-	expression tag	UNP Q8A0E4
J	18	MET	-	expression tag	UNP Q8A0E4
J	19	LEU	-	expression tag	UNP Q8A0E4
J	20	GLU	-	expression tag	UNP Q8A0E4

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Ca 1 1	0	0
2	B	1	Total Ca 1 1	0	0
2	C	1	Total Ca 1 1	0	0
2	D	1	Total Ca 1 1	0	0
2	E	1	Total Ca 1 1	0	0
2	F	1	Total Ca 1 1	0	0
2	G	1	Total Ca 1 1	0	0
2	H	1	Total Ca 1 1	0	0
2	I	1	Total Ca 1 1	0	0
2	J	1	Total Ca 1 1	0	0

- Molecule 3 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 8 6 2	0	0
3	D	1	Total C O 8 6 2	0	0
3	E	1	Total C O 8 6 2	0	0
3	F	1	Total C O 8 6 2	0	0
3	G	1	Total C O 8 6 2	0	0
3	G	1	Total C O 8 6 2	0	0
3	H	1	Total C O 8 6 2	0	0
3	I	1	Total C O 8 6 2	0	0
3	J	1	Total C O 8 6 2	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	212	Total O 212 212	0	0
4	B	212	Total O 212 212	0	0
4	C	238	Total O 238 238	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	135	Total 135	O 135	0	0
4	E	212	Total 212	O 212	0	0
4	F	203	Total 203	O 203	0	0
4	G	148	Total 148	O 148	0	0
4	H	147	Total 147	O 147	0	0
4	I	200	Total 200	O 200	0	0
4	J	174	Total 174	O 174	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Ferulic acid esterase





- Molecule 1: Ferulic acid esterase



- Molecule 1: Ferulic acid esterase




- Molecule 1: Ferulic acid esterase




- Molecule 1: Ferulic acid esterase

Chain E: 




- Molecule 1: Ferulic acid esterase

Chain F: 




- Molecule 1: Ferulic acid esterase

Chain G: 




- Molecule 1: Ferulic acid esterase

Chain H: 



- Molecule 1: Ferulic acid esterase


Chain I: 





- Molecule 1: Ferulic acid esterase

Chain J: 6% 86% 6% 8%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	113.39Å 160.16Å 192.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.35 – 2.01 29.35 – 2.01	Depositor EDS
% Data completeness (in resolution range)	98.6 (29.35-2.01) 98.6 (29.35-2.01)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.59 (at 2.01Å)	Xtrriage
Refinement program	PHENIX 1.15.2_3472	Depositor
R, R_{free}	0.152 , 0.172 0.152 , 0.172	Depositor DCC
R_{free} test set	11285 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	29.8	Xtrriage
Anisotropy	0.519	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 53.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	23462	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, MPD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/2211	0.56	0/2991
1	B	0.43	0/2218	0.59	0/3001
1	C	0.40	0/2215	0.54	0/2995
1	D	0.34	0/2198	0.51	0/2977
1	E	0.41	0/2211	0.56	0/2991
1	F	0.38	0/2211	0.55	0/2991
1	G	0.34	0/2202	0.51	0/2979
1	H	0.36	0/2202	0.54	0/2979
1	I	0.38	0/2207	0.53	0/2986
1	J	0.36	0/2207	0.53	0/2986
All	All	0.38	0/22082	0.54	0/29876

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2153	0	2080	5	0
1	B	2157	0	2087	19	0
1	C	2157	0	2089	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2140	0	2049	12	0
1	E	2153	0	2078	10	0
1	F	2153	0	2078	10	0
1	G	2144	0	2058	15	0
1	H	2144	0	2058	13	0
1	I	2149	0	2074	10	0
1	J	2149	0	2074	11	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
2	I	1	0	0	0	0
2	J	1	0	0	0	0
3	A	8	0	14	1	0
3	D	8	0	14	1	0
3	E	8	0	14	0	0
3	F	8	0	14	1	0
3	G	16	0	28	0	0
3	H	8	0	14	1	0
3	I	8	0	14	1	0
3	J	8	0	14	1	0
4	A	212	0	0	1	0
4	B	212	0	0	2	0
4	C	238	0	0	2	0
4	D	135	0	0	1	0
4	E	212	0	0	1	0
4	F	203	0	0	2	0
4	G	148	0	0	2	0
4	H	147	0	0	1	0
4	I	200	0	0	0	0
4	J	174	0	0	2	0
All	All	23462	0	20851	116	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:113:LEU:HD11	1:B:202:VAL:HG21	1.55	0.89
1:H:133:LYS:NZ	4:H:401:HOH:O	2.20	0.75
1:D:157:LEU:HD21	1:D:208:ILE:HD11	1.71	0.73
1:C:40:ARG:HB3	4:C:444:HOH:O	1.91	0.71
1:C:157:LEU:HD21	1:C:208:ILE:HD11	1.72	0.70
1:F:91:LYS:HE2	1:F:279:ARG:HH21	1.57	0.69
1:J:107:LYS:O	1:J:188:GLN:NE2	2.27	0.67
1:B:91:LYS:HE3	1:B:279:ARG:HH21	1.62	0.64
1:C:251:GLN:NE2	4:C:405:HOH:O	2.33	0.60
1:F:120:GLU:OE1	3:F:302:MPD:H13	2.02	0.60
1:D:91:LYS:NZ	4:D:405:HOH:O	2.33	0.59
1:D:276:GLU:OE1	1:D:279:ARG:NH2	2.35	0.59
1:H:164:PRO:HB2	1:H:222:ARG:HG3	1.84	0.59
1:G:237:PHE:HD1	4:G:508:HOH:O	1.85	0.59
1:J:120:GLU:OE1	3:J:302:MPD:H12	2.04	0.58
1:J:251:GLN:NE2	4:J:401:HOH:O	2.23	0.57
1:G:182:PHE:CE1	1:G:202:VAL:HG12	2.40	0.56
1:F:181:THR:O	1:F:185:MET:HG3	2.04	0.56
1:J:283:ARG:HD2	4:J:489:HOH:O	2.04	0.56
1:F:24:LYS:NZ	1:F:51:ASP:OD2	2.34	0.56
1:H:120:GLU:OE1	3:H:302:MPD:H13	2.06	0.56
1:D:181:THR:O	1:D:185:MET:HG3	2.06	0.55
1:C:181:THR:O	1:C:185:MET:HG3	2.05	0.55
1:J:164:PRO:HB2	1:J:222:ARG:HG3	1.89	0.55
1:A:181:THR:O	1:A:185:MET:HG3	2.07	0.54
1:C:283:ARG:HG2	1:C:288:TYR:CD1	2.42	0.54
1:B:283:ARG:HG2	1:B:288:TYR:CD1	2.42	0.54
1:E:283:ARG:HG2	1:E:288:TYR:CD1	2.43	0.54
1:E:181:THR:O	1:E:185:MET:HG3	2.09	0.53
1:H:283:ARG:HG2	1:H:288:TYR:CD1	2.44	0.53
1:B:113:LEU:HD11	1:B:202:VAL:CG2	2.34	0.52
1:B:107:LYS:O	1:B:188:GLN:NE2	2.35	0.52
1:B:209:GLN:OE1	1:B:252:HIS:NE2	2.41	0.52
1:J:182:PHE:CE2	1:J:186:LYS:HD2	2.44	0.52
1:J:219:LYS:HZ3	1:J:223:ILE:HD11	1.74	0.52
1:J:283:ARG:HG2	1:J:288:TYR:CD1	2.45	0.52
1:I:31:VAL:HG22	1:I:130:HIS:CD2	2.45	0.51
1:J:181:THR:O	1:J:185:MET:HG3	2.10	0.51
1:E:182:PHE:CE2	1:E:186:LYS:HD2	2.46	0.51
1:F:73:TRP:CZ2	1:F:149:LEU:HD23	2.46	0.51
1:J:73:TRP:CZ2	1:J:149:LEU:HD23	2.46	0.50
1:D:164:PRO:HB2	1:D:222:ARG:HG3	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:209:GLN:OE1	1:I:252:HIS:NE2	2.41	0.50
1:B:31:VAL:HG21	1:B:127:LEU:HD23	1.92	0.50
1:F:164:PRO:HB2	1:F:222:ARG:HG3	1.93	0.50
1:H:113:LEU:O	1:H:198:LYS:HE2	2.11	0.49
1:F:106:HIS:HE1	4:F:501:HOH:O	1.95	0.49
1:B:190:ASP:OD1	1:B:192:SER:OG	2.30	0.49
1:D:283:ARG:HG2	1:D:288:TYR:CD1	2.48	0.49
1:H:181:THR:O	1:H:185:MET:HG3	2.13	0.49
1:E:91:LYS:NZ	4:E:403:HOH:O	2.35	0.48
1:H:107:LYS:O	1:H:184:GLN:NE2	2.46	0.48
1:I:182:PHE:CE2	1:I:186:LYS:HD2	2.49	0.48
1:B:181:THR:O	1:B:185:MET:HG3	2.13	0.47
1:G:283:ARG:HG2	1:G:288:TYR:CD1	2.50	0.47
1:D:208:ILE:HD13	1:D:245:LEU:HD13	1.96	0.47
1:C:164:PRO:HB2	1:C:222:ARG:HG3	1.97	0.47
1:B:182:PHE:CE1	1:B:202:VAL:HG23	2.50	0.47
1:G:73:TRP:CZ2	1:G:149:LEU:HD23	2.50	0.46
1:G:181:THR:O	1:G:185:MET:HG3	2.15	0.46
1:F:171:ALA:HA	1:F:229:TYR:O	2.15	0.46
1:I:283:ARG:HG2	1:I:288:TYR:CD1	2.51	0.46
1:D:104:THR:HG22	1:D:105:VAL:HG23	1.98	0.46
1:G:164:PRO:HB2	1:G:222:ARG:HG3	1.97	0.46
1:E:247:ASN:O	1:E:251:GLN:HG3	2.16	0.46
1:E:73:TRP:CZ2	1:E:149:LEU:HD23	2.52	0.45
1:G:40:ARG:HG2	1:G:122:PHE:CZ	2.51	0.45
1:D:162:HIS:CD2	3:D:302:MPD:H53	2.52	0.45
1:G:208:ILE:HD13	1:G:245:LEU:HD13	1.97	0.45
1:B:190:ASP:O	1:B:194:VAL:HG23	2.16	0.45
1:E:164:PRO:HB2	1:E:222:ARG:HG3	1.98	0.45
1:B:40:ARG:HB3	4:B:443:HOH:O	2.16	0.44
1:F:182:PHE:CE2	1:F:186:LYS:HD2	2.52	0.44
1:B:73:TRP:CZ2	1:B:149:LEU:HD23	2.51	0.44
1:G:182:PHE:HE1	1:G:202:VAL:CG1	2.30	0.44
1:H:73:TRP:CZ2	1:H:149:LEU:HD23	2.52	0.44
1:A:250:LEU:O	4:A:401:HOH:O	2.21	0.44
1:B:164:PRO:HB2	1:B:222:ARG:HG3	1.98	0.44
1:G:133:LYS:HD2	4:G:425:HOH:O	2.17	0.44
1:I:181:THR:O	1:I:185:MET:HG3	2.18	0.44
1:B:197:GLU:O	1:B:200:ALA:N	2.51	0.44
1:C:73:TRP:CZ2	1:C:149:LEU:HD23	2.53	0.44
1:C:171:ALA:HA	1:C:229:TYR:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:189:SER:O	1:B:191:LEU:HD22	2.17	0.43
1:G:66:LEU:HD13	1:G:184:GLN:HE22	1.84	0.43
1:I:73:TRP:CZ2	1:I:149:LEU:HD23	2.52	0.43
1:I:171:ALA:HA	1:I:229:TYR:O	2.19	0.43
1:B:113:LEU:HD13	1:B:198:LYS:HE3	1.99	0.43
1:E:208:ILE:HD13	1:E:245:LEU:HD13	2.01	0.43
1:A:73:TRP:CZ2	1:A:149:LEU:HD23	2.54	0.43
3:A:302:MPD:H11	3:A:302:MPD:H4	1.78	0.42
1:E:157:LEU:HD21	1:E:208:ILE:HD11	2.01	0.42
1:G:182:PHE:CE1	1:G:202:VAL:CG1	3.03	0.42
1:B:91:LYS:NZ	4:B:405:HOH:O	2.48	0.42
1:G:171:ALA:HA	1:G:229:TYR:O	2.20	0.42
1:I:164:PRO:HB2	1:I:222:ARG:HG3	2.01	0.42
1:B:171:ALA:HA	1:B:229:TYR:O	2.18	0.42
1:H:160:ALA:CB	1:H:170:VAL:HG21	2.49	0.42
1:H:171:ALA:HA	1:H:229:TYR:O	2.19	0.42
1:I:180:TRP:CZ3	1:I:184:GLN:OE1	2.72	0.42
1:H:34:LYS:N	1:H:126:GLU:OE2	2.52	0.42
1:J:171:ALA:HA	1:J:229:TYR:O	2.19	0.42
1:F:106:HIS:CE1	4:F:501:HOH:O	2.72	0.42
1:I:161:LEU:HD11	1:I:208:ILE:HD12	2.02	0.42
1:C:220:LEU:HG	1:C:224:LYS:HE3	2.03	0.41
1:D:171:ALA:HA	1:D:229:TYR:O	2.20	0.41
1:G:149:LEU:HA	1:G:173:LEU:O	2.21	0.41
1:A:171:ALA:HA	1:A:229:TYR:O	2.20	0.41
1:G:232:CYS:O	1:G:260:MET:HA	2.20	0.41
1:D:40:ARG:HD2	1:D:40:ARG:HA	1.92	0.41
1:H:227:ARG:HG3	1:H:284:ILE:HD12	2.02	0.41
1:A:164:PRO:HB2	1:A:222:ARG:HG3	2.01	0.41
1:H:202:VAL:O	1:H:205:GLN:N	2.53	0.41
1:D:232:CYS:O	1:D:260:MET:HA	2.21	0.41
1:E:209:GLN:O	1:E:213:GLU:HG3	2.20	0.41
3:I:302:MPD:HM3	3:I:302:MPD:H4	1.93	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	266/291 (91%)	259 (97%)	7 (3%)	0	100	100
1	B	267/291 (92%)	260 (97%)	7 (3%)	0	100	100
1	C	266/291 (91%)	260 (98%)	6 (2%)	0	100	100
1	D	266/291 (91%)	259 (97%)	7 (3%)	0	100	100
1	E	266/291 (91%)	260 (98%)	6 (2%)	0	100	100
1	F	266/291 (91%)	259 (97%)	7 (3%)	0	100	100
1	G	266/291 (91%)	259 (97%)	7 (3%)	0	100	100
1	H	266/291 (91%)	259 (97%)	7 (3%)	0	100	100
1	I	266/291 (91%)	260 (98%)	6 (2%)	0	100	100
1	J	266/291 (91%)	259 (97%)	7 (3%)	0	100	100
All	All	2661/2910 (91%)	2594 (98%)	67 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	226/250 (90%)	226 (100%)	0	100	100
1	B	227/250 (91%)	227 (100%)	0	100	100
1	C	227/250 (91%)	227 (100%)	0	100	100
1	D	222/250 (89%)	222 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	226/250 (90%)	226 (100%)	0	100	100
1	F	226/250 (90%)	226 (100%)	0	100	100
1	G	223/250 (89%)	223 (100%)	0	100	100
1	H	223/250 (89%)	223 (100%)	0	100	100
1	I	225/250 (90%)	225 (100%)	0	100	100
1	J	225/250 (90%)	225 (100%)	0	100	100
All	All	2250/2500 (90%)	2250 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 10 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MPD	H	302	-	7,7,7	0.34	0	9,10,10	0.58	0
3	MPD	E	302	-	7,7,7	0.33	0	9,10,10	0.48	0
3	MPD	D	302	-	7,7,7	0.29	0	9,10,10	0.24	0
3	MPD	F	302	-	7,7,7	0.40	0	9,10,10	0.60	0
3	MPD	J	302	-	7,7,7	0.32	0	9,10,10	0.64	0
3	MPD	G	302	-	7,7,7	0.24	0	9,10,10	0.30	0
3	MPD	G	303	-	7,7,7	0.34	0	9,10,10	0.79	0
3	MPD	A	302	-	7,7,7	0.26	0	9,10,10	0.31	0
3	MPD	I	302	-	7,7,7	0.28	0	9,10,10	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MPD	H	302	-	-	1/5/5/5	-
3	MPD	E	302	-	-	0/5/5/5	-
3	MPD	D	302	-	-	2/5/5/5	-
3	MPD	F	302	-	-	1/5/5/5	-
3	MPD	J	302	-	-	2/5/5/5	-
3	MPD	G	302	-	-	5/5/5/5	-
3	MPD	G	303	-	-	1/5/5/5	-
3	MPD	A	302	-	-	1/5/5/5	-
3	MPD	I	302	-	-	1/5/5/5	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	G	302	MPD	C1-C2-C3-C4
3	G	302	MPD	O2-C2-C3-C4
3	I	302	MPD	C2-C3-C4-C5
3	G	302	MPD	C2-C3-C4-C5
3	G	303	MPD	C2-C3-C4-C5
3	G	302	MPD	C2-C3-C4-O4
3	G	302	MPD	CM-C2-C3-C4
3	J	302	MPD	O2-C2-C3-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	302	MPD	C2-C3-C4-C5
3	D	302	MPD	C2-C3-C4-C5
3	F	302	MPD	C2-C3-C4-C5
3	H	302	MPD	C2-C3-C4-C5
3	J	302	MPD	C2-C3-C4-C5
3	D	302	MPD	C2-C3-C4-O4

There are no ring outliers.

6 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	302	MPD	1	0
3	D	302	MPD	1	0
3	F	302	MPD	1	0
3	J	302	MPD	1	0
3	A	302	MPD	1	0
3	I	302	MPD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	268/291 (92%)	-0.23	4 (1%) 73 72	23, 31, 59, 105	0
1	B	268/291 (92%)	-0.24	10 (3%) 41 41	21, 30, 71, 97	0
1	C	268/291 (92%)	-0.25	9 (3%) 45 44	21, 31, 55, 95	0
1	D	268/291 (92%)	0.11	21 (7%) 13 12	26, 43, 83, 125	0
1	E	268/291 (92%)	-0.25	6 (2%) 62 60	21, 31, 65, 100	0
1	F	268/291 (92%)	-0.17	9 (3%) 45 44	23, 32, 68, 96	0
1	G	268/291 (92%)	0.08	27 (10%) 7 6	26, 40, 82, 129	0
1	H	268/291 (92%)	-0.06	7 (2%) 56 54	27, 41, 76, 110	0
1	I	268/291 (92%)	-0.12	11 (4%) 37 36	22, 33, 72, 100	0
1	J	268/291 (92%)	-0.03	17 (6%) 20 19	25, 38, 73, 106	0
All	All	2680/2910 (92%)	-0.12	121 (4%) 33 32	21, 35, 72, 129	0

All (121) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	194	VAL	4.8
1	I	194	VAL	4.4
1	D	63	LEU	4.1
1	J	146	ILE	4.0
1	I	191	LEU	3.8
1	G	52	GLU	3.6
1	D	62	LEU	3.6
1	A	63	LEU	3.5
1	J	191	LEU	3.5
1	G	193	LYS	3.5
1	I	192	SER	3.4
1	C	63	LEU	3.4
1	G	146	ILE	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	214	LYS	3.2
1	H	146	ILE	3.2
1	F	146	ILE	3.2
1	J	63	LEU	3.2
1	D	200	ALA	3.1
1	C	193	LYS	3.1
1	A	192	SER	3.1
1	G	190	ASP	3.1
1	A	191	LEU	3.1
1	I	193	LYS	3.0
1	J	52	GLU	3.0
1	J	60	LEU	3.0
1	C	146	ILE	3.0
1	G	62	LEU	3.0
1	D	60	LEU	2.9
1	I	62	LEU	2.9
1	G	194	VAL	2.9
1	D	146	ILE	2.9
1	B	196	GLU	2.9
1	I	196	GLU	2.8
1	H	157	LEU	2.8
1	F	63	LEU	2.8
1	J	61	TYR	2.7
1	F	62	LEU	2.7
1	G	60	LEU	2.7
1	D	191	LEU	2.7
1	G	63	LEU	2.7
1	I	190	ASP	2.7
1	G	156	ALA	2.6
1	G	157	LEU	2.6
1	B	230	ILE	2.6
1	J	148	GLY	2.6
1	B	157	LEU	2.6
1	H	191	LEU	2.6
1	I	63	LEU	2.6
1	J	98	VAL	2.6
1	F	196	GLU	2.6
1	D	156	ALA	2.5
1	J	213	GLU	2.5
1	B	146	ILE	2.5
1	H	225	TRP	2.5
1	J	62	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	195	SER	2.5
1	H	63	LEU	2.5
1	C	21	GLN	2.5
1	G	196	GLU	2.5
1	H	152	GLY	2.4
1	C	62	LEU	2.4
1	F	98	VAL	2.4
1	G	197	GLU	2.4
1	B	170	VAL	2.4
1	G	98	VAL	2.4
1	D	190	ASP	2.4
1	D	216	PRO	2.4
1	D	147	SER	2.4
1	J	194	VAL	2.3
1	B	172	PRO	2.3
1	G	198	LYS	2.3
1	C	98	VAL	2.3
1	F	156	ALA	2.3
1	D	196	GLU	2.3
1	G	172	PRO	2.3
1	B	191	LEU	2.3
1	F	60	LEU	2.3
1	G	147	SER	2.3
1	J	145	ALA	2.2
1	D	225	TRP	2.2
1	H	62	LEU	2.2
1	B	199	LYS	2.2
1	C	60	LEU	2.2
1	F	61	TYR	2.2
1	F	194	VAL	2.2
1	B	198	LYS	2.2
1	J	170	VAL	2.2
1	J	147	SER	2.2
1	D	194	VAL	2.1
1	G	148	GLY	2.1
1	I	172	PRO	2.1
1	E	193	LYS	2.1
1	E	114	ASP	2.1
1	G	158	PHE	2.1
1	G	237	PHE	2.1
1	D	61	TYR	2.1
1	G	214	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	191	LEU	2.1
1	G	192	SER	2.1
1	I	195	SER	2.1
1	E	200	ALA	2.1
1	D	187	ASN	2.1
1	I	113	LEU	2.1
1	C	156	ALA	2.1
1	G	97	ILE	2.1
1	J	97	ILE	2.1
1	J	200	ALA	2.1
1	D	159	TYR	2.1
1	G	61	TYR	2.1
1	B	171	ALA	2.0
1	D	148	GLY	2.0
1	G	51	ASP	2.0
1	D	34	LYS	2.0
1	E	172	PRO	2.0
1	E	191	LEU	2.0
1	G	173	LEU	2.0
1	J	116	THR	2.0
1	A	148	GLY	2.0
1	G	153	GLY	2.0
1	D	97	ILE	2.0
1	D	98	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	MPD	G	303	8/8	0.72	0.28	84,87,87,90	0
3	MPD	A	302	8/8	0.81	0.23	60,71,77,77	0
3	MPD	G	302	8/8	0.82	0.26	63,70,79,80	0
3	MPD	D	302	8/8	0.83	0.26	76,81,90,90	0
3	MPD	E	302	8/8	0.83	0.26	60,73,79,79	0
3	MPD	I	302	8/8	0.85	0.19	72,76,79,84	0
3	MPD	H	302	8/8	0.86	0.19	59,67,69,76	0
3	MPD	F	302	8/8	0.86	0.18	53,58,66,68	0
3	MPD	J	302	8/8	0.88	0.20	66,74,78,80	0
2	CA	J	301	1/1	0.99	0.15	16,16,16,16	0
2	CA	B	301	1/1	0.99	0.15	15,15,15,15	0
2	CA	D	301	1/1	0.99	0.15	21,21,21,21	0
2	CA	F	301	1/1	0.99	0.14	17,17,17,17	0
2	CA	H	301	1/1	0.99	0.15	15,15,15,15	0
2	CA	E	301	1/1	1.00	0.18	13,13,13,13	0
2	CA	C	301	1/1	1.00	0.16	14,14,14,14	0
2	CA	G	301	1/1	1.00	0.17	21,21,21,21	0
2	CA	A	301	1/1	1.00	0.16	14,14,14,14	0
2	CA	I	301	1/1	1.00	0.13	16,16,16,16	0

6.5 Other polymers [i](#)

There are no such residues in this entry.