



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 13, 2023 – 06:20 PM JST

PDB ID : 5XS8
Title : Crystal structure of solute-binding protein complexed with unsaturated chondroitin disaccharide with two sulfate groups at C-4 and C-6 positions of GalNAc
Authors : Oiki, S.; Kamochi, R.; Mikami, B.; Murata, K.; Hashimoto, W.
Deposited on : 2017-06-12
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	505	 82% 10% • 6%
1	B	505	 84% 8% • 6%
1	C	505	 83% 10% • 6%
1	D	505	 84% 9% • 6%
2	E	2	 100%
2	F	2	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	G	2	 50% 50%
2	H	2	 100%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 16765 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Extracellular solute-binding protein family 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	474	Total 3833	C 2466	N 633	O 728	S 6	0	0	0
1	B	474	Total 3833	C 2466	N 633	O 728	S 6	0	0	0
1	C	474	Total 3833	C 2466	N 633	O 728	S 6	0	0	0
1	D	474	Total 3833	C 2466	N 633	O 728	S 6	0	0	0

- Molecule 2 is an oligosaccharide called 4-deoxy-alpha-L-threo-hex-4-enopyranuronic acid-(1-3)-2-acetamido-2-deoxy-4,6-di-O-sulfo-beta-D-galactopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	E	2	Total 34	C 14	N 1	O 17	S 2	0	0	0
2	F	2	Total 34	C 14	N 1	O 17	S 2	0	0	0
2	G	2	Total 34	C 14	N 1	O 17	S 2	0	0	0
2	H	2	Total 34	C 14	N 1	O 17	S 2	0	0	0

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total 1	Ca 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Ca 1 1	0	0
3	C	1	Total Ca 1 1	0	0
3	D	1	Total Ca 1 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	327	Total O 327 327	0	0
4	B	321	Total O 321 321	0	0
4	C	326	Total O 326 326	0	0
4	D	319	Total O 319 319	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Extracellular solute-binding protein family 1




- Molecule 1: Extracellular solute-binding protein family 1






- Molecule 1: Extracellular solute-binding protein family 1






- Molecule 1: Extracellular solute-binding protein family 1




- Molecule 2: 4-deoxy-alpha-L-threo-hex-4-enopyranuronic acid-(1-3)-2-acetamido-2-deoxy-4,6-di-O-sulfo-beta-D-galactopyranose



- Molecule 2: 4-deoxy-alpha-L-threo-hex-4-enopyranuronic acid-(1-3)-2-acetamido-2-deoxy-4,6-di-O-sulfo-beta-D-galactopyranose



- Molecule 2: 4-deoxy-alpha-L-threo-hex-4-enopyranuronic acid-(1-3)-2-acetamido-2-deoxy-4,6-di-O-sulfo-beta-D-galactopyranose



- Molecule 2: 4-deoxy-alpha-L-threo-hex-4-enopyranuronic acid-(1-3)-2-acetamido-2-deoxy-4,6-di-O-sulfo-beta-D-galactopyranose



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	49.74Å 69.21Å 165.97Å 89.99° 90.04° 90.03°	Depositor
Resolution (Å)	40.40 – 1.95 40.40 – 1.95	Depositor EDS
% Data completeness (in resolution range)	97.0 (40.40-1.95) 96.9 (40.40-1.95)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.53 (at 1.95Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.173 , 0.215 0.173 , 0.215	Depositor DCC
R_{free} test set	7825 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	23.2	Xtrriage
Anisotropy	0.254	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 29.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	0.477 for h,-k,-l 0.477 for -h,k,-l 0.477 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16765	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CA, GCD, 8EX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.13	11/3923 (0.3%)	0.96	11/5308 (0.2%)
1	B	1.13	11/3923 (0.3%)	1.00	19/5308 (0.4%)
1	C	1.13	10/3923 (0.3%)	0.98	14/5308 (0.3%)
1	D	1.11	9/3923 (0.2%)	1.00	17/5308 (0.3%)
All	All	1.13	41/15692 (0.3%)	0.98	61/21232 (0.3%)

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	80	GLU	CD-OE1	8.08	1.34	1.25
1	B	352	GLU	CD-OE1	7.73	1.34	1.25
1	B	80	GLU	CB-CG	7.58	1.66	1.52
1	D	80	GLU	CB-CG	7.57	1.66	1.52
1	B	53	LYS	CD-CE	7.08	1.69	1.51
1	C	399	TYR	CD1-CE1	7.06	1.50	1.39
1	A	325	TYR	CD2-CE2	7.06	1.50	1.39
1	A	121	PHE	CE1-CZ	7.03	1.50	1.37
1	B	402	GLY	N-CA	6.97	1.56	1.46
1	A	425	TYR	CD1-CE1	6.55	1.49	1.39
1	D	153	VAL	CB-CG2	-6.41	1.39	1.52
1	A	128	TYR	CD1-CE1	6.13	1.48	1.39
1	B	357	TRP	CZ3-CH2	6.10	1.49	1.40
1	D	253	LYS	CE-NZ	6.09	1.64	1.49
1	C	352	GLU	CD-OE2	6.05	1.32	1.25
1	D	325	TYR	CD2-CE2	5.97	1.48	1.39
1	B	498	GLU	CD-OE2	5.93	1.32	1.25
1	D	123	GLU	CG-CD	5.79	1.60	1.51
1	D	425	TYR	CD1-CE1	5.69	1.47	1.39
1	C	80	GLU	CG-CD	5.51	1.60	1.51
1	C	498	GLU	CD-OE1	5.49	1.31	1.25
1	C	425	TYR	CD1-CE1	5.46	1.47	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	121	PHE	CE1-CZ	5.44	1.47	1.37
1	C	366	TYR	CD1-CE1	5.36	1.47	1.39
1	B	121	PHE	CE1-CZ	5.32	1.47	1.37
1	A	498	GLU	CG-CD	5.30	1.59	1.51
1	A	311	GLU	CB-CG	-5.27	1.42	1.52
1	A	157	TYR	CD2-CE2	5.20	1.47	1.39
1	C	122	PHE	CE2-CZ	5.19	1.47	1.37
1	B	128	TYR	CD1-CE1	5.18	1.47	1.39
1	A	366	TYR	CD1-CE1	5.18	1.47	1.39
1	A	364	SER	CB-OG	5.17	1.49	1.42
1	A	443	GLU	CG-CD	5.16	1.59	1.51
1	D	254	GLU	CB-CG	5.16	1.61	1.52
1	B	49	VAL	CB-CG2	-5.15	1.42	1.52
1	A	241	PHE	CE1-CZ	5.10	1.47	1.37
1	B	211	VAL	CB-CG2	5.09	1.63	1.52
1	C	121	PHE	CE1-CZ	5.06	1.47	1.37
1	D	311	GLU	CD-OE1	5.05	1.31	1.25
1	C	325	TYR	CD2-CE2	5.03	1.46	1.39
1	B	493	GLU	CG-CD	5.01	1.59	1.51

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	173	ARG	NE-CZ-NH2	-9.38	115.61	120.30
1	B	173	ARG	NE-CZ-NH2	-9.10	115.75	120.30
1	D	258	ASP	CB-CG-OD2	-8.33	110.81	118.30
1	A	173	ARG	NE-CZ-NH2	-8.08	116.26	120.30
1	D	401	LEU	C-N-CA	-8.04	105.42	122.30
1	B	401	LEU	C-N-CA	-8.00	105.49	122.30
1	D	195	LYS	CD-CE-NZ	-7.58	94.26	111.70
1	C	401	LEU	C-N-CA	-7.41	106.75	122.30
1	B	401	LEU	CA-C-N	7.29	130.78	116.20
1	B	401	LEU	O-C-N	-7.28	110.83	123.20
1	D	258	ASP	CB-CG-OD1	7.26	124.84	118.30
1	C	487	LEU	CA-CB-CG	7.14	131.72	115.30
1	A	183	LYS	CD-CE-NZ	7.02	127.84	111.70
1	D	401	LEU	O-C-N	-6.98	111.34	123.20
1	B	183	LYS	CD-CE-NZ	6.93	127.64	111.70
1	B	173	ARG	NE-CZ-NH1	6.92	123.76	120.30
1	C	401	LEU	O-C-N	-6.77	111.69	123.20
1	B	406	ASP	CB-CG-OD2	-6.62	112.34	118.30
1	A	372	LYS	CD-CE-NZ	6.60	126.89	111.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	173	ARG	NE-CZ-NH2	-6.51	117.05	120.30
1	B	487	LEU	CA-CB-CG	6.50	130.24	115.30
1	C	401	LEU	CA-C-N	6.39	128.98	116.20
1	D	401	LEU	CA-C-N	6.35	128.90	116.20
1	B	337	ASP	CB-CG-OD2	-6.28	112.65	118.30
1	D	337	ASP	CB-CG-OD2	-6.19	112.73	118.30
1	B	337	ASP	CB-CG-OD1	6.00	123.70	118.30
1	A	42	ASP	CB-CG-OD2	-5.94	112.96	118.30
1	D	400	ARG	NE-CZ-NH1	-5.85	117.38	120.30
1	B	442	LYS	CD-CE-NZ	-5.78	98.40	111.70
1	C	258	ASP	CB-CG-OD1	5.72	123.45	118.30
1	C	311	GLU	N-CA-CB	-5.70	100.35	110.60
1	D	78	LEU	CA-CB-CG	5.67	128.35	115.30
1	D	355	ARG	NE-CZ-NH1	-5.65	117.47	120.30
1	B	319	ARG	NE-CZ-NH1	5.61	123.11	120.30
1	C	337	ASP	CB-CG-OD2	-5.55	113.31	118.30
1	B	258	ASP	CB-CG-OD1	5.53	123.28	118.30
1	C	141	MET	CG-SD-CE	5.52	109.04	100.20
1	B	166	LYS	CD-CE-NZ	5.52	124.39	111.70
1	D	482	LYS	CD-CE-NZ	-5.51	99.03	111.70
1	B	283	ASP	CB-CG-OD1	5.48	123.23	118.30
1	A	411	LEU	CB-CG-CD1	-5.44	101.75	111.00
1	D	54	ASP	CB-CG-OD1	5.40	123.16	118.30
1	B	53	LYS	CD-CE-NZ	5.39	124.09	111.70
1	A	54	ASP	CB-CG-OD1	5.37	123.14	118.30
1	A	173	ARG	NE-CZ-NH1	5.33	122.96	120.30
1	B	452	ASP	CB-CG-OD2	-5.33	113.51	118.30
1	C	446	LYS	CD-CE-NZ	-5.33	99.45	111.70
1	C	452	ASP	CB-CG-OD2	-5.33	113.51	118.30
1	A	253	LYS	CB-CG-CD	-5.31	97.80	111.60
1	D	253	LYS	CD-CE-NZ	5.30	123.89	111.70
1	B	319	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	C	258	ASP	CB-CG-OD2	-5.28	113.54	118.30
1	B	293	ARG	NE-CZ-NH2	-5.24	117.68	120.30
1	C	42	ASP	CB-CG-OD2	-5.24	113.59	118.30
1	A	406	ASP	CB-CG-OD2	-5.23	113.59	118.30
1	D	183	LYS	CD-CE-NZ	5.20	123.67	111.70
1	D	470	SER	C-N-CA	-5.12	111.56	122.30
1	D	311	GLU	OE1-CD-OE2	5.08	129.39	123.30
1	A	400	ARG	NE-CZ-NH1	-5.04	117.78	120.30
1	A	258	ASP	CB-CG-OD1	5.04	122.83	118.30
1	C	406	ASP	CB-CG-OD2	-5.01	113.80	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3833	0	3788	30	0
1	B	3833	0	3788	17	0
1	C	3833	0	3788	29	0
1	D	3833	0	3788	18	0
2	E	34	0	5	0	0
2	F	34	0	5	0	0
2	G	34	0	5	1	0
2	H	34	0	5	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	327	0	0	7	0
4	B	321	0	0	3	0
4	C	326	0	0	1	0
4	D	319	0	0	3	0
All	All	16765	0	15172	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:141:MET:SD	4:A:975:HOH:O	2.20	0.98
1:C:95:LEU:HD23	1:C:141:MET:HE2	1.57	0.86
1:A:155:GLN:OE1	1:A:210:LYS:NZ	2.10	0.85
1:B:294:ASN:HD21	1:B:385:GLY:HA2	1.42	0.84
1:A:28:LYS:O	4:A:701:HOH:O	1.95	0.83
1:D:155:GLN:OE1	1:D:210:LYS:NZ	2.12	0.82
1:A:422:TYR:HB3	1:A:426:MET:HE3	1.62	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:GLU:OE2	1:C:491:LYS:NZ	2.10	0.81
1:B:155:GLN:OE1	1:B:210:LYS:NZ	2.15	0.80
1:C:442:LYS:HE2	1:C:446:LYS:NZ	1.97	0.78
1:C:155:GLN:OE1	1:C:210:LYS:NZ	2.16	0.74
1:A:166:LYS:HE3	4:A:976:HOH:O	1.89	0.73
1:A:28:LYS:HB2	4:A:701:HOH:O	1.89	0.71
1:C:101:GLU:OE2	1:C:442:LYS:HE3	1.92	0.70
1:D:442:LYS:O	1:D:446:LYS:HG2	1.92	0.69
1:A:442:LYS:O	1:A:446:LYS:HG2	1.94	0.67
1:A:206:ASN:HB3	1:A:266:LEU:HD21	1.76	0.66
1:D:144:ASN:HB2	1:D:402:GLY:H	1.59	0.66
1:D:50:LYS:HE2	4:D:983:HOH:O	1.96	0.64
1:C:144:ASN:HB2	1:C:402:GLY:H	1.65	0.62
1:B:101:GLU:OE2	1:B:442:LYS:HE3	1.99	0.61
1:A:50:LYS:HE2	4:A:984:HOH:O	2.00	0.61
1:A:426:MET:HE1	4:A:823:HOH:O	2.00	0.61
1:C:442:LYS:HE2	1:C:446:LYS:HZ2	1.63	0.61
1:C:442:LYS:HE2	1:C:446:LYS:HZ1	1.65	0.60
1:C:326:LEU:O	1:C:400:ARG:HD3	2.03	0.59
1:A:206:ASN:HB3	1:A:266:LEU:CD2	2.32	0.58
1:B:326:LEU:O	1:B:400:ARG:HD3	2.04	0.56
1:C:210:LYS:HE3	2:G:1:8EX:O1S	2.05	0.56
1:B:143:PRO:HB3	1:B:325:TYR:CD2	2.40	0.55
1:A:491:LYS:NZ	1:C:80:GLU:OE2	2.40	0.55
1:C:95:LEU:CD2	1:C:141:MET:HE2	2.33	0.55
1:B:144:ASN:HB2	1:B:402:GLY:H	1.73	0.54
1:C:141:MET:CE	1:C:328:GLY:HA3	2.37	0.54
1:C:143:PRO:HB3	1:C:325:TYR:CD2	2.44	0.53
1:A:445:SER:O	1:A:449:VAL:HG13	2.08	0.52
1:A:422:TYR:HB3	1:A:426:MET:CE	2.36	0.52
1:C:92:SER:OG	1:C:141:MET:HE1	2.08	0.52
1:D:326:LEU:O	1:D:400:ARG:HD3	2.09	0.52
1:A:326:LEU:O	1:A:400:ARG:HD3	2.10	0.52
1:A:266:LEU:H	1:A:266:LEU:HD22	1.75	0.51
1:B:153:VAL:HG22	1:B:431:VAL:HG21	1.93	0.51
1:D:101:GLU:OE2	1:D:442:LYS:HE2	2.11	0.50
1:D:444:LYS:HE3	4:D:725:HOH:O	2.12	0.50
1:D:494:GLN:O	1:D:498:GLU:HG3	2.12	0.50
1:D:442:LYS:NZ	1:D:446:LYS:HE3	2.28	0.49
1:B:246:LYS:HE2	1:B:474:ASP:OD2	2.13	0.48
1:C:242:LYS:NZ	1:C:474:ASP:OD1	2.45	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:316:ALA:HB1	4:A:785:HOH:O	2.13	0.48
1:C:95:LEU:HD23	1:C:141:MET:CE	2.37	0.47
1:D:316:ALA:HB1	4:D:747:HOH:O	2.13	0.47
1:A:494:GLN:O	1:A:498:GLU:HG3	2.15	0.47
1:D:143:PRO:HB3	1:D:325:TYR:CD2	2.50	0.47
1:A:143:PRO:HB3	1:A:325:TYR:CD2	2.49	0.46
1:B:227:GLU:HG2	1:B:228:GLU:N	2.31	0.46
1:C:92:SER:OG	1:C:141:MET:CE	2.63	0.46
1:A:82:LYS:HD3	1:A:334:ASP:CG	2.35	0.46
1:B:52:GLU:OE2	1:B:58:LYS:HD3	2.16	0.46
1:A:242:LYS:HD2	1:A:477:TRP:CG	2.50	0.45
1:A:141:MET:HE3	1:A:141:MET:HB2	1.74	0.45
1:D:169:LEU:HD23	1:D:169:LEU:HA	1.66	0.45
1:B:72:GLN:HG3	1:D:454:ALA:CB	2.47	0.44
1:B:426:MET:HG2	4:B:1010:HOH:O	2.16	0.44
1:B:426:MET:HE2	4:B:882:HOH:O	2.17	0.44
1:D:257:ILE:CG2	1:D:261:ILE:HD13	2.47	0.44
1:C:227:GLU:HG2	1:C:228:GLU:N	2.31	0.44
1:C:131:ASP:HB3	1:C:325:TYR:CE1	2.53	0.43
1:C:111:ILE:HA	1:C:115:ALA:HB3	1.99	0.43
1:B:426:MET:CE	4:B:882:HOH:O	2.66	0.43
1:D:111:ILE:HA	1:D:115:ALA:HB3	2.00	0.43
1:B:49:VAL:O	1:B:53:LYS:HE3	2.18	0.43
1:A:122:PHE:HB3	1:A:129:LYS:HD3	2.01	0.43
1:C:163:TRP:CG	1:C:190:PRO:HB2	2.54	0.43
1:C:494:GLN:O	1:C:498:GLU:HG3	2.19	0.42
1:C:141:MET:HE2	1:C:328:GLY:HA3	2.01	0.42
1:D:47:VAL:HG13	1:D:356:LEU:HG	2.00	0.42
1:A:47:VAL:HG13	1:A:356:LEU:HG	2.01	0.42
1:C:85:ASP:HB3	1:C:341:LEU:HD11	2.02	0.42
1:C:223:PRO:HA	1:C:236:PRO:HG3	2.02	0.42
1:A:257:ILE:CG2	1:A:261:ILE:HD13	2.49	0.42
1:A:366:TYR:CD2	1:A:373:PRO:HB3	2.54	0.42
1:C:298:LYS:HB2	1:C:298:LYS:HE2	1.80	0.42
1:D:183:LYS:HE3	1:D:254:GLU:OE2	2.20	0.41
1:D:28:LYS:O	1:D:58:LYS:HB3	2.19	0.41
1:B:256:LEU:N	1:B:256:LEU:HD23	2.36	0.41
1:A:227:GLU:HG2	1:A:228:GLU:N	2.36	0.41
1:A:266:LEU:HD22	1:A:266:LEU:N	2.34	0.41
1:C:153:VAL:HG13	4:C:847:HOH:O	2.21	0.40
1:C:242:LYS:HD2	1:C:477:TRP:CG	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:111:ILE:HA	1:A:115:ALA:HB3	2.03	0.40
1:B:143:PRO:HB3	1:B:325:TYR:CG	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	472/505 (94%)	462 (98%)	10 (2%)	0	100	100
1	B	472/505 (94%)	464 (98%)	8 (2%)	0	100	100
1	C	472/505 (94%)	460 (98%)	12 (2%)	0	100	100
1	D	472/505 (94%)	462 (98%)	10 (2%)	0	100	100
All	All	1888/2020 (94%)	1848 (98%)	40 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	408/433 (94%)	402 (98%)	6 (2%)	65	60
1	B	408/433 (94%)	401 (98%)	7 (2%)	60	55
1	C	408/433 (94%)	399 (98%)	9 (2%)	52	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	408/433 (94%)	402 (98%)	6 (2%)	65	60
All	All	1632/1732 (94%)	1604 (98%)	28 (2%)	60	55

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	141	MET
1	A	173	ARG
1	A	261	ILE
1	A	329	TRP
1	A	380	LEU
1	A	409	TYR
1	B	141	MET
1	B	173	ARG
1	B	261	ILE
1	B	293	ARG
1	B	329	TRP
1	B	409	TYR
1	B	487	LEU
1	C	53	LYS
1	C	95	LEU
1	C	253	LYS
1	C	261	ILE
1	C	298	LYS
1	C	329	TRP
1	C	409	TYR
1	C	468	LEU
1	C	487	LEU
1	D	78	LEU
1	D	95	LEU
1	D	141	MET
1	D	313	ASN
1	D	329	TRP
1	D	409	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	494	GLN
1	B	294	ASN
1	B	494	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	313	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	8EX	E	1	2	23,23,23	1.56	5 (21%)	28,35,35	2.81	11 (39%)
2	GCD	E	2	2	10,11,12	1.99	3 (30%)	13,15,17	1.42	2 (15%)
2	8EX	F	1	2	23,23,23	2.10	7 (30%)	28,35,35	2.90	11 (39%)
2	GCD	F	2	2	10,11,12	2.00	1 (10%)	13,15,17	1.85	2 (15%)
2	8EX	G	1	2	23,23,23	2.28	8 (34%)	28,35,35	3.03	14 (50%)
2	GCD	G	2	2	10,11,12	2.14	1 (10%)	13,15,17	1.73	2 (15%)
2	8EX	H	1	2	23,23,23	1.88	7 (30%)	28,35,35	2.82	10 (35%)
2	GCD	H	2	2	10,11,12	2.37	3 (30%)	13,15,17	1.52	4 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	8EX	E	1	2	-	3/15/35/35	0/1/1/1
2	GCD	E	2	2	-	0/4/17/20	0/1/1/1
2	8EX	F	1	2	-	4/15/35/35	0/1/1/1
2	GCD	F	2	2	-	0/4/17/20	0/1/1/1
2	8EX	G	1	2	-	7/15/35/35	0/1/1/1
2	GCD	G	2	2	-	0/4/17/20	0/1/1/1
2	8EX	H	1	2	-	5/15/35/35	0/1/1/1
2	GCD	H	2	2	-	0/4/17/20	0/1/1/1

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	2	GCD	O5-C5	5.85	1.45	1.37
2	G	2	GCD	O5-C5	5.78	1.45	1.37
2	G	1	8EX	C8-C7	-5.65	1.38	1.50
2	F	1	8EX	O1S-S1	5.58	1.69	1.45
2	F	2	GCD	O5-C5	5.50	1.45	1.37
2	E	2	GCD	O5-C5	4.89	1.44	1.37
2	H	1	8EX	C8-C7	4.49	1.59	1.50
2	F	1	8EX	C8-C7	4.38	1.59	1.50
2	G	1	8EX	O1S-S1	4.03	1.62	1.45
2	G	1	8EX	O7-C7	4.00	1.32	1.23
2	G	1	8EX	O3S-S1	3.58	1.60	1.45
2	G	1	8EX	C2-N2	3.49	1.51	1.45
2	E	1	8EX	O3S-S1	3.42	1.59	1.45
2	E	1	8EX	C3-C2	-3.41	1.46	1.53
2	F	1	8EX	C2-N2	3.13	1.50	1.45
2	H	2	GCD	C3-C4	3.10	1.54	1.50
2	H	1	8EX	O3S-S1	3.07	1.58	1.45
2	H	1	8EX	C2-N2	2.91	1.50	1.45
2	F	1	8EX	O3S-S1	2.88	1.57	1.45
2	F	1	8EX	O6-S1	-2.64	1.49	1.56
2	E	2	GCD	C3-C4	2.63	1.53	1.50
2	F	1	8EX	C3-C2	-2.62	1.48	1.53
2	H	2	GCD	O5-C1	-2.59	1.41	1.45
2	G	1	8EX	O4-C4	-2.50	1.41	1.46
2	G	1	8EX	O6-C6	-2.49	1.36	1.46
2	H	1	8EX	C3-C2	-2.43	1.48	1.53
2	H	1	8EX	O2S-S1	2.35	1.64	1.50
2	E	1	8EX	C8-C7	2.32	1.55	1.50
2	H	1	8EX	O1S-S1	2.31	1.55	1.45
2	F	1	8EX	O5-C1	2.21	1.48	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	1	8EX	O2S-S1	2.16	1.63	1.50
2	H	1	8EX	O6-C6	-2.13	1.38	1.46
2	G	1	8EX	C3-C2	-2.10	1.49	1.53
2	E	2	GCD	O6B-C6	-2.04	1.24	1.30
2	E	1	8EX	O4-C4	-2.02	1.42	1.46

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	1	8EX	O1-C1-C2	-8.31	91.96	109.22
2	F	1	8EX	O1-C1-C2	-7.83	92.96	109.22
2	H	1	8EX	C1-O5-C5	-7.31	99.87	113.66
2	G	1	8EX	O1-C1-C2	-6.89	94.91	109.22
2	F	1	8EX	O4S-S2-O6S	-6.76	84.99	108.49
2	H	1	8EX	O1-C1-C2	-6.69	95.31	109.22
2	G	1	8EX	C1-O5-C5	-6.61	101.19	113.66
2	G	1	8EX	O2S-S1-O1S	5.28	126.84	108.49
2	E	1	8EX	C1-O5-C5	-5.26	103.73	113.66
2	F	1	8EX	C1-O5-C5	-4.96	104.31	113.66
2	G	1	8EX	O1-C1-O5	-4.91	95.64	110.38
2	E	1	8EX	O1-C1-O5	-4.91	95.65	110.38
2	H	1	8EX	C4-O4-S2	4.88	128.31	118.88
2	H	1	8EX	O2S-S1-O1S	4.87	125.43	108.49
2	G	1	8EX	C1-C2-N2	-4.85	105.11	110.73
2	F	2	GCD	O3-C3-C2	-4.67	101.31	109.42
2	H	1	8EX	O1-C1-O5	-4.64	96.46	110.38
2	E	1	8EX	C1-C2-N2	-4.36	105.68	110.73
2	G	1	8EX	O6-S1-O3S	4.19	119.56	106.88
2	F	1	8EX	C1-C2-C3	-4.12	104.92	110.54
2	F	1	8EX	O2S-S1-O1S	3.83	121.81	108.49
2	F	1	8EX	O1-C1-O5	-3.59	99.59	110.38
2	G	2	GCD	O3-C3-C2	-3.58	103.20	109.42
2	F	1	8EX	C1-C2-N2	-3.53	106.64	110.73
2	H	1	8EX	O6-S1-O3S	3.52	117.53	106.88
2	E	1	8EX	C4-O4-S2	3.42	125.48	118.88
2	H	1	8EX	C1-C2-C3	-3.37	105.94	110.54
2	E	1	8EX	O6-S1-O3S	3.32	116.92	106.88
2	G	1	8EX	O5-C1-C2	-3.29	106.21	109.52
2	E	1	8EX	O2S-S1-O1S	3.27	119.85	108.49
2	G	1	8EX	C1-C2-C3	-3.20	106.17	110.54
2	G	2	GCD	O5-C5-C6	3.18	116.29	111.52
2	H	1	8EX	O3S-S1-O1S	-3.18	99.47	112.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	1	8EX	O3S-S1-O1S	-3.14	99.63	112.22
2	F	2	GCD	C2-C3-C4	-3.12	108.05	112.32
2	G	1	8EX	O6-S1-O1S	-3.02	97.74	106.88
2	H	2	GCD	O3-C3-C2	-3.01	104.20	109.42
2	F	1	8EX	O6S-S2-O5S	2.74	123.21	112.22
2	F	1	8EX	O2S-S1-O3S	-2.72	99.02	108.49
2	G	1	8EX	C6-C5-C4	-2.67	106.72	113.33
2	E	2	GCD	O3-C3-C2	-2.62	104.87	109.42
2	E	1	8EX	O5-C1-C2	-2.59	106.92	109.52
2	G	1	8EX	C4-O4-S2	2.55	123.81	118.88
2	G	1	8EX	O4S-S2-O5S	2.47	117.06	108.49
2	H	1	8EX	C6-C5-C4	-2.37	107.45	113.33
2	G	1	8EX	C2-N2-C7	2.32	128.83	123.18
2	E	2	GCD	O5-C5-C6	2.31	114.99	111.52
2	G	1	8EX	O2S-S1-O3S	-2.27	100.60	108.49
2	F	1	8EX	O5-C1-C2	-2.23	107.28	109.52
2	E	1	8EX	C1-C2-C3	-2.20	107.54	110.54
2	H	2	GCD	C2-C3-C4	-2.08	109.47	112.32
2	H	1	8EX	C1-C2-N2	-2.07	108.32	110.73
2	F	1	8EX	O6-S1-O3S	2.06	113.11	106.88
2	E	1	8EX	O4S-S2-O6S	2.03	115.56	108.49
2	H	2	GCD	O6B-C6-C5	2.01	119.21	114.20
2	H	2	GCD	O5-C5-C6	2.01	114.53	111.52

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	G	1	8EX	C4-O4-S2-O5S
2	G	1	8EX	C6-O6-S1-O2S
2	G	1	8EX	C8-C7-N2-C2
2	G	1	8EX	O7-C7-N2-C2
2	F	1	8EX	C6-O6-S1-O2S
2	E	1	8EX	C4-O4-S2-O5S
2	E	1	8EX	C4-O4-S2-O6S
2	F	1	8EX	C4-O4-S2-O5S
2	G	1	8EX	C4-O4-S2-O6S
2	H	1	8EX	C4-O4-S2-O5S
2	H	1	8EX	C4-O4-S2-O6S
2	H	1	8EX	C6-O6-S1-O1S
2	E	1	8EX	C4-O4-S2-O4S
2	F	1	8EX	C4-O4-S2-O4S

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	G	1	8EX	C4-O4-S2-O4S
2	H	1	8EX	C4-O4-S2-O4S
2	G	1	8EX	C6-O6-S1-O1S
2	F	1	8EX	C6-O6-S1-O1S
2	H	1	8EX	C5-C6-O6-S1


There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	1	8EX	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	474/505 (93%)	0.22	6 (1%) 77 83	14, 23, 36, 67	0
1	B	474/505 (93%)	0.19	3 (0%) 89 93	14, 23, 35, 58	0
1	C	474/505 (93%)	0.22	2 (0%) 92 95	14, 23, 36, 61	0
1	D	474/505 (93%)	0.19	4 (0%) 86 90	14, 23, 36, 66	0
All	All	1896/2020 (93%)	0.20	15 (0%) 86 90	14, 23, 36, 67	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	27	PRO	9.9
1	D	27	PRO	9.4
1	C	27	PRO	6.8
1	B	27	PRO	6.6
1	A	28	LYS	4.8
1	C	28	LYS	3.8
1	D	28	LYS	2.9
1	B	28	LYS	2.6
1	A	294	ASN	2.5
1	A	482	LYS	2.5
1	D	482	LYS	2.4
1	A	104	LEU	2.3
1	A	374	VAL	2.3
1	B	187	GLU	2.2
1	D	104	LEU	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	8EX	G	1	23/23	0.94	0.14	9,21,40,49	0
2	8EX	H	1	23/23	0.94	0.13	15,20,37,46	0
2	GCD	F	2	11/12	0.95	0.08	14,16,18,20	0
2	8EX	E	1	23/23	0.95	0.11	16,19,35,43	0
2	8EX	F	1	23/23	0.95	0.13	15,20,38,47	0
2	GCD	G	2	11/12	0.96	0.09	13,16,18,21	0
2	GCD	E	2	11/12	0.96	0.10	14,16,18,20	0
2	GCD	H	2	11/12	0.97	0.09	14,16,18,19	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain F:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CA	A	601	1/1	0.99	0.07	27,27,27,27	0
3	CA	B	601	1/1	0.99	0.06	26,26,26,26	0
3	CA	D	601	1/1	0.99	0.06	27,27,27,27	0
3	CA	C	601	1/1	1.00	0.06	27,27,27,27	0

6.5 Other polymers [i](#)

There are no such residues in this entry.