



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 26, 2024 – 04:10 AM EDT

PDB ID : 6XU4
Title : Crystal structure of the genetically-encoded FGCaMP calcium indicator in its calcium-bound state
Authors : Boyko, K.M.; Nikolaeva, A.Y.; Korzhenevskiy, D.A.; Barykina, N.V.; Subach, O.M.; Subach, F.V.
Deposited on : 2020-01-17
Resolution : 3.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1467 (3.20-3.16)
Clashscore	141614	1599 (3.20-3.16)
Ramachandran outliers	138981	1574 (3.20-3.16)
Sidechain outliers	138945	1573 (3.20-3.16)
RSRZ outliers	127900	1423 (3.20-3.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	413	 70% 22% 6% 2%
1	B	413	 73% 17% 7% 2%
1	E	413	 9% 86%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6438 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FGCamp.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	390	Total 3065	C 1924	N 516	O 609	S 16	0	1	0
1	B	383	Total 2923	C 1839	N 486	O 583	S 15	0	2	0
1	E	56	Total 437	C 268	N 68	O 98	S 3	0	0	0

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	4	Total 4	Ca 4	0	0
2	B	4	Total 4	Ca 4	0	0
2	E	2	Total 2	Ca 2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total 1	O 1	0	0
3	B	2	Total 2	O 2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: FGCamp



- Molecule 1: FGCamp



- Molecule 1: FGCamp

4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	163.56Å 163.56Å 143.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	89.94 – 3.18 89.94 – 3.18	Depositor EDS
% Data completeness (in resolution range)	100.0 (89.94-3.18) 100.0 (89.94-3.18)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 3.19Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.279 , 0.348 0.280 , 0.343	Depositor DCC
R_{free} test set	1653 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	92.7	Xtrriage
Anisotropy	0.008	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 54.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	6438	wwPDB-VP
Average B, all atoms (Å ²)	89.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CRO, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.69	0/3099	0.88	0/4184
1	B	0.71	0/2959	0.90	2/4008 (0.0%)
1	E	0.70	0/442	0.84	0/596
All	All	0.70	0/6500	0.89	2/8788 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	3
All	All	0	5

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	327	ASN	CB-CA-C	-7.96	94.47	110.40
1	B	12	ARG	NE-CZ-NH1	7.05	123.83	120.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	265	THR	Peptide
1	A	341	ARG	Peptide
1	B	19	GLU	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	2	ARG	Peptide
1	B	21	LEU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3065	0	2915	51	0
1	B	2923	0	2695	40	0
1	E	437	0	403	11	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0
2	E	2	0	0	0	0
3	A	1	0	0	0	0
3	B	2	0	0	0	0
All	All	6438	0	6013	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:77:VAL:HG21	1:B:185:CRO:CE1	2.08	0.83
1:A:2:ARG:HH11	1:A:2:ARG:HA	1.41	0.83
1:A:157:THR:O	1:A:192:ARG:HD3	1.89	0.71
1:E:294:ILE:HD12	1:E:330:ILE:HD11	1.73	0.69
1:A:24:VAL:HG12	1:A:24:VAL:O	1.92	0.68
1:B:196:HIS:O	1:B:199:GLN:NE2	2.27	0.65
1:B:350:GLU:N	1:B:350:GLU:OE1	2.33	0.62
1:B:402[B]:ARG:CG	1:B:402[B]:ARG:HH11	2.13	0.62
1:B:175:PRO:HG2	1:B:260:LEU:HD12	1.81	0.61
1:A:54:TYR:OH	1:A:220:LYS:HD3	1.99	0.61
1:A:50:VAL:HG11	1:A:343:MET:CE	2.31	0.61
1:E:332:PHE:O	1:E:336:LEU:HD23	2.01	0.60
1:A:68:LEU:HD22	1:A:199:GLN:O	2.02	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:ASP:OD2	1:A:204:LYS:HD2	2.01	0.60
1:B:299:LEU:HD21	1:B:318:MET:CE	2.32	0.60
1:A:305:SER:OG	1:A:378:SER:HB3	2.02	0.59
1:A:4:LEU:HD13	1:A:411:LEU:HD11	1.86	0.57
1:A:68:LEU:HD12	1:A:205:SER:HB3	1.87	0.57
1:A:26:ILE:HG23	1:A:35:ILE:CG2	2.34	0.56
1:A:411:LEU:HG	1:A:411:LEU:O	2.04	0.56
1:B:99:THR:HG22	1:B:192:ARG:HD3	1.86	0.56
1:B:236:ASP:OD1	1:B:236:ASP:N	2.35	0.56
1:B:297:LYS:O	1:B:301:THR:HG23	2.05	0.56
1:A:297:LYS:O	1:A:301:THR:HG23	2.06	0.56
1:E:297:LYS:O	1:E:301:THR:HG23	2.06	0.56
1:A:411:LEU:O	1:A:411:LEU:CG	2.55	0.55
1:A:81:LEU:HD23	1:A:92:MET:SD	2.47	0.55
1:B:179:LEU:O	1:B:183:LEU:HG	2.08	0.54
1:A:59:ASN:HA	1:A:212:ILE:O	2.08	0.54
1:A:68:LEU:HD12	1:A:205:SER:CB	2.38	0.54
1:A:302:VAL:O	1:A:305:SER:HB3	2.08	0.53
1:B:303:MET:SD	1:B:318:MET:HE1	2.49	0.53
1:E:333:PRO:O	1:E:337:THR:HG23	2.09	0.53
1:B:272:THR:OG1	1:B:275:GLN:HG3	2.08	0.53
1:B:299:LEU:HD21	1:B:318:MET:HE2	1.91	0.51
1:E:294:ILE:HB	1:E:330:ILE:HG13	1.91	0.51
1:E:295:THR:HG23	1:E:298:GLU:H	1.76	0.51
1:B:305:SER:OG	1:B:378:SER:O	2.28	0.50
1:A:94:LEU:HD23	1:A:185:CRO:HG11	1.93	0.50
1:E:330:ILE:CD1	1:E:335:PHE:HB2	2.41	0.50
1:A:216:THR:HG21	1:A:218:PHE:CE2	2.47	0.50
1:A:318:MET:O	1:A:321:GLU:HB2	2.12	0.49
1:A:182:THR:HG23	1:A:227:THR:HG21	1.95	0.48
1:A:411:LEU:O	1:A:411:LEU:HD23	2.13	0.48
1:A:353:ARG:HG3	1:A:409:VAL:HG11	1.96	0.48
1:B:182:THR:HG23	1:B:227:THR:HG21	1.96	0.48
1:A:367:ILE:HG13	1:A:367:ILE:O	2.13	0.47
1:A:77:VAL:HG21	1:A:185:CRO:CE1	2.44	0.47
1:A:216:THR:CG2	1:A:218:PHE:CE2	2.97	0.47
1:A:1:ARG:O	1:A:2:ARG:NH1	2.46	0.47
1:B:10:THR:HG21	1:B:379:ILE:CG2	2.44	0.47
1:B:402[B]:ARG:HH11	1:B:402[B]:ARG:HG3	1.79	0.47
1:B:59:ASN:HA	1:B:212:ILE:O	2.16	0.46
1:A:50:VAL:HG11	1:A:343:MET:HE2	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157:THR:O	1:A:192:ARG:CD	2.63	0.45
1:B:77:VAL:HG21	1:B:185:CRO:HE1	1.96	0.45
1:A:4:LEU:H	1:A:4:LEU:HD12	1.81	0.45
1:A:6:LYS:HE2	1:A:285:LEU:HD11	2.00	0.44
1:B:126:LEU:HD23	1:B:233:PHE:CE2	2.52	0.44
1:B:216:THR:HG22	1:B:218:PHE:CE2	2.52	0.44
1:A:258:HIS:HB2	1:B:46:GLU:HB3	2.00	0.44
1:B:216:THR:CG2	1:B:218:PHE:CE2	3.01	0.44
1:A:35:ILE:HD11	1:A:202:PHE:HB2	2.00	0.43
1:A:25:TYR:OH	1:A:72:ASN:HB3	2.18	0.43
1:A:258:HIS:CB	1:B:46:GLU:HB3	2.49	0.43
1:B:24:VAL:HG22	1:B:24:VAL:O	2.17	0.43
1:B:299:LEU:HD21	1:B:318:MET:HE3	2.00	0.43
1:B:375:VAL:HG12	1:B:379:ILE:HD11	2.00	0.43
1:B:91:HIS:HB2	1:B:165:PHE:O	2.19	0.42
1:B:265:THR:HG21	1:B:268:ALA:HB3	2.00	0.42
1:A:81:LEU:CD2	1:A:92:MET:SD	3.08	0.42
1:A:46:GLU:HB2	1:B:258:HIS:HB3	2.00	0.42
1:A:207:MET:HB3	1:A:208:PRO:HA	2.02	0.42
1:E:302:VAL:O	1:E:305:SER:OG	2.14	0.42
1:A:176:TRP:N	1:A:177:PRO:CD	2.83	0.42
1:B:39:PHE:O	1:B:55:HIS:HB2	2.20	0.42
1:B:262:TYR:O	1:B:263:ASP:O	2.37	0.42
1:E:316:GLN:NE2	1:E:320:ASN:OD1	2.50	0.42
1:A:39:PHE:O	1:A:55:HIS:HB2	2.20	0.42
1:E:294:ILE:HD12	1:E:330:ILE:CD1	2.44	0.42
1:B:12:ARG:CG	1:B:12:ARG:HH11	2.32	0.41
1:A:6:LYS:CE	1:A:281:GLU:HG3	2.49	0.41
1:B:94:LEU:HD23	1:B:185:CRO:HG11	2.01	0.41
1:A:207:MET:HE2	1:A:233:PHE:CD1	2.56	0.41
1:B:207:MET:HB3	1:B:208:PRO:HA	2.02	0.41
1:A:352:ILE:HG12	1:A:409:VAL:HG12	2.02	0.41
1:B:207:MET:CE	1:B:232:LYS:HA	2.50	0.41
1:A:87:GLU:OE2	1:A:89:ARG:HB2	2.21	0.41
1:A:185:CRO:N2	1:A:185:CRO:HD1	2.36	0.41
1:A:207:MET:HE1	1:A:232:LYS:HA	2.03	0.41
1:A:137:LEU:C	1:A:137:LEU:HD23	2.42	0.40
1:B:12:ARG:HH11	1:B:12:ARG:HG3	1.85	0.40
1:B:350:GLU:N	1:B:350:GLU:CD	2.74	0.40
1:E:330:ILE:HG13	1:E:330:ILE:O	2.21	0.40
1:A:394:GLU:HA	1:A:394:GLU:OE2	2.22	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:137:LEU:HD23	1:B:137:LEU:C	2.41	0.40
1:A:359:PHE:CE1	1:A:375:VAL:HG11	2.57	0.40
1:A:265:THR:HG21	1:A:268:ALA:HB3	2.03	0.40
1:B:176:TRP:N	1:B:177:PRO:CD	2.84	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	384/413 (93%)	351 (91%)	24 (6%)	9 (2%)	6	32
1	B	376/413 (91%)	346 (92%)	21 (6%)	9 (2%)	6	31
1	E	54/413 (13%)	52 (96%)	2 (4%)	0	100	100
All	All	814/1239 (66%)	749 (92%)	47 (6%)	18 (2%)	6	33

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	3	THR
1	B	4	LEU
1	B	22	GLY
1	B	23	ASN
1	A	263	ASP
1	A	342	LYS
1	A	347	ASP
1	A	399	GLY
1	A	400	ASP
1	B	263	ASP
1	B	399	GLY
1	B	400	ASP
1	A	268	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	349	GLU
1	B	411	LEU
1	A	343	MET
1	B	83	LYS
1	A	411	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	325/358 (91%)	285 (88%)	40 (12%)	4	20
1	B	298/358 (83%)	269 (90%)	29 (10%)	8	29
1	E	51/358 (14%)	47 (92%)	4 (8%)	12	41
All	All	674/1074 (63%)	601 (89%)	73 (11%)	6	25

All (73) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ARG
1	A	3	THR
1	A	18	ARG
1	A	33	ASN
1	A	52	LEU
1	A	58	GLN
1	A	67	VAL
1	A	80	LYS
1	A	81	LEU
1	A	82	SER
1	A	98	VAL
1	A	126	LEU
1	A	131	VAL
1	A	134	LEU
1	A	136	GLU
1	A	153	GLU
1	A	161	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	171	LYS
1	A	196	HIS
1	A	232	LYS
1	A	237	THR
1	A	252	ASP
1	A	265	THR
1	A	266	LEU
1	A	267[A]	MET
1	A	267[B]	MET
1	A	269	ASP
1	A	270	SER
1	A	280	LYS
1	A	304	ARG
1	A	305	SER
1	A	315	LEU
1	A	343	MET
1	A	349	GLU
1	A	354	GLU
1	A	367	ILE
1	A	372	LEU
1	A	392	ILE
1	A	393	ARG
1	A	411	LEU
1	B	4	LEU
1	B	11	VAL
1	B	12	ARG
1	B	19	GLU
1	B	21	LEU
1	B	24	VAL
1	B	52	LEU
1	B	64	ASP
1	B	67	VAL
1	B	76	SER
1	B	98	VAL
1	B	134	LEU
1	B	136	GLU
1	B	153	GLU
1	B	162	THR
1	B	183	LEU
1	B	204	LYS
1	B	232	LYS
1	B	236	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	241	ARG
1	B	245	LYS
1	B	269	ASP
1	B	305	SER
1	B	312	GLU
1	B	352	ILE
1	B	353	ARG
1	B	372	LEU
1	B	402[A]	ARG
1	B	402[B]	ARG
1	E	304	ARG
1	E	315	LEU
1	E	330	ILE
1	E	338	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	A	58	GLN
1	A	72	ASN
1	B	15	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CRO	B	185	1	23,23,24	3.56	6 (26%)	30,32,34	4.34	8 (26%)
1	CRO	A	185	1	23,23,24	3.95	5 (21%)	30,32,34	3.61	9 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CRO	B	185	1	-	0/12/31/32	0/2/2/2
1	CRO	A	185	1	-	0/12/31/32	0/2/2/2

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	185	CRO	CB2-CA2	17.42	1.49	1.35
1	B	185	CRO	CB2-CA2	14.78	1.47	1.35
1	B	185	CRO	C1-N2	4.70	1.39	1.32
1	A	185	CRO	C1-N2	4.53	1.38	1.32
1	B	185	CRO	CA2-C2	-4.46	1.44	1.48
1	A	185	CRO	C2-N3	-3.80	1.30	1.39
1	B	185	CRO	O2-C2	3.01	1.29	1.23
1	A	185	CRO	O2-C2	2.50	1.28	1.23
1	B	185	CRO	C2-N3	-2.40	1.34	1.39
1	B	185	CRO	CA1-C1	-2.26	1.48	1.51
1	A	185	CRO	CA2-C2	-2.07	1.46	1.48

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	185	CRO	O2-C2-CA2	-16.06	121.94	130.96
1	A	185	CRO	CA2-C2-N3	14.68	110.31	103.37
1	B	185	CRO	CA2-C2-N3	13.74	109.87	103.37
1	A	185	CRO	O2-C2-CA2	-7.37	126.82	130.96
1	A	185	CRO	C2-CA2-N2	-5.10	105.36	108.93
1	B	185	CRO	O3-C3-CA3	-4.71	112.16	126.39
1	A	185	CRO	CB2-CA2-C2	4.58	127.74	122.28
1	B	185	CRO	C2-N3-C1	-4.44	105.72	107.97
1	B	185	CRO	C2-CA2-N2	-4.15	106.03	108.93
1	B	185	CRO	CA1-C1-N3	-3.82	120.16	124.75
1	A	185	CRO	C2-N3-C1	-3.81	106.04	107.97
1	A	185	CRO	O3-C3-CA3	-3.81	114.90	126.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	185	CRO	CG2-CB2-CA2	-3.39	125.78	129.94
1	A	185	CRO	CA1-C1-N3	-3.18	120.93	124.75
1	B	185	CRO	CA1-C1-N2	2.72	127.70	123.89
1	B	185	CRO	CG2-CB2-CA2	-2.58	126.78	129.94
1	A	185	CRO	CA1-C1-N2	2.12	126.85	123.89

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	185	CRO	3	0
1	A	185	CRO	3	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 10 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	389/413 (94%)	0.07	4 (1%) 82 72	62, 81, 108, 153	0
1	B	382/413 (92%)	0.13	10 (2%) 56 40	63, 87, 114, 140	0
1	E	56/413 (13%)	0.04	2 (3%) 42 27	96, 118, 136, 149	0
All	All	827/1239 (66%)	0.10	16 (1%) 66 53	62, 86, 121, 153	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	369	ALA	5.4
1	B	403	ILE	4.2
1	E	330	ILE	3.6
1	B	379	ILE	3.4
1	B	308	GLN	3.0
1	A	236	ASP	2.7
1	A	244	LEU	2.6
1	A	346	THR	2.5
1	B	408	PHE	2.5
1	E	286	PHE	2.5
1	B	388	VAL	2.5
1	B	372	LEU	2.2
1	B	209	GLU	2.2
1	A	67	VAL	2.1
1	B	395	ALA	2.1
1	B	391	MET	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column

labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	CRO	B	185	22/23	0.95	0.30	74,83,88,108	0
1	CRO	A	185	22/23	0.97	0.26	59,69,75,80	0

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	CA	E	501	1/1	0.75	0.13	154,154,154,154	0
2	CA	B	501	1/1	0.91	0.05	107,107,107,107	0
2	CA	E	502	1/1	0.91	0.04	138,138,138,138	0
2	CA	A	504	1/1	0.92	0.05	105,105,105,105	0
2	CA	A	503	1/1	0.95	0.12	76,76,76,76	0
2	CA	B	502	1/1	0.95	0.12	98,98,98,98	0
2	CA	A	502	1/1	0.97	0.14	78,78,78,78	0
2	CA	B	503	1/1	0.98	0.10	94,94,94,94	0
2	CA	A	501	1/1	0.99	0.21	84,84,84,84	0
2	CA	B	504	1/1	0.99	0.10	97,97,97,97	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.













Electron density around CA A 504:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around CA A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)













Electron density around CA A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.