



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 27, 2023 – 06:22 pm GMT

PDB ID : 6XUL  
Title : Apo Ab 5b1  
Authors : Diskin, R.; Borenstein-Katz, A.  
Deposited on : 2020-01-20  
Resolution : 2.41 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.32.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.32.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4647 (2.44-2.40)
Clashscore	141614	5161 (2.44-2.40)
Ramachandran outliers	138981	5073 (2.44-2.40)
Sidechain outliers	138945	5074 (2.44-2.40)
RSRZ outliers	127900	4543 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	230	
1	C	230	
1	E	230	
1	G	230	
1	H	230	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	J	230	<p>2% 83% 11% 5%</p>
2	B	218	<p>2% 89% 11%</p>
2	D	218	<p>2% 87% 12%</p>
2	F	218	<p>2% 88% 11%</p>
2	I	218	<p>2% 87% 13%</p>
2	K	218	<p>2% 83% 16%</p>
2	L	218	<p>2% 84% 14%</p>

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 20926 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	218	Total 1665	C 1051	N 288	O 319	S 7	0	1	0
1	C	218	Total 1665	C 1051	N 288	O 319	S 7	0	1	0
1	E	218	Total 1665	C 1051	N 288	O 319	S 7	0	1	0
1	G	219	Total 1668	C 1052	N 289	O 321	S 6	0	0	0
1	J	218	Total 1665	C 1051	N 288	O 319	S 7	0	1	0
1	H	218	Total 1665	C 1051	N 288	O 319	S 7	0	1	0

- Molecule 2 is a protein called Light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	217	Total 1651	C 1026	N 284	O 336	S 5	0	1	0
2	D	217	Total 1651	C 1026	N 284	O 336	S 5	0	1	0
2	F	217	Total 1651	C 1026	N 284	O 336	S 5	0	1	0
2	I	217	Total 1659	C 1031	N 287	O 336	S 5	0	2	0
2	K	217	Total 1648	C 1024	N 284	O 336	S 4	0	0	0
2	L	217	Total 1651	C 1026	N 284	O 336	S 5	0	1	0



- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	138	Total 138	O 138	0	0
3	B	130	Total 130	O 130	0	0
3	C	103	Total 103	O 103	0	0
3	D	54	Total 54	O 54	0	0
3	E	98	Total 98	O 98	0	0
3	F	62	Total 62	O 62	0	0
3	G	125	Total 125	O 125	0	0
3	I	89	Total 89	O 89	0	0
3	J	85	Total 85	O 85	0	0
3	K	35	Total 35	O 35	0	0
3	H	62	Total 62	O 62	0	0
3	L	41	Total 41	O 41	0	0



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Heavy chain




- Molecule 1: Heavy chain




- Molecule 1: Heavy chain




- Molecule 1: Heavy chain




- Molecule 1: Heavy chain




- Molecule 1: Heavy chain




- Molecule 2: Light chain




- Molecule 2: Light chain





- Molecule 2: Light chain




- Molecule 2: Light chain



- Molecule 2: Light chain



- Molecule 2: Light chain





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	155.02Å 155.02Å 121.78Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	47.88 – 2.41 47.88 – 2.41	Depositor EDS
% Data completeness (in resolution range)	99.7 (47.88-2.41) 99.7 (47.88-2.41)	Depositor EDS
$R_{merge}$	0.15	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.36 (at 2.42Å)	Xtrriage
Refinement program	PHENIX 1.16_3549	Depositor
R, $R_{free}$	0.168 , 0.230 0.168 , 0.230	Depositor DCC
$R_{free}$ test set	1976 reflections (1.57%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	40.3	Xtrriage
Anisotropy	0.358	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 44.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.026 for -h,-k,l 0.032 for h,-h-k,-l 0.017 for -k,-h,-l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	20926	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 51.67 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.4292e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.48	0/1709	0.63	0/2323
1	C	0.42	0/1709	0.60	0/2323
1	E	0.45	0/1709	0.61	0/2323
1	G	0.45	0/1709	0.61	0/2323
1	H	0.41	0/1709	0.59	0/2323
1	J	0.44	0/1709	0.59	1/2323 (0.0%)
2	B	0.42	0/1691	0.60	0/2300
2	D	0.38	0/1691	0.57	0/2300
2	F	0.41	0/1691	0.59	0/2300
2	I	0.42	0/1702	0.59	0/2314
2	K	0.38	0/1685	0.53	0/2292
2	L	0.38	0/1691	0.57	0/2300
All	All	0.42	0/20405	0.59	1/27744 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	J	16	ARG	NE-CZ-NH2	-5.03	117.79	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1665	0	1624	21	0
1	C	1665	0	1624	19	0
1	E	1665	0	1624	16	0
1	G	1668	0	1625	17	0
1	H	1665	0	1624	19	0
1	J	1665	0	1624	17	0
2	B	1651	0	1588	17	0
2	D	1651	0	1588	17	0
2	F	1651	0	1588	16	0
2	I	1659	0	1601	15	0
2	K	1648	0	1584	20	0
2	L	1651	0	1588	19	0
3	A	138	0	0	7	0
3	B	130	0	0	6	0
3	C	103	0	0	5	0
3	D	54	0	0	4	0
3	E	98	0	0	7	1
3	F	62	0	0	4	0
3	G	125	0	0	9	1
3	H	62	0	0	3	0
3	I	89	0	0	2	0
3	J	85	0	0	4	0
3	K	35	0	0	6	0
3	L	41	0	0	6	0
All	All	20926	0	19282	207	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (207) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:193:THR:OG1	3:E:301:HOH:O	1.85	0.92
2:F:168:SER:OG	3:F:301:HOH:O	1.88	0.91
2:L:201:LEU:O	3:L:301:HOH:O	1.88	0.90
1:C:43:LYS:O	3:C:301:HOH:O	1.93	0.86
2:B:144:ALA:O	3:B:301:HOH:O	1.95	0.85
1:G:125:ALA:O	3:G:301:HOH:O	1.95	0.85
2:I:152:ASN:OD1	3:I:301:HOH:O	1.94	0.84
2:B:17:GLN:OE1	3:B:302:HOH:O	1.97	0.81
2:L:54:ARG:NH1	2:L:58:VAL:O	2.12	0.80
1:J:17:SER:O	3:J:301:HOH:O	2.02	0.77

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:190:LYS:HE2	2:I:210:ASN:HB3	1.67	0.77
2:B:93:ASP:OD2	3:B:304:HOH:O	2.04	0.76
1:E:72:ASP:OD2	3:E:302:HOH:O	2.06	0.73
1:C:96:ILE:O	3:C:302:HOH:O	2.06	0.73
1:E:203:SER:HG	1:E:205:THR:HG1	1.33	0.72
1:J:11:SER:HB2	1:J:147:PRO:HG3	1.71	0.72
1:C:157:GLY:O	3:C:303:HOH:O	2.06	0.72
1:J:4:LEU:O	3:J:302:HOH:O	2.08	0.71
1:E:46:GLU:OE1	3:E:303:HOH:O	2.08	0.71
1:E:4:LEU:O	3:E:304:HOH:O	2.09	0.70
2:F:123:GLU:OE1	3:F:302:HOH:O	2.09	0.70
2:K:56:SER:O	3:K:302:HOH:O	2.10	0.69
1:A:46:GLU:OE1	3:A:301:HOH:O	2.11	0.69
1:E:153:SER:HB2	1:E:197:ASN:HB2	1.73	0.69
1:C:94:LYS:NZ	1:C:101:GLU:OE1	2.22	0.68
2:K:120:PRO:HD3	2:K:132:VAL:HG22	1.76	0.68
2:K:9:SER:O	3:K:303:HOH:O	2.11	0.68
1:A:214:LYS:HG2	1:A:215:SER:H	1.59	0.67
2:D:39:LEU:HD23	2:D:84:ALA:HB2	1.74	0.67
1:C:96:ILE:HG12	1:C:101:GLU:HB2	1.76	0.66
1:A:134:GLY:N	3:A:305:HOH:O	2.29	0.66
1:G:115:SER:O	3:G:302:HOH:O	2.12	0.66
1:A:167:PRO:O	3:A:302:HOH:O	2.14	0.66
2:L:122:ASP:OD2	3:L:302:HOH:O	2.14	0.66
1:E:23:GLU:OE1	3:E:306:HOH:O	2.12	0.66
1:J:144:ASP:OD1	3:J:303:HOH:O	2.14	0.66
1:E:156:SER:OG	3:E:307:HOH:O	2.15	0.65
1:H:53:ASN:ND2	3:H:301:HOH:O	2.05	0.65
1:C:123:PRO:HD3	1:C:209:LYS:HE2	1.78	0.64
1:C:209:LYS:NZ	2:D:123:GLU:OE2	2.30	0.64
2:B:93:ASP:OD1	3:B:305:HOH:O	2.15	0.64
2:K:80:SER:HA	2:K:106:VAL:HG21	1.79	0.64
2:F:206:THR:OG1	3:F:303:HOH:O	2.15	0.63
1:A:117:LYS:NZ	3:A:309:HOH:O	2.32	0.62
1:H:13:GLN:HB2	1:H:16:ARG:HD2	1.81	0.62
2:L:30:ILE:O	2:L:66:ARG:NH1	2.33	0.61
1:A:144:ASP:OD1	3:A:303:HOH:O	2.16	0.60
2:D:188:LYS:HB2	2:D:188:LYS:HZ3	1.67	0.60
1:A:1:GLN:N	3:A:311:HOH:O	2.35	0.59
1:H:13:GLN:HG3	1:H:16:ARG:HH11	1.68	0.59
1:J:68:THR:OG1	3:J:304:HOH:O	2.16	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:137:ASN:OD1	2:B:138:ASN:ND2	2.37	0.58
2:B:45:LYS:NZ	3:B:309:HOH:O	2.36	0.57
1:G:11:SER:HB2	1:G:147:PRO:HG3	1.86	0.57
1:A:1:GLN:N	1:A:1:GLN:OE1	2.34	0.57
1:A:100(E):GLU:OE1	2:B:34:TYR:OH	2.23	0.56
1:J:214:LYS:HG2	1:J:215:SER:N	2.20	0.56
2:D:29:ASN:OD1	2:D:30:ILE:N	2.32	0.56
1:H:96:ILE:HG12	1:H:101:GLU:HB2	1.87	0.55
1:A:214:LYS:HG2	1:A:215:SER:N	2.22	0.55
2:I:168:SER:OG	2:I:169:LYS:HE2	2.06	0.55
2:D:4:LEU:HB2	2:D:99:GLY:HA2	1.89	0.54
1:H:154:TRP:CH2	1:H:196:CYS:HB3	2.43	0.54
2:I:190:LYS:HE3	2:I:211:ARG:O	2.07	0.54
2:L:35:TRP:HB2	2:L:48:ILE:HB	1.89	0.53
1:C:11:SER:HB3	1:C:147:PRO:HG3	1.90	0.53
1:G:1:GLN:NE2	3:G:308:HOH:O	2.35	0.53
2:D:210:ASN:ND2	3:D:302:HOH:O	2.24	0.52
1:A:96:ILE:HG22	1:A:100(E):GLU:HB2	1.90	0.52
2:I:21:ILE:HD12	2:I:73:LEU:HD23	1.92	0.52
2:K:1:GLN:NE2	3:K:310:HOH:O	2.42	0.52
1:J:40:PRO:HG2	1:J:43:LYS:HB2	1.91	0.52
1:A:210:ARG:HD2	1:A:212:GLU:OE1	2.10	0.51
2:L:122:ASP:N	3:L:306:HOH:O	2.41	0.51
1:A:126:PRO:O	3:A:304:HOH:O	2.19	0.51
1:H:119:PRO:HB3	1:H:145:TYR:HB3	1.93	0.51
1:E:185:PRO:O	1:E:188:SER:OG	2.28	0.51
1:G:105:GLN:NE2	3:G:305:HOH:O	2.23	0.51
1:H:30:GLU:O	1:H:52(A):TRP:HB2	2.11	0.51
1:H:126:PRO:O	3:H:302:HOH:O	2.18	0.51
2:D:9:SER:HB2	3:D:321:HOH:O	2.10	0.51
2:I:11:ALA:O	2:I:104:VAL:HA	2.11	0.51
2:K:4:LEU:HB2	2:K:99:GLY:HA2	1.93	0.51
2:L:46:LEU:HD11	2:L:49:TYR:HB3	1.92	0.50
1:G:127:SER:OG	3:G:304:HOH:O	2.19	0.50
2:F:161:GLU:HA	2:F:176:SER:O	2.12	0.50
2:F:4:LEU:HB2	2:F:99:GLY:HA2	1.93	0.50
1:J:39:GLN:HB2	1:J:45:LEU:HD23	1.93	0.50
1:E:100(E):GLU:OE1	2:F:34:TYR:OH	2.30	0.49
1:G:126:PRO:HA	1:G:137:ALA:O	2.13	0.49
2:D:184:ALA:O	2:D:188:LYS:HG3	2.13	0.49
1:C:56:ARG:HH11	1:C:56:ARG:HG2	1.77	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:4:LEU:HB2	2:I:99:GLY:HA2	1.95	0.49
2:F:152:ASN:N	3:F:304:HOH:O	2.30	0.49
1:J:195:ILE:HD13	1:J:210:ARG:HA	1.94	0.49
2:L:151:ASP:OD1	2:L:190:LYS:HG3	2.13	0.48
1:C:119:PRO:HB3	1:C:145:TYR:HB3	1.94	0.48
1:E:1:GLN:OE1	1:E:1:GLN:N	2.45	0.48
1:J:159:LEU:HD21	1:J:182:VAL:HG21	1.95	0.48
1:H:13:GLN:HG3	1:H:16:ARG:NH1	2.28	0.48
1:H:39:GLN:HG3	1:H:44:GLY:O	2.14	0.48
2:F:65:SER:HB3	2:K:203:SER:HB3	1.96	0.48
2:L:61:ARG:HB3	2:L:76:SER:O	2.13	0.48
2:F:186:TYR:O	2:F:192:TYR:OH	2.32	0.48
1:G:100(E):GLU:OE1	2:I:34:TYR:OH	2.31	0.48
1:C:201:LYS:HG2	3:C:362:HOH:O	2.14	0.48
2:K:54:ARG:HD2	2:K:58:VAL:HG12	1.96	0.48
2:L:39:LEU:HD23	2:L:84:ALA:HB2	1.95	0.48
2:L:190:LYS:HD2	2:L:191:VAL:HG23	1.95	0.47
2:F:61:ARG:HH22	2:F:82:ASP:CG	2.18	0.47
1:J:119:PRO:HB3	1:J:145:TYR:HB3	1.96	0.47
2:K:113:PRO:HB3	2:K:139:PHE:HB3	1.95	0.47
1:H:94:LYS:NZ	1:H:101:GLU:OE1	2.39	0.47
2:B:197:THR:HG22	2:B:204:PRO:HB3	1.97	0.46
1:G:39:GLN:HG3	1:G:44:GLY:O	2.14	0.46
2:K:61:ARG:HB3	2:K:76:SER:O	2.16	0.46
1:A:39:GLN:HB2	1:A:45:LEU:HD23	1.97	0.46
1:A:95:ASP:HA	1:A:100(E):GLU:O	2.16	0.46
1:G:123:PRO:HD3	1:G:209:LYS:HE2	1.97	0.46
2:I:166:GLN:HG2	2:I:171:SER:HA	1.98	0.46
1:E:30:GLU:CD	1:E:30:GLU:H	2.19	0.46
2:B:210:ASN:HB2	2:B:213:GLU:HG3	1.98	0.46
2:D:3:VAL:HG12	3:D:329:HOH:O	2.16	0.46
1:A:11:SER:HA	1:A:110:THR:O	2.16	0.46
1:A:148:GLU:OE1	1:A:149:PRO:HA	2.15	0.46
1:C:39:GLN:HB2	1:C:45:LEU:HD23	1.97	0.45
1:H:11:SER:HB2	1:H:147:PRO:HG3	1.97	0.45
2:B:163:VAL:HG22	2:B:175:LEU:HD12	1.99	0.45
2:D:11:ALA:O	2:D:104:VAL:HA	2.16	0.45
2:B:34:TYR:CE1	2:B:49:TYR:HB2	2.51	0.45
1:C:154:TRP:CH2	1:C:196:CYS:HB3	2.52	0.45
2:F:61:ARG:NH2	2:F:82:ASP:OD2	2.43	0.45
2:I:186:TYR:O	2:I:192:TYR:OH	2.29	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:80:SER:HA	2:B:106:VAL:HG21	1.97	0.45
1:C:165:THR:OG1	3:C:304:HOH:O	2.21	0.45
2:D:89:ALA:HB1	2:D:96:TYR:CE2	2.52	0.45
2:L:61:ARG:NH2	2:L:82:ASP:OD1	2.50	0.45
2:D:185:ASP:HA	2:D:188:LYS:HZ2	1.82	0.45
2:K:92:ASP:O	2:K:95(B):GLY:HA2	2.17	0.45
2:K:161:GLU:HA	2:K:176:SER:O	2.17	0.45
2:L:47:LEU:O	2:L:55:PRO:HD2	2.17	0.45
2:K:94:SER:OG	2:K:95:LEU:HG	2.17	0.44
2:D:163:VAL:HG22	2:D:175:LEU:HD12	1.99	0.44
1:H:30:GLU:OE1	1:H:30:GLU:N	2.46	0.44
2:B:54:ARG:NE	2:B:60:ASP:HA	2.32	0.44
1:C:11:SER:HA	1:C:110:THR:O	2.18	0.44
2:K:182:SER:N	3:K:307:HOH:O	2.28	0.44
2:L:123:GLU:HG3	3:L:306:HOH:O	2.18	0.44
2:K:39:LEU:HD23	2:K:84:ALA:HB2	1.98	0.44
1:G:64:LYS:HE2	1:G:64:LYS:HB2	1.75	0.44
2:K:148:TRP:N	3:K:301:HOH:O	1.87	0.44
1:H:96:ILE:O	3:H:303:HOH:O	2.21	0.44
2:L:210:ASN:ND2	3:L:311:HOH:O	2.51	0.44
1:J:40:PRO:HA	1:J:88:ALA:HA	1.99	0.44
1:E:29:PHE:CD2	1:E:76:ASN:HA	2.52	0.43
1:G:209:LYS:NZ	3:G:314:HOH:O	2.48	0.43
1:H:13:GLN:OE1	1:H:113:SER:HA	2.18	0.43
1:A:206:LYS:HE3	1:A:206:LYS:HB2	1.74	0.43
2:B:1:GLN:HG2	2:B:2:SER:N	2.33	0.43
1:J:143:LYS:HA	1:J:177:SER:OG	2.18	0.43
1:E:17:SER:O	3:E:308:HOH:O	2.20	0.43
1:E:39:GLN:HG3	1:E:44:GLY:O	2.18	0.43
2:I:190:LYS:HA	2:I:190:LYS:HD2	1.79	0.43
1:A:40:PRO:HA	1:A:88:ALA:HA	2.01	0.43
1:G:192:GLN:NE2	3:G:313:HOH:O	2.45	0.43
2:K:142:ARG:HD3	2:K:173:TYR:CE2	2.54	0.43
1:H:203:SER:OG	1:H:205:THR:OG1	2.34	0.42
1:G:214:LYS:HG2	1:G:215:SER:H	1.84	0.42
2:L:210:ASN:ND2	3:L:313:HOH:O	2.52	0.42
2:D:32:PHE:HB3	2:D:50:ARG:HA	2.00	0.42
1:H:32:TYR:CE1	1:H:98:ARG:HG3	2.55	0.42
2:K:145:LYS:HB2	2:K:197:THR:HB	2.02	0.42
2:D:18:ARG:NH2	3:D:307:HOH:O	2.38	0.42
2:D:61:ARG:HB2	2:D:76:SER:O	2.19	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:81:GLU:OE1	2:L:81:GLU:N	2.31	0.42
2:L:166:GLN:HG2	2:L:171:SER:HA	2.01	0.42
2:K:190:LYS:HG2	2:K:210:ASN:HD22	1.84	0.42
1:C:40:PRO:HG2	1:C:43:LYS:HB2	2.02	0.41
1:J:16:ARG:HG2	1:J:16:ARG:HH11	1.84	0.41
2:K:147:GLN:HA	3:K:301:HOH:O	2.20	0.41
2:B:188:LYS:HG3	2:B:189:HIS:CE1	2.55	0.41
2:D:143:GLU:OE1	2:D:143:GLU:N	2.38	0.41
1:E:200:HIS:HB3	1:E:205:THR:HB	2.03	0.41
1:J:16:ARG:HH11	1:J:16:ARG:CG	2.32	0.41
2:L:14:THR:HG23	2:L:15:PRO:HD2	2.02	0.41
1:C:95:ASP:HA	1:C:100(E):GLU:O	2.21	0.41
2:F:183:LYS:HE3	2:F:187:GLU:OE1	2.20	0.41
1:G:192:GLN:HB2	3:G:313:HOH:O	2.20	0.41
1:H:154:TRP:CZ3	1:H:196:CYS:HB3	2.55	0.41
2:F:149:LYS:CG	2:F:154:LEU:HD23	2.51	0.41
1:G:213:PRO:HA	3:G:303:HOH:O	2.19	0.41
1:J:209:LYS:HD3	1:J:209:LYS:HA	1.78	0.41
2:F:61:ARG:HD3	2:F:79:ARG:NH1	2.35	0.41
2:I:59:PRO:HB2	2:I:61:ARG:HG2	2.03	0.41
2:I:145:LYS:HB3	2:I:197:THR:HB	2.02	0.41
2:I:163:VAL:HG22	2:I:175:LEU:HD12	2.02	0.41
1:H:67:PHE:CE1	1:H:82:MET:HB3	2.55	0.41
2:B:54:ARG:NE	3:B:303:HOH:O	2.01	0.41
1:A:134:GLY:C	1:A:186:SER:HG	2.25	0.40
1:A:209:LYS:NZ	2:B:123:GLU:OE2	2.54	0.40
1:C:146:PHE:HA	1:C:147:PRO:HA	1.87	0.40
1:C:29:PHE:CD2	1:C:76:ASN:HA	2.56	0.40
1:G:36:TRP:HD1	1:G:69:ILE:HD12	1.87	0.40
2:I:142:ARG:NH1	3:I:312:HOH:O	2.54	0.40
1:J:154:TRP:CH2	1:J:196:CYS:HB3	2.56	0.40
2:F:184:ALA:O	2:F:188:LYS:HG3	2.21	0.40
2:F:11:ALA:O	2:F:104:VAL:HA	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:348:HOH:O	3:G:421:HOH:O[2_545]	2.08	0.12



## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	215/230 (94%)	211 (98%)	4 (2%)	0	100	100
1	C	215/230 (94%)	207 (96%)	8 (4%)	0	100	100
1	E	215/230 (94%)	205 (95%)	10 (5%)	0	100	100
1	G	215/230 (94%)	209 (97%)	5 (2%)	1 (0%)	29	40
1	H	215/230 (94%)	209 (97%)	6 (3%)	0	100	100
1	J	215/230 (94%)	209 (97%)	6 (3%)	0	100	100
2	B	216/218 (99%)	211 (98%)	5 (2%)	0	100	100
2	D	216/218 (99%)	207 (96%)	9 (4%)	0	100	100
2	F	216/218 (99%)	208 (96%)	8 (4%)	0	100	100
2	I	217/218 (100%)	209 (96%)	6 (3%)	2 (1%)	17	24
2	K	215/218 (99%)	207 (96%)	8 (4%)	0	100	100
2	L	216/218 (99%)	205 (95%)	11 (5%)	0	100	100
All	All	2586/2688 (96%)	2497 (97%)	86 (3%)	3 (0%)	51	67

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	126	PRO
2	I	77	GLY
2	I	212	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	184/194 (95%)	182 (99%)	2 (1%)	73	86
1	C	184/194 (95%)	183 (100%)	1 (0%)	88	95
1	E	184/194 (95%)	183 (100%)	1 (0%)	88	95
1	G	184/194 (95%)	182 (99%)	2 (1%)	73	86
1	H	184/194 (95%)	181 (98%)	3 (2%)	62	78
1	J	184/194 (95%)	180 (98%)	4 (2%)	52	69
2	B	187/187 (100%)	186 (100%)	1 (0%)	88	95
2	D	187/187 (100%)	185 (99%)	2 (1%)	73	86
2	F	187/187 (100%)	184 (98%)	3 (2%)	62	78
2	I	188/187 (100%)	186 (99%)	2 (1%)	73	86
2	K	186/187 (100%)	182 (98%)	4 (2%)	52	69
2	L	187/187 (100%)	179 (96%)	8 (4%)	29	44
All	All	2226/2286 (97%)	2193 (98%)	33 (2%)	65	79

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	56	ARG
1	A	161	SER
2	B	70	SER
1	C	56	ARG
2	D	67	SER
2	D	122	ASP
1	E	3	GLN
2	F	56	SER
2	F	79	ARG
2	F	190	LYS
1	G	56	ARG
1	G	197	ASN
2	I	2	SER
2	I	213	GLU
1	J	3	GLN
1	J	16	ARG
1	J	161	SER
1	J	196	CYS
2	K	18	ARG
2	K	126	LYS
2	K	145	LYS
2	K	185	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	H	13	GLN
1	H	61	ASP
1	H	92	CYS
2	L	2	SER
2	L	22	SER
2	L	60	ASP
2	L	63	SER
2	L	72	SER
2	L	76	SER
2	L	190	LYS
2	L	213	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	17	GLN
2	D	189	HIS
1	G	164	HIS
2	I	137	ASN
2	K	210	ASN
2	L	95(C)	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	218/230 (94%)	-0.20	2 (0%) 84 82	21, 34, 58, 94	0
1	C	218/230 (94%)	-0.06	7 (3%) 47 45	26, 41, 84, 111	0
1	E	218/230 (94%)	0.14	18 (8%) 11 10	23, 43, 97, 121	0
1	G	219/230 (95%)	-0.19	2 (0%) 84 82	24, 36, 64, 91	0
1	H	218/230 (94%)	-0.28	3 (1%) 75 73	32, 49, 82, 106	0
1	J	218/230 (94%)	-0.22	5 (2%) 60 57	31, 49, 84, 109	0
2	B	217/218 (99%)	-0.36	2 (0%) 84 82	26, 38, 58, 91	0
2	D	217/218 (99%)	-0.15	3 (1%) 75 73	33, 53, 85, 100	0
2	F	217/218 (99%)	-0.19	5 (2%) 60 57	31, 50, 81, 118	0
2	I	217/218 (99%)	-0.40	1 (0%) 91 89	29, 41, 58, 96	0
2	K	217/218 (99%)	-0.16	5 (2%) 60 57	37, 63, 83, 102	0
2	L	217/218 (99%)	-0.27	2 (0%) 84 82	41, 62, 81, 117	0
All	All	2611/2688 (97%)	-0.20	55 (2%) 63 60	21, 46, 81, 121	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	1	GLN	5.0
2	B	1	GLN	4.8
1	J	215	SER	4.7
2	K	212	GLY	4.5
1	E	189	LEU	4.3
1	E	183	THR	4.0
1	E	215	SER	4.0
1	C	214	LYS	3.8
1	E	190	GLY	3.8
2	F	1	GLN	3.7
1	E	210	ARG	3.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	E	194	TYR	3.5
1	E	205	THR	3.3
1	E	187	SER	3.3
1	E	214	LYS	3.3
2	I	1	GLN	3.2
1	E	134	GLY	3.2
2	L	2	SER	3.1
1	C	215	SER	3.1
1	E	186	SER	3.1
2	K	203	SER	3.1
1	E	188	SER	3.0
2	D	67	SER	2.9
1	A	215	SER	2.9
1	H	187	SER	2.9
1	J	185	PRO	2.9
2	D	1	GLN	2.8
1	C	125	ALA	2.7
2	B	184	ALA	2.7
1	G	187	SER	2.7
1	H	214	LYS	2.7
1	G	188	SER	2.6
1	E	136	ALA	2.6
1	C	187	SER	2.6
1	C	186	SER	2.6
1	E	159	LEU	2.4
2	K	213	GLU	2.4
2	K	1	GLN	2.4
1	E	193	THR	2.3
1	J	136	ALA	2.3
2	F	130	ALA	2.3
1	J	191	THR	2.2
1	C	134	GLY	2.2
1	E	158	ALA	2.2
2	D	188	LYS	2.2
2	K	184	ALA	2.1
1	E	185	PRO	2.1
1	J	125	ALA	2.1
2	F	154	LEU	2.1
1	C	136	ALA	2.1
2	F	193	ALA	2.1
1	E	212	GLU	2.1
1	A	185	PRO	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	F	213	GLU	2.1
1	H	191	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.