



wwPDB X-ray Structure Validation Summary Report ⓘ

May 13, 2020 – 09:44 am BST

PDB ID : 2Y0S
Title : Crystal structure of Sulfolobus shibatae RNA polymerase in P21 space group
Authors : Wojtas, M.; Peralta, B.; Ondiviela, M.; Mogni, M.; Bell, S.D.; Abrescia, N.G.A.
Deposited on : 2010-12-07
Resolution : 3.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1212 (4.00-3.60)
Clashscore	141614	1288 (4.00-3.60)
Ramachandran outliers	138981	1243 (4.00-3.60)
Sidechain outliers	138945	1237 (4.00-3.60)
RSRZ outliers	127900	1121 (4.00-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	880	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 48%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 40%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">2% 48% 40% 6% 6%</p>
1	W	880	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 45%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 42%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">6% 45% 42% 7% 6%</p>
2	B	1131	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 43%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 45%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">4% 43% 45% 7% ••</p>
2	R	1131	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 43%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 45%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">4% 43% 45% 7% ••</p>
3	C	395	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 42%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 42%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">5% 42% 42% 10% 7%</p>
3	Y	395	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 40%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 43%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">7% 40% 43% 10% 7%</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	265	
4	S	265	
5	E	180	
5	T	180	
6	F	113	
6	U	113	
7	G	132	
7	V	132	
8	H	84	
8	Z	84	
9	I	95	
9	K	95	
10	J	104	
10	Q	104	
11	L	92	
11	M	92	
12	N	66	
12	O	66	
13	P	48	
13	X	48	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
14	ZN	B	2124	-	-	-	X
14	ZN	B	2125	-	-	-	X
14	ZN	R	2124	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
14	ZN	R	2125	-	-	-	X
15	MG	W	1882	-	-	-	X
16	F3S	D	1001	-	-	X	-
16	F3S	S	1001	-	-	X	-

2 Entry composition [i](#)

There are 16 unique types of molecules in this entry. The entry contains 52472 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-DIRECTED RNA POLYMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	831	Total 6620	C 4211	N 1170	O 1212	S 27	0	0	0
1	W	831	Total 6620	C 4211	N 1170	O 1212	S 27	0	0	0

- Molecule 2 is a protein called DNA-DIRECTED RNA POLYMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	1085	Total 8615	C 5461	N 1526	O 1599	S 29	0	0	0
2	R	1085	Total 8615	C 5461	N 1526	O 1599	S 29	0	0	0

- Molecule 3 is a protein called DNA-DIRECTED RNA POLYMERASE SUBUNIT A'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	368	Total 2845	C 1803	N 486	O 548	S 8	0	0	0
3	Y	368	Total 2845	C 1803	N 486	O 548	S 8	0	0	0

- Molecule 4 is a protein called DNA-DIRECTED RNA POLYMERASE SUBUNIT D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	262	Total 2081	C 1338	N 336	O 394	S 13	0	0	0
4	S	262	Total 2081	C 1338	N 336	O 394	S 13	0	0	0

- Molecule 5 is a protein called RNA POLYMERASE SUBUNIT 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	164	Total	C	N	O	S	0	0	0
			1297	833	219	240	5			
5	T	164	Total	C	N	O	S	0	0	0
			1297	833	219	240	5			

- Molecule 6 is a protein called RNA POLYMERASE SUBUNIT 7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	90	Total	C	N	O	S	0	0	0
			701	439	114	145	3			
6	U	90	Total	C	N	O	S	0	0	0
			701	439	114	145	3			

- Molecule 7 is a protein called RNA POLYMERASE SUBUNIT 8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	110	Total	C	N	O	S	0	0	0
			878	558	147	169	4			
7	V	110	Total	C	N	O	S	0	0	0
			878	558	147	169	4			

- Molecule 8 is a protein called DNA-DIRECTED RNA POLYMERASE SUBUNIT H.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	H	74	Total	C	N	O	0	0	0
			609	396	108	105			
8	Z	74	Total	C	N	O	0	0	0
			609	396	108	105			

- Molecule 9 is a protein called DNA-DIRECTED RNA POLYMERASE SUBUNIT K.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	82	Total	C	N	O	S	0	0	0
			653	419	117	116	1			
9	K	82	Total	C	N	O	S	0	0	0
			653	419	117	116	1			

- Molecule 10 is a protein called RNA POLYMERASE SUBUNIT 13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	39	Total	C	N	O	S	0	0	0
			332	210	54	67	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	Q	39	Total	C	N	O	S	0	0	0
			332	210	54	67	1			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
J	40	ASN	ASP	conflict	UNP B8YB65
Q	40	ASN	ASP	conflict	UNP B8YB65

- Molecule 11 is a protein called DNA-DIRECTED RNA POLYMERASE SUBUNIT L.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	L	91	Total	C	N	O	S	0	0	0
			707	454	114	137	2			
11	M	91	Total	C	N	O	S	0	0	0
			707	454	114	137	2			

- Molecule 12 is a protein called DNA-DIRECTED RNA POLYMERASE SUBUNIT N.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	N	64	Total	C	N	O	S	0	0	0
			514	327	93	87	7			
12	O	64	Total	C	N	O	S	0	0	0
			514	327	93	87	7			

- Molecule 13 is a protein called RNA POLYMERASE SUBUNIT 12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	P	45	Total	C	N	O	S	0	0	0
			369	245	63	56	5			
13	X	45	Total	C	N	O	S	0	0	0
			369	245	63	56	5			

- Molecule 14 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	P	1	Total	Zn	0	0
			1	1		
14	B	3	Total	Zn	0	0
			3	3		
14	W	2	Total	Zn	0	0
			2	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	2	Total	Zn	0	0
			2	2		
14	N	1	Total	Zn	0	0
			1	1		
14	X	1	Total	Zn	0	0
			1	1		
14	O	1	Total	Zn	0	0
			1	1		
14	R	3	Total	Zn	0	0
			3	3		

- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	W	1	Total	Mg	0	0
			1	1		
15	A	1	Total	Mg	0	0
			1	1		


- Molecule 16 is FE3-S4 CLUSTER (three-letter code: F3S) (formula: Fe₃S₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
16	D	1	Total	Fe	S	0	0
			7	3	4		
16	S	1	Total	Fe	S	0	0
			7	3	4		



● Molecule 1: DNA-DIRECTED RNA POLYMERASE





● Molecule 2: DNA-DIRECTED RNA POLYMERASE






● Molecule 2: DNA-DIRECTED RNA POLYMERASE







● Molecule 3: DNA-DIRECTED RNA POLYMERASE SUBUNIT A”




● Molecule 3: DNA-DIRECTED RNA POLYMERASE SUBUNIT A”








• Molecule 4: DNA-DIRECTED RNA POLYMERASE SUBUNIT D




• Molecule 4: DNA-DIRECTED RNA POLYMERASE SUBUNIT D




• Molecule 5: RNA POLYMERASE SUBUNIT 4




• Molecule 7: RNA POLYMERASE SUBUNIT 8




• Molecule 8: DNA-DIRECTED RNA POLYMERASE SUBUNIT H




• Molecule 8: DNA-DIRECTED RNA POLYMERASE SUBUNIT H




• Molecule 9: DNA-DIRECTED RNA POLYMERASE SUBUNIT K



• Molecule 9: DNA-DIRECTED RNA POLYMERASE SUBUNIT K



• Molecule 10: RNA POLYMERASE SUBUNIT 13



• Molecule 10: RNA POLYMERASE SUBUNIT 13



• Molecule 11: DNA-DIRECTED RNA POLYMERASE SUBUNIT L



• Molecule 11: DNA-DIRECTED RNA POLYMERASE SUBUNIT L




- Molecule 12: DNA-DIRECTED RNA POLYMERASE SUBUNIT N

Chain N: 





- Molecule 12: DNA-DIRECTED RNA POLYMERASE SUBUNIT N

Chain O: 



- Molecule 13: RNA POLYMERASE SUBUNIT 12

Chain P: 



- Molecule 13: RNA POLYMERASE SUBUNIT 12

Chain X: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	129.33Å 195.91Å 212.45Å 90.00° 105.73° 90.00°	Depositor
Resolution (Å)	29.86 – 3.80 47.12 – 3.79	Depositor EDS
% Data completeness (in resolution range)	99.2 (29.86-3.80) 98.6 (47.12-3.79)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.94 (at 3.77Å)	Xtrriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.300 , 0.354 0.287 , 0.344	Depositor DCC
R_{free} test set	5001 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	79.6	Xtrriage
Anisotropy	0.414	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 96.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.000 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.84	EDS
Total number of atoms	52472	wwPDB-VP
Average B, all atoms (Å ²)	116.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 21.01 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.6829e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, F3S, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.54	3/6762 (0.0%)	0.81	7/9151 (0.1%)
1	W	0.44	2/6762 (0.0%)	0.62	4/9151 (0.0%)
2	B	0.50	0/8778	0.81	1/11873 (0.0%)
2	R	0.42	0/8778	0.60	0/11873
3	C	0.50	1/2869 (0.0%)	0.80	0/3862
3	Y	0.41	0/2869	0.61	0/3862
4	D	0.39	0/2116	0.64	0/2859
4	S	0.32	0/2116	0.48	0/2859
5	E	0.40	0/1316	0.71	0/1775
5	T	0.36	1/1316 (0.1%)	0.53	0/1775
6	F	0.28	0/709	0.62	0/961
6	U	0.25	0/709	0.41	0/961
7	G	0.40	0/890	0.67	0/1194
7	V	0.33	0/890	0.51	0/1194
8	H	0.53	0/623	0.77	0/845
8	Z	0.42	0/623	0.58	0/845
9	I	1.29	3/662 (0.5%)	0.90	5/896 (0.6%)
9	K	1.33	4/662 (0.6%)	1.01	5/896 (0.6%)
10	J	0.36	0/336	0.51	0/450
10	Q	0.43	0/336	0.71	0/450
11	L	0.40	0/717	0.68	0/968
11	M	0.31	0/717	0.52	0/968
12	N	0.43	0/524	0.68	0/706
12	O	0.35	0/524	0.52	0/706
13	P	0.49	0/378	0.80	0/507
13	X	0.44	0/378	0.66	0/507
All	All	0.49	14/53360 (0.0%)	0.69	22/72094 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a

sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
5	E	0	1
5	T	0	1
9	I	0	1
9	K	0	1
All	All	0	5

The worst 5 of 14 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	I	56	ILE	C-N	-22.63	0.82	1.34
9	K	55	ASN	C-N	21.74	1.84	1.34
9	K	56	ILE	C-N	-21.68	0.84	1.34
9	I	55	ASN	C-N	20.09	1.80	1.34
1	A	104	VAL	CB-CG2	-9.48	1.32	1.52

The worst 5 of 22 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	55	ASN	O-C-N	9.91	138.56	122.70
9	K	55	ASN	CA-C-N	-9.88	95.47	117.20
9	I	55	ASN	CA-C-N	-9.78	95.68	117.20
9	I	56	ILE	O-C-N	-9.40	107.66	122.70
9	K	55	ASN	O-C-N	9.26	137.52	122.70

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	104	VAL	Mainchain
5	E	167	PRO	Peptide
9	I	56	ILE	Mainchain
9	K	56	ILE	Mainchain
5	T	167	PRO	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6620	0	6690	471	0
1	W	6620	0	6690	497	0
2	B	8615	0	8753	693	0
2	R	8615	0	8754	695	0
3	C	2845	0	3004	244	0
3	Y	2845	0	3004	252	0
4	D	2081	0	2122	131	0
4	S	2081	0	2123	119	0
5	E	1297	0	1348	123	0
5	T	1297	0	1348	122	0
6	F	701	0	708	48	0
6	U	701	0	708	46	0
7	G	878	0	886	55	0
7	V	878	0	886	57	0
8	H	609	0	640	42	0
8	Z	609	0	640	36	0
9	I	653	0	688	59	0
9	K	653	0	688	56	0
10	J	332	0	324	20	0
10	Q	332	0	324	29	0
11	L	707	0	739	36	0
11	M	707	0	739	32	0
12	N	514	0	528	32	0
12	O	514	0	528	36	0
13	P	369	0	396	45	0
13	X	369	0	396	49	0
14	A	2	0	0	0	0
14	B	3	0	0	0	0
14	N	1	0	0	0	0
14	O	1	0	0	0	0
14	P	1	0	0	0	0
14	R	3	0	0	0	0
14	W	2	0	0	0	0
14	X	1	0	0	0	0
15	A	1	0	0	0	0
15	W	1	0	0	0	0
16	D	7	0	0	5	0
16	S	7	0	0	9	0
All	All	52472	0	53654	3571	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 34.

The worst 5 of 3571 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:I:55:ASN:C	9:I:56:ILE:N	1.80	1.32
9:K:55:ASN:C	9:K:56:ILE:N	1.84	1.30
9:I:56:ILE:O	9:I:57:SER:N	1.67	1.24
9:K:56:ILE:O	9:K:57:SER:N	1.71	1.19
3:Y:168:GLN:HG2	3:Y:204:ASN:OD1	1.42	1.18

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	823/880 (94%)	669 (81%)	120 (15%)	34 (4%)	3	27
1	W	823/880 (94%)	672 (82%)	111 (14%)	40 (5%)	2	24
2	B	1077/1131 (95%)	887 (82%)	118 (11%)	72 (7%)	1	19
2	R	1077/1131 (95%)	881 (82%)	122 (11%)	74 (7%)	1	18
3	C	364/395 (92%)	278 (76%)	63 (17%)	23 (6%)	1	20
3	Y	364/395 (92%)	282 (78%)	54 (15%)	28 (8%)	1	15
4	D	258/265 (97%)	219 (85%)	31 (12%)	8 (3%)	4	33
4	S	258/265 (97%)	220 (85%)	30 (12%)	8 (3%)	4	33
5	E	160/180 (89%)	127 (79%)	21 (13%)	12 (8%)	1	15
5	T	160/180 (89%)	125 (78%)	24 (15%)	11 (7%)	1	18
6	F	88/113 (78%)	75 (85%)	11 (12%)	2 (2%)	6	38
6	U	88/113 (78%)	77 (88%)	9 (10%)	2 (2%)	6	38
7	G	108/132 (82%)	89 (82%)	15 (14%)	4 (4%)	3	29
7	V	108/132 (82%)	88 (82%)	16 (15%)	4 (4%)	3	29

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	H	72/84 (86%)	59 (82%)	9 (12%)	4 (6%)	2	21
8	Z	72/84 (86%)	59 (82%)	7 (10%)	6 (8%)	1	13
9	I	80/95 (84%)	64 (80%)	9 (11%)	7 (9%)	1	12
9	K	80/95 (84%)	64 (80%)	9 (11%)	7 (9%)	1	12
10	J	37/104 (36%)	27 (73%)	8 (22%)	2 (5%)	2	22
10	Q	37/104 (36%)	27 (73%)	8 (22%)	2 (5%)	2	22
11	L	89/92 (97%)	78 (88%)	9 (10%)	2 (2%)	6	39
11	M	89/92 (97%)	79 (89%)	8 (9%)	2 (2%)	6	39
12	N	62/66 (94%)	50 (81%)	10 (16%)	2 (3%)	4	32
12	O	62/66 (94%)	50 (81%)	9 (14%)	3 (5%)	2	24
13	P	43/48 (90%)	33 (77%)	7 (16%)	3 (7%)	1	17
13	X	43/48 (90%)	33 (77%)	7 (16%)	3 (7%)	1	17
All	All	6522/7170 (91%)	5312 (81%)	845 (13%)	365 (6%)	2	21

5 of 365 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	23	SER
1	A	103	ARG
1	A	108	GLU
1	A	683	GLU
1	A	737	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	723/766 (94%)	683 (94%)	40 (6%)	21	53
1	W	723/766 (94%)	678 (94%)	45 (6%)	18	49
2	B	937/975 (96%)	880 (94%)	57 (6%)	18	50
2	R	937/975 (96%)	871 (93%)	66 (7%)	15	46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	316/341 (93%)	290 (92%)	26 (8%)	11	40
3	Y	316/341 (93%)	294 (93%)	22 (7%)	15	46
4	D	233/238 (98%)	227 (97%)	6 (3%)	46	69
4	S	233/238 (98%)	226 (97%)	7 (3%)	41	66
5	E	144/158 (91%)	136 (94%)	8 (6%)	21	52
5	T	144/158 (91%)	135 (94%)	9 (6%)	18	49
6	F	84/107 (78%)	81 (96%)	3 (4%)	35	63
6	U	84/107 (78%)	81 (96%)	3 (4%)	35	63
7	G	104/125 (83%)	96 (92%)	8 (8%)	13	43
7	V	104/125 (83%)	99 (95%)	5 (5%)	25	56
8	H	67/75 (89%)	67 (100%)	0	100	100
8	Z	67/75 (89%)	67 (100%)	0	100	100
9	I	72/83 (87%)	70 (97%)	2 (3%)	43	68
9	K	72/83 (87%)	70 (97%)	2 (3%)	43	68
10	J	37/96 (38%)	35 (95%)	2 (5%)	22	53
10	Q	37/96 (38%)	35 (95%)	2 (5%)	22	53
11	L	79/80 (99%)	79 (100%)	0	100	100
11	M	79/80 (99%)	79 (100%)	0	100	100
12	N	58/60 (97%)	53 (91%)	5 (9%)	10	40
12	O	58/60 (97%)	54 (93%)	4 (7%)	15	46
13	P	41/43 (95%)	38 (93%)	3 (7%)	14	45
13	X	41/43 (95%)	38 (93%)	3 (7%)	14	45
All	All	5790/6294 (92%)	5462 (94%)	328 (6%)	20	52

5 of 328 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
9	I	25	ASN
2	R	341	TYR
13	X	18	LEU
9	K	25	ASN
10	Q	43	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	897	GLN
2	R	897	GLN
5	T	100	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 16 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
16	F3S	S	1001	4	0,9,9	0.00	-	-		
16	F3S	D	1001	4	0,9,9	0.00	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	F3S	S	1001	4	-	-	0/3/3/3
16	F3S	D	1001	4	-	-	0/3/3/3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
16	S	1001	F3S	9	0
16	D	1001	F3S	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
9	I	2
9	K	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	K	55:ASN	C	56:ILE	N	1.84
1	I	55:ASN	C	56:ILE	N	1.80
1	K	56:ILE	C	57:SER	N	0.84
1	I	56:ILE	C	57:SER	N	0.82

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	831/880 (94%)	0.06	18 (2%) 62 54	28, 92, 200, 308	0
1	W	831/880 (94%)	0.27	56 (6%) 17 14	46, 106, 212, 378	0
2	B	1085/1131 (95%)	0.09	45 (4%) 37 31	29, 88, 181, 293	0
2	R	1085/1131 (95%)	0.13	48 (4%) 34 29	55, 93, 190, 334	0
3	C	368/395 (93%)	0.36	18 (4%) 29 25	33, 108, 214, 329	0
3	Y	368/395 (93%)	0.43	27 (7%) 15 12	56, 115, 224, 338	0
4	D	262/265 (98%)	0.12	5 (1%) 66 59	59, 116, 219, 298	0
4	S	262/265 (98%)	0.36	13 (4%) 28 25	77, 134, 209, 265	0
5	E	164/180 (91%)	1.22	34 (20%) 1 1	70, 166, 254, 302	0
5	T	164/180 (91%)	1.15	27 (16%) 1 2	72, 164, 255, 300	0
6	F	90/113 (79%)	0.99	17 (18%) 1 1	98, 188, 257, 327	0
6	U	90/113 (79%)	0.95	16 (17%) 1 1	128, 184, 276, 323	0
7	G	110/132 (83%)	0.45	6 (5%) 25 21	66, 132, 226, 301	0
7	V	110/132 (83%)	0.72	15 (13%) 3 3	75, 145, 228, 295	0
8	H	74/84 (88%)	0.03	1 (1%) 75 68	53, 82, 153, 205	0
8	Z	74/84 (88%)	-0.01	0 100 100	83, 99, 171, 205	0
9	I	82/95 (86%)	0.06	0 100 100	57, 91, 160, 195	0
9	K	82/95 (86%)	0.03	1 (1%) 79 72	35, 84, 181, 219	0
10	J	39/104 (37%)	0.87	6 (15%) 2 2	130, 183, 243, 268	0
10	Q	39/104 (37%)	0.66	2 (5%) 28 24	112, 162, 213, 265	0
11	L	91/92 (98%)	-0.00	1 (1%) 80 74	65, 99, 194, 250	0
11	M	91/92 (98%)	0.27	5 (5%) 25 21	95, 121, 175, 247	0
12	N	64/66 (96%)	-0.01	0 100 100	59, 103, 177, 205	0
12	O	64/66 (96%)	-0.17	0 100 100	91, 112, 168, 192	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	P	45/48 (93%)	0.31	3 (6%) 17 14	71, 93, 189, 275	0
13	X	45/48 (93%)	0.29	2 (4%) 34 29	85, 105, 197, 249	0
All	All	6610/7170 (92%)	0.26	366 (5%) 25 21	28, 105, 217, 378	0

The worst 5 of 366 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
5	E	119	LYS	7.9
5	T	119	LYS	7.3
5	E	87	GLY	7.3
1	W	24	VAL	6.8
5	T	87	GLY	6.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
14	ZN	B	2124	1/1	0.10	0.46	246,246,246,246	0
14	ZN	B	2125	1/1	0.17	0.63	246,246,246,246	0
14	ZN	R	2124	1/1	0.39	0.49	246,246,246,246	0
14	ZN	R	2125	1/1	0.49	1.06	246,246,246,246	0
15	MG	W	1882	1/1	0.70	0.44	246,246,246,246	0
15	MG	A	1882	1/1	0.78	0.25	246,246,246,246	0
16	F3S	D	1001	7/7	0.83	0.33	232,235,241,245	0
16	F3S	S	1001	7/7	0.86	0.36	247,251,257,260	0
14	ZN	W	1880	1/1	0.88	0.07	246,246,246,246	0
14	ZN	R	2123	1/1	0.89	0.22	246,246,246,246	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
14	ZN	W	1881	1/1	0.90	0.22	246,246,246,246	0
14	ZN	B	2123	1/1	0.91	0.25	246,246,246,246	0
14	ZN	A	1880	1/1	0.91	0.15	246,246,246,246	0
14	ZN	A	1881	1/1	0.95	0.06	246,246,246,246	0
14	ZN	X	1049	1/1	0.95	0.13	157,157,157,157	0
14	ZN	O	1065	1/1	0.97	0.14	165,165,165,165	0
14	ZN	P	1049	1/1	0.97	0.10	142,142,142,142	0
14	ZN	N	1065	1/1	0.98	0.13	130,130,130,130	0

6.5 Other polymers [i](#)

There are no such residues in this entry.