



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 11, 2023 – 04:27 PM JST

PDB ID : 7Y1H  
Title : Controlling fibrosis using compound with novel binding mode to prolyl-tRNA synthetase 1  
Authors : Kim, S.; Yoon, I.; Son, J.; Park, S.; Hwang, K.Y.  
Deposited on : 2022-06-08  
Resolution : 1.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.35.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	512	 8% 81% 12% • 5%
1	B	512	 13% 70% 21% • 7%

## 2 Entry composition i


There are 6 unique types of molecules in this entry. The entry contains 8011 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional glutamate/proline--tRNA ligase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	487	Total 3905	C 2497	N 660	O 723	S 25	0	0	0
1	B	474	Total 3793	C 2433	N 640	O 696	S 24	0	0	0

- Molecule 2 is 1-(5-chloranyl-4-methyl-benzimidazol-1-yl)-3-[(2R,3S)-3-oxidanyl]piperidin-2-yl]propan-2-one (three-letter code: F99) (formula: C<sub>16</sub>H<sub>20</sub>ClN<sub>3</sub>O<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Cl	N			O
2	A	1	Total 22	C 16	Cl 1	N 3	O 2	0	0
2	B	1	Total 22	C 16	Cl 1	N 3	O 2	0	0

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>5</sub>O<sub>13</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	31	10	5	13	3	0	0
3	B	1	31	10	5	13	3	0	0

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
4	A	1	1	1	0	0
4	B	1	1	1	0	0

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
5	A	2	2	2	0	0
5	B	2	2	2	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
6	A	120	120	120	0	0

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
6	B	81	Total	O	0	0
			81	81		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional glutamate/proline--tRNA ligase



- Molecule 1: Bifunctional glutamate/proline--tRNA ligase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	71.70Å 92.36Å 87.50Å 90.00° 108.20° 90.00°	Depositor
Resolution (Å)	37.90 – 1.99 37.90 – 1.99	Depositor EDS
% Data completeness (in resolution range)	89.0 (37.90-1.99) 89.0 (37.90-1.99)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.63 (at 2.00Å)	Xtrriage
Refinement program	PHENIX 1.20_4438	Depositor
R, $R_{free}$	0.207 , 0.243 0.207 , 0.243	Depositor DCC
$R_{free}$ test set	1998 reflections (3.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	29.0	Xtrriage
Anisotropy	0.430	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 58.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8011	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	46.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.79% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: F99, ZN, MG, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.40	0/3996	0.64	3/5406 (0.1%)
1	B	0.40	0/3884	0.66	4/5260 (0.1%)
All	All	0.40	0/7880	0.65	7/10666 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1160	PRO	C-N-CA	7.49	140.43	121.70
1	B	1160	PRO	C-N-CA	6.68	138.39	121.70
1	A	1017	GLU	CA-CB-CG	6.52	127.75	113.40
1	A	1161	PHE	CB-CA-C	-6.14	98.12	110.40
1	B	1161	PHE	CB-CA-C	-5.98	98.44	110.40
1	B	1430	MET	CA-CB-CG	-5.64	103.72	113.30
1	B	1320	LYS	CD-CE-NZ	5.16	123.57	111.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1161	PHE	Mainchain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3905	0	3852	47	0
1	B	3793	0	3742	72	0
2	A	22	0	0	0	0
2	B	22	0	0	0	0
3	A	31	0	12	0	0
3	B	31	0	12	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
6	A	120	0	0	5	0
6	B	81	0	0	2	0
All	All	8011	0	7618	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1017:GLU:H	1:A:1030:GLN:HE22	1.11	0.96
1:A:1497:CYS:SG	6:A:2740:HOH:O	2.25	0.93
1:B:1320:LYS:HE3	1:B:1324:ILE:HD11	1.53	0.90
1:B:1474:MET:N	1:B:1474:MET:SD	2.58	0.76
1:B:1368:GLU:HB2	1:B:1380:VAL:HG13	1.68	0.76
1:A:1247:ASN:ND2	6:A:2701:HOH:O	2.18	0.75
1:A:1090:GLU:HB3	1:A:1251:MET:HE3	1.75	0.67
1:B:1453:CYS:O	1:B:1457:ILE:HG13	1.93	0.67
1:B:1400:LYS:O	1:B:1404:ILE:HG13	1.96	0.66
1:A:1017:GLU:H	1:A:1030:GLN:NE2	1.91	0.65
1:B:1093:HIS:HB2	1:B:1097:PHE:HB2	1.79	0.65
1:B:1119:ARG:HG3	1:B:1150:VAL:HG12	1.78	0.65
1:A:1315:LEU:HD22	1:A:1319:ASP:HB3	1.79	0.64
1:B:1307:ILE:HG23	1:B:1354:LYS:HD2	1.80	0.63
1:B:1082:VAL:HG13	1:B:1117:ALA:HB3	1.81	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1320:LYS:HG2	1:B:1324:ILE:HD12	1.81	0.62
1:B:1174:SER:OG	1:B:1185:GLU:OE1	2.18	0.61
1:B:1479:LEU:HD12	1:B:1507:LEU:HG	1.82	0.60
1:B:1320:LYS:CE	1:B:1324:ILE:HD11	2.30	0.60
1:B:1402:GLN:O	1:B:1406:GLU:HG3	2.01	0.60
1:B:1096:ASP:OD2	1:B:1096:ASP:N	2.30	0.60
1:A:1091:LYS:NZ	1:A:1094:VAL:HA	2.17	0.59
1:B:1320:LYS:HG2	1:B:1324:ILE:CD1	2.33	0.59
1:B:1230:SER:OG	1:B:1419:ASP:OD1	2.16	0.59
1:A:1017:GLU:N	1:A:1030:GLN:HE22	1.93	0.57
1:A:1061:LYS:NZ	6:A:2707:HOH:O	2.35	0.57
1:B:1161:PHE:O	1:B:1278:ARG:HA	2.05	0.57
1:A:1348:ASN:ND2	1:A:1349:TYR:CE1	2.74	0.56
1:B:1393:ALA:O	1:B:1396:GLU:HB2	2.05	0.56
1:A:1492:GLY:O	1:A:1494:LYS:HD3	2.06	0.56
1:B:1323:LEU:HD11	1:B:1369:VAL:HG12	1.88	0.55
1:A:1147:TRP:CZ3	1:A:1170:GLN:HB3	2.42	0.55
1:A:1016:LEU:HD11	1:A:1030:GLN:HB3	1.88	0.55
1:A:1147:TRP:CE3	1:A:1170:GLN:HB3	2.42	0.55
1:A:1119:ARG:HG2	1:A:1150:VAL:HG12	1.89	0.54
1:A:1446:PRO:HB3	1:A:1489:LEU:HD11	1.89	0.54
1:B:1019:LYS:HB2	1:B:1022:GLU:HG3	1.89	0.54
1:B:1258:ASP:HA	1:B:1266:GLN:HE21	1.72	0.54
1:A:1495:CYS:SG	1:A:1496:VAL:N	2.81	0.54
1:A:1092:THR:HG22	1:A:1248:PHE:CE2	2.44	0.53
1:B:1320:LYS:NZ	1:B:1347:ASP:HB3	2.24	0.52
1:B:1036:GLU:OE1	1:B:1361:LYS:NZ	2.42	0.52
1:A:1161:PHE:O	1:A:1278:ARG:HA	2.10	0.52
1:B:1264:GLU:OE2	6:B:2701:HOH:O	2.19	0.52
1:B:1203:ILE:HD11	1:B:1283:MET:HA	1.92	0.52
1:B:1381:ALA:O	1:B:1390:LEU:HD12	2.10	0.52
1:A:1479:LEU:HD12	1:A:1507:LEU:HG	1.92	0.51
1:B:1069:LYS:HG3	6:B:2712:HOH:O	2.11	0.50
1:B:1306:ILE:HG12	1:B:1367:LEU:HD13	1.94	0.49
1:A:1264:GLU:OE2	6:A:2702:HOH:O	2.19	0.49
1:B:1447:PHE:HZ	1:B:1454:GLU:HB2	1.77	0.49
1:B:1105:THR:HG22	1:B:1115:PRO:HB3	1.94	0.49
1:B:1092:THR:HG23	1:B:1093:HIS:H	1.77	0.49
1:B:1328:ASN:HA	1:B:1331:ARG:HG2	1.94	0.49
1:A:1019:LYS:HB2	1:A:1022:GLU:HG2	1.95	0.49
1:B:1337:VAL:HG11	1:B:1398:GLU:HB3	1.95	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1016:LEU:CD1	1:A:1030:GLN:HB3	2.43	0.48
1:A:1463:ARG:HG3	1:A:1464:ASP:OD1	2.14	0.47
1:A:1367:LEU:HD12	1:A:1401:LEU:HD11	1.96	0.47
1:B:1190:LEU:HD22	1:B:1223:THR:HB	1.97	0.47
1:A:1052:TRP:CD2	1:A:1361:LYS:HE2	2.49	0.47
1:A:1023:ASN:ND2	1:A:1026:ASP:OD1	2.48	0.47
1:B:1444:GLN:HG2	1:B:1507:LEU:HD13	1.97	0.47
1:A:1132:LYS:NZ	6:A:2713:HOH:O	2.48	0.46
1:A:1092:THR:HG22	1:A:1248:PHE:HE2	1.79	0.46
1:B:1368:GLU:HB2	1:B:1380:VAL:CG1	2.42	0.46
1:B:1444:GLN:HE22	1:B:1486:LEU:H	1.62	0.46
1:A:1091:LYS:HZ2	1:A:1094:VAL:HA	1.79	0.46
1:A:1348:ASN:ND2	1:A:1349:TYR:CD1	2.83	0.46
1:B:1444:GLN:NE2	1:B:1486:LEU:H	2.14	0.46
1:B:1019:LYS:HB2	1:B:1022:GLU:CG	2.46	0.46
1:B:1432:ASP:O	1:B:1436:ILE:HD12	2.16	0.46
1:B:1422:THR:HG22	1:B:1423:HIS:CD2	2.51	0.46
1:B:1090:GLU:HB3	1:B:1251:MET:HE2	1.97	0.45
1:B:1442:ILE:HG22	1:B:1509:GLY:HA3	1.98	0.45
1:B:1170:GLN:HE21	1:B:1275:LEU:HB3	1.81	0.45
1:B:1458:LYS:NZ	1:B:1477:LYS:HE3	2.32	0.45
1:A:1203:ILE:HD11	1:A:1283:MET:HA	1.97	0.45
1:B:1447:PHE:CE2	1:B:1449:GLY:HA2	2.51	0.45
1:A:1372:ARG:HD3	1:A:1375:LYS:HE3	1.99	0.45
1:A:1023:ASN:CG	1:A:1026:ASP:OD1	2.55	0.44
1:A:1434:GLN:OE1	1:A:1461:THR:HA	2.16	0.44
1:B:1402:GLN:NE2	1:B:1406:GLU:OE2	2.36	0.44
1:B:1425:VAL:O	1:B:1443:VAL:HG23	2.17	0.44
1:B:1137:HIS:H	1:B:1137:HIS:CD2	2.35	0.44
1:B:1084:GLN:O	1:B:1088:GLU:HB2	2.18	0.44
1:A:1093:HIS:HB2	1:A:1097:PHE:HD2	1.83	0.44
1:B:1147:TRP:CE3	1:B:1170:GLN:HB3	2.52	0.44
1:B:1172:GLY:HA3	1:B:1273:TRP:CZ3	2.53	0.44
1:B:1430:MET:O	1:B:1430:MET:HG3	2.18	0.43
1:B:1446:PRO:HD3	1:B:1505:TYR:HE2	1.82	0.43
1:B:1021:GLU:H	1:B:1021:GLU:HG2	1.43	0.43
1:A:1376:SER:HB2	1:A:1378:GLN:HG2	2.00	0.43
1:B:1027:TRP:CE2	1:B:1031:VAL:HG21	2.53	0.43
1:A:1330:TYR:O	1:A:1334:LEU:HG	2.19	0.43
1:B:1434:GLN:O	1:B:1434:GLN:HG3	2.18	0.43
1:A:1091:LYS:HZ1	1:A:1094:VAL:HA	1.84	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1490:GLN:HA	1:A:1490:GLN:OE1	2.19	0.43
1:B:1020:LYS:HE3	1:B:1027:TRP:CH2	2.54	0.43
1:B:1423:HIS:HA	1:B:1441:LYS:HG2	2.01	0.42
1:B:1424:MET:HA	1:B:1442:ILE:O	2.20	0.42
1:A:1194:ALA:O	1:A:1198:GLU:HG3	2.19	0.42
1:A:1123:GLU:OE1	1:A:1123:GLU:N	2.50	0.41
1:A:1411:THR:O	1:A:1415:ARG:HG3	2.20	0.41
1:A:1494:LYS:HA	1:A:1501:PRO:HA	2.02	0.41
1:B:1250:LYS:HA	1:B:1267:PHE:CE1	2.55	0.41
1:B:1379:PHE:CZ	1:B:1392:VAL:HG11	2.55	0.41
1:B:1455:ASP:O	1:B:1458:LYS:HB3	2.20	0.41
1:A:1176:PHE:CD1	1:A:1181:GLU:HB3	2.56	0.41
1:B:1027:TRP:O	1:B:1031:VAL:HG23	2.21	0.41
1:B:1136:SER:OG	1:B:1138:ARG:HB2	2.20	0.41
1:B:1234:ARG:HG2	1:B:1510:ARG:C	2.42	0.40
1:B:1260:LYS:HB3	1:B:1260:LYS:HE2	1.80	0.40
1:A:1170:GLN:NE2	1:A:1193:TYR:OH	2.53	0.40
1:A:1477:LYS:HD3	1:A:1511:SER:HB3	2.02	0.40
1:B:1330:TYR:CE1	1:B:1394:GLU:HG3	2.56	0.40
1:B:1433:PHE:HD1	1:B:1443:VAL:HG11	1.86	0.40
1:B:1194:ALA:O	1:B:1198:GLU:HG3	2.22	0.40
1:B:1219:GLY:HA2	1:B:1244:LEU:HA	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	479/512 (94%)	476 (99%)	3 (1%)	0	100	100
1	B	466/512 (91%)	461 (99%)	5 (1%)	0	100	100
All	All	945/1024 (92%)	937 (99%)	8 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	419/437 (96%)	412 (98%)	7 (2%)	60	65
1	B	405/437 (93%)	391 (96%)	14 (4%)	36	35
All	All	824/874 (94%)	803 (98%)	21 (2%)	47	49

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1091	LYS
1	A	1169	TRP
1	A	1273	TRP
1	A	1348	ASN
1	A	1463	ARG
1	A	1494	LYS
1	A	1504	TYR
1	B	1090	GLU
1	B	1092	THR
1	B	1093	HIS
1	B	1094	VAL
1	B	1106	ARG
1	B	1109	LYS
1	B	1153	TRP
1	B	1169	TRP
1	B	1273	TRP
1	B	1342	ARG
1	B	1435	LYS
1	B	1459	LYS
1	B	1474	MET
1	B	1504	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1030	GLN
1	A	1170	GLN
1	A	1237	GLN
1	A	1247	ASN
1	B	1093	HIS
1	B	1137	HIS
1	B	1170	GLN
1	B	1266	GLN
1	B	1395	ASN
1	B	1428	ASN
1	B	1444	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	F99	A	2601	-	23,24,24	0.60	0	18,34,34	1.33	2 (11%)
3	ATP	B	2602	5	26,33,33	0.53	0	31,52,52	0.95	2 (6%)
3	ATP	A	2602	5	26,33,33	0.59	0	31,52,52	0.90	2 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	F99	B	2601	-	23,24,24	0.90	2 (8%)	18,34,34	1.64	3 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	F99	A	2601	-	-	0/8/19/19	0/3/3/3
3	ATP	B	2602	5	-	6/18/38/38	0/3/3/3
3	ATP	A	2602	5	-	6/18/38/38	0/3/3/3
2	F99	B	2601	-	-	0/8/19/19	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2601	F99	C7-N	-2.32	1.30	1.34
2	B	2601	F99	C1-C6	-2.18	1.39	1.43

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2601	F99	C14-C15-C11	-4.96	107.65	110.89
2	A	2601	F99	C12-N2-C11	-3.68	109.32	111.62
2	B	2601	F99	C12-N2-C11	3.57	113.85	111.62
2	A	2601	F99	C14-C15-C11	-3.10	108.86	110.89
3	B	2602	ATP	C3'-C2'-C1'	2.57	104.85	100.98
3	B	2602	ATP	C5-C6-N6	2.37	123.96	120.35
3	A	2602	ATP	C5-C6-N6	2.30	123.85	120.35
3	A	2602	ATP	C3'-C2'-C1'	2.17	104.24	100.98
2	B	2601	F99	C8-N1-C7	2.14	128.18	125.66

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	2602	ATP	C5'-O5'-PA-O2A
3	B	2602	ATP	C5'-O5'-PA-O2A
3	B	2602	ATP	O4'-C4'-C5'-O5'
3	B	2602	ATP	C3'-C4'-C5'-O5'

*Continued on next page...*





*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
3	A	2602	ATP	C4'-C5'-O5'-PA
3	A	2602	ATP	O4'-C4'-C5'-O5'
3	A	2602	ATP	C5'-O5'-PA-O3A
3	B	2602	ATP	C5'-O5'-PA-O3A
3	B	2602	ATP	C5'-O5'-PA-O1A
3	B	2602	ATP	C4'-C5'-O5'-PA
3	A	2602	ATP	C3'-C4'-C5'-O5'
3	A	2602	ATP	C5'-O5'-PA-O1A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	487/512 (95%)	0.46	40 (8%) <b>11</b> <b>11</b>	23, 40, 63, 83	0
1	B	474/512 (92%)	0.83	69 (14%) <b>2</b> <b>2</b>	20, 48, 85, 102	0
All	All	961/1024 (93%)	0.64	109 (11%) <b>5</b> <b>4</b>	20, 44, 80, 102	0

All (109) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1094	VAL	11.3
1	B	1095	ALA	8.6
1	B	1491	PRO	8.1
1	B	1155	PHE	8.1
1	B	1093	HIS	7.7
1	A	1315	LEU	5.6
1	B	1377	CYS	5.5
1	B	1091	LYS	4.8
1	B	1320	LYS	4.8
1	B	1460	THR	4.5
1	A	1463	ARG	4.5
1	B	1096	ASP	4.4
1	B	1474	MET	4.3
1	A	1236	ILE	4.2
1	B	1404	ILE	4.2
1	A	1493	ALA	4.1
1	A	1314	ALA	4.0
1	B	1321	GLU	4.0
1	B	1393	ALA	4.0
1	B	1433	PHE	4.0
1	B	1017	GLU	3.8
1	B	1372	ARG	3.8
1	B	1322	ALA	3.7
1	B	1371	PRO	3.7

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	1380	VAL	3.6
1	B	1348	ASN	3.5
1	A	1491	PRO	3.5
1	A	1494	LYS	3.5
1	A	1456	TRP	3.4
1	B	1092	THR	3.4
1	B	1378	GLN	3.3
1	A	1016	LEU	3.3
1	A	1238	GLY	3.3
1	B	1334	LEU	3.2
1	B	1401	LEU	3.2
1	A	1282	VAL	3.2
1	B	1490	GLN	3.2
1	B	1456	TRP	3.2
1	B	1324	ILE	3.1
1	B	1279	THR	3.0
1	A	1134	VAL	3.0
1	B	1023	ASN	3.0
1	B	1330	TYR	3.0
1	B	1379	PHE	2.9
1	B	1436	ILE	2.9
1	B	1376	SER	2.9
1	B	1395	ASN	2.9
1	A	1257	GLU	2.9
1	B	1329	ASP	2.9
1	A	1500	ASN	2.9
1	B	1487	CYS	2.9
1	B	1338	ASN	2.8
1	B	1276	THR	2.8
1	A	1091	LYS	2.8
1	B	1015	GLY	2.8
1	B	1097	PHE	2.8
1	B	1396	GLU	2.8
1	B	1275	LEU	2.8
1	B	1399	THR	2.7
1	B	1335	LEU	2.7
1	A	1501	PRO	2.7
1	A	1017	GLU	2.7
1	B	1022	GLU	2.6
1	A	1466	ASP	2.6
1	B	1240	THR	2.6
1	B	1390	LEU	2.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	1461	THR	2.5
1	B	1440	GLY	2.5
1	A	1353	TRP	2.4
1	B	1277	THR	2.4
1	A	1281	GLY	2.4
1	B	1458	LYS	2.4
1	B	1237	GLN	2.4
1	B	1162	LEU	2.4
1	B	1089	LYS	2.4
1	A	1311	ILE	2.4
1	B	1488	GLU	2.4
1	A	1225	ILE	2.4
1	A	1480	CYS	2.3
1	B	1325	ALA	2.3
1	B	1462	ALA	2.3
1	A	1450	GLU	2.3
1	A	1418	GLU	2.3
1	B	1459	LYS	2.3
1	B	1489	LEU	2.3
1	A	1278	ARG	2.3
1	A	1197	TYR	2.2
1	A	1459	LYS	2.2
1	A	1224	THR	2.2
1	A	1237	GLN	2.2
1	A	1095	ALA	2.2
1	B	1428	ASN	2.2
1	B	1233	GLY	2.1
1	A	1349	TYR	2.1
1	A	1275	LEU	2.1
1	A	1235	ALA	2.1
1	A	1372	ARG	2.1
1	A	1492	GLY	2.1
1	B	1016	LEU	2.1
1	B	1486	LEU	2.1
1	B	1137	HIS	2.1
1	A	1479	LEU	2.1
1	A	1276	THR	2.0
1	A	1464	ASP	2.0
1	B	1451	ILE	2.0
1	B	1161	PHE	2.0
1	B	1427	ALA	2.0
1	B	1323	LEU	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	1021	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	ZN	B	2603	1/1	0.89	0.08	109,109,109,109	0
5	MG	B	2605	1/1	0.90	0.71	80,80,80,80	0
3	ATP	B	2602	31/31	0.93	0.14	42,51,76,77	0
2	F99	A	2601	22/22	0.93	0.16	23,33,40,49	0
2	F99	B	2601	22/22	0.93	0.17	26,38,45,56	0
5	MG	A	2605	1/1	0.94	0.30	28,28,28,28	0
4	ZN	A	2603	1/1	0.97	0.04	58,58,58,58	0
5	MG	B	2604	1/1	0.97	0.16	41,41,41,41	0
3	ATP	A	2602	31/31	0.97	0.20	25,32,39,46	0
5	MG	A	2604	1/1	0.99	0.22	22,22,22,22	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around ATP B 2602:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers ⓘ

There are no such residues in this entry.