

Full wwPDB X-ray Structure Validation Report (i)

Jun 17, 2024 – 11:08 AM EDT

PDB ID	:	2Y4T
Title	:	Crystal structure of the human co-chaperone P58(IPK)
Authors	:	Svard, M.; Biterova, E.I.; Bourhis, JM.; Guy, J.E.
Deposited on	:	2011-01-10
Resolution	:	3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity		4 02h-467
Vtria na (Dhanim)	·	1.025 101
Atriage (Phenix)	:	1.20.1
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution		
wietric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R_{free}	130704	2092 (3.00-3.00)		
Clashscore	141614	2416 (3.00-3.00)		
Ramachandran outliers	138981	2333 (3.00-3.00)		
Sidechain outliers	138945	2336 (3.00-3.00)		
RSRZ outliers	127900	1990 (3.00-3.00)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	450	73%	20%	• 6%
1	В	450	80%	14%	6%
1	С	450	82%	12%	6%



2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 10259 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Δ	499	Total	С	Ν	0	\mathbf{S}	0	0	0
	I A	422	3414	2140	596	663	15	0		
1	1 D	491	Total	С	Ν	0	S	0	0	0
	421	3406	2135	595	662	14	0	0	U	
1	C	499	Total	С	Ν	0	S	0	0	0
		422	3414	2140	596	663	15			

• Molecule 1 is a protein called DNAJ HOMOLOG SUBFAMILY C MEMBER 3.

There are 69 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	12	MET	-	expression tag	UNP Q13217
А	13	HIS	-	expression tag	UNP Q13217
А	14	HIS	-	expression tag	UNP Q13217
А	15	HIS	-	expression tag	UNP Q13217
A	16	HIS	-	expression tag	UNP Q13217
А	17	HIS	-	expression tag	UNP Q13217
А	18	HIS	-	expression tag	UNP Q13217
A	19	SER	-	expression tag	UNP Q13217
А	20	SER	-	expression tag	UNP Q13217
А	21	GLY	-	expression tag	UNP Q13217
А	22	VAL	-	expression tag	UNP Q13217
А	23	ASP	-	expression tag	UNP Q13217
A	24	LEU	-	expression tag	UNP Q13217
A	25	GLY	-	expression tag	UNP Q13217
А	26	THR	-	expression tag	UNP Q13217
А	27	GLU	-	expression tag	UNP Q13217
A	28	ASN	-	expression tag	UNP Q13217
A	29	LEU	-	expression tag	UNP Q13217
A	30	TYR	-	expression tag	UNP Q13217
A	31	PHE	-	expression tag	UNP Q13217
A	32	GLN	-	expression tag	UNP Q13217
A	33	SER	-	expression tag	UNP Q13217
A	34	MET	-	expression tag	UNP Q13217



a 1	r	•	
Continued	from	previous	page
	5	1	1 0

Chain	Residue	Modelled	Actual	Comment	Reference
В	12	MET	-	expression tag	UNP Q13217
В	13	HIS	-	expression tag	UNP Q13217
В	14	HIS	-	expression tag	UNP Q13217
В	15	HIS	-	expression tag	UNP Q13217
В	16	HIS	-	expression tag	UNP Q13217
В	17	HIS	-	expression tag	UNP Q13217
В	18	HIS	-	expression tag	UNP Q13217
В	19	SER	-	expression tag	UNP Q13217
В	20	SER	-	expression tag	UNP Q13217
В	21	GLY	-	expression tag	UNP Q13217
В	22	VAL	-	expression tag	UNP Q13217
В	23	ASP	-	expression tag	UNP Q13217
В	24	LEU	-	expression tag	UNP Q13217
В	25	GLY	-	expression tag	UNP Q13217
В	26	THR	-	expression tag	UNP Q13217
В	27	GLU	-	expression tag	UNP Q13217
В	28	ASN	-	expression tag	UNP Q13217
В	29	LEU	-	expression tag	UNP Q13217
В	30	TYR	-	expression tag	UNP Q13217
В	31	PHE	-	expression tag	UNP Q13217
В	32	GLN	-	expression tag	UNP Q13217
В	33	SER	-	expression tag	UNP Q13217
В	34	MET	-	expression tag	UNP Q13217
С	12	MET	-	expression tag	UNP Q13217
С	13	HIS	-	expression tag	UNP Q13217
С	14	HIS	-	expression tag	UNP Q13217
C	15	HIS	-	expression tag	UNP Q13217
C	16	HIS	-	expression tag	UNP Q13217
C	17	HIS	-	expression tag	UNP Q13217
C	18	HIS	-	expression tag	UNP Q13217
C	19	SER	-	expression tag	UNP Q13217
C	20	SER	-	expression tag	UNP Q13217
C	21	GLY	-	expression tag	UNP Q13217
C	22	VAL	-	expression tag	UNP Q13217
C	23	ASP	-	expression tag	UNP Q13217
C	24	LEU	-	expression tag	UNP Q13217
C	25	GLY	-	expression tag	UNP Q13217
С	26	THR	-	expression tag	UNP Q13217
C	27	GLU	-	expression tag	UNP Q13217
С	28	ASN	-	expression tag	UNP Q13217
C	29	LEU	-	expression tag	UNP Q13217
С	30	TYR	-	expression tag	UNP Q13217



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
С	31	PHE	-	expression tag	UNP Q13217
С	32	GLN	-	expression tag	UNP Q13217
С	33	SER	-	expression tag	UNP Q13217
С	34	MET	-	expression tag	UNP Q13217

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	10	Total O 10 10	0	0
2	В	8	Total O 8 8	0	0
2	С	7	Total O 7 7	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: DNAJ HOMOLOG SUBFAMILY C MEMBER 3



H060 MIE ME 1376 1199 HIS 1376 1199 HIS 1376 1199 HIS 1390 HIS HIS 1312 HIS HIS 1312 HIS HIS 1313 HIS HIS 144 HIS HIS 144 HIS HIS 144 HIS HIS 144 HIS HIS HIS HIS



4 Data and refinement statistics (i)

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants	212.25Å 212.25Å 283.46Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
$\mathbf{Posolution} \left(\overset{\circ}{\mathbf{A}} \right)$	25.00 - 3.00	Depositor
Resolution (A)	56.12 - 3.00	EDS
% Data completeness	96.5 (25.00-3.00)	Depositor
(in resolution range)	84.7(56.12-3.00)	EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.13 (at 3.01 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.6.0081	Depositor
B B.	0.243 , 0.291	Depositor
II, II free	0.244 , 0.292	DCC
R_{free} test set	2119 reflections (5.08%)	wwPDB-VP
Wilson B-factor $(Å^2)$	73.9	Xtriage
Anisotropy	0.192	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.34 , 74.2	EDS
L-test for $twinning^2$	$ \langle L \rangle = 0.45, \langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10259	wwPDB-VP
Average B, all atoms $(Å^2)$	107.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 52.06 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.1367e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	Bond lengths		angles
	Ullaili	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.52	0/3464	0.62	0/4644
1	В	0.36	0/3456	0.49	0/4634
1	С	0.36	0/3464	0.49	0/4644
All	All	0.42	0/10384	0.54	0/13922

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3414	0	3419	67	0
1	В	3406	0	3410	39	0
1	С	3414	0	3419	33	0
2	А	10	0	0	0	0
2	В	8	0	0	1	0
2	С	7	0	0	0	0
All	All	10259	0	10248	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:451:ASP:HB3	1:B:452:PRO:HD2	1.30	1.09
1:A:451:ASP:HB2	1:A:452:PRO:CD	1.82	1.06
1:A:451:ASP:HB2	1:A:452:PRO:HD3	1.15	1.06
1:C:451:ASP:HB3	1:C:452:PRO:HD2	1.41	0.99
1:B:451:ASP:HB3	1:B:452:PRO:CD	1.99	0.93
1:A:118:GLN:OE1	1:A:120:LYS:NZ	2.09	0.86
1:A:451:ASP:CB	1:A:452:PRO:HD3	2.07	0.83
1:A:233:TYR:OH	1:A:298:GLU:HG2	1.78	0.83
1:B:267:LYS:HE2	1:B:297:THR:HG21	1.62	0.82
1:A:87:SER:HB2	1:A:186:TRP:CE3	2.15	0.82
1:A:451:ASP:CB	1:A:452:PRO:CD	2.58	0.82
1:B:37:VAL:HG21	1:B:67:ASP:HB2	1.65	0.79
1:B:95:THR:HG22	1:B:111:ARG:HH11	1.47	0.78
1:C:451:ASP:HB3	1:C:452:PRO:CD	2.13	0.78
1:A:95:THR:HG22	1:A:111:ARG:HD2	1.64	0.77
1:C:307:ARG:NH1	1:C:310:GLU:OE1	2.17	0.76
1:A:98:ILE:HD11	1:A:108:ARG:HA	1.67	0.75
1:C:255:HIS:HD2	1:C:258:CYS:H	1.31	0.75
1:C:255:HIS:CD2	1:C:258:CYS:H	2.11	0.68
1:A:414:TYR:CG	1:A:446:LYS:HG3	2.30	0.67
1:A:233:TYR:OH	1:A:298:GLU:CG	2.44	0.66
1:A:113:HIS:HD2	1:A:147:GLN:OE1	1.79	0.66
1:A:233:TYR:HH	1:A:298:GLU:HG2	1.61	0.65
1:C:93:ASP:O	1:C:97:VAL:HG23	1.96	0.65
1:B:267:LYS:HE2	1:B:297:THR:CG2	2.27	0.64
1:A:414:TYR:CD1	1:A:446:LYS:HG3	2.33	0.64
1:A:224:ALA:O	1:A:228:ILE:HG22	1.99	0.61
1:A:382:LYS:HG2	1:A:385:ARG:HH12	1.65	0.61
1:B:307:ARG:O	1:B:311:ARG:HG2	2.01	0.60
1:A:417:LEU:HB3	1:A:442:ILE:HD13	1.84	0.60
1:A:236:GLY:HA2	1:A:304:TYR:CZ	2.36	0.60
1:A:177:LEU:HD23	1:A:180:ILE:HD12	1.84	0.59
1:B:399:LEU:HD12	1:B:417:LEU:HD11	1.84	0.59
1:B:111:ARG:HG2	1:B:115:LEU:HD12	1.84	0.59
1:B:455:ARG:HH11	1:B:455:ARG:H	1.49	0.59
1:A:208:ILE:HD11	1:A:235:LEU:CD1	2.33	0.59
1:A:54:ALA:HA	1:A:84:MET:HE1	1.85	0.59
1:A:407:LYS:HG3	1:A:408:GLN:H	1.68	0.58
1:C:330:SER:O	1:C:334:GLN:HG2	2.04	0.58
1:A:398:ILE:O	1:A:399:LEU:HB2	2.04	0.58
1:A:303:GLU:OE2	1:A:307:ARG:HD2	2.02	0.58
1:C:98:ILE:HD11	1:C:108:ARG:HA	1.86	0.57



	louo pugom	Interatomic Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:255:HIS:CE1	1:A:258:CYS:SG	2.98	0.56	
1:C:414:TYR:HB2	1:C:446:LYS:HD3	1.87	0.55	
1:B:204:PRO:HB2	1:B:235:LEU:HD21	1.89	0.55	
1:A:288:THR:HG23	1:A:312:ILE:HG12	1.89	0.54	
1:A:307:ARG:HH22	1:A:336:GLU:CD	2.11	0.54	
1:B:250:LYS:HG2	2:B:2007:HOH:O	2.08	0.54	
1:A:315:CYS:O	1:A:319:ASP:HB2	2.08	0.54	
1:B:157:LEU:HB3	1:B:180:ILE:HG12	1.88	0.54	
1:A:95:THR:HG22	1:A:111:ARG:CD	2.37	0.53	
1:C:87:SER:HB2	1:C:186:TRP:CE3	2.43	0.53	
1:C:178:ASP:O	1:C:182:GLU:HG2	2.08	0.53	
1:C:204:PRO:HB2	1:C:235:LEU:HD21	1.89	0.53	
1:A:307:ARG:NH2	1:A:336:GLU:OE1	2.32	0.53	
1:B:356:TYR:HB2	1:B:387:LEU:HD23	1.91	0.53	
1:B:261:HIS:O	1:B:265:VAL:HG23	2.09	0.53	
1:A:398:ILE:O	1:A:398:ILE:HG22	2.09	0.53	
1:A:394:ASP:HB3	1:A:397:LYS:HB2	1.91	0.52	
1:C:428:ASN:HB3	1:C:431:GLU:HB2	1.91	0.52	
1:A:231:LEU:O	1:A:235:LEU:HG	2.08	0.52	
1:A:426:PHE:CE2	1:A:435:ALA:HB2	2.44	0.52	
1:C:288:THR:HG23	1:C:312:ILE:HG12	1.92	0.52	
1:A:177:LEU:HA	1:A:180:ILE:HD12	1.93	0.51	
1:B:47:LEU:HD11	1:C:47:LEU:HD11	1.92	0.51	
1:C:61:HIS:HA	1:C:77:ARG:HH11	1.76	0.51	
1:C:439:PHE:O	1:C:442:ILE:HG13	2.12	0.50	
1:A:57:LEU:HB2	1:A:80:VAL:HG11	1.93	0.50	
1:A:364:GLU:HG3	1:A:380:LEU:HD11	1.94	0.50	
1:A:208:ILE:HD11	1:A:235:LEU:HD12	1.94	0.49	
1:A:128:PHE:CE2	1:A:147:GLN:HB3	2.47	0.49	
1:A:360:ILE:HG13	1:A:361:GLN:N	2.28	0.49	
1:B:128:PHE:CZ	1:B:147:GLN:HB3	2.48	0.49	
1:C:294:VAL:O	1:C:297:THR:HG22	2.13	0.49	
1:A:306:VAL:HG13	1:A:335:MET:CE	2.42	0.49	
1:A:398:ILE:O	1:A:399:LEU:CB	2.60	0.49	
1:B:276:GLU:O	1:B:279:ILE:HG13	2.13	0.49	
1:A:34:MET:HG3	1:A:36:ASP:HB2	1.95	0.48	
1:B:48:LEU:HD13	1:B:80:VAL:HG22	1.95	0.48	
1:B:87:SER:HB2	1:B:186:TRP:CE3	2.49	0.48	
1:A:426:PHE:CE2	1:A:435:ALA:CB	2.96	0.48	
1:B:128:PHE:CE2	1:B:147:GLN:HB3	2.49	0.48	
1:A:214:ALA:HA	1:A:217:LEU:HD12	1.96	0.48	

Continued from previous page...



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:295:MET:HG2	1:A:305:THR:HA	1.96	0.47
1:B:132:LEU:HA	1:B:136:PRO:HG3	1.95	0.47
1:A:195:ALA:HB1	1:A:207:ALA:HB1	1.96	0.47
1:A:357:ASP:O	1:A:360:ILE:HG13	2.15	0.47
1:B:94:LEU:HD13	1:B:111:ARG:HA	1.96	0.46
1:A:451:ASP:OD2	1:A:452:PRO:HD2	2.16	0.46
1:C:37:VAL:HG21	1:C:67:ASP:HB2	1.96	0.46
1:B:41:LEU:O	1:B:45:LYS:HG3	2.16	0.46
1:B:394:ASP:OD2	1:B:397:LYS:HG3	2.16	0.46
1:A:268:LEU:HD11	1:A:294:VAL:HG13	1.98	0.46
1:A:306:VAL:HG13	1:A:335:MET:HE3	1.98	0.46
1:C:145:GLN:O	1:C:149:ILE:HG12	2.15	0.46
1:A:44:GLY:HA3	1:A:60:PHE:CE1	2.51	0.45
1:B:291:TYR:CZ	1:B:311:ARG:HG3	2.51	0.45
1:B:98:ILE:O	1:B:102:MET:HG3	2.17	0.45
1:B:253:GLN:NE2	1:C:246:ARG:HD3	2.32	0.45
1:C:338:ASP:HA	1:C:369:HIS:CE1	2.51	0.45
1:C:205:ARG:O	1:C:208:ILE:HG12	2.17	0.45
1:C:208:ILE:HG13	1:C:209:SER:N	2.31	0.45
1:B:372:ASN:HA	1:B:377:ARG:HH22	1.81	0.45
1:C:401:VAL:HG13	1:C:402:LYS:HG2	1.98	0.45
1:C:37:VAL:HG22	1:C:66:GLY:HA3	1.98	0.45
1:B:267:LYS:CE	1:B:297:THR:HG21	2.39	0.44
1:C:34:MET:HB3	1:C:36:ASP:OD1	2.17	0.44
1:B:360:ILE:HG13	1:B:361:GLN:N	2.32	0.44
1:A:262:TYR:CZ	1:A:266:LYS:HE2	2.52	0.44
1:A:422:HIS:HD2	1:A:439:PHE:CE2	2.36	0.44
1:B:74:TYR:CE1	1:B:96:LYS:HG2	2.53	0.43
1:A:270:LYS:O	1:A:274:SER:HB3	2.18	0.43
1:A:402:LYS:C	1:A:404:ASN:N	2.72	0.43
1:C:451:ASP:CB	1:C:452:PRO:CD	2.90	0.43
1:A:306:VAL:HA	1:A:335:MET:HE1	2.01	0.43
1:B:358:GLU:OE1	1:B:358:GLU:N	2.52	0.43
1:B:349:ALA:HA	1:B:352:ILE:HD12	2.01	0.42
1:A:142:LYS:HD3	1:A:142:LYS:HA	1.89	0.42
1:B:351:LEU:HD13	1:B:382:LYS:HE3	2.01	0.42
1:B:295:MET:HG2	1:B:305:THR:HA	2.00	0.42
1:C:213:ALA:O	1:C:217:LEU:HG	2.19	0.42
1:C:275:ALA:HB2	1:C:290:LYS:HB3	2.02	0.42
1:C:238:HIS:CD2	1:C:238:HIS:H	2.38	0.41
1:A:360:ILE:HG13	1:A:361:GLN:H	1.85	0.41

Continued from previous page...



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:C:196:GLU:O	1:C:199:ILE:HG13	2.20	0.41
1:A:153:GLU:HG3	1:A:156:ARG:HH21	1.85	0.41
1:A:255:HIS:ND1	1:A:258:CYS:HB2	2.35	0.41
1:A:234:GLN:HA	1:A:301:ILE:HD12	2.03	0.41
1:A:153:GLU:CG	1:A:156:ARG:NH2	2.84	0.41
1:C:307:ARG:HH12	1:C:339:ASN:ND2	2.19	0.41
1:A:303:GLU:OE2	1:A:307:ARG:CD	2.69	0.41
1:B:104:PHE:CE1	1:B:106:ALA:HB3	2.56	0.41
1:A:202:GLY:C	1:A:204:PRO:HD3	2.42	0.40
1:A:180:ILE:H	1:A:180:ILE:HG13	1.69	0.40
1:B:307:ARG:HD3	1:B:307:ARG:HA	1.75	0.40
1:B:416:LYS:O	1:B:420:GLN:HB2	2.21	0.40
1:A:408:GLN:HA	1:A:411:ILE:HD13	2.04	0.40

Continued from previous page...

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentile	s
1	А	420/450~(93%)	398~(95%)	20~(5%)	2~(0%)	29 68	
1	В	419/450~(93%)	397~(95%)	21 (5%)	1 (0%)	47 82	
1	С	420/450~(93%)	408 (97%)	11 (3%)	1 (0%)	47 82	
All	All	1259/1350~(93%)	1203 (96%)	52 (4%)	4 (0%)	41 76	

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	451	ASP
1	В	451	ASP
1	А	399	LEU
1	С	451	ASP



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	364/389~(94%)	354~(97%)	10 (3%)	44 77
1	В	363/389~(93%)	361 (99%)	2 (1%)	86 95
1	С	364/389~(94%)	363 (100%)	1 (0%)	92 97
All	All	1091/1167~(94%)	1078 (99%)	13 (1%)	71 90

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	137	SER
1	А	146	SER
1	А	148	LEU
1	А	155	GLN
1	А	209	SER
1	А	298	GLU
1	А	300	SER
1	А	307	ARG
1	А	313	CYS
1	А	451	ASP
1	В	171	THR
1	В	313	CYS
1	С	313	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	113	HIS
1	А	155	GLN
1	А	163	ASN
1	А	408	GLN
1	А	425	ASN
1	В	59	GLN
1	В	113	HIS
1	В	253	GLN



Continued from previous page...

Mol	Chain	Res	Type
1	В	269	ASN
1	В	367	GLN
1	С	145	GLN
1	С	147	GLN
1	С	255	HIS
1	С	369	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	422/450~(93%)	0.30	1 (0%) 95 87	29, 60, 126, 180	0
1	В	421/450~(93%)	0.44	31 (7%) 14 4	84, 118, 169, 222	0
1	С	422/450~(93%)	0.47	30 (7%) 16 5	81, 120, 181, 220	0
All	All	1265/1350 (93%)	0.40	62 (4%) 29 11	29, 108, 169, 222	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	404	ASN	6.7
1	С	421	TRP	6.3
1	С	406	LYS	6.3
1	С	426	PHE	6.2
1	С	401	VAL	5.3
1	В	103	ASP	4.7
1	С	407	LYS	4.3
1	С	409	GLU	4.0
1	С	375	GLN	3.9
1	С	147	GLN	3.8
1	В	109	LEU	3.7
1	С	376	ILE	3.5
1	С	449	LEU	3.5
1	С	427	GLN	3.5
1	В	91	LEU	3.4
1	С	403	ARG	3.4
1	С	397	LYS	3.3
1	В	142	LYS	3.3
1	С	35	ALA	3.2
1	В	49	ALA	3.2
1	В	116	LEU	3.2
1	В	440	ILE	3.1
1	С	366	ALA	3.0



Mol	Chain	Res	Type	RSRZ
1	С	343	LEU	3.0
1	В	408	GLN	2.9
1	В	134	SER	2.9
1	С	429	GLU	2.9
1	С	408	GLN	2.9
1	С	107	ALA	2.8
1	В	43	LEU	2.8
1	В	423	PRO	2.8
1	В	435	ALA	2.8
1	С	304	TYR	2.8
1	В	412	LYS	2.7
1	А	449	LEU	2.7
1	В	268	LEU	2.7
1	В	145	GLN	2.7
1	С	420	GLN	2.6
1	В	403	ARG	2.6
1	С	177	LEU	2.6
1	С	99	GLN	2.6
1	С	144	ALA	2.6
1	В	94	LEU	2.6
1	С	363	TYR	2.5
1	В	131	VAL	2.4
1	В	306	VAL	2.4
1	В	399	LEU	2.4
1	С	342	ALA	2.4
1	В	330	SER	2.3
1	В	411	ILE	2.3
1	С	383	ALA	2.3
1	В	245	VAL	2.3
1	С	404	ASN	2.3
1	С	165	PHE	2.2
1	В	410	ILE	2.2
1	В	420	GLN	2.2
1	В	443	ALA	2.1
1	В	165	PHE	2.1
1	В	121	LEU	2.1
1	С	365	THR	2.1
1	В	150	LYS	2.0
1	В	351	LEU	2.0

Continued from previous page...



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

