



# wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 17, 2023 – 05:44 PM EDT

PDB ID : 4Y4M  
Title : Thiazole synthase Thi4 from Methanocaldococcus jannaschii  
Authors : Zhang, X.; Ealick, S.E.  
Deposited on : 2015-02-10  
Resolution : 2.71 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3359 (2.74-2.70)
Clashscore	141614	3686 (2.74-2.70)
Ramachandran outliers	138981	3622 (2.74-2.70)
Sidechain outliers	138945	3623 (2.74-2.70)
RSRZ outliers	127900	3276 (2.74-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	290	84% 6% 10%
1	B	290	81% 6% 12%
1	C	290	82% 6% 12%
1	D	290	83% 12%
1	E	290	83% 5% 12%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	290	 85% 6% 10%
1	G	290	 85% 5% 10%
1	H	290	 84% 6% 11%

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 15644 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative ribose 1,5-bisphosphate isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	260	Total 1924	C 1230	N 322	O 360	S 12	0	0	0
1	B	256	Total 1888	C 1208	N 316	O 353	S 11	0	0	0
1	C	255	Total 1887	C 1207	N 315	O 354	S 11	0	0	0
1	D	255	Total 1887	C 1207	N 315	O 354	S 11	0	0	0
1	E	256	Total 1895	C 1212	N 317	O 355	S 11	0	0	0
1	F	262	Total 1941	C 1239	N 325	O 365	S 12	0	0	0
1	G	262	Total 1940	C 1239	N 324	O 365	S 12	0	0	0
1	H	259	Total 1908	C 1219	N 319	O 359	S 11	0	0	0

There are 184 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MET	-	initiating methionine	UNP Q58018
A	-21	GLY	-	expression tag	UNP Q58018
A	-20	SER	-	expression tag	UNP Q58018
A	-19	ASP	-	expression tag	UNP Q58018
A	-18	LYS	-	expression tag	UNP Q58018
A	-17	ILE	-	expression tag	UNP Q58018
A	-16	HIS	-	expression tag	UNP Q58018
A	-15	HIS	-	expression tag	UNP Q58018
A	-14	HIS	-	expression tag	UNP Q58018
A	-13	HIS	-	expression tag	UNP Q58018
A	-12	HIS	-	expression tag	UNP Q58018
A	-11	HIS	-	expression tag	UNP Q58018
A	-10	SER	-	expression tag	UNP Q58018

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	SER	-	expression tag	UNP Q58018
A	-8	GLY	-	expression tag	UNP Q58018
A	-7	GLU	-	expression tag	UNP Q58018
A	-6	ASN	-	expression tag	UNP Q58018
A	-5	LEU	-	expression tag	UNP Q58018
A	-4	TYR	-	expression tag	UNP Q58018
A	-3	PHE	-	expression tag	UNP Q58018
A	-2	GLN	-	expression tag	UNP Q58018
A	-1	GLY	-	expression tag	UNP Q58018
A	0	HIS	-	expression tag	UNP Q58018
B	-22	MET	-	initiating methionine	UNP Q58018
B	-21	GLY	-	expression tag	UNP Q58018
B	-20	SER	-	expression tag	UNP Q58018
B	-19	ASP	-	expression tag	UNP Q58018
B	-18	LYS	-	expression tag	UNP Q58018
B	-17	ILE	-	expression tag	UNP Q58018
B	-16	HIS	-	expression tag	UNP Q58018
B	-15	HIS	-	expression tag	UNP Q58018
B	-14	HIS	-	expression tag	UNP Q58018
B	-13	HIS	-	expression tag	UNP Q58018
B	-12	HIS	-	expression tag	UNP Q58018
B	-11	HIS	-	expression tag	UNP Q58018
B	-10	SER	-	expression tag	UNP Q58018
B	-9	SER	-	expression tag	UNP Q58018
B	-8	GLY	-	expression tag	UNP Q58018
B	-7	GLU	-	expression tag	UNP Q58018
B	-6	ASN	-	expression tag	UNP Q58018
B	-5	LEU	-	expression tag	UNP Q58018
B	-4	TYR	-	expression tag	UNP Q58018
B	-3	PHE	-	expression tag	UNP Q58018
B	-2	GLN	-	expression tag	UNP Q58018
B	-1	GLY	-	expression tag	UNP Q58018
B	0	HIS	-	expression tag	UNP Q58018
C	-22	MET	-	initiating methionine	UNP Q58018
C	-21	GLY	-	expression tag	UNP Q58018
C	-20	SER	-	expression tag	UNP Q58018
C	-19	ASP	-	expression tag	UNP Q58018
C	-18	LYS	-	expression tag	UNP Q58018
C	-17	ILE	-	expression tag	UNP Q58018
C	-16	HIS	-	expression tag	UNP Q58018
C	-15	HIS	-	expression tag	UNP Q58018
C	-14	HIS	-	expression tag	UNP Q58018

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-13	HIS	-	expression tag	UNP Q58018
C	-12	HIS	-	expression tag	UNP Q58018
C	-11	HIS	-	expression tag	UNP Q58018
C	-10	SER	-	expression tag	UNP Q58018
C	-9	SER	-	expression tag	UNP Q58018
C	-8	GLY	-	expression tag	UNP Q58018
C	-7	GLU	-	expression tag	UNP Q58018
C	-6	ASN	-	expression tag	UNP Q58018
C	-5	LEU	-	expression tag	UNP Q58018
C	-4	TYR	-	expression tag	UNP Q58018
C	-3	PHE	-	expression tag	UNP Q58018
C	-2	GLN	-	expression tag	UNP Q58018
C	-1	GLY	-	expression tag	UNP Q58018
C	0	HIS	-	expression tag	UNP Q58018
D	-22	MET	-	initiating methionine	UNP Q58018
D	-21	GLY	-	expression tag	UNP Q58018
D	-20	SER	-	expression tag	UNP Q58018
D	-19	ASP	-	expression tag	UNP Q58018
D	-18	LYS	-	expression tag	UNP Q58018
D	-17	ILE	-	expression tag	UNP Q58018
D	-16	HIS	-	expression tag	UNP Q58018
D	-15	HIS	-	expression tag	UNP Q58018
D	-14	HIS	-	expression tag	UNP Q58018
D	-13	HIS	-	expression tag	UNP Q58018
D	-12	HIS	-	expression tag	UNP Q58018
D	-11	HIS	-	expression tag	UNP Q58018
D	-10	SER	-	expression tag	UNP Q58018
D	-9	SER	-	expression tag	UNP Q58018
D	-8	GLY	-	expression tag	UNP Q58018
D	-7	GLU	-	expression tag	UNP Q58018
D	-6	ASN	-	expression tag	UNP Q58018
D	-5	LEU	-	expression tag	UNP Q58018
D	-4	TYR	-	expression tag	UNP Q58018
D	-3	PHE	-	expression tag	UNP Q58018
D	-2	GLN	-	expression tag	UNP Q58018
D	-1	GLY	-	expression tag	UNP Q58018
D	0	HIS	-	expression tag	UNP Q58018
E	-22	MET	-	initiating methionine	UNP Q58018
E	-21	GLY	-	expression tag	UNP Q58018
E	-20	SER	-	expression tag	UNP Q58018
E	-19	ASP	-	expression tag	UNP Q58018
E	-18	LYS	-	expression tag	UNP Q58018

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-17	ILE	-	expression tag	UNP Q58018
E	-16	HIS	-	expression tag	UNP Q58018
E	-15	HIS	-	expression tag	UNP Q58018
E	-14	HIS	-	expression tag	UNP Q58018
E	-13	HIS	-	expression tag	UNP Q58018
E	-12	HIS	-	expression tag	UNP Q58018
E	-11	HIS	-	expression tag	UNP Q58018
E	-10	SER	-	expression tag	UNP Q58018
E	-9	SER	-	expression tag	UNP Q58018
E	-8	GLY	-	expression tag	UNP Q58018
E	-7	GLU	-	expression tag	UNP Q58018
E	-6	ASN	-	expression tag	UNP Q58018
E	-5	LEU	-	expression tag	UNP Q58018
E	-4	TYR	-	expression tag	UNP Q58018
E	-3	PHE	-	expression tag	UNP Q58018
E	-2	GLN	-	expression tag	UNP Q58018
E	-1	GLY	-	expression tag	UNP Q58018
E	0	HIS	-	expression tag	UNP Q58018
F	-22	MET	-	initiating methionine	UNP Q58018
F	-21	GLY	-	expression tag	UNP Q58018
F	-20	SER	-	expression tag	UNP Q58018
F	-19	ASP	-	expression tag	UNP Q58018
F	-18	LYS	-	expression tag	UNP Q58018
F	-17	ILE	-	expression tag	UNP Q58018
F	-16	HIS	-	expression tag	UNP Q58018
F	-15	HIS	-	expression tag	UNP Q58018
F	-14	HIS	-	expression tag	UNP Q58018
F	-13	HIS	-	expression tag	UNP Q58018
F	-12	HIS	-	expression tag	UNP Q58018
F	-11	HIS	-	expression tag	UNP Q58018
F	-10	SER	-	expression tag	UNP Q58018
F	-9	SER	-	expression tag	UNP Q58018
F	-8	GLY	-	expression tag	UNP Q58018
F	-7	GLU	-	expression tag	UNP Q58018
F	-6	ASN	-	expression tag	UNP Q58018
F	-5	LEU	-	expression tag	UNP Q58018
F	-4	TYR	-	expression tag	UNP Q58018
F	-3	PHE	-	expression tag	UNP Q58018
F	-2	GLN	-	expression tag	UNP Q58018
F	-1	GLY	-	expression tag	UNP Q58018
F	0	HIS	-	expression tag	UNP Q58018
G	-22	MET	-	initiating methionine	UNP Q58018

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	-21	GLY	-	expression tag	UNP Q58018
G	-20	SER	-	expression tag	UNP Q58018
G	-19	ASP	-	expression tag	UNP Q58018
G	-18	LYS	-	expression tag	UNP Q58018
G	-17	ILE	-	expression tag	UNP Q58018
G	-16	HIS	-	expression tag	UNP Q58018
G	-15	HIS	-	expression tag	UNP Q58018
G	-14	HIS	-	expression tag	UNP Q58018
G	-13	HIS	-	expression tag	UNP Q58018
G	-12	HIS	-	expression tag	UNP Q58018
G	-11	HIS	-	expression tag	UNP Q58018
G	-10	SER	-	expression tag	UNP Q58018
G	-9	SER	-	expression tag	UNP Q58018
G	-8	GLY	-	expression tag	UNP Q58018
G	-7	GLU	-	expression tag	UNP Q58018
G	-6	ASN	-	expression tag	UNP Q58018
G	-5	LEU	-	expression tag	UNP Q58018
G	-4	TYR	-	expression tag	UNP Q58018
G	-3	PHE	-	expression tag	UNP Q58018
G	-2	GLN	-	expression tag	UNP Q58018
G	-1	GLY	-	expression tag	UNP Q58018
G	0	HIS	-	expression tag	UNP Q58018
H	-22	MET	-	initiating methionine	UNP Q58018
H	-21	GLY	-	expression tag	UNP Q58018
H	-20	SER	-	expression tag	UNP Q58018
H	-19	ASP	-	expression tag	UNP Q58018
H	-18	LYS	-	expression tag	UNP Q58018
H	-17	ILE	-	expression tag	UNP Q58018
H	-16	HIS	-	expression tag	UNP Q58018
H	-15	HIS	-	expression tag	UNP Q58018
H	-14	HIS	-	expression tag	UNP Q58018
H	-13	HIS	-	expression tag	UNP Q58018
H	-12	HIS	-	expression tag	UNP Q58018
H	-11	HIS	-	expression tag	UNP Q58018
H	-10	SER	-	expression tag	UNP Q58018
H	-9	SER	-	expression tag	UNP Q58018
H	-8	GLY	-	expression tag	UNP Q58018
H	-7	GLU	-	expression tag	UNP Q58018
H	-6	ASN	-	expression tag	UNP Q58018
H	-5	LEU	-	expression tag	UNP Q58018
H	-4	TYR	-	expression tag	UNP Q58018
H	-3	PHE	-	expression tag	UNP Q58018


*Continued on next page...*



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-2	GLN	-	expression tag	UNP Q58018
H	-1	GLY	-	expression tag	UNP Q58018
H	0	HIS	-	expression tag	UNP Q58018


- Molecule 2 is [[(2R,3S,4R,5R)-5-(6-aminopurin-9-yl)-3,4-bis(oxidanyl)oxolan-2-yl]methoxy-oxidanyl-phosphoryl] [(2R,3R)-2,3,5-tris(oxidanyl)-4-oxidanylidene-pentyl] hydrogen phosphate (three-letter code: 48F) (formula: C<sub>15</sub>H<sub>23</sub>N<sub>5</sub>O<sub>14</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	B	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	C	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	D	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	E	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	F	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	G	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	H	1	Total	C	N	O	P	0	0
			36	15	5	14	2		

- Molecule 3 is 2-[N-CYCLOHEXYLAMINO]ETHANE SULFONIC ACID (three-letter code:

NHE) (formula: C<sub>8</sub>H<sub>17</sub>NO<sub>3</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
3	A	1	Total 13	8	1	3	1	0	0
3	C	1	Total 13	8	1	3	1	0	0
3	F	1	Total 13	8	1	3	1	0	0
3	G	1	Total 13	8	1	3	1	0	0
3	H	1	Total 13	8	1	3	1	0	0


- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	B	3	Total 3	3	0	0
4	C	2	Total 2	2	0	0
4	D	2	Total 2	2	0	0
4	E	1	Total 1	1	0	0
4	F	5	Total 5	5	0	0
4	G	8	Total 8	8	0	0

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain A: 




- Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain B: 





- Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain C: 




- Molecule 1: Putative ribose 1,5-bisphosphate isomerase


Chain D: 




ASN  
LYS  
GLU

● Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain E:  83% 5% 12%





● Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain F:  85% 6% 10%





● Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain G:  85% 5% 10%



● Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain H:  84% 6% 11%



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	180.76Å 180.76Å 73.33Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	40.00 – 2.71 39.14 – 2.71	Depositor EDS
% Data completeness (in resolution range)	99.0 (40.00-2.71) 99.1 (39.14-2.71)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.40 (at 2.73Å)	Xtrriage
Refinement program	REFMAC 5.8.0103	Depositor
R, $R_{free}$	0.177 , 0.203 0.180 , 0.202	Depositor DCC
$R_{free}$ test set	3646 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	55.6	Xtrriage
Anisotropy	0.071	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 26.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.016 for -h,-k,l 0.477 for h,-h-k,-l 0.017 for -k,-h,-l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	15644	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	55.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.93% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NHE, 48F

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.46	0/1954	0.65	1/2647 (0.0%)
1	B	0.51	0/1918	0.67	1/2600 (0.0%)
1	C	0.46	0/1917	0.63	0/2598
1	D	0.47	0/1917	0.64	0/2598
1	E	0.53	0/1925	0.66	1/2608 (0.0%)
1	F	0.48	0/1971	0.65	0/2670
1	G	0.49	0/1970	0.65	1/2670 (0.0%)
1	H	0.46	0/1938	0.65	1/2629 (0.0%)
All	All	0.48	0/15510	0.65	5/21020 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	240	ARG	NE-CZ-NH2	6.07	123.33	120.30
1	A	240	ARG	NE-CZ-NH2	5.98	123.29	120.30
1	E	240	ARG	NE-CZ-NH2	5.95	123.28	120.30
1	H	240	ARG	NE-CZ-NH2	5.77	123.18	120.30
1	G	240	ARG	NE-CZ-NH2	5.08	122.84	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1924	0	1946	36	0
1	B	1888	0	1905	41	0
1	C	1887	0	1907	39	0
1	D	1887	0	1907	40	0
1	E	1895	0	1918	14	0
1	F	1941	0	1958	22	0
1	G	1940	0	1956	23	0
1	H	1908	0	1915	18	0
2	A	36	0	0	1	0
2	B	36	0	0	0	0
2	C	36	0	0	0	0
2	D	36	0	0	0	0
2	E	36	0	0	0	0
2	F	36	0	0	0	0
2	G	36	0	0	0	0
2	H	36	0	0	0	0
3	A	13	0	16	0	0
3	C	13	0	17	0	0
3	F	13	0	16	0	0
3	G	13	0	16	0	0
3	H	13	0	16	0	0
4	B	3	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
4	E	1	0	0	0	0
4	F	5	0	0	0	0
4	G	8	0	0	2	0
All	All	15644	0	15493	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 155 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:28:PHE:CE1	1:B:28:PHE:HB2	1.08	1.61
1:A:28:PHE:CD2	1:B:28:PHE:CD1	1.91	1.56
1:C:28:PHE:CD2	1:D:28:PHE:CD1	1.96	1.53
1:A:28:PHE:CZ	1:B:28:PHE:HA	1.42	1.50
1:A:28:PHE:CZ	1:B:28:PHE:CA	1.97	1.44

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	258/290 (89%)	249 (96%)	9 (4%)	0	100	100
1	B	254/290 (88%)	246 (97%)	8 (3%)	0	100	100
1	C	253/290 (87%)	245 (97%)	8 (3%)	0	100	100
1	D	253/290 (87%)	245 (97%)	8 (3%)	0	100	100
1	E	254/290 (88%)	246 (97%)	8 (3%)	0	100	100
1	F	260/290 (90%)	251 (96%)	9 (4%)	0	100	100
1	G	260/290 (90%)	250 (96%)	10 (4%)	0	100	100
1	H	257/290 (89%)	248 (96%)	9 (4%)	0	100	100
All	All	2049/2320 (88%)	1980 (97%)	69 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	195/229 (85%)	194 (100%)	1 (0%)	88	95
1	B	190/229 (83%)	188 (99%)	2 (1%)	73	89
1	C	191/229 (83%)	189 (99%)	2 (1%)	76	90
1	D	191/229 (83%)	188 (98%)	3 (2%)	62	83
1	E	192/229 (84%)	191 (100%)	1 (0%)	88	95
1	F	197/229 (86%)	195 (99%)	2 (1%)	76	90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	197/229 (86%)	196 (100%)	1 (0%)	88	95
1	H	192/229 (84%)	191 (100%)	1 (0%)	88	95
All	All	1545/1832 (84%)	1532 (99%)	13 (1%)	81	92

5 of 13 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	155	SER
1	E	155	SER
1	H	155	SER
1	F	241	MET
1	G	155	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	236	HIS
1	G	236	HIS
1	H	236	HIS
1	H	6	ASN
1	D	236	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	48F	F	301	-	31,38,38	1.09	3 (9%)	31,57,57	1.30	4 (12%)
2	48F	H	301	-	31,38,38	1.03	1 (3%)	31,57,57	1.25	3 (9%)
3	NHE	H	302	-	13,13,13	2.86	2 (15%)	16,17,17	1.55	2 (12%)
3	NHE	C	302	-	13,13,13	2.31	2 (15%)	16,17,17	1.86	3 (18%)
3	NHE	A	302	-	13,13,13	2.86	2 (15%)	16,17,17	1.91	3 (18%)
2	48F	B	301	-	31,38,38	1.23	4 (12%)	31,57,57	1.24	4 (12%)
2	48F	D	301	-	31,38,38	1.07	2 (6%)	31,57,57	1.33	4 (12%)
3	NHE	F	302	-	13,13,13	2.84	2 (15%)	16,17,17	1.93	3 (18%)
3	NHE	G	302	-	13,13,13	2.99	2 (15%)	16,17,17	1.57	1 (6%)
2	48F	G	301	-	31,38,38	1.19	3 (9%)	31,57,57	1.33	5 (16%)
2	48F	C	301	-	31,38,38	1.09	4 (12%)	31,57,57	1.17	2 (6%)
2	48F	E	301	-	31,38,38	1.25	4 (12%)	31,57,57	1.30	4 (12%)
2	48F	A	301	-	31,38,38	1.09	3 (9%)	31,57,57	1.41	4 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	48F	F	301	-	-	6/28/48/48	0/3/3/3
2	48F	H	301	-	-	4/28/48/48	0/3/3/3
3	NHE	H	302	-	-	1/7/15/15	0/1/1/1
3	NHE	C	302	-	-	5/7/15/15	0/1/1/1
3	NHE	A	302	-	-	4/7/15/15	0/1/1/1
2	48F	B	301	-	-	7/28/48/48	0/3/3/3
2	48F	D	301	-	-	8/28/48/48	0/3/3/3
3	NHE	F	302	-	-	7/7/15/15	0/1/1/1
3	NHE	G	302	-	-	2/7/15/15	0/1/1/1
2	48F	G	301	-	-	5/28/48/48	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	48F	C	301	-	-	4/28/48/48	0/3/3/3
2	48F	E	301	-	-	12/28/48/48	0/3/3/3
2	48F	A	301	-	-	3/28/48/48	0/3/3/3

The worst 5 of 34 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	302	NHE	C2-S	-8.19	1.65	1.77
3	A	302	NHE	C2-S	-7.78	1.66	1.77
3	F	302	NHE	C2-S	-7.69	1.66	1.77
3	H	302	NHE	C2-S	-7.60	1.66	1.77
3	G	302	NHE	O1-S	6.72	1.64	1.45

The worst 5 of 42 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	302	NHE	C1-N-C1'	5.20	124.34	114.14
3	F	302	NHE	O1-S-C2	5.13	113.10	106.92
3	C	302	NHE	C1-N-C1'	4.88	123.72	114.14
3	A	302	NHE	C1-N-C1'	4.87	123.71	114.14
2	G	301	48F	N3-C2-N1	-4.43	121.76	128.68

There are no chirality outliers.

5 of 68 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	48F	O1D-C1D-C2D-O2D
2	B	301	48F	O1D-C1D-C2D-O2D
2	C	301	48F	O1D-C1D-C2D-O2D
2	D	301	48F	C5'-O5'-PA-O2A
2	D	301	48F	C5'-O5'-PA-O3A


There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	48F	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight  $> 250$  and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	260/290 (89%)	-0.12	1 (0%) 92 93	39, 55, 80, 121	0
1	B	256/290 (88%)	-0.19	0 100 100	37, 47, 70, 116	0
1	C	255/290 (87%)	-0.09	1 (0%) 92 93	40, 54, 80, 143	0
1	D	255/290 (87%)	-0.09	1 (0%) 92 93	37, 55, 81, 139	0
1	E	256/290 (88%)	-0.16	0 100 100	37, 47, 71, 114	0
1	F	262/290 (90%)	-0.17	0 100 100	37, 51, 72, 115	0
1	G	262/290 (90%)	-0.19	0 100 100	37, 50, 73, 115	0
1	H	259/290 (89%)	-0.11	1 (0%) 92 93	39, 55, 79, 120	0
All	All	2065/2320 (89%)	-0.14	4 (0%) 95 96	37, 52, 78, 143	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	28	PHE	2.7
1	A	7	ILE	2.2
1	H	28	PHE	2.1
1	D	28	PHE	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.



## 6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	NHE	C	302	13/13	0.87	0.26	108,115,122,131	0
3	NHE	H	302	13/13	0.88	0.33	89,94,111,112	0
3	NHE	A	302	13/13	0.89	0.30	94,99,116,119	0
3	NHE	G	302	13/13	0.95	0.24	64,75,83,87	0
2	48F	B	301	36/36	0.95	0.20	50,63,88,101	0
3	NHE	F	302	13/13	0.96	0.24	69,72,81,83	0
2	48F	E	301	36/36	0.96	0.19	49,64,89,106	0
2	48F	H	301	36/36	0.96	0.17	52,61,80,81	0
2	48F	D	301	36/36	0.97	0.14	56,68,79,87	0
2	48F	A	301	36/36	0.97	0.16	47,61,78,81	0
2	48F	F	301	36/36	0.97	0.16	45,58,78,96	0
2	48F	G	301	36/36	0.97	0.16	44,57,75,91	0
2	48F	C	301	36/36	0.97	0.14	56,68,79,84	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around 48F B 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 48F E 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 48F H 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 48F D 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 48F A 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 48F F 301:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around 48F G 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 48F C 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.