



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 2, 2024 – 09:57 pm GMT

PDB ID : 4Y69
Title : Yeast 20S proteasome in complex with Ac-PAD-ep
Authors : Huber, E.M.; Groll, M.
Deposited on : 2015-02-12
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	 4% 98%
1	O	250	 2% 98%
2	B	258	 4% 86% 9% 5%
2	P	258	 3% 87% 7% 5%
3	C	254	 5% 86% 7% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	6% 87% 7% • 6%
4	D	260	2% 85% • • 10%
4	R	260	2% 85% 5% 10%
5	E	234	3% 91% 8% •
5	S	234	4% 91% 8% •
6	F	288	2% 81% • 16%
6	T	288	2% 81% • 16%
7	G	252	% 89% 6% •
7	U	252	% 89% 6% •
8	H	232	3% 90% 5% • •
8	V	232	3% 90% 7% •
9	I	205	93% 6%
9	W	205	% 93% 7%
10	J	198	2% 92% 7% •
10	X	198	% 92% 7% •
11	K	212	92% 7% •
11	Y	212	92% 7% •
12	L	222	97% •
12	Z	222	% 98% •
13	M	246	90% • • 5%
13	a	246	92% • 5%
14	N	196	% 95% 5% •
14	b	196	% 97% •
15	c	4	50% 50%
15	d	4	50% 50%

2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 49849 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	Total 1915	C 1219	N 315	O 377	S 4	0	0	0
1	O	250	Total 1915	C 1219	N 315	O 377	S 4	0	0	0

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	Total 1904	C 1201	N 321	O 379	S 3	0	0	0
2	P	244	Total 1904	C 1201	N 321	O 379	S 3	0	0	0

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	Total 1881	C 1176	N 329	O 372	S 4	0	0	0
3	Q	240	Total 1881	C 1176	N 329	O 372	S 4	0	0	0

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	Total 1813	C 1136	N 304	O 366	S 7	0	0	0
4	R	235	Total 1813	C 1136	N 304	O 366	S 7	0	0	0

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	231	Total 1773	C 1114	N 307	O 348	S 4	0	0	0
5	S	231	Total 1773	C 1114	N 307	O 348	S 4	0	0	0

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	243	Total 1892	C 1203	N 329	O 356	S 4	0	0	0
6	T	243	Total 1892	C 1203	N 329	O 356	S 4	0	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	241	Total 1907	C 1214	N 320	O 365	S 8	0	0	0
7	U	241	Total 1907	C 1214	N 320	O 365	S 8	0	0	0

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	226	Total 1726	C 1087	N 300	O 332	S 7	0	1	0
8	V	226	Total 1719	C 1082	N 298	O 332	S 7	0	0	0

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	204	Total 1581	C 1010	N 258	O 305	S 8	0	0	0
9	W	204	Total 1581	C 1010	N 258	O 305	S 8	0	0	0

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	195	Total 1561	C 992	N 264	O 299	S 6	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			
11	Y	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			

- Molecule 15 is a protein called Ac-PAD-ep.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	c	4	Total	C	N	O	0	0	0
			27	17	3	7			
15	d	4	Total	C	N	O	0	0	0
			27	17	3	7			

- Molecule 16 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total 1	Mg 1	0	0
16	I	2	Total 2	Mg 2	0	0
16	K	1	Total 1	Mg 1	0	0
16	L	1	Total 1	Mg 1	0	0
16	N	1	Total 1	Mg 1	0	0
16	Z	1	Total 1	Mg 1	0	0

- Molecule 17 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	G	1	Total 1	Cl 1	0	0
17	U	1	Total 1	Cl 1	0	0

- Molecule 18 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	A	13	Total 13	O 13	0	0
18	B	9	Total 9	O 9	0	0
18	C	20	Total 20	O 20	0	0
18	D	9	Total 9	O 9	0	0
18	E	6	Total 6	O 6	0	0
18	F	15	Total 15	O 15	0	0
18	G	24	Total 24	O 24	0	0
18	H	20	Total 20	O 20	0	0
18	I	16	Total 16	O 16	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
18	J	20	Total O 20 20	0	0
18	K	9	Total O 9 9	0	0
18	L	20	Total O 20 20	0	0
18	M	20	Total O 20 20	0	0
18	N	18	Total O 18 18	0	0
18	O	5	Total O 5 5	0	0
18	P	13	Total O 13 13	0	0
18	Q	11	Total O 11 11	0	0
18	R	16	Total O 16 16	0	0
18	S	6	Total O 6 6	0	0
18	T	15	Total O 15 15	0	0
18	U	19	Total O 19 19	0	0
18	V	14	Total O 14 14	0	0
18	W	9	Total O 9 9	0	0
18	X	18	Total O 18 18	0	0
18	Y	22	Total O 22 22	0	0
18	Z	14	Total O 14 14	0	0
18	a	18	Total O 18 18	0	0
18	b	11	Total O 11 11	0	0
18	c	2	Total O 2 2	0	0
18	d	1	Total O 1 1	0	0

3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Proteasome subunit alpha type-2





- Molecule 1: Proteasome subunit alpha type-2





- Molecule 2: Proteasome subunit alpha type-3



- Molecule 2: Proteasome subunit alpha type-3




- Molecule 3: Proteasome subunit alpha type-4




GLU
GLN
ASP
LYS
LYS
LYS
SER
ASN
HIS

• Molecule 3: Proteasome subunit alpha type-4




LYS
LYS
LYS
SER
ASN
HIS

• Molecule 4: Proteasome subunit alpha type-5




• Molecule 4: Proteasome subunit alpha type-5




• Molecule 5: Proteasome subunit alpha type-6



• Molecule 5: Proteasome subunit alpha type-6




• Molecule 6: Probable proteasome subunit alpha type-7



ASN
ALA
THR
THR
THR
ASP
GLY
GLY
GLN
GLY
GLY
ASP
ASP
GLN
ILE
HIS
LEU
LEU
GLU


- Molecule 6: Probable proteasome subunit alpha type-7



MET
THR
THR
SER
ILE
GLY
T2
Q19
Q117
N123
K139
L172
H178
E181
E201
D202
D207
W214
C215
D230
Q240
K241
E242
I243
N244
GLY
ASP
ASP
ASP
GLU
GLU
ASP
GLU
ASP
ASP
SER
SER
ASP
ASN
ASN
VAL
MET
SER
SER
SER
ASP
ASP
GLU
ASN
ALA
PRO
VAL
VAL
ALA


THR
ASN
ALA
ASN
ALA
THR
THR
ASP
GLN
GLY
GLY
ASP
ILE
HIS
LEU
GLU

- Molecule 7: Proteasome subunit alpha type-1




MET
SER
GLY
ALA
ALA
ALA
ALA
SER
SER
ALA
ALA
G2
Y3
F23
T26
R68
N75
I78
P79
N83
L115
S116
Q117
R122
M125
D149
P150
K179
E208
R235
L236
Q242
ASP

- Molecule 7: Proteasome subunit alpha type-1




MET
SER
GLY
ALA
ALA
ALA
ALA
SER
SER
ALA
ALA
G2
P12
F23
T26
N75
I78
P79
N83
L115
S116
Q117
R122
M125
D149
P150
K181
E208
D222
R235
L236
Q242
ASP

- Molecule 8: Proteasome subunit beta type-2



T1
N30
H35
A50
E53
A54
V55
T56
Q57
L68
K64
Y97
D104
P105
H114
A115
H116
G117
S118
T119
D120
R196
E197
E198
C221
D222
I223
Q224
E225
E226
GLN
VAL
ASP
ASP
ILE
THR
ALA

- Molecule 8: Proteasome subunit beta type-2




T1
N30
H35
E53
A54
V55
T56
Q57
L68
K64
D104
P105
S112
I113
T119
D120
E139
D145
R196
V218
C221
D222
I223
Q224
E225
E226
GLN
VAL
ASP
ASP
ILE
THR
ALA

- Molecule 9: Proteasome subunit beta type-3




MET
S1
G9
I10
V20
S36
N37
K41
R98
P118
I126
E131
A141
E150
L171
D204


- Molecule 9: Proteasome subunit beta type-3




- Molecule 10: Proteasome subunit beta type-4



- Molecule 10: Proteasome subunit beta type-4



- Molecule 11: Proteasome subunit beta type-5



- Molecule 11: Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6



- Molecule 12: Proteasome subunit beta type-6




- Molecule 13: Proteasome subunit beta type-7

Chain M:  90% . . 5%





• Molecule 13: Proteasome subunit beta type-7

Chain a:  92% . 5%




• Molecule 14: Proteasome subunit beta type-1

Chain N:  95% 5% .



• Molecule 14: Proteasome subunit beta type-1

Chain b:  97% .



• Molecule 15: Ac-PAD-ep

Chain c:  50% 50%



• Molecule 15: Ac-PAD-ep

Chain d:  50% 50%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	136.68Å 301.26Å 145.94Å 90.00° 113.23° 90.00°	Depositor
Resolution (Å)	15.00 – 2.90 15.00 – 2.90	Depositor EDS
% Data completeness (in resolution range)	94.2 (15.00-2.90) 94.3 (15.00-2.90)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.42 (at 2.91Å)	Xtrriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.195 , 0.217 0.201 , 0.221	Depositor DCC
R_{free} test set	11173 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	52.6	Xtrriage
Anisotropy	0.097	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 36.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	49849	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ASJ, POL, MG, N7P, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/1952	0.46	0/2642
1	O	0.27	0/1952	0.46	0/2642
2	B	0.28	0/1934	0.50	0/2618
2	P	0.28	0/1934	0.50	0/2618
3	C	0.28	0/1910	0.51	0/2586
3	Q	0.27	0/1910	0.50	0/2586
4	D	0.27	0/1837	0.48	0/2475
4	R	0.27	0/1837	0.48	0/2475
5	E	0.27	0/1800	0.47	0/2433
5	S	0.27	0/1800	0.47	0/2433
6	F	0.27	0/1932	0.45	0/2609
6	T	0.27	0/1932	0.45	0/2609
7	G	0.27	0/1945	0.47	0/2634
7	U	0.28	0/1945	0.47	0/2634
8	H	0.50	2/1761 (0.1%)	0.65	6/2388 (0.3%)
8	V	0.29	0/1750	0.48	0/2373
9	I	0.30	0/1611	0.49	0/2174
9	W	0.29	0/1611	0.49	0/2174
10	J	0.27	0/1589	0.48	0/2142
10	X	0.27	0/1589	0.48	0/2142
11	K	0.27	0/1681	0.51	0/2274
11	Y	0.28	0/1681	0.51	0/2274
12	L	0.30	0/1795	0.49	0/2420
12	Z	0.28	0/1795	0.48	0/2420
13	M	0.28	0/1855	0.51	0/2514
13	a	0.29	0/1855	0.51	0/2514
14	N	0.35	0/1541	0.51	0/2087
14	b	0.29	0/1541	0.49	0/2087
15	c	1.18	0/4	1.01	0/4
15	d	1.46	0/4	2.02	0/4
All	All	0.29	2/50283 (0.0%)	0.49	6/67985 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	H	114[A]	HIS	CA-C	9.90	1.78	1.52
8	H	114[B]	HIS	CA-C	9.90	1.78	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	H	114[A]	HIS	CA-C-O	10.04	141.18	120.10
8	H	114[B]	HIS	CA-C-O	10.04	141.18	120.10
8	H	114[A]	HIS	CA-C-N	-7.85	99.94	117.20
8	H	114[B]	HIS	CA-C-N	-7.85	99.94	117.20
8	H	114[A]	HIS	CB-CA-C	-5.86	98.68	110.40
8	H	114[B]	HIS	CB-CA-C	-5.86	98.68	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	1	0
1	O	1915	0	1929	2	0
2	B	1904	0	1904	13	0
2	P	1904	0	1904	9	0
3	C	1881	0	1895	10	0
3	Q	1881	0	1895	6	0
4	D	1813	0	1797	4	0
4	R	1813	0	1797	4	0
5	E	1773	0	1775	6	0
5	S	1773	0	1775	5	0
6	F	1892	0	1883	1	0
6	T	1892	0	1883	2	0
7	G	1907	0	1901	4	0
7	U	1907	0	1901	4	0
8	H	1726	0	1726	19	0
8	V	1719	0	1719	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	I	1581	0	1574	7	0
9	W	1581	0	1574	7	0
10	J	1561	0	1569	6	0
10	X	1561	0	1569	6	0
11	K	1644	0	1595	6	0
11	Y	1644	0	1595	6	0
12	L	1757	0	1711	0	0
12	Z	1757	0	1711	0	0
13	M	1824	0	1832	6	0
13	a	1824	0	1832	0	0
14	N	1512	0	1479	5	0
14	b	1512	0	1478	0	0
15	c	27	0	14	0	0
15	d	27	0	14	0	0
16	G	1	0	0	0	0
16	I	2	0	0	0	0
16	K	1	0	0	0	0
16	L	1	0	0	0	0
16	N	1	0	0	0	0
16	Z	1	0	0	0	0
17	G	1	0	0	0	0
17	U	1	0	0	0	0
18	A	13	0	0	0	0
18	B	9	0	0	0	0
18	C	20	0	0	0	0
18	D	9	0	0	0	0
18	E	6	0	0	0	0
18	F	15	0	0	0	0
18	G	24	0	0	0	0
18	H	20	0	0	1	0
18	I	16	0	0	0	0
18	J	20	0	0	0	0
18	K	9	0	0	0	0
18	L	20	0	0	0	0
18	M	20	0	0	1	0
18	N	18	0	0	0	0
18	O	5	0	0	0	0
18	P	13	0	0	1	0
18	Q	11	0	0	0	0
18	R	16	0	0	0	0
18	S	6	0	0	0	0
18	T	15	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
18	U	19	0	0	0	0
18	V	14	0	0	0	0
18	W	9	0	0	0	0
18	X	18	0	0	0	0
18	Y	22	0	0	0	0
18	Z	14	0	0	0	0
18	a	18	0	0	0	0
18	b	11	0	0	0	0
18	c	2	0	0	0	0
18	d	1	0	0	0	0
All	All	49849	0	49160	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:H:118:SER:OG	18:H:301:HOH:O	1.87	0.91
8:H:114[A]:HIS:CA	8:H:115:ALA:N	2.38	0.86
8:H:53:GLU:OE1	8:H:57:GLN:NE2	2.24	0.69
8:H:53:GLU:O	8:H:57:GLN:HG3	1.94	0.68
8:V:53:GLU:O	8:V:57:GLN:HG3	1.94	0.68
8:V:53:GLU:OE2	8:V:57:GLN:NE2	2.31	0.64
2:P:93:HIS:HB3	18:P:301:HOH:O	1.98	0.62
7:G:68:ARG:HH12	14:N:36:ARG:HH22	1.51	0.58
8:H:120:ASP:N	8:H:120:ASP:OD1	2.37	0.58
8:H:97:TYR:HE2	8:H:114[B]:HIS:CE1	2.27	0.52
3:C:201:VAL:O	3:C:202:GLN:CB	2.57	0.51
10:J:21:VAL:HG11	11:K:122:LEU:HD11	1.92	0.51
7:G:23:PHE:O	7:G:26:THR:HB	2.11	0.51
8:V:35:HIS:CE1	8:V:53:GLU:HG2	2.46	0.51
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.58	0.51
11:Y:20:ALA:HB2	11:Y:31:VAL:HG21	1.93	0.51
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.76	0.51
2:B:221:ASP:O	2:B:223:GLU:N	2.45	0.50
10:X:21:VAL:HG11	11:Y:122:LEU:HD11	1.94	0.50
2:P:221:ASP:O	2:P:223:GLU:N	2.45	0.50
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.11	0.50
11:K:20:ALA:HB2	11:K:31:VAL:HG21	1.94	0.49
3:C:51:LYS:O	3:C:52:LEU:HB2	2.11	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:S:12:PHE:H	6:T:19:GLN:HE22	1.60	0.49
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.94	0.49
5:E:12:PHE:H	6:F:19:GLN:HE22	1.60	0.48
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.49	0.48
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.77	0.48
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.95	0.48
11:K:53:GLN:O	11:K:57:THR:HG23	2.13	0.47
7:U:23:PHE:O	7:U:26:THR:HB	2.14	0.47
14:N:36:ARG:HG3	14:N:42:TRP:CE2	2.49	0.47
2:P:217:LYS:C	2:P:219:ALA:H	2.18	0.47
11:Y:53:GLN:O	11:Y:57:THR:HG23	2.15	0.47
8:V:113:ILE:HG13	8:V:119:THR:HG22	1.96	0.47
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.97	0.47
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.97	0.47
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.97	0.47
2:B:217:LYS:C	2:B:219:ALA:H	2.18	0.46
13:M:27:LEU:HD21	13:M:34:LEU:HD22	1.98	0.46
8:H:97:TYR:HE2	8:H:114[B]:HIS:NE2	2.13	0.46
9:I:36:SER:HB2	10:J:126:VAL:HG11	1.97	0.46
4:R:159:TYR:CE2	5:S:56:SER:HB3	2.51	0.46
2:B:146:GLN:HG2	3:C:57:ILE:HG21	1.96	0.46
2:B:3:ARG:HB3	5:E:122:TYR:OH	2.15	0.46
8:H:35:HIS:CE1	8:H:53:GLU:HG2	2.51	0.46
13:M:2:GLN:NE2	18:M:301:HOH:O	2.49	0.46
8:V:35:HIS:HB3	8:V:56:THR:HG21	1.98	0.45
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.80	0.45
2:P:124:HIS:HB3	3:Q:124:VAL:HG12	1.99	0.45
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.98	0.45
8:V:112:SER:OG	8:V:120:ASP:OD1	2.18	0.45
8:V:113:ILE:CG1	8:V:119:THR:HG22	2.46	0.45
2:B:47:ALA:HB1	2:B:64:LYS:HD2	1.99	0.45
13:M:35:ARG:HD3	13:M:36:PHE:CZ	2.52	0.45
2:P:47:ALA:HB1	2:P:64:LYS:HD2	1.99	0.45
2:B:12:PHE:H	3:C:17:GLN:HE22	1.65	0.44
8:H:50:ALA:CB	9:I:126:ILE:HG23	2.47	0.44
8:H:35:HIS:HB3	8:H:56:THR:HG21	1.98	0.44
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.48	0.44
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.98	0.44
11:Y:107:LYS:HG3	11:Y:108:GLU:HG3	2.00	0.44
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.99	0.43
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.99	0.43
11:K:107:LYS:HG3	11:K:108:GLU:HG3	2.00	0.43
3:C:35:LYS:HG2	3:C:158:SER:O	2.18	0.43
13:M:35:ARG:NH1	14:N:114:PRO:HB3	2.34	0.43
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.18	0.43
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.99	0.43
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.49	0.43
4:R:91:HIS:CD2	4:R:99:ILE:HG22	2.54	0.43
1:A:122:THR:HG22	2:B:128:ARG:HH21	1.84	0.42
2:B:50:LYS:HD3	2:B:50:LYS:HA	1.91	0.42
2:B:124:HIS:HB3	3:C:124:VAL:HG12	2.02	0.42
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.02	0.42
5:S:87:LEU:HD21	5:S:107:ALA:HB1	2.00	0.42
9:W:98:ARG:O	9:W:126:ILE:HD11	2.20	0.42
4:D:176:LEU:HD22	5:E:55:LEU:CD2	2.50	0.42
5:E:87:LEU:HD21	5:E:107:ALA:HB1	2.00	0.42
11:K:38:ASN:HB2	11:K:39:PRO:CD	2.50	0.42
8:V:218:VAL:CG2	9:W:196:LYS:HB2	2.50	0.42
8:H:196:ARG:NH2	9:I:150:GLU:HG3	2.35	0.42
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.02	0.42
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.02	0.42
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.55	0.42
11:K:145:LYS:HB2	11:K:148:LEU:HD13	2.02	0.41
4:D:91:HIS:CD2	4:D:99:ILE:HG22	2.55	0.41
11:Y:38:ASN:HB2	11:Y:39:PRO:CD	2.50	0.41
11:Y:145:LYS:HB2	11:Y:148:LEU:HD13	2.01	0.41
2:B:14:PRO:HA	3:C:20:TYR:CD1	2.55	0.41
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.55	0.41
5:E:175:LEU:HA	5:E:178:PHE:CE2	2.56	0.41
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.50	0.41
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.51	0.41
8:V:35:HIS:CB	8:V:56:THR:HG21	2.51	0.41
2:B:14:PRO:HA	3:C:20:TYR:CE1	2.56	0.41
5:E:77:ALA:N	5:E:78:PRO:CD	2.84	0.41
9:I:98:ARG:O	9:I:126:ILE:HD11	2.20	0.41
5:S:175:LEU:HA	5:S:178:PHE:CE2	2.55	0.41
7:U:78:ILE:N	7:U:79:PRO:CD	2.84	0.41
9:W:20:VAL:HG13	9:W:118:PRO:HB3	2.02	0.41
6:T:117:GLN:NE2	18:T:301:HOH:O	2.54	0.41
8:H:97:TYR:CE2	8:H:114[B]:HIS:CE1	3.07	0.41
13:M:35:ARG:HH12	14:N:114:PRO:HB3	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:P:50:LYS:O	2:P:51:VAL:C	2.59	0.41
2:P:151:ASN:HB2	2:P:152:PRO:HD2	2.03	0.41
5:S:77:ALA:N	5:S:78:PRO:CD	2.84	0.41
7:G:78:ILE:N	7:G:79:PRO:CD	2.84	0.41
13:M:187:ARG:NH1	8:V:139:GLU:OE1	2.53	0.41
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.52	0.40
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.51	0.40
10:X:1:MET:HB3	10:X:34:LYS:HE3	2.04	0.40
2:B:151:ASN:HB2	2:B:152:PRO:HD2	2.03	0.40
10:J:25:ILE:O	10:X:139:TYR:OH	2.39	0.40
9:W:101:PRO:HB3	9:W:126:ILE:HD12	2.04	0.40
10:J:1:MET:HB3	10:J:34:LYS:HE3	2.03	0.40
9:W:36:SER:HB2	10:X:126:VAL:HG11	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	238 (96%)	9 (4%)	1 (0%)	34	66
1	O	248/250 (99%)	238 (96%)	9 (4%)	1 (0%)	34	66
2	B	242/258 (94%)	233 (96%)	5 (2%)	4 (2%)	9	31
2	P	242/258 (94%)	233 (96%)	5 (2%)	4 (2%)	9	31
3	C	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	19	51
3	Q	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	19	51
4	D	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
4	R	231/260 (89%)	228 (99%)	3 (1%)	0	100	100
5	E	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
5	S	229/234 (98%)	223 (97%)	6 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	F	241/288 (84%)	236 (98%)	5 (2%)	0	100	100
6	T	241/288 (84%)	237 (98%)	4 (2%)	0	100	100
7	G	239/252 (95%)	239 (100%)	0	0	100	100
7	U	239/252 (95%)	239 (100%)	0	0	100	100
8	H	225/232 (97%)	218 (97%)	6 (3%)	1 (0%)	34	66
8	V	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	189 (98%)	3 (2%)	1 (0%)	29	61
10	X	193/198 (98%)	189 (98%)	3 (2%)	1 (0%)	29	61
11	K	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
11	Y	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
12	Z	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
13	M	231/246 (94%)	224 (97%)	6 (3%)	1 (0%)	34	66
13	a	231/246 (94%)	224 (97%)	6 (3%)	1 (0%)	34	66
14	N	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
14	b	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
15	c	1/4 (25%)	1 (100%)	0	0	100	100
15	d	1/4 (25%)	1 (100%)	0	0	100	100
All	All	6287/6622 (95%)	6133 (98%)	135 (2%)	19 (0%)	41	71

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
2	B	222	GLY
3	C	202	GLN
2	P	51	VAL
2	P	222	GLY
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY
8	H	115	ALA
1	O	2	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	P	218	GLY
3	C	205	ALA
3	Q	205	ALA
2	B	220	ASN
2	P	220	ASN
10	J	24	GLY
10	X	24	GLY
13	M	229	GLY
13	a	229	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	209/209 (100%)	206 (99%)	3 (1%)	67 89
1	O	209/209 (100%)	206 (99%)	3 (1%)	67 89
2	B	203/216 (94%)	198 (98%)	5 (2%)	47 78
2	P	203/216 (94%)	198 (98%)	5 (2%)	47 78
3	C	212/226 (94%)	202 (95%)	10 (5%)	26 59
3	Q	212/226 (94%)	201 (95%)	11 (5%)	23 55
4	D	194/215 (90%)	184 (95%)	10 (5%)	23 55
4	R	194/215 (90%)	184 (95%)	10 (5%)	23 55
5	E	190/193 (98%)	179 (94%)	11 (6%)	20 50
5	S	190/193 (98%)	179 (94%)	11 (6%)	20 50
6	F	201/239 (84%)	191 (95%)	10 (5%)	24 57
6	T	201/239 (84%)	191 (95%)	10 (5%)	24 57
7	G	206/210 (98%)	196 (95%)	10 (5%)	25 57
7	U	206/210 (98%)	196 (95%)	10 (5%)	25 57
8	H	186/190 (98%)	179 (96%)	7 (4%)	33 67
8	V	185/190 (97%)	179 (97%)	6 (3%)	39 73
9	I	172/173 (99%)	169 (98%)	3 (2%)	60 86

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	W	172/173 (99%)	169 (98%)	3 (2%)	60	86
10	J	173/175 (99%)	168 (97%)	5 (3%)	42	76
10	X	173/175 (99%)	168 (97%)	5 (3%)	42	76
11	K	169/169 (100%)	161 (95%)	8 (5%)	26	59
11	Y	169/169 (100%)	161 (95%)	8 (5%)	26	59
12	L	185/185 (100%)	179 (97%)	6 (3%)	39	73
12	Z	185/185 (100%)	180 (97%)	5 (3%)	44	77
13	M	199/208 (96%)	193 (97%)	6 (3%)	41	75
13	a	199/208 (96%)	193 (97%)	6 (3%)	41	75
14	N	162/162 (100%)	156 (96%)	6 (4%)	34	68
14	b	162/162 (100%)	157 (97%)	5 (3%)	40	74
All	All	5321/5540 (96%)	5123 (96%)	198 (4%)	34	68

All (198) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	50	LYS
2	B	79	LEU
2	B	113	ARG
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	51	LEU
4	D	99	ILE
4	D	125	LEU
4	D	143	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	55	LEU
5	E	71	LEU
5	E	99	ASN
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
5	E	207	VAL
5	E	208	ASP
5	E	231	LYS
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	172	LEU
6	F	181	GLU
6	F	201	GLU
6	F	202	ASP
6	F	207	ASP
6	F	214	TRP
6	F	240	GLN
7	G	26	THR
7	G	75	ASN
7	G	83	ASN
7	G	115	LEU
7	G	117	GLN
7	G	122	ARG
7	G	125	MET
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	53	GLU
8	H	55	VAL
8	H	68	LEU
8	H	118	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	H	120	ASP
8	H	196	ARG
9	I	37	ASN
9	I	131	GLU
9	I	171	LEU
10	J	3	ILE
10	J	23	ARG
10	J	35	THR
10	J	90	LYS
10	J	99	GLN
11	K	4	LEU
11	K	9	GLN
11	K	35	ILE
11	K	104	TYR
11	K	107	LYS
11	K	128	CYS
11	K	140	LEU
11	K	148	LEU
12	L	3	ASN
12	L	23	LEU
12	L	31	THR
12	L	49	ASN
12	L	136	CYS
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
14	N	22	THR
14	N	39	ASP
14	N	83	LYS
14	N	104	ASP
14	N	107	LYS
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	50	LYS
2	P	79	LEU
2	P	113	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	50	LEU
3	Q	51	LYS
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	51	LEU
4	R	99	ILE
4	R	125	LEU
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	55	LEU
5	S	71	LEU
5	S	99	ASN
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
5	S	207	VAL
5	S	208	ASP
5	S	231	LYS
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	172	LEU
6	T	181	GLU
6	T	201	GLU
6	T	202	ASP
6	T	207	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	T	214	TRP
6	T	240	GLN
7	U	26	THR
7	U	75	ASN
7	U	83	ASN
7	U	115	LEU
7	U	117	GLN
7	U	122	ARG
7	U	125	MET
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN
8	V	55	VAL
8	V	68	LEU
8	V	84	LYS
8	V	113	ILE
8	V	196	ARG
9	W	37	ASN
9	W	131	GLU
9	W	171	LEU
10	X	3	ILE
10	X	23	ARG
10	X	35	THR
10	X	90	LYS
10	X	99	GLN
11	Y	4	LEU
11	Y	9	GLN
11	Y	35	ILE
11	Y	104	TYR
11	Y	107	LYS
11	Y	128	CYS
11	Y	140	LEU
11	Y	148	LEU
12	Z	3	ASN
12	Z	23	LEU
12	Z	31	THR
12	Z	136	CYS
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	39	ASP
14	b	83	LYS
14	b	104	ASP
14	b	107	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (103) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
3	C	17	GLN
3	C	38	ASN
3	C	77	ASN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	91	HIS
4	D	100	ASN
4	D	146	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	191	GLN
6	F	240	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
7	G	167	GLN
8	H	35	HIS
8	H	66	HIS
8	H	165	ASN
9	I	37	ASN
10	J	55	GLN
10	J	146	HIS
11	K	85	ASN
11	K	176	ASN
11	K	208	ASN
12	L	3	ASN
12	L	49	ASN
12	L	70	ASN
13	M	48	ASN
13	M	102	GLN
13	M	179	ASN
13	M	194	ASN
13	M	213	GLN
1	O	94	HIS
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	100	ASN
4	R	146	GLN
4	R	210	GLN
4	R	225	ASN
5	S	68	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	120	GLN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
6	T	240	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
7	U	167	GLN
8	V	66	HIS
9	W	37	ASN
10	X	55	GLN
10	X	146	HIS
11	Y	85	ASN
11	Y	176	ASN
11	Y	208	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	70	ASN
12	Z	158	ASN
13	a	48	ASN
13	a	102	GLN
13	a	179	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	ASJ	c	3	15,14	7,7,7	1.99	2 (28%)	5,8,8	1.08	0
15	N7P	c	1	15	9,10,11	2.24	2 (22%)	9,13,15	2.11	3 (33%)
15	ASJ	d	3	15,14	7,7,7	1.76	2 (28%)	5,8,8	1.45	0
15	N7P	d	1	15	9,10,11	2.26	4 (44%)	9,13,15	2.03	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	ASJ	c	3	15,14	-	2/6/6/6	-
15	N7P	c	1	15	-	0/4/16/18	0/1/1/1
15	ASJ	d	3	15,14	-	0/6/6/6	-
15	N7P	d	1	15	-	0/4/16/18	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	c	1	N7P	CA-N	-5.56	1.43	1.48
15	d	1	N7P	CA-N	-4.23	1.44	1.48
15	c	3	ASJ	C-CA	3.91	1.58	1.52
15	d	3	ASJ	C-CA	3.15	1.57	1.52
15	c	3	ASJ	OD1-CG	-2.96	1.20	1.30
15	d	1	N7P	CB-CA	-2.95	1.46	1.53
15	d	3	ASJ	OD1-CG	-2.83	1.21	1.30
15	d	1	N7P	CG-CD	-2.40	1.43	1.51
15	d	1	N7P	CD-N	-2.33	1.43	1.47
15	c	1	N7P	CG-CD	-2.11	1.44	1.51

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	c	1	N7P	O1-C1-N	4.70	125.76	120.64
15	d	1	N7P	CB-CA-C	-3.78	107.50	112.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	d	1	N7P	O1-C1-N	3.33	124.27	120.64
15	c	1	N7P	C2-C1-N	-2.32	115.44	117.87
15	c	1	N7P	CB-CG-CD	-2.16	98.86	104.98

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
15	c	3	ASJ	O-C-CA-CB
15	c	3	ASJ	O-C-CA-N

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 9 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.34	9 (3%) 42 37	31, 45, 81, 118	0
1	O	250/250 (100%)	-0.25	4 (1%) 72 71	36, 55, 98, 126	0
2	B	244/258 (94%)	-0.21	11 (4%) 33 29	32, 53, 99, 143	0
2	P	244/258 (94%)	-0.14	9 (3%) 41 37	41, 59, 104, 146	0
3	C	240/254 (94%)	-0.10	12 (5%) 28 25	33, 58, 121, 145	0
3	Q	240/254 (94%)	0.13	16 (6%) 17 13	41, 69, 146, 168	0
4	D	235/260 (90%)	-0.23	5 (2%) 63 61	41, 63, 98, 142	0
4	R	235/260 (90%)	-0.11	4 (1%) 70 69	46, 67, 106, 141	0
5	E	231/234 (98%)	-0.13	6 (2%) 56 52	42, 64, 101, 144	0
5	S	231/234 (98%)	-0.04	10 (4%) 35 31	42, 68, 115, 158	0
6	F	243/288 (84%)	-0.28	6 (2%) 57 55	36, 53, 104, 132	0
6	T	243/288 (84%)	-0.15	7 (2%) 51 47	37, 64, 117, 149	0
7	G	241/252 (95%)	-0.39	2 (0%) 86 86	28, 48, 82, 129	0
7	U	241/252 (95%)	-0.33	3 (1%) 79 79	35, 52, 86, 130	0
8	H	226/232 (97%)	-0.31	7 (3%) 49 44	26, 44, 79, 138	0
8	V	226/232 (97%)	-0.27	7 (3%) 49 44	33, 48, 82, 161	0
9	I	204/205 (99%)	-0.59	1 (0%) 91 91	30, 42, 71, 97	0
9	W	204/205 (99%)	-0.55	2 (0%) 82 82	32, 46, 77, 103	0
10	J	195/198 (98%)	-0.46	3 (1%) 73 73	31, 48, 72, 123	0
10	X	195/198 (98%)	-0.39	2 (1%) 82 82	33, 49, 73, 135	0
11	K	212/212 (100%)	-0.44	0 100 100	29, 48, 71, 93	0
11	Y	212/212 (100%)	-0.51	0 100 100	32, 47, 72, 94	0
12	L	222/222 (100%)	-0.45	1 (0%) 91 91	32, 49, 83, 116	0
12	Z	222/222 (100%)	-0.44	2 (0%) 84 84	30, 47, 76, 110	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.54	1 (0%) 92 93	28, 45, 68, 88	0
13	a	233/246 (94%)	-0.45	1 (0%) 92 93	28, 44, 66, 84	0
14	N	196/196 (100%)	-0.56	1 (0%) 91 91	27, 39, 68, 95	0
14	b	196/196 (100%)	-0.55	2 (1%) 82 82	28, 41, 69, 104	0
15	c	1/4 (25%)	-0.14	0 100 100	53, 53, 53, 53	0
15	d	1/4 (25%)	-0.48	0 100 100	50, 50, 50, 50	0
All	All	6346/6622 (95%)	-0.32	134 (2%) 63 61	26, 52, 98, 168	0

All (134) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Q	49	THR	6.8
3	Q	206	LYS	6.3
10	X	1	MET	6.1
10	X	194	ASP	5.8
3	Q	50	LEU	5.7
5	E	202	ASP	5.1
5	S	202	ASP	5.1
3	C	49	THR	5.1
6	T	178	HIS	4.9
10	J	1	MET	4.8
8	V	226	GLU	4.8
8	V	224	GLN	4.8
3	Q	236	GLN	4.7
3	Q	239	GLN	4.5
2	B	218	GLY	4.5
6	F	244	ASN	4.4
9	W	1	SER	4.3
3	Q	240	GLU	4.2
8	V	223	ILE	4.1
12	Z	174	TYR	4.0
1	A	1	MET	4.0
2	B	221	ASP	3.9
8	V	222	ASP	3.9
3	C	206	LYS	3.9
2	B	219	ALA	3.9
8	V	221	CYS	3.8
3	Q	225	GLU	3.8
1	A	2	THR	3.8
2	P	182	ASP	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	Q	48	SER	3.7
2	P	218	GLY	3.5
3	C	240	GLU	3.5
1	A	248	GLU	3.4
1	O	249	ALA	3.3
3	Q	55	THR	3.3
2	B	51	VAL	3.3
2	P	59	ASP	3.3
1	A	249	ALA	3.3
8	H	221	CYS	3.2
2	B	59	ASP	3.2
8	V	225	GLU	3.2
8	V	145	ASP	3.2
2	B	220	ASN	3.1
6	T	230	ASP	3.1
3	C	50	LEU	3.1
8	H	224	GLN	3.1
4	R	242	GLU	3.1
12	L	174	TYR	3.1
3	C	236	GLN	3.1
3	C	205	ALA	3.1
2	P	51	VAL	3.0
8	H	226	GLU	3.0
2	P	221	ASP	3.0
7	G	3	TYR	3.0
9	I	1	SER	2.9
13	a	1	THR	2.9
3	Q	204	GLY	2.9
4	R	217	GLN	2.9
6	T	243	ILE	2.8
1	O	1	MET	2.8
8	H	222	ASP	2.8
6	T	241	LYS	2.8
3	Q	229	GLN	2.7
6	T	2	THR	2.7
10	J	193	ASP	2.7
7	G	179	LYS	2.7
5	S	204	SER	2.6
3	Q	202	GLN	2.6
2	P	220	ASN	2.6
2	B	60	THR	2.6
1	O	201	GLU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	217	LYS	2.6
3	C	216	ASP	2.6
4	R	241	ALA	2.6
6	F	177	ASP	2.5
7	U	242	GLN	2.5
5	E	123	GLY	2.5
12	Z	167	LYS	2.5
1	O	2	THR	2.5
2	P	203	SER	2.5
4	R	125	LEU	2.5
6	T	244	ASN	2.5
10	J	194	ASP	2.4
3	C	225	GLU	2.4
8	H	225	GLU	2.4
5	E	122	TYR	2.4
3	Q	238	LYS	2.4
5	E	233	ILE	2.4
3	C	60	SER	2.4
5	S	194	GLU	2.4
9	W	192	ASP	2.4
2	B	242	GLY	2.3
14	b	195	GLN	2.3
6	F	202	ASP	2.3
5	S	218	ASP	2.3
3	Q	205	ALA	2.3
6	F	205	GLU	2.3
3	Q	187	GLU	2.3
5	S	58	TYR	2.3
2	P	240	LYS	2.3
6	T	215	CYS	2.3
7	U	181	LYS	2.3
6	F	181	GLU	2.3
4	D	224	ASP	2.2
8	H	223	ILE	2.2
8	H	198	GLU	2.2
3	C	181	GLU	2.2
3	C	238	LYS	2.2
5	S	203	GLU	2.2
1	A	54	PRO	2.2
2	P	232	GLN	2.2
4	D	1	ASP	2.1
1	A	229	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
6	F	2	THR	2.1
4	D	241	ALA	2.1
1	A	62	SER	2.1
1	A	245	ASP	2.1
14	N	195	GLN	2.1
2	B	93	HIS	2.1
13	M	47	ASP	2.1
4	D	242	GLU	2.1
3	C	229	GLN	2.1
5	S	173	ARG	2.0
5	E	201	ARG	2.0
4	D	47	THR	2.0
5	E	227	GLU	2.0
5	S	207	VAL	2.0
3	Q	47	ARG	2.0
7	U	222	ASP	2.0
5	S	51	ASN	2.0
14	b	105	LYS	2.0
1	A	201	GLU	2.0
5	S	227	GLU	2.0
2	B	240	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
15	N7P	c	1	10/11	0.95	0.14	48,51,55,60	0
15	N7P	d	1	10/11	0.95	0.19	40,44,50,55	0
15	ASJ	d	3	8/8	0.96	0.11	51,54,55,55	0
15	ASJ	c	3	8/8	0.97	0.11	54,57,62,63	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
16	MG	K	301	1/1	0.94	0.15	43,43,43,43	0
17	CL	U	301	1/1	0.94	0.27	30,30,30,30	0
16	MG	N	201	1/1	0.95	0.15	36,36,36,36	0
16	MG	L	301	1/1	0.95	0.07	64,64,64,64	0
16	MG	I	301	1/1	0.96	0.24	59,59,59,59	0
16	MG	I	302	1/1	0.96	0.07	48,48,48,48	0
16	MG	Z	301	1/1	0.96	0.12	45,45,45,45	0
17	CL	G	302	1/1	0.96	0.21	30,30,30,30	0
16	MG	G	301	1/1	0.96	0.08	40,40,40,40	0

6.5 Other polymers [i](#)

There are no such residues in this entry.