



# wwPDB X-ray Structure Validation Summary Report (i)

Jun 24, 2024 – 01:53 PM EDT

PDB ID : 6Y6A  
Title : Structure of Finch Polyomavirus VP1 in complex with 2-O-Methyl-5-N-acetyl l-alpha-D-neuraminic acid  
Authors : Stroh, L.J.; Rustmeier, N.H.; Stehle, T.  
Deposited on : 2020-02-26  
Resolution : 2.65 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references \(i\)](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.















Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1332 (2.68-2.64)
Ramachandran outliers	138981	1349 (2.68-2.64)
Sidechain outliers	138945	1349 (2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.







*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	G	274	 94% • 5%
1	H	274	 94% • 5%
1	I	274	 97% ..
1	J	274	 96% ..
1	K	274	 96% ..
1	L	274	 95% ..
1	M	274	 97% ..
1	N	274	 96% ..
1	O	274	 95% ..
1	P	274	 97% ..
1	Q	274	 96% ..
1	R	274	 95% ..
1	S	274	 94% • 5%
1	T	274	 95% ..
1	U	274	 94% • 5%
1	V	274	 96% ..
1	W	274	 95% ..
1	X	274	 95% • 5%
1	Y	274	 95% • 5%
1	Z	274	 94% • 5%
1	a	274	 95% • 5%
1	b	274	 93% • 5%
1	c	274	 92% .. 7%
1	d	274	 93% • 5%
1	e	274	 94% • 5%

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	f	274	 94% • 5%
1	g	274	 97% ..
1	h	274	 95% • 5%
1	i	274	 95% 5%
1	j	274	 94% • 5%
1	k	274	 95% ..
1	l	274	 85% • 14%
1	m	274	 94% 5%
1	n	274	 97% •

## 2 Entry composition [\(i\)](#)

There are 5 unique types of molecules in this entry. The entry contains 81587 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein VP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	267	Total 2024	C 1284	N 336	O 396	S 8	0	0	0
1	B	260	Total 1960	C 1245	N 327	O 380	S 8	0	0	0
1	C	267	Total 2028	C 1286	N 335	O 399	S 8	0	0	0
1	D	261	Total 1981	C 1257	N 331	O 385	S 8	0	0	0
1	E	263	Total 1978	C 1254	N 331	O 385	S 8	0	0	0
1	F	268	Total 2026	C 1287	N 336	O 395	S 8	0	0	0
1	G	260	Total 1961	C 1244	N 327	O 382	S 8	0	0	0
1	H	260	Total 1963	C 1247	N 328	O 380	S 8	0	0	0
1	I	268	Total 2023	C 1284	N 336	O 395	S 8	0	0	0
1	J	267	Total 2027	C 1285	N 335	O 399	S 8	0	0	0
1	K	267	Total 2022	C 1284	N 336	O 394	S 8	0	0	0
1	L	262	Total 1976	C 1253	N 329	O 386	S 8	0	0	0
1	M	269	Total 2024	C 1284	N 338	O 394	S 8	0	0	0
1	N	266	Total 2002	C 1268	N 334	O 392	S 8	0	0	0
1	O	262	Total 1975	C 1252	N 331	O 384	S 8	0	0	0
1	P	269	Total 2025	C 1284	N 338	O 395	S 8	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Q	268	Total	C 2018	N 1281	O 335	S 394	8	0	0
1	R	263	Total	C 1987	N 1259	O 332	S 388	8	0	0
1	S	261	Total	C 1971	N 1251	O 328	S 384	8	0	0
1	T	263	Total	C 1987	N 1261	O 330	S 388	8	0	0
1	U	261	Total	C 1974	N 1254	O 329	S 383	8	0	0
1	V	265	Total	C 1991	N 1262	O 334	S 387	8	0	0
1	W	262	Total	C 1965	N 1243	O 330	S 384	8	0	0
1	X	261	Total	C 1968	N 1245	O 329	S 386	8	0	0
1	Y	261	Total	C 1971	N 1253	O 330	S 380	8	0	0
1	Z	260	Total	C 1971	N 1249	O 330	S 384	8	0	0
1	a	261	Total	C 1981	N 1254	O 331	S 388	8	0	0
1	b	260	Total	C 1935	N 1229	O 325	S 373	8	0	0
1	c	256	Total	C 1903	N 1198	O 322	S 375	8	0	0
1	d	260	Total	C 1952	N 1236	O 326	S 382	8	0	0
1	e	261	Total	C 1972	N 1251	O 328	S 385	8	0	0
1	f	261	Total	C 1962	N 1241	O 328	S 385	8	0	0
1	g	269	Total	C 1984	N 1253	O 335	S 388	8	0	0
1	h	261	Total	C 1959	N 1243	O 326	S 382	8	0	0
1	i	260	Total	C 1949	N 1239	O 326	S 376	8	0	0
1	j	260	Total	C 1932	N 1224	O 324	S 376	8	0	0
1	k	263	Total	C 1822	N 1137	O 315	S 362	8	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	l	235	Total	C	N	O	S	0	0	0
			1571	992	275	298	6			
1	m	259	Total	C	N	O	S	0	0	0
			1834	1162	312	353	7			
1	n	267	Total	C	N	O	S	0	0	0
			1992	1262	333	389	8			

There are 240 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	18	GLY	-	expression tag	UNP R4UMH0
A	19	SER	-	expression tag	UNP R4UMH0
A	20	HIS	-	expression tag	UNP R4UMH0
A	21	MET	-	expression tag	UNP R4UMH0
A	78	SER	CYS	conflict	UNP R4UMH0
A	92	SER	CYS	conflict	UNP R4UMH0
B	18	GLY	-	expression tag	UNP R4UMH0
B	19	SER	-	expression tag	UNP R4UMH0
B	20	HIS	-	expression tag	UNP R4UMH0
B	21	MET	-	expression tag	UNP R4UMH0
B	78	SER	CYS	conflict	UNP R4UMH0
B	92	SER	CYS	conflict	UNP R4UMH0
C	18	GLY	-	expression tag	UNP R4UMH0
C	19	SER	-	expression tag	UNP R4UMH0
C	20	HIS	-	expression tag	UNP R4UMH0
C	21	MET	-	expression tag	UNP R4UMH0
C	78	SER	CYS	conflict	UNP R4UMH0
C	92	SER	CYS	conflict	UNP R4UMH0
D	18	GLY	-	expression tag	UNP R4UMH0
D	19	SER	-	expression tag	UNP R4UMH0
D	20	HIS	-	expression tag	UNP R4UMH0
D	21	MET	-	expression tag	UNP R4UMH0
D	78	SER	CYS	conflict	UNP R4UMH0
D	92	SER	CYS	conflict	UNP R4UMH0
E	18	GLY	-	expression tag	UNP R4UMH0
E	19	SER	-	expression tag	UNP R4UMH0
E	20	HIS	-	expression tag	UNP R4UMH0
E	21	MET	-	expression tag	UNP R4UMH0
E	78	SER	CYS	conflict	UNP R4UMH0
E	92	SER	CYS	conflict	UNP R4UMH0
F	18	GLY	-	expression tag	UNP R4UMH0
F	19	SER	-	expression tag	UNP R4UMH0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	20	HIS	-	expression tag	UNP R4UMH0
F	21	MET	-	expression tag	UNP R4UMH0
F	78	SER	CYS	conflict	UNP R4UMH0
F	92	SER	CYS	conflict	UNP R4UMH0
G	18	GLY	-	expression tag	UNP R4UMH0
G	19	SER	-	expression tag	UNP R4UMH0
G	20	HIS	-	expression tag	UNP R4UMH0
G	21	MET	-	expression tag	UNP R4UMH0
G	78	SER	CYS	conflict	UNP R4UMH0
G	92	SER	CYS	conflict	UNP R4UMH0
H	18	GLY	-	expression tag	UNP R4UMH0
H	19	SER	-	expression tag	UNP R4UMH0
H	20	HIS	-	expression tag	UNP R4UMH0
H	21	MET	-	expression tag	UNP R4UMH0
H	78	SER	CYS	conflict	UNP R4UMH0
H	92	SER	CYS	conflict	UNP R4UMH0
I	18	GLY	-	expression tag	UNP R4UMH0
I	19	SER	-	expression tag	UNP R4UMH0
I	20	HIS	-	expression tag	UNP R4UMH0
I	21	MET	-	expression tag	UNP R4UMH0
I	78	SER	CYS	conflict	UNP R4UMH0
I	92	SER	CYS	conflict	UNP R4UMH0
J	18	GLY	-	expression tag	UNP R4UMH0
J	19	SER	-	expression tag	UNP R4UMH0
J	20	HIS	-	expression tag	UNP R4UMH0
J	21	MET	-	expression tag	UNP R4UMH0
J	78	SER	CYS	conflict	UNP R4UMH0
J	92	SER	CYS	conflict	UNP R4UMH0
K	18	GLY	-	expression tag	UNP R4UMH0
K	19	SER	-	expression tag	UNP R4UMH0
K	20	HIS	-	expression tag	UNP R4UMH0
K	21	MET	-	expression tag	UNP R4UMH0
K	78	SER	CYS	conflict	UNP R4UMH0
K	92	SER	CYS	conflict	UNP R4UMH0
L	18	GLY	-	expression tag	UNP R4UMH0
L	19	SER	-	expression tag	UNP R4UMH0
L	20	HIS	-	expression tag	UNP R4UMH0
L	21	MET	-	expression tag	UNP R4UMH0
L	78	SER	CYS	conflict	UNP R4UMH0
L	92	SER	CYS	conflict	UNP R4UMH0
M	18	GLY	-	expression tag	UNP R4UMH0
M	19	SER	-	expression tag	UNP R4UMH0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
M	20	HIS	-	expression tag	UNP R4UMH0
M	21	MET	-	expression tag	UNP R4UMH0
M	78	SER	CYS	conflict	UNP R4UMH0
M	92	SER	CYS	conflict	UNP R4UMH0
N	18	GLY	-	expression tag	UNP R4UMH0
N	19	SER	-	expression tag	UNP R4UMH0
N	20	HIS	-	expression tag	UNP R4UMH0
N	21	MET	-	expression tag	UNP R4UMH0
N	78	SER	CYS	conflict	UNP R4UMH0
N	92	SER	CYS	conflict	UNP R4UMH0
O	18	GLY	-	expression tag	UNP R4UMH0
O	19	SER	-	expression tag	UNP R4UMH0
O	20	HIS	-	expression tag	UNP R4UMH0
O	21	MET	-	expression tag	UNP R4UMH0
O	78	SER	CYS	conflict	UNP R4UMH0
O	92	SER	CYS	conflict	UNP R4UMH0
P	18	GLY	-	expression tag	UNP R4UMH0
P	19	SER	-	expression tag	UNP R4UMH0
P	20	HIS	-	expression tag	UNP R4UMH0
P	21	MET	-	expression tag	UNP R4UMH0
P	78	SER	CYS	conflict	UNP R4UMH0
P	92	SER	CYS	conflict	UNP R4UMH0
Q	18	GLY	-	expression tag	UNP R4UMH0
Q	19	SER	-	expression tag	UNP R4UMH0
Q	20	HIS	-	expression tag	UNP R4UMH0
Q	21	MET	-	expression tag	UNP R4UMH0
Q	78	SER	CYS	conflict	UNP R4UMH0
Q	92	SER	CYS	conflict	UNP R4UMH0
R	18	GLY	-	expression tag	UNP R4UMH0
R	19	SER	-	expression tag	UNP R4UMH0
R	20	HIS	-	expression tag	UNP R4UMH0
R	21	MET	-	expression tag	UNP R4UMH0
R	78	SER	CYS	conflict	UNP R4UMH0
R	92	SER	CYS	conflict	UNP R4UMH0
S	18	GLY	-	expression tag	UNP R4UMH0
S	19	SER	-	expression tag	UNP R4UMH0
S	20	HIS	-	expression tag	UNP R4UMH0
S	21	MET	-	expression tag	UNP R4UMH0
S	78	SER	CYS	conflict	UNP R4UMH0
S	92	SER	CYS	conflict	UNP R4UMH0
T	18	GLY	-	expression tag	UNP R4UMH0
T	19	SER	-	expression tag	UNP R4UMH0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
T	20	HIS	-	expression tag	UNP R4UMH0
T	21	MET	-	expression tag	UNP R4UMH0
T	78	SER	CYS	conflict	UNP R4UMH0
T	92	SER	CYS	conflict	UNP R4UMH0
U	18	GLY	-	expression tag	UNP R4UMH0
U	19	SER	-	expression tag	UNP R4UMH0
U	20	HIS	-	expression tag	UNP R4UMH0
U	21	MET	-	expression tag	UNP R4UMH0
U	78	SER	CYS	conflict	UNP R4UMH0
U	92	SER	CYS	conflict	UNP R4UMH0
V	18	GLY	-	expression tag	UNP R4UMH0
V	19	SER	-	expression tag	UNP R4UMH0
V	20	HIS	-	expression tag	UNP R4UMH0
V	21	MET	-	expression tag	UNP R4UMH0
V	78	SER	CYS	conflict	UNP R4UMH0
V	92	SER	CYS	conflict	UNP R4UMH0
W	18	GLY	-	expression tag	UNP R4UMH0
W	19	SER	-	expression tag	UNP R4UMH0
W	20	HIS	-	expression tag	UNP R4UMH0
W	21	MET	-	expression tag	UNP R4UMH0
W	78	SER	CYS	conflict	UNP R4UMH0
W	92	SER	CYS	conflict	UNP R4UMH0
X	18	GLY	-	expression tag	UNP R4UMH0
X	19	SER	-	expression tag	UNP R4UMH0
X	20	HIS	-	expression tag	UNP R4UMH0
X	21	MET	-	expression tag	UNP R4UMH0
X	78	SER	CYS	conflict	UNP R4UMH0
X	92	SER	CYS	conflict	UNP R4UMH0
Y	18	GLY	-	expression tag	UNP R4UMH0
Y	19	SER	-	expression tag	UNP R4UMH0
Y	20	HIS	-	expression tag	UNP R4UMH0
Y	21	MET	-	expression tag	UNP R4UMH0
Y	78	SER	CYS	conflict	UNP R4UMH0
Y	92	SER	CYS	conflict	UNP R4UMH0
Z	18	GLY	-	expression tag	UNP R4UMH0
Z	19	SER	-	expression tag	UNP R4UMH0
Z	20	HIS	-	expression tag	UNP R4UMH0
Z	21	MET	-	expression tag	UNP R4UMH0
Z	78	SER	CYS	conflict	UNP R4UMH0
Z	92	SER	CYS	conflict	UNP R4UMH0
a	18	GLY	-	expression tag	UNP R4UMH0
a	19	SER	-	expression tag	UNP R4UMH0

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
a	20	HIS	-	expression tag	UNP R4UMH0
a	21	MET	-	expression tag	UNP R4UMH0
a	78	SER	CYS	conflict	UNP R4UMH0
a	92	SER	CYS	conflict	UNP R4UMH0
b	18	GLY	-	expression tag	UNP R4UMH0
b	19	SER	-	expression tag	UNP R4UMH0
b	20	HIS	-	expression tag	UNP R4UMH0
b	21	MET	-	expression tag	UNP R4UMH0
b	78	SER	CYS	conflict	UNP R4UMH0
b	92	SER	CYS	conflict	UNP R4UMH0
c	18	GLY	-	expression tag	UNP R4UMH0
c	19	SER	-	expression tag	UNP R4UMH0
c	20	HIS	-	expression tag	UNP R4UMH0
c	21	MET	-	expression tag	UNP R4UMH0
c	78	SER	CYS	conflict	UNP R4UMH0
c	92	SER	CYS	conflict	UNP R4UMH0
d	18	GLY	-	expression tag	UNP R4UMH0
d	19	SER	-	expression tag	UNP R4UMH0
d	20	HIS	-	expression tag	UNP R4UMH0
d	21	MET	-	expression tag	UNP R4UMH0
d	78	SER	CYS	conflict	UNP R4UMH0
d	92	SER	CYS	conflict	UNP R4UMH0
e	18	GLY	-	expression tag	UNP R4UMH0
e	19	SER	-	expression tag	UNP R4UMH0
e	20	HIS	-	expression tag	UNP R4UMH0
e	21	MET	-	expression tag	UNP R4UMH0
e	78	SER	CYS	conflict	UNP R4UMH0
e	92	SER	CYS	conflict	UNP R4UMH0
f	18	GLY	-	expression tag	UNP R4UMH0
f	19	SER	-	expression tag	UNP R4UMH0
f	20	HIS	-	expression tag	UNP R4UMH0
f	21	MET	-	expression tag	UNP R4UMH0
f	78	SER	CYS	conflict	UNP R4UMH0
f	92	SER	CYS	conflict	UNP R4UMH0
g	18	GLY	-	expression tag	UNP R4UMH0
g	19	SER	-	expression tag	UNP R4UMH0
g	20	HIS	-	expression tag	UNP R4UMH0
g	21	MET	-	expression tag	UNP R4UMH0
g	78	SER	CYS	conflict	UNP R4UMH0
g	92	SER	CYS	conflict	UNP R4UMH0
h	18	GLY	-	expression tag	UNP R4UMH0
h	19	SER	-	expression tag	UNP R4UMH0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
h	20	HIS	-	expression tag	UNP R4UMH0
h	21	MET	-	expression tag	UNP R4UMH0
h	78	SER	CYS	conflict	UNP R4UMH0
h	92	SER	CYS	conflict	UNP R4UMH0
i	18	GLY	-	expression tag	UNP R4UMH0
i	19	SER	-	expression tag	UNP R4UMH0
i	20	HIS	-	expression tag	UNP R4UMH0
i	21	MET	-	expression tag	UNP R4UMH0
i	78	SER	CYS	conflict	UNP R4UMH0
i	92	SER	CYS	conflict	UNP R4UMH0
j	18	GLY	-	expression tag	UNP R4UMH0
j	19	SER	-	expression tag	UNP R4UMH0
j	20	HIS	-	expression tag	UNP R4UMH0
j	21	MET	-	expression tag	UNP R4UMH0
j	78	SER	CYS	conflict	UNP R4UMH0
j	92	SER	CYS	conflict	UNP R4UMH0
k	18	GLY	-	expression tag	UNP R4UMH0
k	19	SER	-	expression tag	UNP R4UMH0
k	20	HIS	-	expression tag	UNP R4UMH0
k	21	MET	-	expression tag	UNP R4UMH0
k	78	SER	CYS	conflict	UNP R4UMH0
k	92	SER	CYS	conflict	UNP R4UMH0
l	18	GLY	-	expression tag	UNP R4UMH0
l	19	SER	-	expression tag	UNP R4UMH0
l	20	HIS	-	expression tag	UNP R4UMH0
l	21	MET	-	expression tag	UNP R4UMH0
l	78	SER	CYS	conflict	UNP R4UMH0
l	92	SER	CYS	conflict	UNP R4UMH0
m	18	GLY	-	expression tag	UNP R4UMH0
m	19	SER	-	expression tag	UNP R4UMH0
m	20	HIS	-	expression tag	UNP R4UMH0
m	21	MET	-	expression tag	UNP R4UMH0
m	78	SER	CYS	conflict	UNP R4UMH0
m	92	SER	CYS	conflict	UNP R4UMH0
n	18	GLY	-	expression tag	UNP R4UMH0
n	19	SER	-	expression tag	UNP R4UMH0
n	20	HIS	-	expression tag	UNP R4UMH0
n	21	MET	-	expression tag	UNP R4UMH0
n	78	SER	CYS	conflict	UNP R4UMH0
n	92	SER	CYS	conflict	UNP R4UMH0

- Molecule 2 is N-acetyl-alpha-neuraminic acid (three-letter code: SIA) (formula: C<sub>11</sub>H<sub>19</sub>NO<sub>9</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
2	A	1	Total 21	C 11	N 1	O 9	0	0
2	B	1	Total 21	C 11	N 1	O 9	0	0
2	C	1	Total 21	C 11	N 1	O 9	0	0
2	E	1	Total 21	C 11	N 1	O 9	0	0
2	F	1	Total 21	C 11	N 1	O 9	0	0
2	G	1	Total 21	C 11	N 1	O 9	0	0
2	I	1	Total 21	C 11	N 1	O 9	0	0
2	J	1	Total 21	C 11	N 1	O 9	0	0
2	K	1	Total 21	C 11	N 1	O 9	0	0
2	L	1	Total 21	C 11	N 1	O 9	0	0
2	M	1	Total 21	C 11	N 1	O 9	0	0
2	N	1	Total 21	C 11	N 1	O 9	0	0
2	O	1	Total 21	C 11	N 1	O 9	0	0
2	Q	1	Total 21	C 11	N 1	O 9	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	R	1	Total C N O 21 11 1 9	0	0
2	S	1	Total C N O 21 11 1 9	0	0
2	T	1	Total C N O 21 11 1 9	0	0
2	V	1	Total C N O 21 11 1 9	0	0
2	X	1	Total C N O 21 11 1 9	0	0
2	Y	1	Total C N O 21 11 1 9	0	0
2	Z	1	Total C N O 21 11 1 9	0	0
2	a	1	Total C N O 21 11 1 9	0	0
2	b	1	Total C N O 21 11 1 9	0	0
2	c	1	Total C N O 21 11 1 9	0	0
2	d	1	Total C N O 21 11 1 9	0	0
2	e	1	Total C N O 21 11 1 9	0	0
2	f	1	Total C N O 21 11 1 9	0	0
2	j	1	Total C N O 21 11 1 9	0	0
2	n	1	Total C N O 21 11 1 9	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Cl 1 1	0	0
3	B	1	Total Cl 1 1	0	0
3	C	3	Total Cl 3 3	0	0
3	D	1	Total Cl 1 1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	F	2	Total Cl 2 2	0	0
3	G	2	Total Cl 2 2	0	0
3	H	2	Total Cl 2 2	0	0
3	I	1	Total Cl 1 1	0	0
3	J	2	Total Cl 2 2	0	0
3	L	1	Total Cl 1 1	0	0
3	M	2	Total Cl 2 2	0	0
3	N	2	Total Cl 2 2	0	0
3	O	1	Total Cl 1 1	0	0
3	P	2	Total Cl 2 2	0	0
3	Q	2	Total Cl 2 2	0	0
3	R	1	Total Cl 1 1	0	0
3	S	2	Total Cl 2 2	0	0
3	T	1	Total Cl 1 1	0	0
3	U	2	Total Cl 2 2	0	0
3	V	1	Total Cl 1 1	0	0
3	W	2	Total Cl 2 2	0	0
3	X	2	Total Cl 2 2	0	0
3	Y	2	Total Cl 2 2	0	0
3	Z	2	Total Cl 2 2	0	0
3	c	1	Total Cl 1 1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	d	2	Total Cl 2 2	0	0
3	e	2	Total Cl 2 2	0	0
3	f	2	Total Cl 2 2	0	0
3	g	1	Total Cl 1 1	0	0
3	h	1	Total Cl 1 1	0	0
3	j	2	Total Cl 2 2	0	0
3	n	2	Total Cl 2 2	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total Mg 1 1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	97	Total O 98 98	0	1
5	B	82	Total O 82 82	0	0
5	C	107	Total O 107 107	0	0
5	D	89	Total O 89 89	0	0
5	E	84	Total O 84 84	0	0
5	F	107	Total O 107 107	0	0
5	G	56	Total O 56 56	0	0
5	H	59	Total O 59 59	0	0
5	I	62	Total O 62 62	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	J	91	Total O 91 91	0	0
5	K	72	Total O 72 72	0	0
5	L	76	Total O 76 76	0	0
5	M	83	Total O 83 83	0	0
5	N	98	Total O 98 98	0	0
5	O	82	Total O 83 83	0	1
5	P	65	Total O 65 65	0	0
5	Q	79	Total O 79 79	0	0
5	R	81	Total O 81 81	0	0
5	S	55	Total O 55 55	0	0
5	T	67	Total O 68 68	0	1
5	U	83	Total O 83 83	0	0
5	V	43	Total O 43 43	0	0
5	W	41	Total O 41 41	0	0
5	X	40	Total O 40 40	0	0
5	Y	67	Total O 67 67	0	0
5	Z	63	Total O 63 63	0	0
5	a	47	Total O 47 47	0	0
5	b	30	Total O 30 30	0	0
5	c	34	Total O 34 34	0	0
5	d	46	Total O 46 46	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	e	50	Total O 50 50	0	0
5	f	33	Total O 33 33	0	0
5	g	34	Total O 34 34	0	0
5	h	32	Total O 32 32	0	0
5	i	39	Total O 39 39	0	0
5	j	25	Total O 25 25	0	0
5	k	15	Total O 15 15	0	0
5	l	15	Total O 15 15	0	0
5	m	11	Total O 11 11	0	0
5	n	35	Total O 35 35	0	0


### 3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1



- Molecule 1: Capsid protein VP1



- Molecule 1: Capsid protein VP1



- Molecule 1: Capsid protein VP1






- Molecule 1: Capsid protein VP1

Chain G: 94% • 5%




- Molecule 1: Capsid protein VP1

Chain H: 94% • 5%



- Molecule 1: Capsid protein VP1

Chain I: 97% ..




- Molecule 1: Capsid protein VP1

Chain J: 96% ..



- Molecule 1: Capsid protein VP1

Chain K: 96% ..



- Molecule 1: Capsid protein VP1

Chain L: 95% ..



- Molecule 1: Capsid protein VP1

Chain M: 97% ..



- Molecule 1: Capsid protein VP1

Chain N: 96%




- Molecule 1: Capsid protein VP1

Chain O: 95%



- Molecule 1: Capsid protein VP1

Chain P: 97%



- Molecule 1: Capsid protein VP1

Chain Q: 96%



- Molecule 1: Capsid protein VP1

Chain R: 95%



- Molecule 1: Capsid protein VP1

Chain S: 94% • 5%




- Molecule 1: Capsid protein VP1

Chain T: 95%




- Molecule 1: Capsid protein VP1

Chain U: 94% • 5%



- Molecule 1: Capsid protein VP1

Chain V: 96% • • %



- Molecule 1: Capsid protein VP1

Chain W: 95% • • %



- Molecule 1: Capsid protein VP1

Chain X: 95% • 5%



- Molecule 1: Capsid protein VP1

Chain Y: 95% • 5%



- Molecule 1: Capsid protein VP1

Chain Z: 94% • 5%



- Molecule 1: Capsid protein VP1

Chain a: 95% • 5% %



- Molecule 1: Capsid protein VP1

Chain b: • 5%




- Molecule 1: Capsid protein VP1

Chain c: • 7%



- Molecule 1: Capsid protein VP1

Chain d: • 5%




- Molecule 1: Capsid protein VP1

Chain e: • 5%




- Molecule 1: Capsid protein VP1

Chain f: • 5%




- Molecule 1: Capsid protein VP1

Chain g: ..




- Molecule 1: Capsid protein VP1

Chain h: 



- Molecule 1: Capsid protein VP1

Chain i: 




- Molecule 1: Capsid protein VP1

Chain j: 




- Molecule 1: Capsid protein VP1

Chain k: 




- Molecule 1: Capsid protein VP1

Chain l: 



- Molecule 1: Capsid protein VP1

Chain m: 



- Molecule 1: Capsid protein VP1

Chain n: 



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	86.50 Å    172.06 Å    245.62 Å 107.09°    97.93°    93.93°	Depositor
Resolution (Å)	49.94 – 2.65 49.94 – 2.65	Depositor EDS
% Data completeness (in resolution range)	94.7 (49.94-2.65) 98.0 (49.94-2.65)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	1.35 (at 2.65 Å)	Xtriage
Refinement program	REFMAC 5.8.0253	Depositor
$R$ , $R_{free}$	0.245 , 0.267 0.246 , 0.268	Depositor DCC
$R_{free}$ test set	3778 reflections (1.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.0	Xtriage
Anisotropy	0.841	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 36.1	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.48$ , $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,h+k+l	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	81587	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.88% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL, SIA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.68	1/2077 (0.0%)	0.82	1/2842 (0.0%)
1	B	0.64	0/2011	0.77	1/2749 (0.0%)
1	C	0.69	2/2081 (0.1%)	0.79	0/2846
1	D	0.64	0/2032	0.75	0/2775
1	E	0.64	0/2029	0.76	0/2772
1	F	0.67	1/2079 (0.0%)	0.79	1/2843 (0.0%)
1	G	0.65	1/2012 (0.0%)	0.75	0/2751
1	H	0.65	0/2014	0.77	2/2753 (0.1%)
1	I	0.66	0/2076	0.78	0/2840
1	J	0.65	1/2080 (0.0%)	0.75	0/2845
1	K	0.67	0/2075	0.80	2/2839 (0.1%)
1	L	0.63	0/2027	0.75	0/2770
1	M	0.70	1/2077 (0.0%)	0.79	0/2840
1	N	0.66	0/2053	0.77	0/2806
1	O	0.64	0/2026	0.76	0/2767
1	P	0.67	0/2078	0.77	0/2843
1	Q	0.68	2/2071 (0.1%)	0.77	0/2833
1	R	0.66	1/2038 (0.0%)	0.76	0/2784
1	S	0.63	0/2022	0.76	2/2763 (0.1%)
1	T	0.64	0/2038	0.75	0/2783
1	U	0.66	1/2025 (0.0%)	0.77	0/2767
1	V	0.66	0/2043	0.76	0/2793
1	W	0.68	2/2016 (0.1%)	0.76	0/2756
1	X	0.64	0/2019	0.75	0/2760
1	Y	0.63	0/2022	0.75	0/2763
1	Z	0.63	0/2022	0.74	0/2761
1	a	0.63	0/2032	0.74	0/2774
1	b	0.69	3/1986 (0.2%)	0.81	2/2717 (0.1%)
1	c	0.64	0/1952	0.77	1/2667 (0.0%)
1	d	0.64	0/2003	0.78	1/2738 (0.0%)
1	e	0.64	0/2023	0.74	0/2766
1	f	0.64	0/2013	0.75	0/2752

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	g	0.68	1/2036 (0.0%)	0.78	0/2788
1	h	0.64	0/2009	0.75	0/2746
1	i	0.64	0/2000	0.76	0/2734
1	j	0.64	0/1982	0.76	0/2712
1	k	0.71	1/1863 (0.1%)	0.81	0/2558
1	l	0.70	0/1599	0.79	1/2188 (0.0%)
1	m	0.66	0/1882	0.77	1/2584 (0.0%)
1	n	0.65	0/2045	0.77	0/2800
All	All	0.66	18/80568 (0.0%)	0.77	15/110168 (0.0%)

The worst 5 of 18 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	g	94	THR	C-O	7.24	1.37	1.23
1	b	287	ARG	CD-NE	-7.14	1.34	1.46
1	Q	87	ASN	C-O	6.88	1.36	1.23
1	k	94	THR	C-O	6.24	1.35	1.23
1	b	72	GLU	CD-OE1	-6.12	1.19	1.25

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	b	287	ARG	CB-CG-CD	-11.60	81.43	111.60
1	d	99	GLU	CG-CD-OE2	-8.32	101.66	118.30
1	K	290	LYS	CB-CA-C	-8.10	94.20	110.40
1	b	287	ARG	CG-CD-NE	7.42	127.37	111.80
1	H	253	TYR	CB-CG-CD1	6.79	125.07	121.00

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	265/274 (97%)	257 (97%)	8 (3%)	0	100   100
1	B	256/274 (93%)	248 (97%)	8 (3%)	0	100   100
1	C	265/274 (97%)	256 (97%)	9 (3%)	0	100   100
1	D	257/274 (94%)	249 (97%)	8 (3%)	0	100   100
1	E	259/274 (94%)	251 (97%)	8 (3%)	0	100   100
1	F	266/274 (97%)	257 (97%)	9 (3%)	0	100   100
1	G	256/274 (93%)	248 (97%)	8 (3%)	0	100   100
1	H	256/274 (93%)	248 (97%)	8 (3%)	0	100   100
1	I	266/274 (97%)	258 (97%)	8 (3%)	0	100   100
1	J	265/274 (97%)	256 (97%)	9 (3%)	0	100   100
1	K	265/274 (97%)	257 (97%)	8 (3%)	0	100   100
1	L	258/274 (94%)	250 (97%)	8 (3%)	0	100   100
1	M	267/274 (97%)	257 (96%)	9 (3%)	1 (0%)	34   48
1	N	262/274 (96%)	253 (97%)	9 (3%)	0	100   100
1	O	258/274 (94%)	250 (97%)	8 (3%)	0	100   100
1	P	267/274 (97%)	259 (97%)	8 (3%)	0	100   100
1	Q	266/274 (97%)	257 (97%)	9 (3%)	0	100   100
1	R	259/274 (94%)	252 (97%)	7 (3%)	0	100   100
1	S	257/274 (94%)	249 (97%)	8 (3%)	0	100   100
1	T	259/274 (94%)	251 (97%)	8 (3%)	0	100   100
1	U	257/274 (94%)	249 (97%)	8 (3%)	0	100   100
1	V	261/274 (95%)	253 (97%)	8 (3%)	0	100   100
1	W	258/274 (94%)	250 (97%)	8 (3%)	0	100   100
1	X	257/274 (94%)	249 (97%)	8 (3%)	0	100   100
1	Y	257/274 (94%)	249 (97%)	8 (3%)	0	100   100

Continued on next page...





*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	i	202/233 (87%)	202 (100%)	0	100 100
1	j	201/233 (86%)	198 (98%)	3 (2%)	65 80
1	k	168/233 (72%)	165 (98%)	3 (2%)	59 75
1	l	129/233 (55%)	127 (98%)	2 (2%)	62 78
1	m	174/233 (75%)	172 (99%)	2 (1%)	73 85
1	n	206/233 (88%)	205 (100%)	1 (0%)	88 94
All	All	8226/9320 (88%)	8132 (99%)	94 (1%)	73 85

5 of 94 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Y	61	SER
1	d	78	SER
1	Z	61	SER
1	b	78	SER
1	e	240	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 26 such sidechains are listed below:

Mol	Chain	Res	Type
1	X	65	ASN
1	b	269	GLN
1	n	269	GLN
1	Z	265	GLN
1	e	180	GLN

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)


There are no monosaccharides in this entry.











highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















































































## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	267/274 (97%)	-0.32	0	100	100	
1	B	260/274 (94%)	-0.38	0	100	100	
1	C	267/274 (97%)	-0.48	0	100	100	
1	D	261/274 (95%)	-0.50	0	100	100	
1	E	263/274 (95%)	-0.38	0	100	100	
1	F	268/274 (97%)	-0.43	1 (0%)	92	93	
1	G	260/274 (94%)	-0.39	0	100	100	
1	H	260/274 (94%)	-0.32	0	100	100	
1	I	268/274 (97%)	-0.35	0	100	100	
1	J	267/274 (97%)	-0.37	0	100	100	
1	K	267/274 (97%)	-0.32	1 (0%)	92	93	
1	L	262/274 (95%)	-0.35	0	100	100	
1	M	269/274 (98%)	-0.36	0	100	100	
1	N	266/274 (97%)	-0.39	0	100	100	
1	O	262/274 (95%)	-0.39	0	100	100	
1	P	269/274 (98%)	-0.36	0	100	100	
1	Q	268/274 (97%)	-0.37	0	100	100	
1	R	263/274 (95%)	-0.39	0	100	100	
1	S	261/274 (95%)	-0.32	0	100	100	
1	T	263/274 (95%)	-0.31	0	100	100	
1	U	261/274 (95%)	-0.36	0	100	100	
1	V	265/274 (96%)	-0.19	2 (0%)	86	85	
1	W	262/274 (95%)	-0.09	2 (0%)	86	85	
1	X	261/274 (95%)	-0.17	1 (0%)	92	93	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	Y	261/274 (95%)	-0.38	0	100   100	19, 31, 53, 70	0
1	Z	260/274 (94%)	-0.33	0	100   100	23, 32, 46, 61	0
1	a	261/274 (95%)	-0.27	2 (0%)	86   85	25, 38, 55, 86	0
1	b	260/274 (94%)	-0.04	1 (0%)	92   93	28, 43, 64, 102	0
1	c	256/274 (93%)	-0.09	2 (0%)	86   85	29, 45, 64, 87	0
1	d	260/274 (94%)	-0.22	1 (0%)	92   93	23, 41, 64, 82	0
1	e	261/274 (95%)	-0.26	2 (0%)	86   85	23, 39, 52, 77	0
1	f	261/274 (95%)	-0.16	0	100   100	29, 42, 56, 64	0
1	g	269/274 (98%)	-0.06	2 (0%)	87   87	29, 46, 63, 88	0
1	h	261/274 (95%)	-0.13	0	100   100	30, 47, 60, 76	0
1	i	260/274 (94%)	-0.18	1 (0%)	92   93	29, 44, 60, 91	0
1	j	260/274 (94%)	-0.12	1 (0%)	92   93	29, 47, 64, 79	0
1	k	263/274 (95%)	0.44	7 (2%)	54   50	35, 61, 80, 99	0
1	l	235/274 (85%)	0.55	11 (4%)	31   28	40, 65, 85, 93	0
1	m	259/274 (94%)	0.26	5 (1%)	66   63	33, 58, 85, 100	0
1	n	267/274 (97%)	-0.24	0	100   100	28, 42, 60, 75	0
All	All	10494/10960 (95%)	-0.24	42 (0%)	92   93	13, 36, 63, 102	0

The worst 5 of 42 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	k	41	ALA	4.1
1	l	27	LEU	3.8
1	k	128	GLY	3.8
1	k	258	ASP	3.6
1	k	64	TYR	3.6

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SIA	V	401	21/21	0.78	0.25	48,63,75,76	0
3	CL	S	402	1/1	0.78	0.12	53,53,53,53	0
2	SIA	X	401	21/21	0.79	0.28	54,62,68,74	0
3	CL	W	302	1/1	0.79	0.13	53,53,53,53	0
2	SIA	T	401	21/21	0.82	0.24	49,60,65,68	0
3	CL	j	403	1/1	0.82	0.11	58,58,58,58	0
3	CL	H	301	1/1	0.83	0.10	45,45,45,45	0
2	SIA	G	401	21/21	0.83	0.30	60,76,84,89	0
2	SIA	C	401	21/21	0.83	0.31	57,68,73,86	0
2	SIA	a	401	21/21	0.83	0.21	53,62,67,69	0
2	SIA	Y	401	21/21	0.84	0.24	48,56,64,71	0
3	CL	H	302	1/1	0.84	0.07	48,48,48,48	0
3	CL	L	402	1/1	0.84	0.19	48,48,48,48	0
2	SIA	Z	401	21/21	0.84	0.20	50,65,70,72	0
2	SIA	Q	401	21/21	0.84	0.25	47,55,60,63	0
2	SIA	d	401	21/21	0.84	0.31	64,74,79,81	0
3	CL	F	402	1/1	0.85	0.08	47,47,47,47	0
3	CL	G	402	1/1	0.85	0.12	58,58,58,58	0
2	SIA	F	401	21/21	0.85	0.21	54,62,68,69	0
3	CL	C	404	1/1	0.85	0.13	47,47,47,47	0
2	SIA	j	401	21/21	0.86	0.21	49,60,64,65	0
2	SIA	R	401	21/21	0.86	0.22	48,60,68,77	0
3	CL	N	402	1/1	0.86	0.10	54,54,54,54	0
2	SIA	c	401	21/21	0.86	0.24	59,67,71,72	0
2	SIA	I	401	21/21	0.86	0.26	51,60,62,63	0
2	SIA	f	401	21/21	0.86	0.22	52,61,63,66	0
2	SIA	n	401	21/21	0.87	0.28	67,73,82,82	0
2	SIA	b	401	21/21	0.87	0.24	47,60,63,66	0
3	CL	d	403	1/1	0.87	0.12	43,43,43,43	0
3	CL	h	301	1/1	0.87	0.08	44,44,44,44	0
3	CL	P	302	1/1	0.87	0.11	41,41,41,41	0
3	CL	R	402	1/1	0.88	0.10	50,50,50,50	0
2	SIA	J	401	21/21	0.88	0.17	43,51,55,57	0
2	SIA	e	401	21/21	0.88	0.24	51,62,63,65	0
2	SIA	K	401	21/21	0.88	0.24	49,57,64,78	0
2	SIA	A	401	21/21	0.88	0.19	42,50,59,64	0
3	CL	G	403	1/1	0.88	0.10	43,43,43,43	0

Continued on next page...

*Continued from previous page...*


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SIA	S	401	21/21	0.89	0.25	55,59,68,68	0
3	CL	Y	403	1/1	0.89	0.08	47,47,47,47	0
3	CL	d	402	1/1	0.89	0.11	45,45,45,45	0
2	SIA	O	401	21/21	0.89	0.22	45,50,54,58	0
3	CL	F	403	1/1	0.89	0.11	45,45,45,45	0
3	CL	U	302	1/1	0.89	0.07	47,47,47,47	0
2	SIA	N	401	21/21	0.90	0.16	38,46,52,54	0
3	CL	M	402	1/1	0.90	0.12	41,41,41,41	0
3	CL	X	403	1/1	0.90	0.14	50,50,50,50	0
2	SIA	E	401	21/21	0.90	0.20	42,50,62,64	0
3	CL	B	402	1/1	0.90	0.07	52,52,52,52	0
2	SIA	B	401	21/21	0.90	0.24	46,49,60,69	0
2	SIA	M	401	21/21	0.90	0.19	38,43,46,46	0
3	CL	S	403	1/1	0.90	0.14	44,44,44,44	0
3	CL	Q	403	1/1	0.91	0.07	49,49,49,49	0
3	CL	f	403	1/1	0.91	0.07	47,47,47,47	0
3	CL	O	402	1/1	0.91	0.12	47,47,47,47	0
2	SIA	L	401	21/21	0.91	0.16	37,42,44,46	0
3	CL	n	403	1/1	0.91	0.12	48,48,48,48	0
3	CL	X	402	1/1	0.92	0.06	44,44,44,44	0
3	CL	A	402	1/1	0.92	0.09	45,45,45,45	0
3	CL	g	301	1/1	0.92	0.11	52,52,52,52	0
3	CL	N	403	1/1	0.93	0.14	43,43,43,43	0
3	CL	Z	403	1/1	0.94	0.06	45,45,45,45	0
3	CL	V	402	1/1	0.94	0.06	43,43,43,43	0
3	CL	Y	402	1/1	0.94	0.14	39,39,39,39	0
3	CL	W	301	1/1	0.94	0.13	37,37,37,37	0
3	CL	c	402	1/1	0.95	0.12	43,43,43,43	0
3	CL	T	402	1/1	0.95	0.08	46,46,46,46	0
3	CL	J	402	1/1	0.96	0.06	39,39,39,39	0
3	CL	J	403	1/1	0.96	0.17	42,42,42,42	0
3	CL	f	402	1/1	0.96	0.08	40,40,40,40	0
3	CL	C	403	1/1	0.96	0.12	41,41,41,41	0
3	CL	D	301	1/1	0.96	0.08	36,36,36,36	0
3	CL	Z	402	1/1	0.96	0.09	49,49,49,49	0
3	CL	M	403	1/1	0.96	0.11	38,38,38,38	0
3	CL	I	402	1/1	0.96	0.05	40,40,40,40	0
4	MG	C	405	1/1	0.96	0.17	12,12,12,12	0
3	CL	P	301	1/1	0.97	0.16	41,41,41,41	0
3	CL	Q	402	1/1	0.97	0.20	46,46,46,46	0
3	CL	j	402	1/1	0.97	0.11	51,51,51,51	0
3	CL	U	301	1/1	0.98	0.13	27,27,27,27	0


*Continued on next page...*


*Continued from previous page...*


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	CL	C	402	1/1	0.98	0.15	46,46,46,46	0
3	CL	n	402	1/1	0.98	0.04	39,39,39,39	0
3	CL	e	402	1/1	0.98	0.14	43,43,43,43	0
3	CL	e	403	1/1	0.98	0.06	51,51,51,51	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



















































































## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.