

Full wwPDB X-ray Structure Validation Report (i)

Jul 11, 2024 – 02:14 PM JST

PDB ID	:	8Y6F
Title	:	The crystal structure of MMPs cleavable human heavy chain ferritin
Authors	:	Yuan, C.; Huang, M.
Deposited on	:	2024-02-02
Resolution	:	2.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	Δ	106	4%	1.20/		1.20/
1	Π	130	3%	12%		12%
1	В	196	75%	12%		13%
1	C	196	80%	7%		12%
		100	3%		-	12,70
1	D	196	81%	6%		13%
1	Е	196	o% 79%	8%	•	12%
1	F	196	5%	10%	•	12%



Contr	nued from	n previous	page		
Mol	Chain	Length	Quality of chain		
1	G	196	4% 82%	6%	12%
1	Н	196	7%	12% •	11%
1	Ι	196	4% 79%	8%	13%
1	J	196	80%	8%	13%
1	Κ	196	78%	8% •	13%
1	L	196	3% 79%	8% •	13%





2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 19365 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	179	Total	С	Ν	0	S	0	2	0
	A	172	1416	887	250	272	7	0	2	0
1	D	171	Total	С	Ν	0	S	0	1	0
	D	111	1403	879	246	271	7	0	1	0
1	С	179	Total	С	Ν	0	S	0	1	0
		172	1415	885	248	275	7	0	1	0
1	П	171	Total	С	Ν	0	S	0	0	0
	D	111	1397	875	246	269	7	0	0	0
1	F	173	Total	С	Ν	0	S	0	1	0
		175	1397	874	246	269	8	0	1	0
1	Б	179	Total	С	Ν	0	S	0	2	0
	Г	172	1409	883	250	268	8	0	2	0
1	C	172	Total	С	Ν	0	S	0	1	0
	G	175	1405	879	247	271	8	0	L	0
1	ц	174	Total	С	Ν	0	S	0	9	0
1	11	114	1414	884	250	272	8	0	2	0
1	т	171	Total	С	Ν	Ο	\mathbf{S}	0	0	0
1	1	1/1	1386	869	245	265	7	0	0	0
1	т	171	Total	С	Ν	0	\mathbf{S}	0	1	0
1	J	1/1	1398	876	246	269	7	0	1	U
1	K	171	Total	С	Ν	0	S	0	0	0
		1/1	1393	872	246	268	7		0	0
1	т	171	Total	С	Ν	0	S	0	0	0
		1/1	1386	869	245	265	7	0	0	0

• Molecule 1 is a protein called Ferritin.

There are 168 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-6	MET	-	initiating methionine	UNP Q6NZ44
А	-5	HIS	-	expression tag	UNP Q6NZ44
А	-4	HIS	-	expression tag	UNP Q6NZ44
А	-3	HIS	-	expression tag	UNP Q6NZ44
А	-2	HIS	-	expression tag	UNP Q6NZ44



Comment

Reference

Actual

Continued from previous page... Chain Residue Modelled

А	-1	HIS	-	expression tag	UNP Q6NZ44
A	0	HIS	-	- expression tag	
А	163	GLY	-	insertion	UNP Q6NZ44
А	164	PRO	-	insertion	UNP Q6NZ44
А	165	LEU	-	insertion	UNP Q6NZ44
А	166	GLY	_	insertion	UNP Q6NZ44
А	167	LEU	-	insertion	UNP Q6NZ44
А	168	ALA	-	insertion	UNP Q6NZ44
A	169	GLY	-	insertion	UNP Q6NZ44
В	-6	MET	-	initiating methionine	UNP Q6NZ44
В	-5	HIS	-	expression tag	UNP Q6NZ44
В	-4	HIS	-	expression tag	UNP Q6NZ44
В	-3	HIS	-	expression tag	UNP Q6NZ44
В	-2	HIS	-	expression tag	UNP Q6NZ44
В	-1	HIS	-	expression tag	UNP Q6NZ44
В	0	HIS	-	expression tag	UNP Q6NZ44
В	163	GLY	-	insertion	UNP Q6NZ44
В	164	PRO	-	insertion	UNP Q6NZ44
В	165	LEU	-	insertion	UNP Q6NZ44
В	166	GLY	-	insertion	UNP Q6NZ44
В	167	LEU	-	insertion	UNP Q6NZ44
В	168	ALA	-	insertion	UNP Q6NZ44
В	169	GLY	-	insertion	UNP Q6NZ44
С	-6	MET	-	initiating methionine	UNP Q6NZ44
С	-5	HIS	-	expression tag	UNP Q6NZ44
С	-4	HIS	Ι	expression tag	UNP Q6NZ44
С	-3	HIS	-	expression tag	UNP Q6NZ44
С	-2	HIS	Ι	expression tag	UNP Q6NZ44
С	-1	HIS	-	expression tag	UNP Q6NZ44
С	0	HIS	Ι	expression tag	UNP Q6NZ44
С	163	GLY	-	insertion	UNP Q6NZ44
С	164	PRO	-	insertion	UNP Q6NZ44
С	165	LEU	Ι	insertion	UNP Q6NZ44
С	166	GLY	-	insertion	UNP Q6NZ44
С	167	LEU	I	insertion	UNP Q6NZ44
С	168	ALA	-	insertion	UNP Q6NZ44
С	169	GLY	-	insertion	UNP Q6NZ44
D	-6	MET	-	initiating methionine	UNP Q6NZ44
D	-5	HIS	_	expression tag	UNP Q6NZ44
D	-4	HIS	-	expression tag	UNP Q6NZ44
D	-3	HIS	-	expression tag	UNP Q6NZ44
D	-2	HIS	-	expression tag	UNP Q6NZ44
				Continued	on next page

8Y6F



Chain	Residue	Modelled	Actual	Comment	Reference
D	-1	HIS	-	expression tag	UNP Q6NZ44
D	0	HIS	-	expression tag	UNP Q6NZ44
D	163	GLY	-	insertion	UNP Q6NZ44
D	164	PRO	_	insertion	UNP Q6NZ44
D	165	LEU	-	insertion	UNP Q6NZ44
D	166	GLY	-	insertion	UNP Q6NZ44
D	167	LEU	-	insertion	UNP Q6NZ44
D	168	ALA	-	insertion	UNP Q6NZ44
D	169	GLY	-	insertion	UNP Q6NZ44
Е	-6	MET	-	initiating methionine	UNP Q6NZ44
Е	-5	HIS	_	expression tag	UNP Q6NZ44
Е	-4	HIS	-	expression tag	UNP Q6NZ44
Е	-3	HIS	-	expression tag	UNP Q6NZ44
Е	-2	HIS	-	expression tag	UNP Q6NZ44
Е	-1	HIS	_	expression tag	UNP Q6NZ44
Е	0	HIS	-	expression tag	UNP Q6NZ44
Е	163	GLY	_	insertion	UNP Q6NZ44
Е	164	PRO	_	insertion	UNP Q6NZ44
Е	165	LEU	-	insertion	UNP Q6NZ44
Е	166	GLY	-	insertion	UNP Q6NZ44
Е	167	LEU	-	insertion	UNP Q6NZ44
Е	168	ALA	-	insertion	UNP Q6NZ44
Е	169	GLY	-	insertion	UNP Q6NZ44
F	-6	MET	-	initiating methionine	UNP Q6NZ44
F	-5	HIS	-	expression tag	UNP Q6NZ44
F	-4	HIS	-	expression tag	UNP Q6NZ44
F	-3	HIS	-	expression tag	UNP Q6NZ44
F	-2	HIS	-	expression tag	UNP Q6NZ44
F	-1	HIS	-	expression tag	UNP Q6NZ44
F	0	HIS	-	expression tag	UNP Q6NZ44
F	163	GLY	_	insertion	UNP Q6NZ44
F	164	PRO	_	insertion	UNP Q6NZ44
F	165	LEU	-	insertion	UNP $Q6NZ44$
F	166	GLY	-	insertion	UNP Q6NZ44
F	167	LEU	-	insertion	UNP Q6NZ44
F	168	ALA	-	insertion	UNP Q6NZ44
F	169	GLY	-	insertion	UNP Q6NZ44
G	-6	MET	-	initiating methionine	UNP $Q6NZ44$
G	-5	HIS	-	expression tag	UNP Q6NZ44
G	-4	HIS	-	expression tag	UNP Q6NZ44
G	-3	HIS	-	expression tag	UNP Q6NZ44
G	-2	HIS	-	expression tag	UNP Q6NZ44



Chain	Residue	Modelled	Actual	Comment	Reference
G	-1	HIS	-	expression tag	UNP Q6NZ44
G	0	HIS	-	expression tag	UNP Q6NZ44
G	163	GLY	_	insertion	UNP Q6NZ44
G	164	PRO	_	insertion	UNP Q6NZ44
G	165	LEU	_	insertion	UNP Q6NZ44
G	166	GLY	-	insertion	UNP Q6NZ44
G	167	LEU	-	insertion	UNP Q6NZ44
G	168	ALA	-	insertion	UNP Q6NZ44
G	169	GLY	-	insertion	UNP Q6NZ44
Н	-6	MET	_	initiating methionine	UNP Q6NZ44
Н	-5	HIS	_	expression tag	UNP Q6NZ44
Н	-4	HIS	-	expression tag	UNP Q6NZ44
Н	-3	HIS	-	expression tag	UNP Q6NZ44
Н	-2	HIS	-	expression tag	UNP Q6NZ44
Н	-1	HIS	-	expression tag	UNP Q6NZ44
Н	0	HIS	-	expression tag	UNP Q6NZ44
Н	163	GLY	_	insertion	UNP Q6NZ44
Н	164	PRO	-	insertion	UNP Q6NZ44
Н	165	LEU	_	insertion	UNP Q6NZ44
Н	166	GLY	-	insertion	UNP Q6NZ44
Н	167	LEU	-	insertion	UNP Q6NZ44
Н	168	ALA	-	insertion	UNP Q6NZ44
Н	169	GLY	-	insertion	UNP Q6NZ44
Ι	-6	MET	-	initiating methionine	UNP Q6NZ44
Ι	-5	HIS	-	expression tag	UNP Q6NZ44
Ι	-4	HIS	-	expression tag	UNP Q6NZ44
Ι	-3	HIS	-	expression tag	UNP Q6NZ44
Ι	-2	HIS	-	expression tag	UNP Q6NZ44
Ι	-1	HIS	-	expression tag	UNP Q6NZ44
Ι	0	HIS	-	expression tag	UNP Q6NZ44
Ι	163	GLY	-	insertion	UNP Q6NZ44
I	164	PRO	-	insertion	UNP Q6NZ44
Ι	165	LEU	-	insertion	UNP Q6NZ44
Ι	166	GLY	-	insertion	UNP Q6NZ44
Ι	167	LEU	-	insertion	UNP Q6NZ44
Ι	168	ALA	-	insertion	UNP Q6NZ44
I	169	GLY	-	insertion	UNP Q6NZ44
J	-6	MET	-	initiating methionine	UNP $Q6NZ44$
J	-5	HIS	-	expression tag	UNP $Q6\overline{NZ44}$
J	-4	HIS	-	expression tag	UNP Q6NZ44
J	-3	HIS	-	expression tag	UNP Q6NZ44
J	-2	HIS	-	expression tag	UNP Q6NZ44

Continued from previous page...



Chain	Residue	Modelled	Actual	Comment	Reference
J	-1	HIS	-	expression tag	UNP Q6NZ44
J	0	HIS	-	expression tag	UNP Q6NZ44
J	163	GLY	-	insertion	UNP Q6NZ44
J	164	PRO	-	insertion	UNP Q6NZ44
J	165	LEU	-	insertion	UNP Q6NZ44
J	166	GLY	-	insertion	UNP Q6NZ44
J	167	LEU	-	insertion	UNP Q6NZ44
J	168	ALA	-	insertion	UNP Q6NZ44
J	169	GLY	-	insertion	UNP Q6NZ44
K	-6	MET	-	initiating methionine	UNP Q6NZ44
K	-5	HIS	-	expression tag	UNP Q6NZ44
K	-4	HIS	-	expression tag	UNP Q6NZ44
K	-3	HIS	-	expression tag	UNP Q6NZ44
K	-2	HIS	-	expression tag	UNP Q6NZ44
K	-1	HIS	-	expression tag	UNP Q6NZ44
K	0	HIS	-	expression tag	UNP Q6NZ44
K	163	GLY	-	insertion	UNP Q6NZ44
K	164	PRO	-	insertion	UNP Q6NZ44
K	165	LEU	-	insertion	UNP Q6NZ44
K	166	GLY	-	insertion	UNP Q6NZ44
K	167	LEU	-	insertion	UNP Q6NZ44
K	168	ALA	-	insertion	UNP Q6NZ44
K	169	GLY	-	insertion	UNP Q6NZ44
L	-6	MET	-	initiating methionine	UNP Q6NZ44
L	-5	HIS	-	expression tag	UNP Q6NZ44
L	-4	HIS	-	expression tag	UNP Q6NZ44
L	-3	HIS	-	expression tag	UNP Q6NZ44
L	-2	HIS	-	expression tag	UNP Q6NZ44
L	-1	HIS	-	expression tag	UNP Q6NZ44
L	0	HIS	-	expression tag	UNP Q6NZ44
L	163	GLY	-	insertion	UNP Q6NZ44
L	164	PRO	-	insertion	UNP Q6NZ44
L	165	LEU	-	insertion	UNP Q6NZ44
L	166	GLY	-	insertion	UNP Q6NZ44
L	167	LEU	-	insertion	UNP $Q6NZ44$
L	168	ALA	-	insertion	UNP Q6NZ44
L	169	GLY	-	insertion	UNP Q6NZ44

• Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	2	Total Cl 2 2	0	0
2	Е	1	Total Cl 1 1	0	0
2	L	1	Total Cl 1 1	0	0

• Molecule 3 is FE (III) ION (three-letter code: FE) (formula: Fe) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Fe 1 1	0	0
3	В	2	Total Fe 2 2	0	0
3	С	1	Total Fe 1 1	0	0
3	D	2	Total Fe 2 2	0	0
3	Е	1	Total Fe 1 1	0	0
3	F	1	Total Fe 1 1	0	0
3	G	1	Total Fe 1 1	0	0
3	Н	2	Total Fe 2 2	0	0
3	Ι	2	Total Fe 2 2	0	0
3	J	1	Total Fe 1 1	0	0
3	К	2	Total Fe 2 2	0	0
3	L	1	Total Fe 1 1	0	0

• Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	С	1	Total Na 1 1	0	0
4	D	1	Total Na 1 1	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	J	1	Total Na 1 1	0	0
4	L	1	Total Na 1 1	0	0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	227	Total O 227 227	0	0
5	В	195	Total O 195 195	0	0
5	С	211	Total O 211 211	0	0
5	D	193	Total O 193 193	0	0
5	Ε	200	Total O 200 200	0	0
5	F	216	Total O 216 216	0	0
5	G	213	Total O 213 213	0	0
5	Н	208	Total O 208 208	0	0
5	Ι	223	Total O 223 223	0	0
5	J	209	Total O 209 209	0	0
5	K	220	Total O 220 220	0	0
5	L	206	Total O 206 206	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Ferritin











4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants	219.66Å 219.66Å 148.31Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	23.52 - 2.01	Depositor
Resolution (A)	32.47 - 2.01	EDS
% Data completeness	99.0 (23.52-2.01)	Depositor
(in resolution range)	99.6 (32.47-2.01)	EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.41 (at 2.01 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
P. P.	0.245 , 0.287	Depositor
n, n_{free}	0.245 , 0.287	DCC
R_{free} test set	11708 reflections (4.93%)	wwPDB-VP
Wilson B-factor $(Å^2)$	17.8	Xtriage
Anisotropy	0.081	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.40 , 50.6	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	19365	wwPDB-VP
Average B, all atoms $(Å^2)$	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 50.49 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.4218e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, NA, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
WIOI		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.42	0/1450	0.59	0/1951
1	В	0.41	0/1434	0.59	0/1931
1	С	0.42	0/1446	0.60	0/1947
1	D	0.40	0/1425	0.58	0/1919
1	Ε	0.39	0/1428	0.56	0/1926
1	F	0.38	0/1443	0.55	0/1943
1	G	0.39	0/1436	0.56	0/1935
1	Н	0.38	0/1448	0.58	0/1951
1	Ι	0.39	0/1414	0.57	0/1906
1	J	0.41	0/1429	0.58	0/1925
1	Κ	0.39	0/1421	0.59	0/1915
1	L	0.39	0/1414	0.57	0/1906
All	All	0.40	0/17188	0.58	0/23155

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1416	0	1358	25	0



8Y6F	
------	--

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1403	0	1336	10	
1	C	1415	0	1346	15	0
1	D	1397	0	1330	9	0
1	E	1397	0	1314	15	0
1	F	1409	0	1346	16	0
1	G	1405	0	1329	8	0
1	H	1414	0	1340	18	0
1	Ι	1386	0	1313	14	0
1	J	1398	0	1330	8	0
1	K	1393	0	1321	14	0
1	L	1386	0	1313	15	0
2	А	2	0	0	0	0
2	Е	1	0	0	0	0
2	L	1	0	0	0	0
3	А	1	0	0	0	0
3	В	2	0	0	0	0
3	С	1	0	0	0	0
3	D	2	0	0	0	1
3	Е	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	Н	2	0	0	0	1
3	Ι	2	0	0	0	0
3	J	1	0	0	0	0
3	K	2	0	0	0	0
3	L	1	0	0	0	0
4	С	1	0	0	0	0
4	D	1	0	0	0	0
4	J	1	0	0	0	0
4	L	1	0	0	0	0
5	A	227	0	0	14	0
5	В	195	0	0	5	0
5	С	211	0	0	8	1
5	D	193	0	0	1	2
5	E	200	0	0	5	0
5	F	216	0	0	6	1
5	G	213	0	0	1	0
5	H	208	0	0	3	3
5		223	0	0	7	0
5	J	209	0	0	2	1
5	K	220	0	0	4	0
5		206	0	0	5	1
					Continu	ued on next page

W O R L D W I D E PROTEIN DATA BANK

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	19365	0	15976	157	6

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:6:THR:N	5:C:303:HOH:O	2.14	0.81
1:B:155:ASN:O	1:B:159:MET:HG3	1.87	0.75
1:I:171:SER:N	5:I:302:HOH:O	2.21	0.73
1:F:6:THR:N	5:F:302:HOH:O	2.22	0.72
1:A:23:ARG:NH1	5:A:303:HOH:O	2.22	0.71
1:H:155:ASN:O	1:H:159:MET:HG3	1.91	0.70
1:C:54:LYS:NZ	5:C:305:HOH:O	2.23	0.70
1:C:113:GLN:NE2	5:C:304:HOH:O	2.20	0.70
1:I:162:PRO:O	5:I:301:HOH:O	2.09	0.70
1:H:176:TYR:OH	1:L:182:THR:HG22	1.92	0.69
1:C:124[B]:ASP:OD1	5:C:301:HOH:O	2.10	0.68
1:A:51:ASN:HA	1:A:54:LYS:HG2	1.77	0.66
1:B:151:ASP:OD2	5:B:301:HOH:O	2.13	0.66
1:A:181:HIS:O	1:B:180[B]:LYS:NZ	2.29	0.65
1:D:132:ASP:O	1:D:136:THR:HG23	1.97	0.65
1:K:176:TYR:CZ	1:K:180:LYS:HE2	2.33	0.64
1:A:23:ARG:NH2	5:A:308:HOH:O	2.30	0.64
1:A:132:ASP:OD1	5:A:301:HOH:O	2.15	0.64
1:E:110:ASN:ND2	5:E:306:HOH:O	2.31	0.63
1:L:118:LEU:HD22	1:L:134:ILE:HD11	1.81	0.63
1:G:119:HIS:O	1:G:123:THR:HG23	1.99	0.62
1:A:158:LYS:NZ	5:A:305:HOH:O	2.25	0.62
1:K:176:TYR:CE1	1:K:180:LYS:HE2	2.35	0.61
1:I:110:ASN:ND2	5:I:308:HOH:O	2.33	0.60
1:L:126:ASN:ND2	5:L:304:HOH:O	2.28	0.60
1:A:152:HIS:HB3	5:A:512:HOH:O	2.00	0.60
1:C:44:ARG:HB2	1:C:47:VAL:HG12	1.83	0.59
1:K:176:TYR:O	1:K:180:LYS:HG2	2.02	0.59
1:C:41:TYR:O	1:C:47:VAL:HG11	2.03	0.58
1:E:141:GLU:OE2	1:E:144:LYS:NZ	2.36	0.58
1:D:126:ASN:ND2	5:D:302:HOH:O	2.37	0.58
1:C:180:LYS:HD2	1:D:181:HIS:HB3	1.85	0.57
1:C:180:LYS:HG2	5:C:339:HOH:O	2.04	0.57



• • • • • • • • • • • • • • • • • • •	1 1 1 1	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:J:67:ALA:O	1:J:71:MET:HG3	2.04	0.57
1:A:87:LYS:NZ	5:A:311:HOH:O	2.33	0.57
1:A:59:GLN:NE2	5:A:302:HOH:O	2.37	0.56
1:B:41:TYR:O	1:B:44:ARG:HG2	2.05	0.56
1:K:158:LYS:NZ	5:K:309:HOH:O	2.38	0.56
1:K:94:TRP:O	1:K:99:ASN:ND2	2.36	0.56
1:K:64:ARG:NE	1:K:68:GLU:OE2	2.39	0.56
1:A:41:TYR:O	1:A:44:ARG:HG2	2.06	0.56
1:A:98:GLN:O	1:A:102:GLU:HG3	2.06	0.56
1:J:6:THR:N	5:J:310:HOH:O	2.39	0.55
1:E:171:SER:OG	5:E:301:HOH:O	2.02	0.55
1:B:118:LEU:HD22	1:B:134:ILE:HD11	1.90	0.54
1:H:21:ILE:HD13	1:H:118:LEU:HD21	1.89	0.54
1:A:64:ARG:NH2	1:I:60:SER:OG	2.41	0.54
1:A:128:PRO:HB3	1:E:119:HIS:CE1	2.43	0.54
1:F:67:ALA:O	1:F:71:MET:HG3	2.08	0.54
1:L:64:ARG:NE	1:L:68:GLU:OE2	2.41	0.53
1:D:36:LEU:HD13	1:L:64:ARG:HH21	1.73	0.53
1:C:47:VAL:HG13	1:C:48:ALA:H	1.72	0.53
1:J:72:LYS:NZ	5:J:306:HOH:O	2.31	0.53
1:B:73:LEU:HD22	1:B:133:PHE:CE2	2.44	0.53
1:D:118:LEU:HG	1:D:134:ILE:HD11	1.90	0.52
1:H:119:HIS:O	1:H:123:THR:HG23	2.09	0.52
1:J:79:GLY:O	1:J:80:ARG:HD3	2.09	0.52
1:F:115:LEU:HD13	1:F:138:TYR:HB3	1.92	0.52
1:I:110:ASN:HB3	5:I:310:HOH:O	2.10	0.52
1:F:157[A]:ARG:NH2	5:F:310:HOH:O	2.44	0.51
1:E:118:LEU:HG	1:E:134:ILE:HD11	1.92	0.51
1:J:14:HIS:CD2	1:J:125:LYS:HE3	2.46	0.51
1:C:180:LYS:HE2	5:C:339:HOH:O	2.10	0.50
1:F:180:LYS:HG2	5:F:371:HOH:O	2.12	0.50
1:B:109:LYS:NZ	5:B:310:HOH:O	2.43	0.50
1:G:123:THR:HG22	1:G:131:CYS:SG	2.52	0.50
1:B:162:PRO:O	5:B:303:HOH:O	2.20	0.49
1:B:113:GLN:OE1	5:B:302:HOH:O	2.19	0.49
1:I:34:VAL:O	1:I:38:MET:HG3	2.12	0.49
1:A:181:HIS:HB3	1:B:180[A]:LYS:HE3	1.95	0.49
1:A:59:GLN:NE2	5:A:317:HOH:O	2.41	0.48
1:A:113:GLN:NE2	5:A:318:HOH:O	2.41	0.48
1:J:118:LEU:HG	1:J:134:ILE:HD11	1.94	0.48
1:L:178:PHE:CE1	1:L:182:THR:HG21	2.48	0.48



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:I:73:LEU:HD22	1:I:133:PHE:CE2	2.49	0.48
1:F:157[B]:ARG:NH1	5:F:313:HOH:O	2.47	0.48
1:H:126:ASN:OD1	5:H:301:HOH:O	2.20	0.48
1:A:180[A]:LYS:HE2	5:A:341:HOH:O	2.13	0.48
1:F:7:SER:HB3	1:F:10:ARG:HB2	1.96	0.48
1:L:40:TYR:OH	5:L:301:HOH:O	2.13	0.48
1:E:109:LYS:NZ	5:E:316:HOH:O	2.46	0.47
1:L:113:GLN:OE1	5:L:302:HOH:O	2.20	0.47
1:B:128:PRO:HB3	1:G:119:HIS:CE1	2.49	0.47
1:F:161:ALA:HB1	5:F:336:HOH:O	2.13	0.47
1:K:113:GLN:NE2	5:K:305:HOH:O	2.47	0.47
1:B:64:ARG:NE	1:B:68:GLU:OE2	2.47	0.47
1:E:71:MET:HE1	1:F:40:TYR:CD2	2.50	0.47
1:E:170:GLU:OE1	5:E:303:HOH:O	2.20	0.47
1:I:157:ARG:NH2	5:I:307:HOH:O	2.33	0.46
1:H:80:ARG:HD3	1:H:80:ARG:HA	1.73	0.46
1:H:50:LYS:O	1:H:54:LYS:HG3	2.14	0.46
1:A:87:LYS:HA	1:A:87:LYS:HD2	1.67	0.46
1:D:64:ARG:NH2	1:L:36:LEU:HD13	2.31	0.46
1:E:60:SER:OG	1:F:64:ARG:NH2	2.46	0.46
1:A:80:ARG:HD3	1:A:80:ARG:HA	1.74	0.45
1:B:6:THR:N	5:B:324:HOH:O	2.49	0.45
1:F:80:ARG:HA	1:F:80:ARG:HD3	1.69	0.45
1:D:68:GLU:HB3	5:L:301:HOH:O	2.17	0.45
1:E:120:LYS:HD2	5:E:389:HOH:O	2.17	0.45
1:H:6:THR:HB	5:H:461:HOH:O	2.16	0.44
1:H:128:PRO:HB3	1:J:119:HIS:CE1	2.52	0.44
1:H:38:MET:HG2	1:H:94:TRP:CD2	2.52	0.44
1:H:98:GLN:O	1:H:102:GLU:HG3	2.16	0.44
1:I:21:ILE:HD13	1:I:118:LEU:HD21	2.00	0.44
1:F:109:LYS:NZ	5:F:318:HOH:O	2.51	0.44
1:A:59:GLN:NE2	5:A:313:HOH:O	2.48	0.44
1:G:80:ARG:HD3	1:G:80:ARG:HA	1.68	0.44
1:I:118:LEU:HG	1:I:134:ILE:HD11	1.99	0.44
1:K:21:ILE:HD13	1:K:118:LEU:HD11	1.99	0.44
1:J:155:ASN:HB3	1:J:159:MET:CE	2.48	0.44
1:H:94:TRP:HZ3	1:H:103[B]:CYS:SG	2.40	0.43
1:H:50:LYS:HG2	5:H:382:HOH:O	2.18	0.43
1:H:123:THR:HG22	1:H:131:CYS:SG	2.58	0.43
1:F:51:ASN:HA	1:F:54:LYS:HG2	1.99	0.43
1:F:118:LEU:HG	1:F:134:ILE:HD11	2.00	0.43



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:119:HIS:CE1	1:K:128:PRO:HB3	2.53	0.43	
1:C:47:VAL:HG13	1:C:48:ALA:N	2.34	0.43	
1:L:6:THR:N	5:L:319:HOH:O	2.51	0.43	
1:I:59:GLN:NE2	5:I:322:HOH:O	2.52	0.43	
1:I:80:ARG:HA	1:I:80:ARG:HD3	1.83	0.43	
1:B:79:GLY:O	1:B:80:ARG:HD3	2.19	0.43	
1:D:80:ARG:HA	1:D:80:ARG:HD3	1.81	0.43	
1:E:21:ILE:HD13	1:E:118:LEU:HD21	2.00	0.42	
1:G:36:LEU:HD13	1:H:64:ARG:HH21	1.84	0.42	
1:E:118:LEU:HG	1:E:134:ILE:CD1	2.50	0.42	
1:H:176:TYR:HH	1:L:182:THR:HG22	1.84	0.42	
1:A:23:ARG:NH2	5:A:304:HOH:O	2.24	0.42	
1:C:20:ALA:HB1	1:C:118:LEU:HD13	2.01	0.42	
1:H:94:TRP:CZ3	1:H:103[B]:CYS:SG	3.13	0.42	
1:B:88:GLU:HG2	5:K:315:HOH:O	2.20	0.42	
1:B:80:ARG:HD3	1:B:80:ARG:HA	1.67	0.42	
1:B:83:LEU:HD13	1:K:33:TYR:CE1	2.55	0.42	
1:C:87:LYS:HD2	1:C:87:LYS:HA	1.87	0.42	
1:K:80:ARG:HA	1:K:80:ARG:HD3	1.85	0.42	
1:C:59:GLN:NE2	5:C:307:HOH:O	2.38	0.41	
1:I:73:LEU:HD13	1:I:133:PHE:CD1	2.55	0.41	
1:G:38:MET:HG2	1:G:94:TRP:CD2	2.55	0.41	
1:L:80:ARG:HA	1:L:80:ARG:HD3	1.83	0.41	
1:C:109:LYS:NZ	5:C:325:HOH:O	2.53	0.41	
1:D:86:ILE:HB	1:L:86:ILE:HB	2.02	0.41	
1:I:124:ASP:HB3	5:I:459:HOH:O	2.20	0.41	
1:E:64:ARG:NH2	1:F:36:LEU:HD13	2.35	0.41	
1:B:149:LEU:HA	1:B:149:LEU:HD23	1.85	0.41	
1:K:50:LYS:HE3	1:K:50:LYS:HB3	1.59	0.41	
1:A:153:VAL:O	1:A:157:ARG:HG2	2.20	0.41	
1:H:70:LEU:HG	1:H:138:TYR:OH	2.21	0.41	
1:B:87:LYS:HA	1:B:87:LYS:HD2	1.78	0.41	
1:E:35:TYR:CG	1:E:59:GLN:HB3	2.56	0.41	
1:G:180:LYS:HG2	5:G:337:HOH:O	2.21	0.41	
1:K:55:TYR:O	1:K:59:GLN:HG2	2.21	0.41	
1:A:35:TYR:OH	5:A:302:HOH:O	2.17	0.41	
1:G:156:LEU:HD23	1:G:156:LEU:HA	1.95	0.41	
1:E:64:ARG:NH2	1:F:60:SER:OG	2.53	0.40	
1:K:113:GLN:N	5:K:320:HOH:O	2.53	0.40	
1:A:59:GLN:HG2	5:A:330:HOH:O	2.22	0.40	
1:L:21:ILE:HD13	1:L:118:LEU:HD11	2.03	0.40	



Continued	from	previous	page
Continucu	JIONE	previous	puye

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)	
1:L:7:SER:HB3	1:L:10:ARG:HB2	2.02	0.40	

All (6) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:202:FE:FE	3:H:201:FE:FE[7_556]	1.71	0.49
5:C:444:HOH:O	5:F:462:HOH:O[7_556]	2.12	0.08
5:H:457:HOH:O	5:H:457:HOH:O[7_556]	2.15	0.05
5:D:440:HOH:O	5:H:404:HOH:O[7_556]	2.16	0.04
5:D:400:HOH:O	5:J:432:HOH:O[7_556]	2.17	0.03
5:H:492:HOH:O	5:L:378:HOH:O[7_556]	2.19	0.01

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	170/196~(87%)	166 (98%)	4 (2%)	0	100	100
1	В	168/196~(86%)	163 (97%)	5 (3%)	0	100	100
1	С	169/196~(86%)	166 (98%)	3 (2%)	0	100	100
1	D	167/196~(85%)	163 (98%)	4 (2%)	0	100	100
1	Ε	170/196~(87%)	164 (96%)	6 (4%)	0	100	100
1	F	170/196~(87%)	168 (99%)	2 (1%)	0	100	100
1	G	170/196~(87%)	167~(98%)	3 (2%)	0	100	100
1	Н	172/196~(88%)	169 (98%)	3 (2%)	0	100	100
1	Ι	167/196~(85%)	165~(99%)	2 (1%)	0	100	100
1	J	$16\overline{8}/196~(86\%)$	165 (98%)	3 (2%)	0	100	100
1	К	167/196~(85%)	164 (98%)	3 (2%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	L	167/196~(85%)	163~(98%)	4 (2%)	0	100	100
All	All	2025/2352~(86%)	1983 (98%)	42 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	153/172~(89%)	152~(99%)	1 (1%)	84	88
1	В	151/172~(88%)	150~(99%)	1 (1%)	84	88
1	С	153/172~(89%)	149~(97%)	4 (3%)	46	48
1	D	150/172~(87%)	149~(99%)	1 (1%)	84	88
1	Е	148/172~(86%)	143~(97%)	5(3%)	37	36
1	F	151/172~(88%)	148 (98%)	3(2%)	55	58
1	G	150/172~(87%)	147~(98%)	3(2%)	55	58
1	Н	151/172~(88%)	147 (97%)	4 (3%)	46	48
1	Ι	147/172~(86%)	146 (99%)	1 (1%)	84	88
1	J	150/172~(87%)	148 (99%)	2(1%)	69	74
1	Κ	149/172~(87%)	145~(97%)	4 (3%)	44	46
1	L	147/172~(86%)	145~(99%)	2 (1%)	67	72
All	All	1800/2064~(87%)	1769~(98%)	31 (2%)	60	65

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	33	TYR
1	В	33	TYR
1	С	33	TYR
1	С	45	ASP
1	С	87	LYS



Mol	Chain	Res	Type
1	С	118	LEU
1	D	33	TYR
1	Е	33	TYR
1	Е	59	GLN
1	Е	103[A]	CYS
1	Е	103[B]	CYS
1	Е	120	LYS
1	F	33	TYR
1	F	54	LYS
1	F	118	LEU
1	G	33	TYR
1	G	62	GLU
1	G	118	LEU
1	Н	33	TYR
1	Н	91	CYS
1	Н	123	THR
1	Н	157	ARG
1	Ι	33	TYR
1	J	33	TYR
1	J	92	ASP
1	K	33	TYR
1	K	83	LEU
1	K	106	HIS
1	K	118	LEU
1	L	33	TYR
1	L	182	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	59	GLN
1	А	61	HIS
1	С	84	GLN
1	D	84	GLN
1	Е	110	ASN
1	F	84	GLN
1	F	110	ASN
1	G	99	ASN
1	Н	99	ASN
1	Н	126	ASN
1	Ι	59	GLN
1	Ι	113	GLN



Continued from previous page...

Mol	Chain	Res	Type
1	Ι	142	GLN
1	J	61	HIS
1	Κ	113	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 25 ligands modelled in this entry, 25 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2		$OWAB(Å^2)$	Q < 0.9	
1	А	172/196~(87%)	0.34	8 (4%)	31	30	12, 17, 32, 48	0
1	В	171/196~(87%)	0.26	6 (3%)	44	43	12, 17, 30, 45	0
1	С	172/196~(87%)	0.26	6~(3%)	44	43	13, 17, 33, 62	0
1	D	171/196~(87%)	0.18	5 (2%)	51	50	14, 18, 31, 47	0
1	Ε	173/196~(88%)	0.25	11 (6%)	19	18	13, 17, 36, 58	0
1	F	172/196~(87%)	0.22	10 (5%)	23	22	12, 17, 35, 59	0
1	G	173/196~(88%)	0.22	7 (4%)	38	37	14, 18, 37, 67	0
1	Н	174/196~(88%)	0.24	13 (7%)	14	13	12, 18, 39, 69	0
1	Ι	171/196~(87%)	0.30	7 (4%)	37	36	13, 17, 30, 49	0
1	J	171/196~(87%)	0.27	8 (4%)	31	30	13, 17, 32, 47	0
1	Κ	171/196~(87%)	0.23	7 (4%)	37	36	13, 17, 29, 47	0
1	L	171/196~(87%)	0.15	6 (3%)	44	43	14, 18, 31, 51	0
All	All	2062/2352~(87%)	0.24	94 (4%)	32	31	12, 18, 33, 69	0

All (94) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Ε	169	GLY	7.3
1	Н	169	GLY	7.1
1	С	170	GLU	6.3
1	Κ	91	CYS	5.9
1	Ι	91	CYS	5.8
1	G	170	GLU	5.6
1	Н	91	CYS	5.5
1	Н	170	GLU	5.5
1	J	91	CYS	5.4
1	В	91	CYS	5.1
1	Е	170	GLU	5.0



8Y6F

Continued from previous page							
Mol	Chain	Res	Type	RSRZ			
1	А	91	CYS	4.7			
1	K	162	PRO	4.5			
1	F	170	GLU	4.4			
1	F	161	ALA	4.3			
1	G	169	GLY	4.1			
1	Е	161	ALA	4.1			
1	L	162	PRO	4.0			
1	Ι	162	PRO	3.9			
1	K	92	ASP	3.9			
1	В	161	ALA	3.8			
1	А	161	ALA	3.7			
1	Е	91	CYS	3.6			
1	F	90	ASP	3.6			
1	Н	163	GLY	3.6			
1	Н	161	ALA	3.5			
1	А	163	GLY	3.5			
1	G	91	CYS	3.4			
1	А	82	PHE	3.3			
1	K	161	ALA	3.3			
1	Н	162	PRO	3.3			
1	Ι	161	ALA	3.3			
1	С	161	ALA	3.3			
1	Ι	90	ASP	3.2			
1	J	95	GLU	3.2			
1	J	82	PHE	3.2			
1	F	82	PHE	3.1			
1	G	92	ASP	3.1			
1	Н	92	ASP	3.1			
1	F	162	PRO	3.0			
1	В	90	ASP	3.0			
1	L	6	THR	3.0			
1	D	162	PRO	3.0			
1	С	82	PHE	2.9			
1	G	162	PRO	2.9			
1	D	161	ALA	2.9			
1	J	90	ASP	2.8			
1	F	171	SER	2.8			
1	С	162	PRO	2.8			
1	Е	92	ASP	2.8			
1	Е	171	SER	2.7			
1	J	6	THR	2.7			
1	L	91	CYS	2.6			



Mol	Chain	Res	Type	RSRZ
1	А	162	PRO	2.6
1	Е	90	ASP	2.6
1	С	6	THR	2.6
1	F	91	CYS	2.6
1	Е	6	THR	2.6
1	L	161	ALA	2.5
1	F	6	THR	2.5
1	D	91	CYS	2.5
1	Е	162	PRO	2.5
1	Ι	93	ASP	2.5
1	Ι	92	ASP	2.5
1	F	110	ASN	2.5
1	В	6	THR	2.4
1	J	92	ASP	2.4
1	K	6	THR	2.4
1	D	95	GLU	2.4
1	Н	90	ASP	2.4
1	Ι	6	THR	2.3
1	G	82	PHE	2.3
1	L	82	PHE	2.3
1	С	91	CYS	2.3
1	J	162	PRO	2.3
1	А	95	GLU	2.3
1	Н	6	THR	2.3
1	Е	82	PHE	2.3
1	В	82	PHE	2.2
1	Н	160	GLY	2.2
1	L	95	GLU	2.2
1	F	92	ASP	2.2
1	Н	15	GLN	2.2
1	В	92	ASP	2.2
1	K	94	TRP	2.2
1	G	171	SER	2.1
1	D	90	ASP	2.1
1	K	90	ASP	2.1
1	Е	93	ASP	2.1
1	А	6	THR	2.1
1	Н	82	PHE	2.1
1	А	160	GLY	2.1
1	J	160	GLY	2.0
1	Н	93	ASP	2.0

Continued from previous page...



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
3	FE	Ι	201	1/1	0.69	0.31	$65,\!65,\!65,\!65$	0
4	NA	L	202	1/1	0.85	0.12	23,23,23,23	0
2	CL	L	201	1/1	0.89	0.19	44,44,44,44	0
3	FE	Н	201	1/1	0.91	0.34	69,69,69,69	0
4	NA	J	201	1/1	0.94	0.09	22,22,22,22	0
2	CL	А	201	1/1	0.94	0.45	30,30,30,30	0
4	NA	D	201	1/1	0.95	0.11	21,21,21,21	0
3	FE	K	202	1/1	0.97	0.07	33,33,33,33	0
3	FE	L	203	1/1	0.97	0.09	31,31,31,31	0
4	NA	С	201	1/1	0.97	0.22	12,12,12,12	0
3	FE	D	203	1/1	0.97	0.08	36,36,36,36	0
3	FE	А	203	1/1	0.97	0.09	32,32,32,32	0
3	FE	D	202	1/1	0.97	0.18	39,39,39,39	0
3	FE	В	201	1/1	0.98	0.03	31,31,31,31	0
3	FE	В	202	1/1	0.98	0.11	37,37,37,37	0
2	CL	А	202	1/1	0.98	0.19	29,29,29,29	0
2	CL	Е	201	1/1	0.98	0.30	31,31,31,31	1
3	FE	J	202	1/1	0.99	0.11	36,36,36,36	0
3	FE	K	201	1/1	0.99	0.03	30,30,30,30	0
3	FE	F	201	1/1	0.99	0.14	34,34,34,34	0
3	FE	G	201	1/1	0.99	0.10	33,33,33,33	0
3	FE	С	202	1/1	0.99	0.08	30,30,30,30	0
3	FE	Н	202	1/1	0.99	0.14	$35,\!35,\!35,\!35$	0
3	FE	Е	202	1/1	0.99	0.12	32,32,32,32	0
3	FE	Ι	202	1/1	0.99	0.09	34,34,34,34	0

The following is a graphical depiction of the model fit to experimental electron density of all



instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



































































































6.5 Other polymers (i)

There are no such residues in this entry.

