



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 22, 2023 – 07:36 PM JST

PDB ID : 7YCK  
Title : Crystal structure of SARS-CoV-2 Spike RBD in complex with FP-12A Fab  
Authors : Nguyen, V.H.T.; Chen, X.  
Deposited on : 2022-07-01  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	204	
1	B	204	
2	C	224	
2	E	224	
3	D	216	
3	F	216	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	G	4	 75% 25%
5	H	3	 67% 33%

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 8315 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	198	1567	1004	262	293	8	0	0	0
1	B	199	1577	1010	265	294	8	0	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	531	HIS	-	expression tag	UNP P0DTC2
A	532	HIS	-	expression tag	UNP P0DTC2
A	533	HIS	-	expression tag	UNP P0DTC2
A	534	HIS	-	expression tag	UNP P0DTC2
A	535	HIS	-	expression tag	UNP P0DTC2
A	536	HIS	-	expression tag	UNP P0DTC2
B	531	HIS	-	expression tag	UNP P0DTC2
B	532	HIS	-	expression tag	UNP P0DTC2
B	533	HIS	-	expression tag	UNP P0DTC2
B	534	HIS	-	expression tag	UNP P0DTC2
B	535	HIS	-	expression tag	UNP P0DTC2
B	536	HIS	-	expression tag	UNP P0DTC2


- Molecule 2 is a protein called FP-12A Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	217	1623	1027	269	320	7	0	0	0
2	E	120	932	590	157	180	5	0	0	0

- Molecule 3 is a protein called FP-12A Fab light chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	D	210	Total 1579	C 982	N 262	O 330	S 5	0	0	0
3	F	109	Total 823	C 506	N 138	O 176	S 3	0	0	0

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	G	4	Total 49	C 28	N 2	O 19	0	0	0

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	H	3	Total 38	C 22	N 2	O 14	0	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	44	Total 44	O 44	0	0
6	C	7	Total 7	O 7	0	0
6	D	16	Total 16	O 16	0	0
6	B	44	Total 44	O 44	0	0
6	E	5	Total 5	O 5	0	0
6	F	11	Total 11	O 11	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Spike protein S1




- Molecule 1: Spike protein S1




- Molecule 2: FP-12A Fab heavy chain




- Molecule 2: FP-12A Fab heavy chain









- Molecule 3: FP-12A Fab light chain



- Molecule 3: FP-12A Fab light chain



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	58.83Å 79.12Å 92.54Å 76.26° 81.16° 71.13°	Depositor
Resolution (Å)	32.25 – 2.60 32.25 – 2.60	Depositor EDS
% Data completeness (in resolution range)	97.8 (32.25-2.60) 97.8 (32.25-2.60)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.51 (at 2.61Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, $R_{free}$	0.229 , 0.264 0.229 , 0.265	Depositor DCC
$R_{free}$ test set	2206 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	53.4	Xtrriage
Anisotropy	0.252	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 53.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	8315	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	71.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.97% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/1611	0.52	0/2191
1	B	0.27	0/1622	0.52	0/2206
2	C	0.27	0/1661	0.52	0/2261
2	E	0.26	0/955	0.50	0/1294
3	D	0.28	0/1617	0.52	0/2208
3	F	0.28	0/842	0.51	0/1147
All	All	0.27	0/8308	0.52	0/11307

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1567	0	1490	10	0
1	B	1577	0	1497	12	0
2	C	1623	0	1570	50	0
2	E	932	0	876	13	0
3	D	1579	0	1497	50	0
3	F	823	0	764	14	0
4	G	49	0	43	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	H	38	0	34	0	0
6	A	44	0	0	1	0
6	B	44	0	0	1	0
6	C	7	0	0	1	0
6	D	16	0	0	3	0
6	E	5	0	0	0	0
6	F	11	0	0	2	0
All	All	8315	0	7771	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:391:CYS:SG	1:B:529:LYS:HD3	2.19	0.83
2:C:126:PRO:HB3	2:C:138:LEU:HD12	1.63	0.80
2:C:119:PRO:HB3	2:C:145:TYR:HB3	1.74	0.70
2:E:94:ASN:O	2:E:101:ASP:N	2.25	0.68
3:D:119:PRO:HG3	3:D:132:LEU:HG	1.77	0.66
2:C:154:TRP:NE1	2:C:195:ILE:HB	2.10	0.65
2:E:94:ASN:HB3	2:E:102:VAL:H	1.61	0.65
2:E:8:GLY:HA3	2:E:20:LEU:HD23	1.79	0.65
3:F:60:ASP:N	3:F:60:ASP:OD1	2.30	0.65
3:F:21:ILE:HD12	3:F:73:LEU:HD23	1.78	0.64
3:F:35:TRP:HB2	3:F:48:ILE:HB	1.79	0.64
2:C:22:CYS:HB3	2:C:78:LEU:HB3	1.79	0.64
3:D:35:TRP:HB2	3:D:48:ILE:HB	1.79	0.64
1:B:529:LYS:O	1:B:529:LYS:HG3	1.98	0.63
3:D:103:LYS:NZ	6:D:305:HOH:O	2.31	0.63
3:D:194:GLN:HA	3:D:205:THR:HB	1.80	0.63
3:F:34:GLN:HG3	3:F:49:TYR:HA	1.79	0.62
3:D:151:ASP:OD1	3:D:187:SER:OG	2.18	0.62
3:D:105:THR:HG21	3:D:141:PRO:HB3	1.82	0.60
1:B:340:GLU:N	1:B:340:GLU:OE1	2.35	0.60
2:C:184:VAL:HG21	2:C:194:TYR:CZ	2.38	0.59
3:D:118:PHE:CD2	3:D:120:PRO:HG3	2.37	0.59
2:C:126:PRO:CB	2:C:138:LEU:HD12	2.31	0.59
2:E:24:ALA:HB3	2:E:76:ASN:HB3	1.85	0.59
3:F:15:PRO:HA	3:F:78:LEU:HB3	1.85	0.58
3:D:60:ASP:OD1	3:D:60:ASP:N	2.32	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:150:ALA:HA	3:D:191:TYR:CE1	2.39	0.58
2:C:154:TRP:CD1	2:C:195:ILE:HB	2.40	0.57
3:F:93:SER:OG	3:F:94:SER:N	2.38	0.56
1:A:359:SER:OG	1:A:394:ASN:OD1	2.22	0.56
1:A:376:THR:HG22	1:A:435:ALA:HB3	1.87	0.56
3:D:191:TYR:HB3	3:D:208:PRO:HG2	1.88	0.56
2:C:152:VAL:HG22	2:C:198:VAL:HG13	1.88	0.56
3:D:18:THR:HG22	3:D:76:SER:HA	1.87	0.56
2:C:9:GLY:HA3	2:C:18:LEU:HD21	1.88	0.55
2:C:12:VAL:HG21	2:C:18:LEU:HD22	1.88	0.55
2:C:5:VAL:HG13	2:C:23:ALA:HB3	1.89	0.55
2:C:39:GLN:NE2	6:C:302:HOH:O	2.39	0.55
3:D:146:VAL:HG22	3:D:195:VAL:HG22	1.88	0.55
2:C:40:ALA:HB3	2:C:43:LYS:HE3	1.89	0.54
3:D:176:SER:C	3:D:177:TYR:HD1	2.10	0.54
2:C:193:THR:HG23	2:C:210:LYS:HE3	1.90	0.54
2:C:201:LYS:HB3	2:C:202:PRO:HD3	1.90	0.54
3:D:118:PHE:C	3:D:120:PRO:HD3	2.28	0.53
3:F:67:SER:N	6:F:302:HOH:O	2.41	0.53
1:B:391:CYS:SG	1:B:529:LYS:CD	2.95	0.53
3:F:8:PRO:HD3	3:F:22:SER:HB2	1.91	0.52
3:F:43:ALA:N	6:F:304:HOH:O	2.41	0.52
2:C:154:TRP:HE1	2:C:195:ILE:HB	1.73	0.52
3:D:120:PRO:O	3:D:122:SER:N	2.42	0.52
1:A:460:ASN:HB3	6:A:624:HOH:O	2.10	0.52
1:A:340:GLU:N	1:A:340:GLU:OE1	2.41	0.52
2:C:125:ALA:HB3	3:D:120:PRO:HG2	1.92	0.52
2:E:41:PRO:HD3	2:E:88:ALA:HA	1.92	0.52
3:D:192:SER:HA	3:D:208:PRO:HD2	1.93	0.51
3:D:196:THR:HG23	3:D:201:THR:HG21	1.93	0.51
2:C:169:VAL:HG12	2:C:174:GLY:HA2	1.92	0.51
3:D:145:THR:HG23	3:D:196:THR:HB	1.92	0.51
2:C:144:ASP:N	2:C:176:TYR:O	2.45	0.50
2:C:184:VAL:HG11	2:C:194:TYR:OH	2.13	0.49
2:C:126:PRO:CG	2:C:138:LEU:HD12	2.42	0.49
2:C:138:LEU:O	2:C:182:VAL:N	2.38	0.48
2:C:87:THR:HG23	2:C:110:THR:HA	1.94	0.48
2:C:126:PRO:HG3	2:C:138:LEU:HD12	1.94	0.48
3:D:113:PRO:HB2	3:D:136:ILE:HG23	1.96	0.48
3:D:34:GLN:HG3	3:D:49:TYR:HA	1.95	0.48
3:D:113:PRO:HB3	3:D:139:PHE:HB3	1.95	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:169:VAL:HG21	3:D:159:VAL:HG13	1.96	0.48
3:D:178:LEU:HD21	3:D:191:TYR:OH	2.14	0.48
3:D:125:LEU:HD11	3:D:185:TRP:HH2	1.79	0.47
3:D:189:ARG:N	3:D:189:ARG:HD3	2.29	0.47
2:E:69:ILE:HD11	2:E:78:LEU:HD11	1.96	0.47
3:D:118:PHE:HD2	3:D:120:PRO:HG3	1.78	0.46
2:E:11:VAL:HA	2:E:110:THR:O	2.16	0.46
2:E:9:GLY:HA3	2:E:18:LEU:HD11	1.97	0.46
2:E:34:MET:HB3	2:E:78:LEU:HD22	1.96	0.46
3:F:24:THR:HG22	3:F:70:SER:HB3	1.98	0.46
2:C:38:ARG:NH2	2:C:46:GLU:OE1	2.49	0.46
1:A:379:CYS:HA	1:A:432:CYS:HA	1.97	0.45
1:A:393:THR:HG21	1:A:518:LEU:HD12	1.98	0.45
3:D:134:CYS:HB2	3:D:148:TRP:CZ2	2.52	0.45
2:C:125:ALA:H	3:D:120:PRO:HG2	1.81	0.45
3:D:90:SER:OG	3:D:91:TYR:N	2.49	0.45
3:D:150:ALA:N	3:D:153:SER:O	2.50	0.45
3:D:158:GLY:HA2	3:D:178:LEU:HB2	1.98	0.45
2:C:177:SER:HB2	3:D:177:TYR:HE2	1.82	0.45
1:B:379:CYS:HA	1:B:432:CYS:HA	1.98	0.45
2:C:16:ARG:HD2	2:C:16:ARG:HA	1.66	0.45
2:C:154:TRP:CD2	2:C:156:SER:HB2	2.52	0.45
3:D:177:TYR:N	3:D:177:TYR:CD1	2.85	0.45
2:C:19:ARG:HG3	2:C:81:GLN:OE1	2.16	0.44
3:D:38:ARG:HH12	3:D:41:GLY:H	1.65	0.44
1:B:341:VAL:HG11	1:B:397:ALA:HB1	1.98	0.44
2:C:30:SER:O	2:C:52(A):TYR:HB2	2.17	0.44
2:E:18:LEU:HD12	2:E:19:ARG:H	1.83	0.44
3:D:40:PRO:O	6:D:301:HOH:O	2.21	0.44
3:D:180:LEU:HG	3:D:181:THR:O	2.18	0.44
3:D:187:SER:OG	3:D:188:HIS:N	2.50	0.44
1:B:368:LEU:HD22	1:B:377:PHE:HE1	1.82	0.44
1:A:403:ARG:NH1	1:A:405:ASP:OD2	2.50	0.44
2:C:38:ARG:HG2	2:C:48:VAL:HG22	1.99	0.44
2:C:201:LYS:HD2	2:C:201:LYS:HA	1.69	0.44
3:F:78:LEU:HD11	3:F:104:LEU:HD21	2.00	0.43
3:D:132:LEU:HD22	3:D:191:TYR:CE2	2.54	0.43
2:C:154:TRP:CD1	2:C:154:TRP:O	2.72	0.43
1:B:366:SER:HA	1:B:369:TYR:CD2	2.54	0.43
2:C:16:ARG:HG3	2:C:17:SER:H	1.84	0.43
3:D:108:GLN:C	6:D:303:HOH:O	2.57	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:164:PRO:HD2	3:D:173:ALA:O	2.19	0.43
3:D:197:HIS:CE1	3:D:198:GLU:HG2	2.53	0.43
2:C:53:ASP:HB3	2:C:55:SER:H	1.83	0.42
2:C:153:SER:O	2:C:197:ASN:N	2.51	0.42
2:E:1:GLU:O	2:E:26:GLY:HA3	2.18	0.42
3:F:8:PRO:CD	3:F:22:SER:HB2	2.49	0.42
2:C:147:PRO:HD2	2:C:202:PRO:CG	2.48	0.42
3:D:180:LEU:HD13	3:D:191:TYR:OH	2.18	0.42
2:C:167:PRO:HD2	2:C:177:SER:O	2.19	0.42
2:C:36:TRP:NE1	2:C:80:LEU:HB2	2.35	0.42
2:E:38:ARG:HG3	2:E:48:VAL:HG21	2.01	0.42
1:A:354:ASN:O	1:A:398:ASP:HA	2.20	0.41
1:B:417:LYS:HG2	6:B:622:HOH:O	2.20	0.41
2:C:177:SER:HB2	3:D:177:TYR:CE2	2.55	0.41
1:A:347:PHE:CE2	1:A:399:SER:HB2	2.56	0.41
2:C:139:GLY:HA3	2:C:180:SER:O	2.19	0.41
2:C:154:TRP:CE3	2:C:156:SER:HB2	2.55	0.41
3:D:180:LEU:HD22	3:D:191:TYR:CE2	2.56	0.41
3:D:180:LEU:HG	3:D:181:THR:N	2.35	0.41
2:C:146:PHE:HA	2:C:147:PRO:HA	1.82	0.41
2:C:164:HIS:O	2:C:178:LEU:HD11	2.21	0.41
2:C:207:VAL:HG12	2:C:208:ASP:N	2.36	0.41
3:D:185:TRP:CD1	3:D:185:TRP:C	2.94	0.41
1:B:408:ARG:HE	1:B:408:ARG:HB3	1.49	0.41
2:E:64:LYS:HE3	2:E:64:LYS:HB2	1.89	0.41
1:A:444:LYS:O	1:A:499:PRO:HD3	2.21	0.41
2:C:153:SER:HB3	2:C:154:TRP:H	1.72	0.41
1:B:406:GLU:HB3	1:B:418:ILE:HG13	2.02	0.41
3:D:121:SER:O	3:D:124:GLU:HB3	2.21	0.40
3:D:197:HIS:ND1	3:D:198:GLU:HG2	2.36	0.40
3:F:20:THR:HA	3:F:73:LEU:O	2.21	0.40
2:C:2:VAL:HG13	2:C:27:PHE:CD1	2.57	0.40
3:D:83:GLU:OE2	3:D:106:VAL:N	2.53	0.40
3:F:39:ARG:HB2	3:F:42:SER:HB3	2.04	0.40
2:C:66:ARG:H	2:C:66:ARG:HG2	1.53	0.40
1:B:431:GLY:HA2	1:B:515:PHE:CD2	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	196/204 (96%)	186 (95%)	10 (5%)	0	100	100
1	B	197/204 (97%)	188 (95%)	9 (5%)	0	100	100
2	C	211/224 (94%)	181 (86%)	27 (13%)	3 (1%)	11	22
2	E	118/224 (53%)	108 (92%)	10 (8%)	0	100	100
3	D	204/216 (94%)	181 (89%)	21 (10%)	2 (1%)	15	32
3	F	107/216 (50%)	101 (94%)	6 (6%)	0	100	100
All	All	1033/1288 (80%)	945 (92%)	83 (8%)	5 (0%)	29	52

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	D	119	PRO
2	C	201	LYS
3	D	121	SER
2	C	147	PRO
2	C	149	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	171/177 (97%)	170 (99%)	1 (1%)	86	95
1	B	172/177 (97%)	171 (99%)	1 (1%)	86	95
2	C	178/187 (95%)	169 (95%)	9 (5%)	24	46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	E	96/187 (51%)	93 (97%)	3 (3%)	40	66
3	D	181/187 (97%)	169 (93%)	12 (7%)	16	33
3	F	95/187 (51%)	91 (96%)	4 (4%)	30	55
All	All	893/1102 (81%)	863 (97%)	30 (3%)	37	63

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	455	LEU
2	C	38	ARG
2	C	53	ASP
2	C	66	ARG
2	C	82	MET
2	C	82(A)	ASN
2	C	92	CYS
2	C	140	CYS
2	C	146	PHE
2	C	204	ASN
3	D	60	ASP
3	D	83	GLU
3	D	90	SER
3	D	118	PHE
3	D	148	TRP
3	D	160	GLU
3	D	162	THR
3	D	178	LEU
3	D	179	SER
3	D	184	GLN
3	D	185	TRP
3	D	189	ARG
1	B	455	LEU
2	E	3	GLN
2	E	53	ASP
2	E	92	CYS
3	F	9	HIS
3	F	19	VAL
3	F	60	ASP
3	F	81	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	C	197	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

7 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	G	1	1,4	14,14,15	0.42	0	17,19,21	0.62	0
4	NAG	G	2	4	14,14,15	0.26	0	17,19,21	0.47	0
4	BMA	G	3	4	11,11,12	0.63	0	15,15,17	0.75	0
4	FUC	G	4	4	10,10,11	1.03	1 (10%)	14,14,16	1.44	2 (14%)
5	NAG	H	1	1,5	14,14,15	0.48	0	17,19,21	0.58	0
5	NAG	H	2	5	14,14,15	0.28	0	17,19,21	0.46	0
5	FUC	H	3	5	10,10,11	0.91	0	14,14,16	1.99	4 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	G	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1
4	BMA	G	3	4	-	2/2/19/22	0/1/1/1

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FUC	G	4	4	-	-	0/1/1/1
5	NAG	H	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	H	2	5	-	2/6/23/26	0/1/1/1
5	FUC	H	3	5	-	-	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	4	FUC	C1-C2	2.08	1.56	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	3	FUC	O5-C5-C4	4.35	117.33	109.52
5	H	3	FUC	C1-O5-C5	4.32	122.56	112.78
4	G	4	FUC	C1-C2-C3	3.25	113.67	109.67
4	G	4	FUC	O5-C5-C4	2.77	114.48	109.52
5	H	3	FUC	C3-C4-C5	2.57	113.77	109.77
5	H	3	FUC	O5-C1-C2	2.10	114.01	110.77

There are no chirality outliers.


All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	H	2	NAG	O5-C5-C6-O6
4	G	3	BMA	O5-C5-C6-O6
4	G	2	NAG	C4-C5-C6-O6
5	H	2	NAG	C4-C5-C6-O6
4	G	2	NAG	O5-C5-C6-O6
4	G	3	BMA	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	198/204 (97%)	-0.09	4 (2%) 65 60	32, 44, 73, 98	0
1	B	199/204 (97%)	-0.13	2 (1%) 82 80	29, 43, 64, 93	0
2	C	217/224 (96%)	0.97	41 (18%) 1 0	38, 91, 139, 161	0
2	E	120/224 (53%)	0.67	13 (10%) 5 3	40, 91, 130, 134	0
3	D	210/216 (97%)	0.59	28 (13%) 3 2	40, 75, 151, 160	0
3	F	109/216 (50%)	0.56	9 (8%) 11 8	42, 77, 111, 121	0
All	All	1053/1288 (81%)	0.41	97 (9%) 9 6	29, 62, 136, 161	0

All (97) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	131	THR	7.9
2	E	10	GLY	7.0
3	D	191	TYR	5.8
3	D	168	SER	5.6
2	C	158	ALA	5.6
2	C	132	SER	5.5
2	C	129	LYS	5.5
2	C	117	LYS	5.4
3	D	202	VAL	5.4
2	C	127	SER	5.3
2	C	115	SER	5.2
1	A	333	THR	5.1
2	C	202	PRO	4.9
2	C	189	LEU	4.9
2	C	175	LEU	4.8
3	D	208	PRO	4.7
3	F	11	VAL	4.7
3	D	150	ALA	4.7
2	C	128	SER	4.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	C	126	PRO	4.6
3	F	83	GLU	4.5
3	D	118	PHE	4.3
2	C	190	GLY	4.3
3	D	131	THR	4.3
3	D	185	TRP	4.1
2	E	111	VAL	4.1
1	B	531	HIS	4.0
3	F	19	VAL	3.8
2	C	133	GLY	3.7
2	C	195	ILE	3.7
3	D	56	SER	3.6
1	B	333	THR	3.6
3	F	18	THR	3.5
3	D	209	THR	3.5
2	C	130	SER	3.4
2	E	84	ALA	3.4
3	D	109	PRO	3.3
2	E	13	GLN	3.3
3	F	14	SER	3.3
2	C	185	PRO	3.3
3	D	200	SER	3.3
2	C	114	ALA	3.3
2	C	136	ALA	3.2
3	D	187	SER	3.2
2	C	145	TYR	3.1
3	D	120	PRO	3.1
3	D	180	LEU	3.1
2	E	11	VAL	3.0
2	C	135	THR	3.0
1	A	519	HIS	3.0
2	C	142	VAL	2.9
3	D	147	ALA	2.9
3	F	12	SER	2.9
2	C	193	THR	2.9
3	F	104	LEU	2.9
2	E	16	ARG	2.8
3	D	146	VAL	2.7
2	C	187	SER	2.7
2	C	111	VAL	2.7
2	C	180	SER	2.7
3	D	130	ALA	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	D	188	HIS	2.7
3	D	194	GLN	2.7
2	C	155	ASN	2.6
2	C	204	ASN	2.6
3	D	186	LYS	2.5
2	C	141	LEU	2.5
2	E	112	SER	2.5
2	C	210	LYS	2.5
3	F	105	THR	2.4
1	A	371	SER	2.4
2	C	157	GLY	2.4
2	C	1	GLU	2.4
2	E	74	SER	2.3
3	D	203	GLU	2.3
2	C	118	GLY	2.3
2	C	186	SER	2.3
2	C	116	THR	2.3
2	E	83	ARG	2.2
2	C	122	PHE	2.2
3	D	108	GLN	2.2
3	D	199	GLY	2.2
3	D	190	SER	2.2
1	A	377	PHE	2.2
3	D	149	LYS	2.2
2	C	149	PRO	2.2
3	D	134	CYS	2.2
2	C	191	THR	2.2
2	C	174	GLY	2.2
3	F	20	THR	2.1
2	E	82(C)	LEU	2.1
2	C	112	SER	2.1
2	C	121	VAL	2.1
2	E	30	SER	2.1
2	E	15	GLY	2.1
2	E	65	GLY	2.0
3	D	138	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.


### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	BMA	G	3	11/12	0.76	0.39	114,120,123,123	0
5	NAG	H	1	14/15	0.79	0.20	69,80,96,96	0
5	FUC	H	3	10/11	0.84	0.29	75,87,92,95	0
5	NAG	H	2	14/15	0.85	0.37	98,106,113,118	0
4	NAG	G	2	14/15	0.85	0.36	100,105,112,113	0
4	FUC	G	4	10/11	0.86	0.26	72,83,90,93	0
4	NAG	G	1	14/15	0.90	0.13	71,78,88,96	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.