



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 22, 2023 – 07:37 PM JST

PDB ID : 7YCL  
Title : Crystal structure of SARS-CoV-2 Spike RBD in complex with IS-9A Fab  
Authors : Mohapatra, A.; Chen, X.  
Deposited on : 2022-07-01  
Resolution : 2.13 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2523 (2.16-2.12)
Clashscore	141614	2653 (2.16-2.12)
Ramachandran outliers	138981	2618 (2.16-2.12)
Sidechain outliers	138945	2617 (2.16-2.12)
RSRZ outliers	127900	2485 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	225	 3% 90% 7% ..
1	H	225	 86% 9% ..
2	B	214	 87% 13%
2	L	214	 2% 87% 13%
3	D	204	 5% 80% 14% • 5%
3	R	204	 3% 78% 17% 5%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	C	3	 100%

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 10837 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called IS-9A Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	220	Total	C	N	O	S	0	0	0
			1669	1056	282	324	7			
1	H	217	Total	C	N	O	S	0	0	0
			1653	1048	279	319	7			

- Molecule 2 is a protein called IS-9A Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	213	Total	C	N	O	S	0	1	0
			1649	1029	275	340	5			
2	L	214	Total	C	N	O	S	0	0	0
			1644	1026	272	340	6			

- Molecule 3 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	R	194	Total	C	N	O	S	0	1	0
			1547	991	260	288	8			
3	D	194	Total	C	N	O	S	0	0	0
			1536	985	256	287	8			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
R	531	HIS	-	expression tag	UNP P0DTC2
R	532	HIS	-	expression tag	UNP P0DTC2
R	533	HIS	-	expression tag	UNP P0DTC2
R	534	HIS	-	expression tag	UNP P0DTC2
R	535	HIS	-	expression tag	UNP P0DTC2
R	536	HIS	-	expression tag	UNP P0DTC2
D	531	HIS	-	expression tag	UNP P0DTC2
D	532	HIS	-	expression tag	UNP P0DTC2

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	533	HIS	-	expression tag	UNP P0DTC2
D	534	HIS	-	expression tag	UNP P0DTC2
D	535	HIS	-	expression tag	UNP P0DTC2
D	536	HIS	-	expression tag	UNP P0DTC2

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	C	3	38	22	2	14	0	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	222	Total	O	0	0
			222	222		
5	B	171	Total	O	0	0
			171	171		
5	R	149	Total	O	0	0
			149	149		
5	L	174	Total	O	0	0
			174	174		
5	H	239	Total	O	0	0
			239	239		
5	D	146	Total	O	0	0
			146	146		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: IS-9A Fab heavy chain




- Molecule 1: IS-9A Fab heavy chain




- Molecule 2: IS-9A Fab light chain




- Molecule 2: IS-9A Fab light chain





- Molecule 3: Spike protein S1





• Molecule 3: Spike protein S1



• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	85.28Å 86.86Å 98.09Å 90.00° 108.66° 90.00°	Depositor
Resolution (Å)	32.62 – 2.13 32.62 – 2.13	Depositor EDS
% Data completeness (in resolution range)	99.7 (32.62-2.13) 99.7 (32.62-2.13)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.03 (at 2.14Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, $R_{free}$	0.173 , 0.217 0.177 , 0.217	Depositor DCC
$R_{free}$ test set	3737 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.9	Xtrriage
Anisotropy	0.714	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 48.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	10837	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	27.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 42.91 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.9034e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.45	0/1713	0.64	0/2329
1	H	0.45	0/1697	0.63	0/2308
2	B	0.47	0/1683	0.65	0/2285
2	L	0.41	0/1678	0.66	0/2279
3	D	0.39	0/1580	0.62	0/2151
3	R	0.43	0/1591	0.63	0/2165
All	All	0.44	0/9942	0.64	0/13517

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1669	0	1626	15	0
1	H	1653	0	1613	17	0
2	B	1649	0	1591	22	0
2	L	1644	0	1582	18	0
3	D	1536	0	1452	19	0
3	R	1547	0	1465	26	0
4	C	38	0	34	2	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	222	0	0	3	0
5	B	171	0	0	1	0
5	D	146	0	0	2	0
5	H	239	0	0	5	0
5	L	174	0	0	5	0
5	R	149	0	0	9	0
All	All	10837	0	9363	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:64:GLN:HB3	1:H:63:PHE:O	1.57	1.04
1:A:48:MET:HG2	1:A:63:PHE:CZ	2.00	0.95
1:A:1:GLN:N	1:A:1:GLN:OE1	2.11	0.83
1:H:100:ASP:OD2	5:H:301:HOH:O	2.02	0.76
2:B:33:LEU:HD13	2:B:71:PHE:CD1	2.21	0.75
3:D:334:ASN:ND2	3:D:360:ASN:O	2.20	0.74
3:D:414:GLN:NE2	5:D:601:HOH:O	2.21	0.73
1:H:134:GLY:N	5:H:302:HOH:O	2.23	0.72
1:A:126:PRO:HG3	1:A:138:LEU:HB3	1.72	0.72
2:L:60:SER:O	5:L:301:HOH:O	2.08	0.71
1:A:100:ASP:OD1	5:A:301:HOH:O	2.08	0.70
2:B:33:LEU:HD13	2:B:71:PHE:CG	2.28	0.69
1:A:48:MET:HA	1:A:63:PHE:CE1	2.30	0.66
1:A:11:VAL:HB	1:A:147:PRO:HG3	1.79	0.64
2:L:185:ASP:HA	2:L:188:LYS:HD3	1.79	0.64
1:H:63:PHE:HB2	5:H:485:HOH:O	1.97	0.64
1:H:123:PRO:HD3	1:H:209:LYS:HE2	1.79	0.63
1:A:64:GLN:CB	1:H:63:PHE:O	2.42	0.63
2:B:23:CYS:SG	2:B:33:LEU:HD11	2.42	0.59
2:B:12:SER:OG	2:B:107:ARG:HG3	2.04	0.57
2:B:194:CYS:SG	2:B:207:LYS:HB2	2.45	0.56
1:H:11:VAL:HG22	1:H:147:PRO:HG3	1.85	0.56
1:A:133:GLY:N	5:A:310:HOH:O	2.37	0.56
2:B:39:LYS:HB2	2:B:42:LYS:HD2	1.88	0.56
2:L:132:VAL:HG13	2:L:179:LEU:HB3	1.88	0.56
3:R:515:PHE:O	5:R:601:HOH:O	2.18	0.56
2:B:39:LYS:HD3	5:B:392:HOH:O	2.05	0.55

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:145:LYS:HB3	2:L:197:THR:HB	1.89	0.55
2:B:193:ALA:HB2	2:B:208:SER:HB3	1.89	0.55
3:R:447:GLY:HA2	3:R:498:GLN:HG3	1.89	0.55
3:D:335:LEU:HD12	3:D:336:CYS:O	2.08	0.54
2:B:185:ASP:HA	2:B:188:LYS:HD3	1.88	0.54
3:R:444:LYS:CE	5:R:610:HOH:O	2.56	0.54
1:H:63:PHE:CZ	1:H:65:GLY:HA2	2.44	0.53
1:A:48:MET:HG2	1:A:63:PHE:CE2	2.44	0.53
2:L:80:PRO:HA	2:L:106:ILE:CD1	2.39	0.53
2:L:50:ASP:OD2	1:H:100(B):ARG:HD3	2.09	0.52
1:A:119:PRO:HB3	1:A:145:TYR:HB3	1.91	0.52
2:L:123:GLU:OE1	1:H:209:LYS:NZ	2.39	0.52
3:D:509:ARG:HH12	4:C:1:NAG:H81	1.75	0.52
2:B:5:THR:OG1	2:B:24:GLN:HB2	2.10	0.52
3:R:394:ASN:HB2	5:R:602:HOH:O	2.09	0.52
2:L:145:LYS:HA	5:L:303:HOH:O	2.09	0.51
2:B:92:ASP:HA	3:R:372:ALA:HB2	1.93	0.51
2:B:134:CYS:SG	2:B:194:CYS:CB	3.00	0.50
3:R:444:LYS:HE3	5:R:610:HOH:O	2.10	0.50
2:L:24:GLN:HG2	2:L:70:ASP:OD1	2.12	0.49
3:D:417:LYS:HD3	3:D:453:TYR:CD1	2.47	0.49
2:B:80:PRO:HA	2:B:106:ILE:CD1	2.43	0.49
3:R:368:LEU:HB3	3:R:377:PHE:HE2	1.79	0.48
2:L:22:THR:HG22	2:L:72:THR:HG22	1.94	0.48
3:D:357:ARG:NH1	3:D:396:TYR:CZ	2.81	0.48
3:R:444:LYS:NZ	5:R:610:HOH:O	2.45	0.48
3:R:406:GLU:OE2	5:R:603:HOH:O	2.20	0.47
3:R:408:ARG:HD3	5:R:604:HOH:O	2.14	0.47
3:D:362:VAL:HA	3:D:525:CYS:O	2.14	0.47
1:H:23:LYS:HE2	5:H:481:HOH:O	2.14	0.47
2:L:39:LYS:HB2	2:L:42:LYS:HD3	1.95	0.47
2:B:193:ALA:CB	2:B:208:SER:HB3	2.44	0.47
3:R:450:ASN:ND2	5:R:605:HOH:O	2.31	0.47
2:B:145:LYS:HB3	2:B:197:THR:OG1	2.15	0.46
3:D:383:SER:HB2	3:D:386:LYS:HG3	1.97	0.46
1:A:10:GLU:OE2	5:A:302:HOH:O	2.21	0.46
1:H:199:ASN:OD1	1:H:206:LYS:HG2	2.16	0.45
1:H:119:PRO:HB3	1:H:145:TYR:HB3	1.98	0.45
2:L:150:VAL:HG13	2:L:192:TYR:CE2	2.52	0.45
3:D:447:GLY:HA2	3:D:498:GLN:HG3	1.98	0.45
3:R:412:PRO:HG3	3:R:429:PHE:HB3	1.99	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:366:SER:HA	3:D:369:TYR:CZ	2.52	0.44
1:A:65:GLY:HA3	1:H:65:GLY:HA3	1.99	0.44
1:H:23:LYS:HE3	1:H:75:ILE:O	2.17	0.44
1:A:40:MET:HB2	1:A:43:LYS:HB2	2.00	0.44
3:D:431:GLY:HA2	3:D:515:PHE:CD2	2.53	0.44
2:L:121:SER:OG	2:L:123:GLU:HG2	2.18	0.43
3:D:444:LYS:HA	3:D:444:LYS:HD3	1.84	0.43
2:B:163:VAL:HG22	2:B:175:LEU:HD12	2.01	0.43
3:D:395:VAL:CG2	3:D:524:VAL:HG11	2.48	0.43
2:B:5:THR:HG1	2:B:24:GLN:HB2	1.84	0.43
2:L:103:LYS:HE3	5:L:357:HOH:O	2.19	0.43
2:B:33:LEU:CD1	2:B:71:PHE:CD1	2.98	0.43
2:L:132:VAL:CG1	2:L:179:LEU:HB3	2.48	0.43
2:B:67:SER:HA	2:B:71:PHE:CE2	2.54	0.42
3:R:389:ASP:O	1:H:43:LYS:HE3	2.18	0.42
3:R:394:ASN:ND2	5:R:602:HOH:O	2.20	0.42
3:R:417:LYS:HD3	3:R:453:TYR:CD1	2.53	0.42
3:D:355:ARG:HD3	3:D:396:TYR:CD1	2.54	0.42
2:L:18:ARG:HD2	5:L:305:HOH:O	2.19	0.42
2:B:13:ALA:HB3	2:B:78:LEU:HD22	2.01	0.42
3:R:431:GLY:HA2	3:R:515:PHE:CD2	2.55	0.42
2:B:134:CYS:SG	2:B:194:CYS:HB2	2.59	0.42
3:R:521:PRO:HD2	5:H:433:HOH:O	2.18	0.42
3:R:439:ASN:O	3:R:443:SER:HB2	2.19	0.42
3:R:355:ARG:HD3	3:R:396:TYR:CD1	2.54	0.42
2:L:50:ASP:OD2	5:L:302:HOH:O	2.22	0.42
2:B:194:CYS:SG	2:B:194:CYS:O	2.79	0.41
3:D:357:ARG:NH1	3:D:396:TYR:OH	2.53	0.41
3:R:364:ASP:O	3:R:367:VAL:HG22	2.20	0.41
3:D:509:ARG:NH1	4:C:1:NAG:H81	2.36	0.41
3:R:335:LEU:HD12	3:R:362:VAL:HG13	2.03	0.41
3:R:339:GLY:O	3:R:343:ASN:HB2	2.20	0.41
3:R:354:ASN:O	3:R:398:ASP:HA	2.20	0.41
1:A:100:ASP:OD1	1:A:100(B):ARG:HD3	2.21	0.41
3:R:426:PRO:HB2	3:R:428:ASP:OD1	2.21	0.41
3:D:393:THR:O	3:D:516:GLU:HB2	2.21	0.41
2:L:194:CYS:O	2:L:206:THR:HA	2.20	0.40
1:H:143:LYS:NZ	1:H:171:GLN:OE1	2.54	0.40
3:R:417:LYS:HD3	3:R:453:TYR:CE1	2.57	0.40
3:D:360:ASN:HA	3:D:523:THR:O	2.21	0.40
3:R:396:TYR:HB2	3:R:514:SER:HB2	2.04	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:385:THR:HG23	5:D:628:HOH:O	2.19	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	216/225 (96%)	208 (96%)	8 (4%)	0	100	100
1	H	213/225 (95%)	211 (99%)	2 (1%)	0	100	100
2	B	212/214 (99%)	207 (98%)	5 (2%)	0	100	100
2	L	212/214 (99%)	206 (97%)	6 (3%)	0	100	100
3	D	192/204 (94%)	185 (96%)	7 (4%)	0	100	100
3	R	193/204 (95%)	185 (96%)	8 (4%)	0	100	100
All	All	1238/1286 (96%)	1202 (97%)	36 (3%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	186/191 (97%)	183 (98%)	3 (2%)	62	65
1	H	184/191 (96%)	177 (96%)	7 (4%)	33	30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	189/189 (100%)	188 (100%)	1 (0%)	88	91
2	L	189/189 (100%)	186 (98%)	3 (2%)	62	65
3	D	167/177 (94%)	161 (96%)	6 (4%)	35	32
3	R	168/177 (95%)	165 (98%)	3 (2%)	59	60
All	All	1083/1114 (97%)	1060 (98%)	23 (2%)	53	54

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	GLN
1	A	64	GLN
1	A	81	GLN
2	B	83	ILE
3	R	334	ASN
3	R	373	SER
3	R	443	SER
2	L	3	VAL
2	L	33	LEU
2	L	126	LYS
1	H	11	VAL
1	H	64	GLN
1	H	81	GLN
1	H	115	SER
1	H	199	ASN
1	H	214	LYS
1	H	215	SER
3	D	335	LEU
3	D	343	ASN
3	D	373	SER
3	D	386	LYS
3	D	458	LYS
3	D	524	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	64	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	C	1	3,4	14,14,15	0.55	0	17,19,21	0.46	0
4	NAG	C	2	4	14,14,15	0.57	0	17,19,21	0.63	1 (5%)
4	FUC	C	3	4	10,10,11	1.16	1 (10%)	14,14,16	0.99	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	C	1	3,4	-	0/6/23/26	0/1/1/1
4	NAG	C	2	4	-	0/6/23/26	0/1/1/1
4	FUC	C	3	4	-	-	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	3	FUC	C4-C5	2.13	1.57	1.52

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
4	C	2	NAG	C1-O5-C5	2.05	114.96	112.19

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	1	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	220/225 (97%)	-0.23	6 (2%) 54 61	11, 24, 41, 65	0
1	H	217/225 (96%)	-0.38	0 100 100	12, 22, 36, 54	0
2	B	213/214 (99%)	-0.22	2 (0%) 84 87	12, 24, 43, 67	0
2	L	214/214 (100%)	-0.23	4 (1%) 66 72	13, 26, 47, 65	0
3	D	194/204 (95%)	0.13	10 (5%) 27 33	16, 29, 49, 61	0
3	R	194/204 (95%)	-0.06	6 (3%) 49 57	14, 27, 50, 63	0
All	All	1252/1286 (97%)	-0.17	28 (2%) 62 68	11, 25, 46, 67	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	D	335	LEU	5.2
3	R	335	LEU	4.5
2	L	154	LEU	3.7
1	A	64	GLN	3.7
2	L	212	GLY	3.6
3	R	336	CYS	3.3
3	R	445	VAL	3.1
1	A	63	PHE	2.9
3	R	367	VAL	2.9
3	D	360	ASN	2.9
1	A	133	GLY	2.8
3	R	523	THR	2.7
2	B	212	GLY	2.7
3	D	334	ASN	2.7
3	D	445	VAL	2.4
3	D	527	PRO	2.4
3	D	394	ASN	2.4
2	B	154	LEU	2.3
2	L	213	GLU	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	D	523	THR	2.3
1	A	62	SER	2.3
1	A	127	SER	2.2
3	D	336	CYS	2.2
2	L	214	CYS	2.2
3	D	362	VAL	2.2
1	A	215	SER	2.2
3	R	524	VAL	2.2
3	D	376	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)


There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	FUC	C	3	10/11	0.69	0.37	54,59,66,68	0
4	NAG	C	1	14/15	0.80	0.31	46,59,67,67	0
4	NAG	C	2	14/15	0.81	0.40	56,62,64,65	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.