

Full wwPDB X-ray Structure Validation Report (i)

Oct 30, 2023 – 07:22 PM JST

PDB ID	:	4YH7
Title	:	Crystal structure of PTPdelta ectodomain in complex with IL1RAPL1
Authors	:	Yamagata, A.; Fukai, S.
Deposited on	:	2015-02-27
Resolution	:	4.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 4.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${ m Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$				
R_{free}	130704	1043 (5.00-3.80)				
Clashscore	141614	1111 (5.00-3.80)				
Ramachandran outliers	138981	1059 (5.00-3.80)				
Sidechain outliers	138945	1041 (5.00-3.80)				
RSRZ outliers	127900	1095 (5.08-3.70)				

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain								
1	А	841	4% 39% 27%	•	30%						
2	В	348	% 58%	28%	7% 7%						
3	С	2	100%								
4	D	5	60%	40	0%						



4YH7

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 7240 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Receptor-type tyrosine-protein phosphatase delta.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
1	А	585	Total 4515	C 2820	N 784	0 894	${ m S}$ 17	0	0	0

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	862	LYS	-	expression tag	UNP Q64487
А	863	HIS	-	expression tag	UNP Q64487
А	864	HIS	-	expression tag	UNP Q64487
А	865	HIS	-	expression tag	UNP Q64487
А	866	HIS	-	expression tag	UNP Q64487
А	867	HIS	-	expression tag	UNP Q64487
А	868	HIS	-	expression tag	UNP Q64487

• Molecule 2 is a protein called Interleukin-1 receptor accessory protein-like 1.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
2	В	324	Total 2608	C 1658	N 436	0 498	S 16	0	0	0

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	12	ALA	-	expression tag	UNP P59823
В	13	GLN	-	expression tag	UNP P59823
В	14	PRO	-	expression tag	UNP P59823
В	15	ALA	-	expression tag	UNP P59823
В	16	ALA	-	expression tag	UNP P59823
В	17	ARG	-	expression tag	UNP P59823
В	18	ASP	-	expression tag	UNP P59823
B	353	LYS	-	expression tag	UNP P59823
В	354	HIS	-	expression tag	UNP P59823



Contentia	ica ji oni pre	erous page			
Chain	Residue	Modelled	Actual	Comment	Reference
В	355	HIS	-	expression tag	UNP P59823
В	356	HIS	-	expression tag	UNP P59823
В	357	HIS	-	expression tag	UNP P59823
В	358	HIS	-	expression tag	UNP P59823
В	359	HIS	-	expression tag	UNP P59823

• Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	С	2	Total 28	C 16	N 2	O 10	0	0	0

• Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyran ose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	D	5	Total 61	С 34	N 2	O 25	0	0	0

• Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).





Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf
5	В	1	Total 14	C 8	N 1	O 5	0	0
5	В	1	Total 14	C 8	N 1	O 5	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Receptor-type tyrosine-protein phosphatase delta







• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 100%
Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyrano

• Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyrano se-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyra nose

Chain D:

60%

40%

NAG1 NAG2 BMA3 MAN4 MAN5



4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 41	Depositor
Cell constants	286.30Å 286.30Å 70.18Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{P}_{\text{oscolution}}(\hat{\mathbf{A}})$	39.09 - 4.40	Depositor
Resolution (A)	49.36 - 4.40	EDS
% Data completeness	95.4 (39.09-4.40)	Depositor
(in resolution range)	95.4(49.36-4.40)	EDS
R _{merge}	(Not available)	Depositor
R _{sym}	0.07	Depositor
$< I/\sigma(I) > 1$	$1.83 (at 4.45 \text{\AA})$	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
D D.	0.290 , 0.325	Depositor
n, n_{free}	0.290 , 0.325	DCC
R_{free} test set	896 reflections (5.09%)	wwPDB-VP
Wilson B-factor $(Å^2)$	175.3	Xtriage
Anisotropy	0.101	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.19, 22.7	EDS
L-test for twinning ²	$< L > = 0.35, < L^2 > = 0.18$	Xtriage
Estimated twinning fraction	0.149 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.83	EDS
Total number of atoms	7240	wwPDB-VP
Average B, all atoms $(Å^2)$	147.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.41% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond lengths		Bond angles	
1VIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.36	0/4615	0.78	5/6296~(0.1%)
2	В	0.28	0/2666	0.56	0/3600
All	All	0.33	0/7281	0.71	5/9896~(0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	В	0	1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	358	VAL	CG1-CB-CG2	-9.03	96.45	110.90
1	А	518	THR	N-CA-C	6.12	127.53	111.00
1	А	452	ASN	N-CA-C	5.75	126.52	111.00
1	А	302	ARG	N-CA-C	-5.61	95.86	111.00
1	А	474	MET	N-CA-CB	5.48	120.46	110.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	В	88	PRO	Peptide



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4515	0	4454	196	0
2	В	2608	0	2540	72	0
3	С	28	0	25	0	0
4	D	61	0	52	2	0
5	В	28	0	26	1	0
All	All	7240	0	7097	261	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (261) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:462:TYR:HE1	1:A:476:HIS:HB2	1.37	0.90
1:A:392:PRO:HB2	1:A:421:GLU:OE2	1.74	0.88
1:A:98:ARG:NH2	2:B:291:GLU:OE2	2.09	0.85
1:A:124:ARG:O	1:A:127:GLN:NE2	2.13	0.82
1:A:424:PRO:HA	1:A:452:ASN:HD22	1.44	0.80
2:B:144:TYR:HB3	2:B:228:THR:HG21	1.63	0.80
1:A:241:VAL:HB	1:A:269:SER:H	1.47	0.78
1:A:462:TYR:CE1	1:A:476:HIS:HB2	2.19	0.78
2:B:122:ASN:HB2	2:B:125:TYR:HB3	1.67	0.77
1:A:196:ARG:NH2	2:B:37:ASP:OD1	2.19	0.76
1:A:265:VAL:HG22	1:A:293:ARG:HG3	1.70	0.74
1:A:521:GLY:O	1:A:598:GLN:NE2	2.20	0.74
2:B:326:GLU:N	2:B:327:GLY:HA3	2.03	0.73
1:A:143:VAL:HG22	1:A:231:TYR:HB2	1.69	0.73
1:A:533:PRO:HA	1:A:539:ILE:HG12	1.69	0.73
1:A:66:LYS:HB3	1:A:71:VAL:HG11	1.69	0.72
1:A:368:LYS:HG2	1:A:395:ASP:HB3	1.70	0.72
1:A:473:TRP:O	1:A:474:MET:HG3	1.89	0.71
1:A:145:GLU:OE1	1:A:236:ARG:N	2.23	0.71
1:A:464:MET:HG2	1:A:495:TYR:HE1	1.56	0.70
1:A:450:GLU:HB3	1:A:452:ASN:HD21	1.56	0.69
1:A:314:THR:HA	2:B:121:ARG:HH22	1.59	0.68



	h i c	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:55:LEU:HD21	2:B:129:VAL:HB	1.75	0.68
2:B:167:ILE:O	2:B:169:ASP:N	2.27	0.68
1:A:390:LEU:HD21	1:A:419:THR:HG21	1.76	0.68
1:A:429:ARG:HD2	1:A:430:ASP:H	1.60	0.67
1:A:425:SER:H	1:A:452:ASN:ND2	1.92	0.67
2:B:95:ARG:NH1	2:B:112:ASP:OD2	2.28	0.66
1:A:329:LEU:HA	1:A:406:ILE:HD13	1.76	0.65
1:A:196:ARG:HH22	2:B:38:ILE:HG22	1.60	0.65
1:A:422:GLN:HG3	1:A:505:ILE:HG21	1.78	0.65
2:B:306:LEU:HD11	2:B:316:SER:HB2	1.79	0.65
1:A:459:ARG:HH22	1:A:475:LYS:HG2	1.62	0.63
1:A:252:HIS:HB2	1:A:324:ILE:HD12	1.80	0.63
1:A:366:LYS:HD3	1:A:367:PRO:HD2	1.81	0.63
1:A:90:ARG:NH1	1:A:213:GLU:OE1	2.31	0.63
1:A:540:LEU:HG	1:A:578:ARG:HD2	1.80	0.63
1:A:184:GLN:NE2	1:A:198:ALA:O	2.31	0.63
2:B:220:TYR:O	2:B:223:PHE:N	2.31	0.63
1:A:126:ASP:OD1	1:A:126:ASP:N	2.32	0.62
1:A:312:MET:HB3	1:A:317:VAL:HG22	1.80	0.62
2:B:355:HIS:O	2:B:357:HIS:N	2.33	0.61
1:A:181:ARG:HG2	1:A:182:ILE:HG13	1.82	0.61
1:A:463:THR:HB	1:A:473:TRP:HB3	1.81	0.61
2:B:254:VAL:HG13	2:B:348:LEU:HB3	1.83	0.61
1:A:399:ARG:HB2	1:A:411:ALA:HB1	1.82	0.61
1:A:476:HIS:CE1	1:A:484:THR:HG1	2.18	0.61
1:A:108:SER:HB3	1:A:113:GLU:HG3	1.82	0.61
1:A:168:LYS:HE3	1:A:209:GLN:O	2.00	0.60
1:A:435:MET:HB2	1:A:521:GLY:HA2	1.83	0.60
1:A:62:ILE:HD11	1:A:105:CYS:SG	2.41	0.60
1:A:435:MET:CB	1:A:521:GLY:HA2	2.32	0.59
1:A:242:PRO:HG3	1:A:315:LEU:HG	1.85	0.59
1:A:177:ASN:O	1:A:179:ASN:N	2.35	0.59
1:A:236:ARG:CZ	1:A:236:ARG:HA	2.32	0.59
1:A:352:SER:HB3	1:A:361:TYR:OH	2.03	0.58
1:A:125:GLU:HA	1:A:128:ILE:HG13	1.85	0.57
1:A:142:LYS:HE2	1:A:151:THR:H	1.69	0.57
1:A:257:GLY:HA2	1:A:300:ASP:HA	1.86	0.57
1:A:397:GLU:OE2	1:A:414:PRO:HB3	2.03	0.57
2:B:182:TYR:OH	2:B:217:GLU:OE1	2.21	0.57
1:A:343:ALA:O	1:A:392:PRO:HA	2.04	0.57
1:A:133:PRO:HA	1:A:157:SER:O	2.05	0.56



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:557:VAL:HG13	1:A:566:GLU:HG3	1.85	0.56
1:A:196:ARG:NH2	2:B:38:ILE:HG22	2.19	0.56
1:A:435:MET:HE1	1:A:437:SER:O	2.05	0.56
1:A:424:PRO:HA	1:A:452:ASN:ND2	2.16	0.55
2:B:110:LEU:HD23	2:B:135:VAL:HG12	1.87	0.55
1:A:104:GLU:HG2	1:A:117:SER:HA	1.87	0.55
1:A:75:ARG:NH2	1:A:95:ARG:HB2	2.22	0.55
1:A:536:GLU:HG2	1:A:537:THR:HG23	1.88	0.55
2:B:182:TYR:HB2	2:B:215:THR:HG23	1.89	0.55
1:A:329:LEU:HD13	1:A:410:PRO:HD2	1.88	0.55
1:A:557:VAL:O	1:A:590:PHE:HA	2.06	0.55
1:A:242:PRO:HA	1:A:315:LEU:HB3	1.89	0.55
1:A:429:ARG:HH11	1:A:430:ASP:H	1.55	0.55
2:B:43:VAL:HG21	2:B:49:VAL:HG13	1.88	0.55
1:A:236:ARG:HA	1:A:236:ARG:NH1	2.23	0.54
2:B:46:GLY:H	2:B:108:THR:HG22	1.73	0.54
2:B:92:ASP:OD1	2:B:94:SER:N	2.40	0.54
1:A:364:GLN:HA	1:A:375:LYS:O	2.07	0.53
1:A:124:ARG:N	1:A:127:GLN:HE22	2.06	0.53
1:A:459:ARG:NH2	1:A:475:LYS:HG2	2.22	0.53
1:A:406:ILE:HD12	1:A:407:GLY:H	1.73	0.53
1:A:556:LEU:HB2	1:A:571:ILE:HD11	1.91	0.53
1:A:426:SER:C	1:A:509:PRO:HG2	2.29	0.53
1:A:435:MET:SD	1:A:441:ILE:HG22	2.48	0.53
1:A:458:TYR:HB2	1:A:478:VAL:HB	1.90	0.52
1:A:241:VAL:HB	1:A:269:SER:N	2.20	0.52
1:A:490:VAL:N	1:A:495:TYR:OH	2.42	0.52
2:B:267:CYS:HB2	2:B:283:TRP:CZ2	2.45	0.52
1:A:450:GLU:O	1:A:452:ASN:ND2	2.42	0.52
1:A:350:TRP:O	1:A:383:THR:HB	2.09	0.51
1:A:476:HIS:CG	1:A:477:ASN:H	2.29	0.51
1:A:136:ASP:OD2	1:A:157:SER:OG	2.28	0.51
2:B:294:ASP:OD1	2:B:298:VAL:N	2.31	0.51
1:A:146:ARG:N	1:A:233:ARG:O	2.41	0.51
2:B:263:ALA:HB3	2:B:321:VAL:HB	1.93	0.51
1:A:500:LEU:HD23	1:A:510:LEU:HD13	1.92	0.50
1:A:169:ASP:O	1:A:170:PHE:HB2	2.11	0.50
1:A:175:THR:HG21	1:A:182:ILE:HG22	1.92	0.50
1:A:358:VAL:HG11	1:A:402:ALA:HB1	1.92	0.50
1:A:366:LYS:HD3	1:A:367:PRO:CD	2.41	0.50
1:A:335:THR:O	1:A:337:VAL:N	2.45	0.50



		Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlan (Å)
1:A:276:TRP:HD1	1:A:294:ASN:ND2	2.09	0.50
1:A:66:LYS:H	1:A:71:VAL:HG13	1.77	0.50
1:A:395:ASP:OD1	1:A:418:GLN:HG3	2.12	0.49
1:A:476:HIS:CG	1:A:477:ASN:N	2.80	0.49
2:B:100:GLU:HG2	2:B:101:ASP:H	1.77	0.49
1:A:333:PRO:HD2	1:A:400:VAL:O	2.12	0.49
2:B:247:PRO:HG3	2:B:347:VAL:HG22	1.94	0.49
1:A:148:ARG:HD3	1:A:239:ARG:NH2	2.26	0.49
1:A:394:SER:N	1:A:419:THR:OG1	2.44	0.49
1:A:429:ARG:HH11	1:A:430:ASP:N	2.11	0.49
1:A:304:SER:HB3	1:A:325:THR:HG22	1.95	0.49
2:B:326:GLU:H	2:B:327:GLY:HA3	1.75	0.49
1:A:393:TYR:HA	1:A:419:THR:O	2.13	0.48
1:A:144:VAL:HG11	1:A:150:ALA:HB2	1.93	0.48
1:A:447:GLU:HG3	1:A:458:TYR:OH	2.13	0.48
1:A:500:LEU:HD13	1:A:507:ASP:OD1	2.14	0.48
1:A:173:VAL:HG13	1:A:174:ASP:H	1.78	0.48
1:A:83:ASP:O	1:A:85:SER:N	2.46	0.48
1:A:273:TYR:HE1	2:B:88:PRO:HB2	1.78	0.48
1:A:421:GLU:OE1	1:A:452:ASN:HB3	2.14	0.48
1:A:35:ARG:HD2	1:A:51:ILE:HG21	1.96	0.48
1:A:393:TYR:HB2	1:A:421:GLU:HG3	1.95	0.48
1:A:168:LYS:HE2	1:A:169:ASP:OD2	2.13	0.48
2:B:298:VAL:HG22	2:B:321:VAL:HG22	1.96	0.47
2:B:142:LEU:HD13	2:B:144:TYR:CZ	2.50	0.47
2:B:297:ARG:NH1	2:B:325:GLU:OE2	2.47	0.47
1:A:330:PRO:HB2	1:A:402:ALA:HB3	1.96	0.47
2:B:292:ASP:OD2	2:B:292:ASP:N	2.47	0.47
1:A:566:GLU:HG2	1:A:568:ARG:HH12	1.80	0.47
2:B:40:LYS:HG3	2:B:132:SER:HB3	1.96	0.47
2:B:82:PRO:HA	2:B:83:GLY:HA2	1.42	0.47
2:B:84:ASP:OD1	2:B:84:ASP:N	2.47	0.47
1:A:276:TRP:HB3	1:A:283:LEU:HD12	1.97	0.47
1:A:53:GLN:HA	1:A:86:GLY:HA3	1.97	0.47
1:A:184:GLN:NE2	1:A:185:LEU:O	2.45	0.47
1:A:75:ARG:NH2	1:A:99:ASP:OD1	2.47	0.47
1:A:317:VAL:HG23	2:B:121:ARG:HD3	1.97	0.47
1:A:426:SER:OG	1:A:450:GLU:HB2	2.14	0.47
1:A:413:GLU:H	1:A:413:GLU:HG3	1.39	0.47
1:A:464:MET:HG2	1:A:495:TYR:CE1	2.44	0.46
1:A:148:ARG:HD2	1:A:149:THR:H	1.79	0.46



			Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:177:ASN:C	1:A:179:ASN:H	2.17	0.46
1:A:424:PRO:HB2	1:A:508:GLY:HA3	1.97	0.46
1:A:468:GLN:O	1:A:473:TRP:NE1	2.27	0.46
2:B:181:TRP:CZ3	2:B:216:CYS:HB3	2.50	0.46
2:B:297:ARG:NH2	2:B:328:ASP:OD2	2.43	0.46
1:A:561:GLY:H	1:A:588:TYR:HA	1.81	0.46
1:A:592:LEU:HD23	1:A:593:SER:N	2.30	0.46
2:B:122:ASN:HB2	2:B:125:TYR:CB	2.41	0.46
1:A:52:CYS:HB2	1:A:64:TRP:CH2	2.51	0.46
1:A:83:ASP:C	1:A:85:SER:H	2.18	0.46
1:A:424:PRO:CA	1:A:452:ASN:HD22	2.21	0.46
1:A:457:GLY:HA2	1:A:479:ALA:HA	1.97	0.46
1:A:459:ARG:NH1	1:A:476:HIS:H	2.13	0.46
1:A:422:GLN:HA	1:A:505:ILE:HG13	1.98	0.46
1:A:66:LYS:HD3	1:A:103:TYR:CE2	2.51	0.46
1:A:161:ASP:HB3	1:A:195:ILE:HD11	1.97	0.46
1:A:193:THR:OG1	1:A:194:PRO:HD2	2.16	0.46
1:A:233:ARG:HH21	1:A:236:ARG:NH1	2.14	0.46
1:A:366:LYS:HE3	1:A:375:LYS:HE2	1.97	0.46
1:A:243:PRO:HG2	1:A:318:ILE:HG23	1.98	0.46
1:A:430:ASP:OD1	1:A:432:GLN:NE2	2.49	0.46
1:A:490:VAL:O	1:A:495:TYR:OH	2.26	0.45
1:A:557:VAL:HG21	1:A:591:ARG:HH21	1.81	0.45
1:A:276:TRP:CZ3	1:A:309:CYS:HB2	2.52	0.45
1:A:436:LEU:HD22	1:A:442:LEU:HD12	1.97	0.45
2:B:247:PRO:HG2	2:B:345:ALA:HB3	1.98	0.45
1:A:390:LEU:CD2	1:A:419:THR:HG21	2.45	0.45
1:A:331:LYS:N	1:A:354:ASN:OD1	2.44	0.45
1:A:308:THR:HG23	1:A:321:ILE:HG12	1.98	0.45
1:A:529:PHE:CE1	1:A:541:LEU:HD11	2.52	0.45
1:A:450:GLU:HB3	1:A:452:ASN:ND2	2.29	0.45
2:B:247:PRO:HG2	2:B:345:ALA:CB	2.47	0.45
4:D:3:BMA:H61	4:D:5:MAN:H2	1.42	0.45
1:A:233:ARG:NH2	1:A:236:ARG:HH12	2.16	0.44
1:A:123:LEU:HB3	1:A:127:GLN:NE2	2.32	0.44
1:A:327:LYS:H	1:A:327:LYS:HG2	1.69	0.44
1:A:403:VAL:HG22	1:A:408:ARG:HA	1.99	0.44
2:B:266:THR:HG23	2:B:318:SER:HB3	2.00	0.44
1:A:251:ASN:OD1	1:A:323:GLN:N	2.27	0.44
1:A:251:ASN:O	1:A:252:HIS:ND1	2.51	0.44
1:A:447:GLU:HA	1:A:448:PRO:HD2	1.66	0.44



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:B:125:TYR:CD1	5:B:401:NAG:H2	2.53	0.44
1:A:29:THR:H	1:A:57:ASP:HB3	1.82	0.44
1:A:315:LEU:HD12	1:A:315:LEU:HA	1.85	0.44
1:A:359:SER:OG	1:A:404:ASN:HA	2.18	0.44
2:B:280:LEU:HD23	2:B:280:LEU:HA	1.75	0.44
2:B:350:HIS:CG	2:B:351:LYS:N	2.84	0.44
2:B:110:LEU:HD23	2:B:110:LEU:HA	1.87	0.44
1:A:35:ARG:HE	1:A:35:ARG:HB2	1.66	0.43
1:A:96:THR:HG21	1:A:124:ARG:HG2	2.00	0.43
1:A:281:GLU:OE2	1:A:283:LEU:HD23	2.18	0.43
1:A:404:ASN:OD1	1:A:406:ILE:HD11	2.17	0.43
1:A:367:PRO:HA	1:A:396:TYR:HA	2.00	0.43
1:A:431:VAL:HG21	1:A:511:SER:OG	2.18	0.43
1:A:458:TYR:HE1	1:A:480:ASP:HA	1.82	0.43
1:A:589:TYR:CE1	1:A:606:GLU:HG3	2.53	0.43
1:A:277:MET:HG2	1:A:282:ASP:HA	1.99	0.43
1:A:462:TYR:O	1:A:474:MET:HB2	2.18	0.43
1:A:209:GLN:OE1	1:A:232:VAL:N	2.51	0.43
1:A:253:GLU:C	1:A:254:ILE:HG13	2.38	0.43
2:B:49:VAL:HG23	2:B:105:PHE:HB2	2.01	0.43
1:A:278:LEU:HD23	1:A:278:LEU:HA	1.84	0.43
1:A:343:ALA:HB1	1:A:421:GLU:HG2	2.00	0.43
2:B:142:LEU:HD13	2:B:144:TYR:CE1	2.53	0.43
1:A:582:LEU:HD23	1:A:583:LYS:H	1.84	0.43
2:B:106:ARG:HA	2:B:107:PRO:HA	1.71	0.43
2:B:179:ILE:HD13	2:B:198:ARG:O	2.19	0.43
1:A:366:LYS:HG3	1:A:373:PRO:O	2.19	0.42
1:A:330:PRO:HG3	1:A:404:ASN:OD1	2.18	0.42
2:B:181:TRP:CD2	2:B:201:LEU:HD23	2.54	0.42
1:A:181:ARG:HG3	1:A:202:GLU:O	2.19	0.42
2:B:181:TRP:CE3	2:B:216:CYS:HB3	2.54	0.42
2:B:177:PRO:HG2	2:B:218:LEU:HD11	2.00	0.42
2:B:304:ARG:NH2	4:D:1:NAG:H3	2.35	0.42
1:A:276:TRP:CD1	1:A:296:LEU:HD13	2.54	0.42
2:B:77:TYR:HB3	2:B:86:GLU:HB3	2.01	0.42
1:A:486:ILE:O	1:A:486:ILE:HG13	2.20	0.42
2:B:76:TRP:CZ3	2:B:118:CYS:HB2	2.55	0.42
2:B:109:LEU:O	2:B:112:ASP:HB2	2.20	0.42
1:A:271:MET:HE3	1:A:291:ILE:HG22	2.01	0.41
2:B:54:ALA:H	2:B:131:ILE:HD11	1.85	0.41
1:A:270:PRO:HD3	2:B:85:PHE:HZ	1.84	0.41



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:273:TYR:O	1:A:311:ALA:HA	2.21	0.41
1:A:364:GLN:HB3	1:A:374:TYR:HB3	2.01	0.41
2:B:298:VAL:HA	2:B:320:ILE:O	2.20	0.41
1:A:75:ARG:NH2	1:A:99:ASP:OD2	2.53	0.41
1:A:237:GLU:H	1:A:237:GLU:HG2	1.47	0.41
1:A:422:GLN:O	1:A:423:ALA:HB2	2.21	0.41
2:B:218:LEU:HD12	2:B:219:LYS:H	1.84	0.41
1:A:166:TRP:CZ3	1:A:214:CYS:HB3	2.55	0.41
1:A:463:THR:O	1:A:495:TYR:HD1	2.03	0.41
1:A:404:ASN:HD21	1:A:406:ILE:HG13	1.85	0.41
1:A:377:ILE:HG22	1:A:380:ILE:HD11	2.03	0.41
2:B:68:GLN:HE21	2:B:68:GLN:HB3	1.62	0.41
1:A:145:GLU:OE1	1:A:236:ARG:HG2	2.21	0.41
1:A:284:THR:HG22	1:A:285:PRO:HD2	2.02	0.41
1:A:520:THR:HB	1:A:598:GLN:HG3	2.02	0.41
2:B:31:CYS:HA	2:B:126:CYS:HB3	2.03	0.41
2:B:214:TYR:CE1	2:B:231:LEU:HD12	2.56	0.41
2:B:289:PHE:HE2	2:B:291:GLU:HB2	1.84	0.41
1:A:144:VAL:HG22	1:A:148:ARG:HB3	2.03	0.41
1:A:267:VAL:HG22	1:A:268:GLY:H	1.85	0.40
1:A:404:ASN:ND2	1:A:406:ILE:HG13	2.36	0.40
1:A:529:PHE:CZ	1:A:590:PHE:HE2	2.40	0.40
2:B:63:ASN:OD1	2:B:66:LEU:HG	2.21	0.40
2:B:94:SER:OG	2:B:95:ARG:N	2.54	0.40
1:A:147:THR:HA	1:A:203:GLN:HA	2.03	0.40
1:A:339:THR:O	1:A:340:GLU:HG2	2.20	0.40
1:A:436:LEU:HD12	1:A:436:LEU:HA	1.68	0.40
2:B:37:ASP:OD1	2:B:59:TYR:OH	2.21	0.40
2:B:106:ARG:HB2	2:B:223:PHE:CE2	2.57	0.40
2:B:149:LYS:HE3	2:B:230:GLU:OE2	2.21	0.40
1:A:276:TRP:CG	1:A:296:LEU:HD22	2.57	0.40
1:A:276:TRP:CD2	1:A:296:LEU:HD22	2.57	0.40
2:B:44:LEU:HD21	2:B:145:ASN:HB2	2.04	0.40
2:B:325:GLU:HB3	2:B:326:GLU:H	1.71	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perc	centiles
1	А	583/841~(69%)	523 (90%)	48 (8%)	12 (2%)	7	39
2	В	320/348~(92%)	274 (86%)	37 (12%)	9(3%)	5	33
All	All	903/1189~(76%)	797~(88%)	85 (9%)	21 (2%)	6	37

All (21) Ramachandran outliers are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	70	LYS
1	А	85	SER
1	А	178	ASN
1	А	474	MET
1	А	482	GLN
1	А	513	ASP
2	В	89	ILE
2	В	168	GLU
2	В	294	ASP
2	В	356	HIS
1	А	84	GLY
1	А	174	ASP
1	А	516	VAL
1	А	68	GLY
1	А	100	GLU
2	В	45	VAL
2	В	122	ASN
2	В	140	THR
2	В	198	ARG
1	А	126	ASP
2	В	353	LYS



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Analysed Rotameric Outliers		Percentiles
1	А	508/736~(69%)	472 (93%)	36 (7%)	14 41
2	В	289/309~(94%)	246 (85%)	43 (15%)	3 17
All	All	797/1045~(76%)	718~(90%)	79 (10%)	8 29

All (79) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	38	VAL
1	А	52	CYS
1	А	95	ARG
1	А	126	ASP
1	А	141	LEU
1	А	157	SER
1	А	168	LYS
1	А	176	SER
1	А	178	ASN
1	А	181	ARG
1	А	196	ARG
1	А	236	ARG
1	А	237	GLU
1	А	239	ARG
1	А	284	THR
1	А	297	GLU
1	А	308	THR
1	А	309	CYS
1	А	327	LYS
1	А	331	LYS
1	А	346	ILE
1	A	352	SER
1	A	399	ARG
1	А	406	ILE
1	А	413	GLU
1	А	428	PRO
1	А	438	SER



Mol	Chain	Res	Type
1	А	449	GLU
1	А	465	ASP
1	А	520	THR
1	А	532	GLU
1	А	535	SER
1	А	566	GLU
1	А	582	LEU
1	А	586	SER
1	А	596	SER
2	В	40	LYS
2	В	42	GLN
2	В	43	VAL
2	В	49	VAL
2	В	50	ARG
2	В	61	ARG
2	В	68	GLN
2	В	80	SER
2	В	84	ASP
2	В	100	GLU
2	В	102	SER
2	В	106	ARG
2	В	108	THR
2	В	125	TYR
2	В	130	SER
2	В	138	ASN
2	В	149	LYS
2	В	164	CYS
2	В	176	GLU
2	В	178	GLU
2	В	187	THR
2	В	201	LEU
2	В	205	GLU
2	В	215	THR
2	В	228	THR
2	В	229	THR
2	В	231	LEU
2	В	257	THR
2	В	280	LEU
2	В	292	ASP
2	В	295	GLU
2	В	304	ARG
2	В	310	LEU



Mol	Chain	Res	Type							
2	В	319	LEU							
2	В	333	SER							
2	В	336	VAL							
2	В	344	HIS							
2	В	347	VAL							
2	В	348	LEU							
2	В	350	HIS							
2	В	351	LYS							
2	В	352	ARG							
2	В	355	HIS							

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	74	GLN
1	А	323	GLN
1	А	452	ASN
1	А	456	GLN
2	В	68	GLN
2	В	357	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

7 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Mol Type Chain		Dec Link		Bond lengths			Bond angles		
WIOI	туре		nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
3	NAG	С	1	2,3	$14,\!14,\!15$	0.37	0	17,19,21	0.44	0
3	NAG	С	2	3	14,14,15	0.26	0	17,19,21	0.45	0
4	NAG	D	1	2,4	$14,\!14,\!15$	0.29	0	17,19,21	0.60	0
4	NAG	D	2	4	$14,\!14,\!15$	0.62	1 (7%)	17,19,21	0.58	0
4	BMA	D	3	4	11,11,12	1.61	3 (27%)	15,15,17	1.72	2 (13%)
4	MAN	D	4	4	11,11,12	1.22	2 (18%)	15,15,17	0.95	1 (6%)
4	MAN	D	5	4	11,11,12	0.99	1 (9%)	15,15,17	1.38	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	С	1	2,3	-	0/6/23/26	0/1/1/1
3	NAG	С	2	3	-	2/6/23/26	0/1/1/1
4	NAG	D	1	2,4	-	4/6/23/26	0/1/1/1
4	NAG	D	2	4	-	2/6/23/26	0/1/1/1
4	BMA	D	3	4	-	2/2/19/22	0/1/1/1
4	MAN	D	4	4	-	2/2/19/22	1/1/1/1
4	MAN	D	5	4	-	2/2/19/22	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	3	BMA	O3-C3	3.14	1.50	1.43
4	D	5	MAN	C1-C2	2.72	1.58	1.52
4	D	4	MAN	C1-C2	2.53	1.58	1.52
4	D	4	MAN	O5-C5	2.46	1.48	1.43
4	D	3	BMA	C4-C5	2.44	1.58	1.53
4	D	3	BMA	C4-C3	2.31	1.58	1.52
4	D	2	NAG	O5-C1	-2.16	1.40	1.43

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	D	3	BMA	C1-C2-C3	-4.25	104.44	109.67
4	D	3	BMA	O3-C3-C2	3.43	116.56	109.99
4	D	5	MAN	C1-O5-C5	3.36	116.74	112.19
4	D	4	MAN	O2-C2-C3	-2.49	105.14	110.14



001000	continued from proceedus page								
Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$Observed(^{o})$	$ $ Ideal(o)		
4	D	5	MAN	O5-C1-C2	2.05	113.94	110.77		
4	D	5	MAN	C1-C2-C3	2.02	112.14	109.67		

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	1	NAG	O5-C5-C6-O6
3	С	2	NAG	O5-C5-C6-O6
4	D	1	NAG	C4-C5-C6-O6
4	D	5	MAN	C4-C5-C6-O6
4	D	4	MAN	C4-C5-C6-O6
4	D	1	NAG	C8-C7-N2-C2
4	D	1	NAG	O7-C7-N2-C2
4	D	5	MAN	O5-C5-C6-O6
3	С	2	NAG	C4-C5-C6-O6
4	D	2	NAG	O5-C5-C6-O6
4	D	4	MAN	O5-C5-C6-O6
4	D	3	BMA	O5-C5-C6-O6
4	D	3	BMA	C4-C5-C6-O6
4	D	2	NAG	C4-C5-C6-O6

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	4	MAN	C1-C2-C3-C4-C5-O5

3 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	1	NAG	1	0
4	D	5	MAN	1	0
4	D	3	BMA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type	Turne	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain I	Dec	Tinle	Bond lengths			B	ond ang	les
	туре	Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2										
5	NAG	В	402	2	14,14,15	0.44	0	17,19,21	0.40	0										
5	NAG	В	401	2	14,14,15	0.71	0	17,19,21	0.57	0										

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	В	402	2	-	0/6/23/26	0/1/1/1
5	NAG	В	401	2	-	3/6/23/26	0/1/1/1

'-' means no outliers of that kind were identified.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	В	401	NAG	O5-C5-C6-O6
5	В	401	NAG	C4-C5-C6-O6
5	В	401	NAG	C3-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	В	401	NAG	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$\mathbf{OWAB}(\mathbf{A}^2)$	Q<0.9
1	А	585/841~(69%)	0.06	30 (5%) 28 24	70, 180, 242, 273	0
2	В	324/348~(93%)	-0.16	4 (1%) 79 70	52, 98, 137, 206	0
All	All	909/1189~(76%)	-0.02	34 (3%) 41 33	52, 137, 234, 273	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	576	SER	5.4
1	А	433	ALA	4.8
1	А	113	GLU	4.2
1	А	501	ALA	3.7
1	А	398	PHE	3.7
1	А	114	ILE	3.4
1	А	590	PHE	3.2
1	А	575	THR	3.1
1	А	107	ALA	3.0
1	А	54	ALA	3.0
1	А	416	LEU	2.9
1	А	319	GLU	2.8
1	А	417	THR	2.8
1	А	577	TYR	2.8
1	А	250	THR	2.7
1	А	528	ASN	2.7
1	А	363	ILE	2.6
1	А	33	PHE	2.6
1	А	523	PRO	2.5
2	В	74	LEU	2.4
1	А	516	VAL	2.4
1	А	471	ASN	2.4
1	A	328	ALA	2.3
1	А	432	GLN	2.3



	9	1	1 0	
Mol	Chain	Res	Type	RSRZ
2	В	195	VAL	2.3
1	А	327	LYS	2.3
2	В	358	HIS	2.2
1	А	48	ALA	2.2
1	А	105	CYS	2.1
1	А	556	LEU	2.1
1	А	68	GLY	2.1
1	А	562	ASP	2.1
2	В	315	VAL	2.1
1	А	475	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
4	MAN	D	4	11/12	0.70	0.18	146,185,203,205	0
3	NAG	С	2	14/15	0.73	0.30	119,138,152,155	0
4	NAG	D	2	14/15	0.81	0.31	118,148,173,176	0
4	BMA	D	3	11/12	0.83	0.07	174,176,182,197	0
4	NAG	D	1	14/15	0.87	0.16	70,113,125,126	0
4	MAN	D	5	11/12	0.87	0.26	169,185,192,196	0
3	NAG	С	1	14/15	0.90	0.25	107,121,136,138	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.









6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
5	NAG	В	401	14/15	0.76	0.28	132,151,158,159	0
5	NAG	В	402	14/15	0.91	0.23	109,135,145,148	0

6.5 Other polymers (i)

There are no such residues in this entry.

