



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 14, 2023 – 12:24 AM JST

PDB ID : 5YKB  
Title : The N253F mutant structure of trehalose synthase from *Deinococcus radiodurans* reveals an open active-site conformation  
Authors : Chow, S.Y.; Hsieh, Y.C.; Liaw, S.H.  
Deposited on : 2017-10-13  
Resolution : 2.76 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1235 (2.78-2.74)
Clashscore	141614	1277 (2.78-2.74)
Ramachandran outliers	138981	1257 (2.78-2.74)
Sidechain outliers	138945	1257 (2.78-2.74)
RSRZ outliers	127900	1207 (2.78-2.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	571	 8% 82% 10% • 7%
1	B	571	 9% 80% 10% • 9%
1	C	571	 9% 81% 11% • 7%
1	D	571	 9% 81% 9% • 8%

## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 17196 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Trehalose synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	529	4256	2730	727	783	16	0	0	0
1	B	522	4214	2704	720	774	16	0	0	0
1	C	530	4265	2735	728	786	16	0	0	0
1	D	523	4216	2707	721	772	16	0	0	0

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	expression tag	UNP I3NX86
A	0	VAL	-	expression tag	UNP I3NX86
A	1	PRO	-	expression tag	UNP I3NX86
A	97	TRP	ARG	engineered mutation	UNP I3NX86
A	253	PHE	ASN	engineered mutation	UNP I3NX86
A	313	ILE	THR	engineered mutation	UNP I3NX86
A	380	VAL	ILE	engineered mutation	UNP I3NX86
A	553	SER	-	expression tag	UNP I3NX86
A	554	ARG	-	expression tag	UNP I3NX86
A	555	VAL	-	expression tag	UNP I3NX86
A	556	ASP	-	expression tag	UNP I3NX86
A	557	LYS	-	expression tag	UNP I3NX86
A	558	LEU	-	expression tag	UNP I3NX86
A	559	ALA	-	expression tag	UNP I3NX86
A	560	ALA	-	expression tag	UNP I3NX86
A	561	ALA	-	expression tag	UNP I3NX86
A	562	LEU	-	expression tag	UNP I3NX86
A	563	GLU	-	expression tag	UNP I3NX86
A	564	HIS	-	expression tag	UNP I3NX86
A	565	HIS	-	expression tag	UNP I3NX86
A	566	HIS	-	expression tag	UNP I3NX86

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	567	HIS	-	expression tag	UNP I3NX86
A	568	HIS	-	expression tag	UNP I3NX86
A	569	HIS	-	expression tag	UNP I3NX86
B	-1	MET	-	expression tag	UNP I3NX86
B	0	VAL	-	expression tag	UNP I3NX86
B	1	PRO	-	expression tag	UNP I3NX86
B	97	TRP	ARG	engineered mutation	UNP I3NX86
B	253	PHE	ASN	engineered mutation	UNP I3NX86
B	313	ILE	THR	engineered mutation	UNP I3NX86
B	380	VAL	ILE	engineered mutation	UNP I3NX86
B	553	SER	-	expression tag	UNP I3NX86
B	554	ARG	-	expression tag	UNP I3NX86
B	555	VAL	-	expression tag	UNP I3NX86
B	556	ASP	-	expression tag	UNP I3NX86
B	557	LYS	-	expression tag	UNP I3NX86
B	558	LEU	-	expression tag	UNP I3NX86
B	559	ALA	-	expression tag	UNP I3NX86
B	560	ALA	-	expression tag	UNP I3NX86
B	561	ALA	-	expression tag	UNP I3NX86
B	562	LEU	-	expression tag	UNP I3NX86
B	563	GLU	-	expression tag	UNP I3NX86
B	564	HIS	-	expression tag	UNP I3NX86
B	565	HIS	-	expression tag	UNP I3NX86
B	566	HIS	-	expression tag	UNP I3NX86
B	567	HIS	-	expression tag	UNP I3NX86
B	568	HIS	-	expression tag	UNP I3NX86
B	569	HIS	-	expression tag	UNP I3NX86
C	-1	MET	-	expression tag	UNP I3NX86
C	0	VAL	-	expression tag	UNP I3NX86
C	1	PRO	-	expression tag	UNP I3NX86
C	97	TRP	ARG	engineered mutation	UNP I3NX86
C	253	PHE	ASN	engineered mutation	UNP I3NX86
C	313	ILE	THR	engineered mutation	UNP I3NX86
C	380	VAL	ILE	engineered mutation	UNP I3NX86
C	553	SER	-	expression tag	UNP I3NX86
C	554	ARG	-	expression tag	UNP I3NX86
C	555	VAL	-	expression tag	UNP I3NX86
C	556	ASP	-	expression tag	UNP I3NX86
C	557	LYS	-	expression tag	UNP I3NX86
C	558	LEU	-	expression tag	UNP I3NX86
C	559	ALA	-	expression tag	UNP I3NX86
C	560	ALA	-	expression tag	UNP I3NX86

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	561	ALA	-	expression tag	UNP I3NX86
C	562	LEU	-	expression tag	UNP I3NX86
C	563	GLU	-	expression tag	UNP I3NX86
C	564	HIS	-	expression tag	UNP I3NX86
C	565	HIS	-	expression tag	UNP I3NX86
C	566	HIS	-	expression tag	UNP I3NX86
C	567	HIS	-	expression tag	UNP I3NX86
C	568	HIS	-	expression tag	UNP I3NX86
C	569	HIS	-	expression tag	UNP I3NX86
D	-1	MET	-	expression tag	UNP I3NX86
D	0	VAL	-	expression tag	UNP I3NX86
D	1	PRO	-	expression tag	UNP I3NX86
D	97	TRP	ARG	engineered mutation	UNP I3NX86
D	253	PHE	ASN	engineered mutation	UNP I3NX86
D	313	ILE	THR	engineered mutation	UNP I3NX86
D	380	VAL	ILE	engineered mutation	UNP I3NX86
D	553	SER	-	expression tag	UNP I3NX86
D	554	ARG	-	expression tag	UNP I3NX86
D	555	VAL	-	expression tag	UNP I3NX86
D	556	ASP	-	expression tag	UNP I3NX86
D	557	LYS	-	expression tag	UNP I3NX86
D	558	LEU	-	expression tag	UNP I3NX86
D	559	ALA	-	expression tag	UNP I3NX86
D	560	ALA	-	expression tag	UNP I3NX86
D	561	ALA	-	expression tag	UNP I3NX86
D	562	LEU	-	expression tag	UNP I3NX86
D	563	GLU	-	expression tag	UNP I3NX86
D	564	HIS	-	expression tag	UNP I3NX86
D	565	HIS	-	expression tag	UNP I3NX86
D	566	HIS	-	expression tag	UNP I3NX86
D	567	HIS	-	expression tag	UNP I3NX86
D	568	HIS	-	expression tag	UNP I3NX86
D	569	HIS	-	expression tag	UNP I3NX86

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Ca 1 1	0	0
2	B	1	Total Ca 1 1	0	0
2	C	1	Total Ca 1 1	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	1	Total Ca 1 1	0	0

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0
3	C	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	65	Total O 65 65	0	0
4	B	60	Total O 60 60	0	0
4	C	58	Total O 58 58	0	0
4	D	54	Total O 54 54	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Trehalose synthase





- Molecule 1: Trehalose synthase



- Molecule 1: Trehalose synthase



• Molecule 1: Trehalose synthase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	100.40Å 132.42Å 196.01Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.76 29.94 – 2.76	Depositor EDS
% Data completeness (in resolution range)	96.7 (30.00-2.76) 96.8 (29.94-2.76)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.21 (at 2.76Å)	Xtrriage
Refinement program	REFMAC 5.8.0073	Depositor
R, $R_{free}$	0.192 , 0.251 0.199 , 0.252	Depositor DCC
$R_{free}$ test set	3231 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	47.8	Xtrriage
Anisotropy	0.148	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 63.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	17196	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	51.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.84% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.47	0/4387	0.67	2/5977 (0.0%)
1	B	0.50	0/4342	0.67	2/5911 (0.0%)
1	C	0.50	1/4396 (0.0%)	0.69	3/5989 (0.1%)
1	D	0.50	0/4344	0.69	3/5915 (0.1%)
All	All	0.49	1/17469 (0.0%)	0.68	10/23792 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	140	GLU	CD-OE1	5.20	1.31	1.25

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	173	PHE	N-CA-C	7.18	130.38	111.00
1	D	173	PHE	N-CA-C	6.91	129.66	111.00
1	C	174	PHE	N-CA-C	-6.56	93.29	111.00
1	D	279	VAL	CB-CA-C	-5.71	100.54	111.40
1	A	173	PHE	N-CA-C	5.61	126.15	111.00
1	D	174	PHE	N-CA-C	-5.37	96.50	111.00
1	B	173	PHE	N-CA-C	5.17	124.96	111.00
1	C	279	VAL	CB-CA-C	-5.06	101.78	111.40
1	B	174	PHE	N-CA-CB	5.04	119.67	110.60
1	A	174	PHE	N-CA-C	-5.03	97.42	111.00

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4256	0	4063	33	0
1	B	4214	0	4022	27	0
1	C	4265	0	4069	46	0
1	D	4216	0	4032	47	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	65	0	0	1	0
4	B	60	0	0	2	0
4	C	58	0	0	1	0
4	D	54	0	0	0	0
All	All	17196	0	16186	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:170:TRP:CH2	1:D:216:GLU:HG2	1.52	1.42
1:C:161:LEU:HD23	1:C:168:TYR:CE1	1.72	1.24
1:D:170:TRP:CZ3	1:D:216:GLU:HG2	1.73	1.21
1:D:170:TRP:CH2	1:D:216:GLU:CG	2.39	1.05
1:B:353:ARG:NH2	1:B:383:TYR:O	1.92	1.02
1:C:161:LEU:CD2	1:C:168:TYR:CZ	2.43	1.00
1:C:161:LEU:HD23	1:C:168:TYR:CZ	1.96	1.00
1:C:118:ARG:O	1:C:165:ALA:HB2	1.60	0.98
1:C:161:LEU:CD2	1:C:168:TYR:CE1	2.52	0.90
1:D:170:TRP:HH2	1:D:216:GLU:HG2	1.28	0.87
1:C:477:THR:HG21	1:C:482:ILE:HB	1.58	0.86

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:170:TRP:HH2	1:D:216:GLU:CG	1.84	0.82
1:B:279:VAL:HG21	1:B:313:ILE:HD11	1.62	0.82
1:C:411:THR:HG21	1:D:90:GLU:OE2	1.82	0.80
1:D:170:TRP:CZ3	1:D:216:GLU:CG	2.60	0.78
4:B:760:HOH:O	1:C:543:LYS:HE2	1.86	0.74
1:D:288:LYS:HG2	1:D:337:ALA:HB1	1.72	0.71
1:D:216:GLU:OE2	2:D:600:CA:CA	1.69	0.70
1:C:161:LEU:HD21	1:C:168:TYR:CZ	2.26	0.70
1:C:254:GLN:HB2	1:C:259:VAL:HG13	1.74	0.69
1:D:254:GLN:HB2	1:D:259:VAL:HG13	1.75	0.69
1:B:282:ARG:NH2	1:B:325:MET:O	2.28	0.66
1:D:216:GLU:N	1:D:216:GLU:OE1	2.28	0.66
1:D:215:ILE:HB	1:D:228:THR:HG22	1.78	0.63
1:C:288:LYS:HG2	1:C:337:ALA:HB1	1.80	0.63
1:A:279:VAL:HG21	1:A:313:ILE:HD11	1.81	0.63
1:C:521:THR:CG2	1:C:523:SER:O	2.48	0.61
1:D:355:ALA:HB3	1:D:356:PRO:HD3	1.82	0.61
1:D:397:ASP:OD1	1:D:398:ARG:NH1	2.33	0.61
1:A:217:ARG:HB2	1:A:220:THR:HG21	1.83	0.60
1:D:215:ILE:CD1	1:D:227:GLU:HB3	2.32	0.60
1:C:482:ILE:HG23	1:C:541:MET:CE	2.31	0.59
1:A:276:ASN:OD1	1:A:278:PRO:HD2	2.02	0.59
1:A:482:ILE:HG23	1:A:541:MET:CE	2.32	0.59
1:C:282:ARG:NH2	1:C:325:MET:O	2.36	0.59
1:C:482:ILE:HG23	1:C:541:MET:HE2	1.84	0.58
1:C:289:ARG:NH2	4:C:701:HOH:O	2.37	0.57
1:C:482:ILE:CG2	1:C:541:MET:HE2	2.35	0.57
1:C:411:THR:CG2	1:D:90:GLU:OE2	2.54	0.56
1:A:470:GLY:HA2	1:A:489:TYR:HB2	1.88	0.55
1:D:327:THR:HG22	1:D:329:ASP:H	1.71	0.55
1:D:521:THR:CG2	1:D:523:SER:O	2.55	0.55
1:B:355:ALA:HB3	1:B:356:PRO:HD3	1.89	0.55
1:A:462:ARG:HD2	4:A:746:HOH:O	2.07	0.54
1:B:545:ASP:OD2	1:C:545:ASP:OD2	2.26	0.53
1:C:118:ARG:HG3	1:C:162:ASP:OD2	2.08	0.53
1:D:123:LEU:H	1:D:123:LEU:HD13	1.73	0.53
1:A:355:ALA:HB3	1:A:356:PRO:HD3	1.89	0.53
1:D:217:ARG:HB2	1:D:220:THR:HG21	1.90	0.53
1:A:471:ASP:O	1:A:487:ARG:HA	2.09	0.53
1:C:118:ARG:CG	1:C:162:ASP:OD2	2.57	0.52
1:C:90:GLU:OE2	1:D:411:THR:HG21	2.10	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:118:ARG:NH1	1:C:162:ASP:OD1	2.43	0.52
1:D:327:THR:HG22	1:D:329:ASP:N	2.24	0.52
1:B:353:ARG:HG2	4:B:706:HOH:O	2.09	0.51
1:D:477:THR:HG22	1:D:509:LEU:CD2	2.41	0.51
1:A:254:GLN:HB2	1:A:259:VAL:HG13	1.92	0.51
1:C:488:GLN:HG3	1:C:493:THR:HG23	1.93	0.50
1:A:482:ILE:HG23	1:A:541:MET:HE1	1.92	0.50
1:D:68:VAL:HG13	1:D:70:ASP:O	2.11	0.50
1:C:482:ILE:HG12	1:C:541:MET:HE3	1.94	0.50
1:C:482:ILE:HG12	1:C:541:MET:CE	2.42	0.50
1:A:346:ILE:HB	1:A:351:ARG:HD3	1.94	0.49
1:A:520:VAL:HG12	1:A:527:PRO:HA	1.94	0.49
1:B:482:ILE:HG23	1:B:541:MET:CE	2.41	0.49
1:C:276:ASN:OD1	1:C:278:PRO:HD2	2.12	0.49
1:C:355:ALA:HB3	1:C:356:PRO:HD3	1.95	0.49
1:C:280:MET:HB3	1:C:281:PRO:HD3	1.95	0.49
1:D:68:VAL:CG1	1:D:70:ASP:O	2.61	0.48
1:C:118:ARG:NH2	1:C:164:GLN:HG3	2.29	0.48
1:D:170:TRP:HH2	1:D:216:GLU:HG3	1.71	0.48
1:D:215:ILE:HD13	1:D:227:GLU:HB3	1.96	0.48
1:A:512:ALA:O	1:A:515:VAL:HG23	2.14	0.48
1:D:215:ILE:HG22	1:D:216:GLU:N	2.29	0.48
1:A:256:PRO:HA	1:A:259:VAL:HG22	1.96	0.47
1:A:370:THR:HG21	1:A:546:TYR:CD2	2.48	0.47
1:B:276:ASN:OD1	1:B:278:PRO:HD2	2.13	0.47
1:D:20:ARG:HD2	1:D:424:PHE:CE2	2.49	0.47
1:B:88:LEU:C	1:B:88:LEU:HD12	2.35	0.47
1:B:211:VAL:N	1:B:212:PRO:CD	2.77	0.47
1:C:275:PHE:HB2	1:C:277:PHE:CE2	2.50	0.47
1:A:541:MET:HG2	1:A:547:TYR:CE2	2.50	0.47
1:D:256:PRO:O	1:D:260:VAL:HG23	2.15	0.47
1:B:512:ALA:HB3	1:B:513:PRO:HD3	1.96	0.47
1:D:482:ILE:HG12	1:D:541:MET:CE	2.45	0.47
1:A:477:THR:HG22	1:A:509:LEU:CD2	2.45	0.47
1:C:117:ALA:HB1	1:C:137:TRP:HH2	1.79	0.47
1:B:279:VAL:HG21	1:B:313:ILE:CD1	2.39	0.46
1:A:482:ILE:HG23	1:A:541:MET:HE2	1.96	0.46
1:B:88:LEU:HD13	1:B:92:HIS:CE1	2.51	0.46
1:C:215:ILE:HD11	1:C:231:ILE:HD11	1.98	0.46
1:B:482:ILE:HG23	1:B:541:MET:HE1	1.98	0.46
1:A:211:VAL:N	1:A:212:PRO:CD	2.78	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:512:ALA:HB3	1:D:513:PRO:HD3	1.97	0.46
1:C:211:VAL:N	1:C:212:PRO:CD	2.79	0.46
1:A:512:ALA:HB3	1:A:513:PRO:HD3	1.98	0.46
1:A:288:LYS:HG2	1:A:337:ALA:HB1	1.98	0.46
1:D:170:TRP:HZ3	1:D:216:GLU:CD	2.19	0.46
1:B:282:ARG:HD2	1:B:298:ILE:HG13	1.98	0.45
1:B:301:ARG:O	1:B:301:ARG:HG3	2.16	0.45
1:C:15:TYR:HB2	1:C:48:VAL:HG21	1.97	0.45
1:D:482:ILE:HG23	1:D:541:MET:CE	2.46	0.45
1:A:539:VAL:HG12	1:D:540:VAL:HG21	1.99	0.45
1:D:217:ARG:CB	1:D:220:THR:HG21	2.47	0.45
1:D:541:MET:HG2	1:D:547:TYR:CE2	2.52	0.45
1:C:278:PRO:HD3	1:C:325:MET:HE1	1.99	0.44
1:C:370:THR:HG21	1:C:546:TYR:CD2	2.52	0.44
1:C:512:ALA:O	1:C:515:VAL:HG23	2.18	0.44
1:D:211:VAL:N	1:D:212:PRO:CD	2.81	0.44
1:C:470:GLY:HA2	1:C:489:TYR:HB2	2.00	0.43
1:C:89:ARG:NH1	1:C:90:GLU:OE2	2.51	0.43
1:A:297:GLU:O	1:A:301:ARG:HG2	2.18	0.43
1:A:521:THR:CG2	1:A:524:GLY:H	2.31	0.43
1:A:254:GLN:HB2	1:A:259:VAL:CG1	2.49	0.43
1:A:52:TRP:C	1:A:52:TRP:CD1	2.92	0.43
1:D:512:ALA:O	1:D:515:VAL:HG23	2.18	0.43
1:A:452:LYS:O	1:A:456:ARG:HG2	2.18	0.43
1:A:366:GLU:O	1:A:370:THR:HG23	2.18	0.43
1:C:88:LEU:HD22	1:C:92:HIS:CE1	2.54	0.43
1:B:132:HIS:O	1:B:137:TRP:CZ3	2.72	0.42
1:B:250:ALA:HB2	1:B:271:PHE:CG	2.54	0.42
1:B:280:MET:HB3	1:B:281:PRO:HD3	2.00	0.42
1:A:486:THR:HA	1:A:494:LEU:O	2.19	0.42
1:B:102:LEU:HB2	1:B:206:PHE:CD1	2.54	0.42
1:C:132:HIS:O	1:C:137:TRP:HZ3	2.02	0.42
1:B:521:THR:CG2	1:B:523:SER:O	2.67	0.42
1:C:161:LEU:CD2	1:C:168:TYR:CE2	3.00	0.42
1:B:499:ASN:O	1:B:544:TYR:HA	2.19	0.42
1:D:384:GLY:N	1:D:386:GLU:OE2	2.51	0.42
1:D:477:THR:HG22	1:D:509:LEU:HD23	2.02	0.42
1:D:397:ASP:O	1:D:397:ASP:CG	2.58	0.42
1:D:446:ASP:HB3	1:D:449:SER:HB3	2.02	0.42
1:B:288:LYS:HG2	1:B:337:ALA:HB1	2.02	0.42
1:B:446:ASP:HB3	1:B:449:SER:HB3	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:446:ASP:HB3	1:A:449:SER:HB3	2.01	0.42
1:A:423:CYS:O	1:A:424:PHE:C	2.58	0.41
1:C:55:PRO:HD3	1:C:101:ASP:OD2	2.20	0.41
1:B:215:ILE:HB	1:B:228:THR:HG22	2.02	0.41
1:C:512:ALA:HB3	1:C:513:PRO:HD3	2.02	0.41
1:A:370:THR:HG21	1:A:546:TYR:CE2	2.54	0.41
1:D:215:ILE:CD1	1:D:227:GLU:CB	2.98	0.41
1:D:16:GLU:OE2	1:D:318:HIS:ND1	2.50	0.41
1:D:482:ILE:CG2	1:D:541:MET:HE2	2.50	0.41
1:B:52:TRP:CZ2	1:B:207:ARG:HD3	2.56	0.41
1:B:75:HIS:CG	1:B:76:PRO:HD2	2.56	0.41
1:C:84:PHE:CE1	1:C:88:LEU:HD12	2.56	0.41
1:A:278:PRO:HD3	1:A:325:MET:HE1	2.03	0.40
1:D:216:GLU:N	1:D:216:GLU:CD	2.73	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	525/571 (92%)	500 (95%)	25 (5%)	0	100	100
1	B	516/571 (90%)	498 (96%)	18 (4%)	0	100	100
1	C	526/571 (92%)	505 (96%)	21 (4%)	0	100	100
1	D	517/571 (90%)	499 (96%)	18 (4%)	0	100	100
All	All	2084/2284 (91%)	2002 (96%)	82 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	448/484 (93%)	436 (97%)	12 (3%)	44	65
1	B	443/484 (92%)	417 (94%)	26 (6%)	19	34
1	C	449/484 (93%)	432 (96%)	17 (4%)	33	53
1	D	443/484 (92%)	426 (96%)	17 (4%)	33	53
All	All	1783/1936 (92%)	1711 (96%)	72 (4%)	31	51

All (72) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	LEU
1	A	118	ARG
1	A	174	PHE
1	A	179	ASP
1	A	260	VAL
1	A	279	VAL
1	A	289	ARG
1	A	411	THR
1	A	473	THR
1	A	493	THR
1	A	521	THR
1	A	536	GLN
1	B	21	THR
1	B	52	TRP
1	B	54	LEU
1	B	68	VAL
1	B	82	ASP
1	B	88	LEU
1	B	109	SER
1	B	161	LEU
1	B	179	ASP
1	B	216	GLU
1	B	217	ARG
1	B	228	THR

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	249	LEU
1	B	251	GLU
1	B	259	VAL
1	B	265	THR
1	B	268	GLU
1	B	279	VAL
1	B	282	ARG
1	B	304	LYS
1	B	353	ARG
1	B	411	THR
1	B	473	THR
1	B	488	GLN
1	B	521	THR
1	B	530	VAL
1	C	68	VAL
1	C	109	SER
1	C	137	TRP
1	C	140	GLU
1	C	161	LEU
1	C	163	GLU
1	C	167	LYS
1	C	218	GLU
1	C	228	THR
1	C	251	GLU
1	C	260	VAL
1	C	282	ARG
1	C	397	ASP
1	C	411	THR
1	C	419	GLN
1	C	421	SER
1	C	521	THR
1	D	21	THR
1	D	52	TRP
1	D	54	LEU
1	D	122	THR
1	D	123	LEU
1	D	161	LEU
1	D	172	ARG
1	D	174	PHE
1	D	228	THR
1	D	289	ARG
1	D	381	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	386	GLU
1	D	393	LEU
1	D	411	THR
1	D	460	LEU
1	D	521	THR
1	D	530	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	441	GLN
1	A	445	GLN
1	C	536	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 8 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	529/571 (92%)	0.33	45 (8%) 10 13	23, 48, 82, 117	0
1	B	522/571 (91%)	0.36	53 (10%) 6 7	23, 45, 96, 127	0
1	C	530/571 (92%)	0.38	54 (10%) 6 7	23, 45, 95, 122	0
1	D	523/571 (91%)	0.43	52 (9%) 7 8	25, 47, 100, 117	0
All	All	2104/2284 (92%)	0.37	204 (9%) 7 8	23, 47, 93, 127	0

All (204) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	168	TYR	7.7
1	C	218	GLU	6.7
1	C	168	TYR	6.4
1	A	168	TYR	6.1
1	B	159	TRP	5.9
1	C	220	THR	5.9
1	D	218	GLU	5.8
1	C	166	GLY	5.7
1	B	174	PHE	5.6
1	A	161	LEU	5.6
1	B	139	ASP	5.5
1	A	221	SER	5.4
1	A	220	THR	5.4
1	D	6	PRO	5.2
1	B	140	GLU	5.1
1	D	168	TYR	5.0
1	B	163	GLU	5.0
1	C	126	GLY	5.0
1	C	170	TRP	4.8
1	B	161	LEU	4.7
1	A	218	GLU	4.7

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	173	PHE	4.6
1	B	138	SER	4.6
1	C	169	TYR	4.5
1	D	220	THR	4.5
1	D	174	PHE	4.5
1	B	128	PRO	4.3
1	A	219	GLY	4.3
1	C	128	PRO	4.3
1	D	119	ARG	4.2
1	C	165	ALA	4.2
1	B	170	TRP	4.2
1	C	241	ARG	4.0
1	B	133	ASP	3.9
1	A	223	GLU	3.8
1	A	267	ALA	3.8
1	B	119	ARG	3.7
1	B	103	VAL	3.7
1	C	140	GLU	3.7
1	C	139	ASP	3.6
1	B	160	THR	3.6
1	A	490	ASP	3.6
1	C	489	TYR	3.6
1	A	124	PRO	3.5
1	D	110	ASP	3.5
1	B	130	GLU	3.5
1	A	6	PRO	3.5
1	A	264	GLY	3.5
1	D	219	GLY	3.5
1	C	219	GLY	3.5
1	D	131	TYR	3.5
1	C	131	TYR	3.4
1	D	76	PRO	3.4
1	D	166	GLY	3.3
1	D	104	THR	3.3
1	C	490	ASP	3.3
1	D	217	ARG	3.3
1	B	116	ALA	3.2
1	B	241	ARG	3.2
1	C	226	PRO	3.2
1	B	129	ASN	3.2
1	D	134	TYR	3.2
1	B	218	GLU	3.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	62	ARG	3.2
1	C	221	SER	3.2
1	C	223	GLU	3.2
1	B	6	PRO	3.2
1	C	491	GLY	3.2
1	C	125	ASP	3.2
1	C	512	ALA	3.2
1	D	138	SER	3.2
1	D	211	VAL	3.1
1	A	304	LYS	3.1
1	B	516	GLY	3.1
1	A	241	ARG	3.1
1	D	221	SER	3.1
1	A	170	TRP	3.1
1	C	532	THR	3.1
1	B	166	GLY	3.1
1	C	161	LEU	3.1
1	C	122	THR	3.1
1	D	160	THR	3.1
1	A	465	PRO	3.1
1	B	169	TYR	3.1
1	C	124	PRO	3.0
1	C	515	VAL	3.0
1	C	62	ARG	3.0
1	A	489	TYR	3.0
1	C	222	CYS	3.0
1	B	491	GLY	3.0
1	C	127	SER	3.0
1	A	138	SER	3.0
1	D	489	TYR	3.0
1	B	216	GLU	2.9
1	B	489	TYR	2.9
1	C	174	PHE	2.9
1	A	533	GLY	2.9
1	D	159	TRP	2.9
1	D	210	ALA	2.9
1	C	534	ASN	2.9
1	B	217	ARG	2.9
1	C	119	ARG	2.9
1	C	478	GLY	2.9
1	B	137	TRP	2.8
1	D	122	THR	2.8

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	267	ALA	2.8
1	C	123	LEU	2.8
1	D	137	TRP	2.8
1	D	297	GLU	2.8
1	B	115	GLN	2.8
1	B	265	THR	2.8
1	B	102	LEU	2.8
1	C	163	GLU	2.8
1	A	222	CYS	2.8
1	C	76	PRO	2.7
1	D	490	ASP	2.7
1	D	255	TRP	2.7
1	B	220	THR	2.7
1	A	224	ASN	2.7
1	B	175	ALA	2.7
1	A	329	ASP	2.7
1	B	221	SER	2.7
1	B	490	ASP	2.6
1	D	208	VAL	2.6
1	A	347	ASN	2.6
1	C	257	GLU	2.6
1	A	242	GLU	2.6
1	A	244	PRO	2.6
1	D	257	GLU	2.6
1	A	266	GLU	2.6
1	D	130	GLU	2.6
1	A	164	GLN	2.6
1	C	237	ALA	2.6
1	A	125	ASP	2.6
1	B	515	VAL	2.5
1	A	166	GLY	2.5
1	C	6	PRO	2.5
1	D	518	ALA	2.5
1	C	138	SER	2.5
1	B	171	HIS	2.5
1	A	327	THR	2.5
1	D	103	VAL	2.5
1	D	241	ARG	2.5
1	D	112	PRO	2.5
1	B	222	CYS	2.4
1	B	532	THR	2.4
1	A	159	TRP	2.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	463	ALA	2.4
1	D	265	THR	2.4
1	C	164	GLN	2.4
1	B	136	VAL	2.4
1	A	469	HIS	2.4
1	A	372	LEU	2.4
1	C	255	TRP	2.4
1	B	268	GLU	2.3
1	C	102	LEU	2.3
1	D	368	LEU	2.3
1	D	164	GLN	2.3
1	C	121	PRO	2.3
1	D	372	LEU	2.3
1	B	158	ASN	2.3
1	D	397	ASP	2.3
1	B	264	GLY	2.3
1	D	69	ALA	2.3
1	A	208	VAL	2.3
1	A	491	GLY	2.3
1	C	328	ASP	2.3
1	A	283	LEU	2.3
1	D	242	GLU	2.3
1	B	104	THR	2.2
1	A	139	ASP	2.2
1	A	116	ALA	2.2
1	B	183	ASP	2.2
1	D	102	LEU	2.2
1	C	160	THR	2.2
1	C	533	GLY	2.2
1	B	117	ALA	2.2
1	B	162	ASP	2.2
1	C	207	ARG	2.2
1	B	165	ALA	2.2
1	C	173	PHE	2.2
1	D	100	GLY	2.2
1	D	60	PRO	2.2
1	D	161	LEU	2.2
1	D	186	LYS	2.1
1	B	208	VAL	2.1
1	A	119	ARG	2.1
1	D	216	GLU	2.1
1	C	134	TYR	2.1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	158	ASN	2.1
1	A	313	ILE	2.1
1	A	217	ARG	2.1
1	C	101	ASP	2.1
1	D	478	GLY	2.1
1	A	250	ALA	2.1
1	B	105	ASN	2.1
1	B	230	GLU	2.1
1	D	123	LEU	2.1
1	C	242	GLU	2.1
1	D	315	LEU	2.0
1	D	173	PHE	2.0
1	A	512	ALA	2.0
1	C	132	HIS	2.0
1	A	515	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	CA	D	600	1/1	0.69	0.12	68,68,68,68	0
2	CA	C	600	1/1	0.87	0.06	60,60,60,60	0
2	CA	B	600	1/1	0.91	0.12	81,81,81,81	0
3	MG	C	601	1/1	0.91	0.07	38,38,38,38	0
2	CA	A	600	1/1	0.95	0.18	87,87,87,87	0
3	MG	A	601	1/1	0.97	0.09	20,20,20,20	0
3	MG	B	601	1/1	0.98	0.08	19,19,19,19	0
3	MG	D	601	1/1	0.98	0.03	32,32,32,32	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.