wwPDB EM Validation Summary Report

Dec 17, 2022 – 09:09 am GMT

PDB ID	:	6YLX
EMDB ID	:	EMD-10841
Title	:	pre-60S State NE1 (TAP-Flag-Nop53)
Authors	:	Kater, L.; Beckmann, R.
Deposited on	:	2020-04-07
Resolution	:	3.90 Å(reported)
Based on initial models	:	6ELZ, 3JCT, 6N8J

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev43
MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.9
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.3

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	387	13% 92% 8%
2	C	362	90% 9%
3	E	176	5% 85% 11%
4	F	244	84% 7% 9%
5	G	256	10% 69% 5% 25%
6	H	191	8% 94% 6%
7	K	376	46% 68% 32%
8	L	199	15% 84% 10% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	M	138	
10	N	204	
11	O	199	
12	P	184	
13	Q	186	
14	R	189	
15	S	172	
16	T	160	
17	U	121	
18	V	137	
19	W	236	
20	X	142	
21	Y	127	
22	Z	136	
23	a	149	
24	b	647	
25	c	105	
26	d	113	
27	e	130	
28	f	107	
29	g	121	
30	h	120	
31	i	100	
32	j	88	
33	k	78	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	l	51	
35	n	605	
36	o	220	
37	q	455	
38	r	261	
39	s	520	
40	t	322	
41	u	199	
42	y	245	
43	z	106	
44	1	3396	
45	2	158	
46	6	232	
47	w	841	

2 Entry composition (i)

There are 47 unique types of molecules in this entry. The entry contains 118882 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	B	386	3081	1956	584	533	8	0	0

- Molecule 2 is a protein called 60S ribosomal protein L4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	C	361	2749	1730	522	494	3	0	0

- Molecule 3 is a protein called 60S ribosomal protein L6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	E	156	1239	800	222	216	1	0	0

- Molecule 4 is a protein called 60S ribosomal protein L7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	F	222	1784	1151	324	308	1	0	0

- Molecule 5 is a protein called 60S ribosomal protein L8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	G	192	1515	974	267	272	2	0	0

- Molecule 6 is a protein called 60S ribosomal protein L9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	H	191	1518	963	274	277	4	0	0

- Molecule 7 is a protein called Proteasome-interacting protein CIC1.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	K	256	Total	C	N	O	S	0	0
			2064	1332	342	387	3		

- Molecule 8 is a protein called 60S ribosomal protein L13-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
8	L	187	Total	C	N	O	0	0
			1499	934	307	258		

- Molecule 9 is a protein called 60S ribosomal protein L14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	M	137	Total	C	N	O	S	0	0
			1059	678	200	179	2		

- Molecule 10 is a protein called 60S ribosomal protein L15-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	N	180	Total	C	N	O	S	0	0
			1543	968	325	249	1		

- Molecule 11 is a protein called 60S ribosomal protein L16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	O	197	Total	C	N	O	S	0	0
			1555	1003	289	262	1		

- Molecule 12 is a protein called 60S ribosomal protein L17-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
12	P	176	Total	C	N	O	0	0
			1397	868	279	250		

- Molecule 13 is a protein called 60S ribosomal protein L18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	Q	134	Total	C	N	O	S	0	0
			1035	659	196	179	1		

- Molecule 14 is a protein called 60S ribosomal protein L19-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	R	156	Total 1258	C 781	N 265	O 212	0	0

- Molecule 15 is a protein called 60S ribosomal protein L20-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	S	171	Total 1437	C 925	N 266	O 243	S 3	0	0

- Molecule 16 is a protein called 60S ribosomal protein L21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	T	56	Total 434	C 268	N 86	O 79	S 1	0	0

- Molecule 17 is a protein called 60S ribosomal protein L22-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	U	106	Total 844	C 545	N 138	O 161	0	0

- Molecule 18 is a protein called 60S ribosomal protein L23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	V	136	Total 1003	C 628	N 189	O 179	S 7	0	0

- Molecule 19 is a protein called Ribosome assembly factor MRT4.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	W	234	Total 1885	C 1194	N 323	O 362	S 6	0	0

- Molecule 20 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	X	141	Total 1100	C 705	N 196	O 197	S 2	0	0

- Molecule 21 is a protein called 60S ribosomal protein L26-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	Y	126	Total 993	C 625	N 192	O 176	0	0

- Molecule 22 is a protein called 60S ribosomal protein L27-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
22	Z	135	Total 1092	C 710	N 202	O 180	0	0

- Molecule 23 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	a	93	Total 735	C 479	N 130	O 125	S 1	0	0

- Molecule 24 is a protein called Nucleolar GTP-binding protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	b	470	Total 3814	C 2424	N 663	O 709	S 18	0	0

- Molecule 25 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	c	97	Total 743	C 479	N 124	O 139	S 1	0	0

- Molecule 26 is a protein called 60S ribosomal protein L31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	d	107	Total 873	C 553	N 165	O 154	S 1	0	0

- Molecule 27 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	e	127	Total 1020	C 647	N 205	O 167	S 1	0	0

- Molecule 28 is a protein called 60S ribosomal protein L33-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	f	106	Total 850	C 540	N 165	O 144	S 1	0	0

- Molecule 29 is a protein called 60S ribosomal protein L34-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	g	112	Total 881	C 546	N 179	O 152	S 4	0	0

- Molecule 30 is a protein called 60S ribosomal protein L35-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	h	119	Total 969	C 615	N 186	O 167	S 1	0	0

- Molecule 31 is a protein called 60S ribosomal protein L36-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	i	99	Total 771	C 481	N 156	O 132	S 2	0	0

- Molecule 32 is a protein called 60S ribosomal protein L37-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	j	87	Total 681	C 414	N 148	O 114	S 5	0	0

- Molecule 33 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms				AltConf	Trace
33	k	77	Total 612	C 391	N 115	O 106	0	0

- Molecule 34 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	l	50	Total 436	C 272	N 97	O 65	S 2	0	0

- Molecule 35 is a protein called Pescadillo homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	n	371	Total	C	N	O	S	0	0
			3030	1963	523	534	10		

- Molecule 36 is a protein called Ribosome biogenesis protein 15.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	o	133	Total	C	N	O	S	0	0
			1107	716	198	189	4		

- Molecule 37 is a protein called Ribosome biogenesis protein NOP53.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	q	87	Total	C	N	O	S	0	0
			723	450	129	143	1		

- Molecule 38 is a protein called Ribosome biogenesis protein NSA2.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	r	217	Total	C	N	O	S	0	0
			1760	1110	334	309	7		

- Molecule 39 is a protein called Nuclear GTP-binding protein NUG1.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	s	36	Total	C	N	O	S	0	0
			301	184	69	46	2		

- Molecule 40 is a protein called Ribosome biogenesis protein RLP7.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	t	287	Total	C	N	O	S	0	0
			2306	1459	427	417	3		

- Molecule 41 is a protein called Ribosome biogenesis protein RLP24.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	u	123	Total	C	N	O	S	0	0
			1040	652	211	168	9		

- Molecule 42 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	y	244	Total	C	N	O	S	0	0
			1849	1146	319	377	7		

- Molecule 43 is a protein called UPF0642 protein YBL028C.

Mol	Chain	Residues	Atoms				AltConf	Trace
43	z	55	Total	C	N	O	0	0
			444	273	88	83		

- Molecule 44 is a RNA chain called 25S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	1	2534	Total	C	N	O	P	0	0
			54232	24220	9799	17679	2534		

- Molecule 45 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	2	158	Total	C	N	O	P	0	0
			3353	1500	586	1109	158		

- Molecule 46 is a RNA chain called ITS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	6	65	Total	C	N	O	P	0	0
			1370	614	228	463	65		

- Molecule 47 is a protein called 27S pre-rRNA (guanosine(2922)-2'-O)-methyltransferase.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	w	360	Total	C	N	O	S	0	0
			2898	1860	507	516	15		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 60S ribosomal protein L3

Chain B:





• Molecule 2: 60S ribosomal protein L4-A

Chain C:



• Molecule 3: 60S ribosomal protein L6-A

Chain E:



• Molecule 4: 60S ribosomal protein L7-A

Chain F:



• Molecule 5: 60S ribosomal protein L8-A

Chain G:



• Molecule 6: 60S ribosomal protein L9-A

Chain H:





• Molecule 7: Proteasome-interacting protein CIC1

Chain K:



• Molecule 8: 60S ribosomal protein L13-A

Chain L:



• Molecule 9: 60S ribosomal protein L14-A

Chain M:



• Molecule 10: 60S ribosomal protein L15-A

Chain N:



• Molecule 11: 60S ribosomal protein L16-A

Chain O:



• Molecule 12: 60S ribosomal protein L17-A

Chain P:



• Molecule 13: 60S ribosomal protein L18-A

Chain Q:



• Molecule 14: 60S ribosomal protein L19-A



• Molecule 15: 60S ribosomal protein L20-A



• Molecule 16: 60S ribosomal protein L21-A



• Molecule 17: 60S ribosomal protein L22-A





• Molecule 18: 60S ribosomal protein L23-A

Chain V:





• Molecule 19: Ribosome assembly factor MRT4

Chain W:









• Molecule 20: 60S ribosomal protein L25

Chain X:





• Molecule 21: 60S ribosomal protein L26-A

Chain Y:



• Molecule 22: 60S ribosomal protein L27-A

Chain Z:





• Molecule 23: 60S ribosomal protein L28

Chain a:





• Molecule 24: Nucleolar GTP-binding protein 1

Chain b:

















• Molecule 25: 60S ribosomal protein L30

Chain c:



• Molecule 26: 60S ribosomal protein L31-A

Chain d:



• Molecule 27: 60S ribosomal protein L32

Chain e:



• Molecule 28: 60S ribosomal protein L33-A

Chain f:



• Molecule 29: 60S ribosomal protein L34-A

Chain g:



• Molecule 30: 60S ribosomal protein L35-A

Chain h:



• Molecule 31: 60S ribosomal protein L36-A

Chain i:





• Molecule 32: 60S ribosomal protein L37-A





• Molecule 33: 60S ribosomal protein L38





• Molecule 34: 60S ribosomal protein L39



• Molecule 35: Pescadillo homolog









• Molecule 36: Ribosome biogenesis protein 15



• Molecule 37: Ribosome biogenesis protein NOP53



• Molecule 38: Ribosome biogenesis protein NSA2

Chain r:





• Molecule 39: Nuclear GTP-binding protein NUG1

Chain s:



• Molecule 40: Ribosome biogenesis protein RLP7

Chain t:





• Molecule 41: Ribosome biogenesis protein RLP24



• Molecule 42: Eukaryotic translation initiation factor 6





• Molecule 43: UPF0642 protein YBL028C



HIS THR TYR LYS LYS ALA LYS LEU MET LYS GLN SER LYS LYS LYS THR SER PHE THR ARG PHE

• Molecule 44: 25S rRNA

Chain 1:











• Molecule 45: 5.8S rRNA

Chain 2:





• Molecule 46: ITS2

Chain 6:



G G U C G U U U U A G G U U U U A C C A A C U G C G G C U A A U C U U U U U U A U A C U G A G C G U A U U G G A A C G

U U A U C G A U A A G A A G A G A G C G U C U A G G C G A A C A A U G U U C U U A230 A231 A232

- Molecule 47: 27S pre-rRNA (guanosine(2922)-2'-O)-methyltransferase

Chain w: 37% 42% • 57%

MET GLY LYS THR GLN LYS LYS ASN SER LYS GLY ARG LEU ASP ARG TYR TYR LEU ALA LYS GLU LYS G24 Y25 R26 A27 R28 S29 S30 F31 K32 I33 I34 Q35 I36 N37 E38 K39 Y40 G41 H42 F43 L44 E45 K46 S47 K48 V49 V50 I51 D52 L53 C54 A55 A56 P57 G58 S59 W60

C61 Q62 V63 A64 S65 K66 L67 C68 P69 V70 N71 S72 L73 I74 I75 G76 V77 D78 I79 V80 P81 M82 K83 P84 M85 P86 N87 V88 I89 T90 F91 Q92 S93 D94 I95 T96 T97 E98 D99 C100 R101 S102 K103 L104 R105 G106 Y107 M108 K109 T110 W111 K112 A113 D114 T115 V116 L117 H118 D119 G120

A121 V124 G125 L126 G127 W128 V129 Q130 D131 A132 F133 T134 Q135 S136 Q137 L138 T139 L140 Q141 A142 L143 K144 L145 A146 V147 E148 N149 L150 V151 V152 N153 G154 T155 F156 V157 T158 K159 I160 F161 R162 S163 K164 D165 Y166 N167 K168 L169 I170 W171 V172 F173 Q174 Q175 L176 F177 E178 K179 V180 E181

A182 T183 K184 P185 P186 A187 S188 R189 N190 V191 S192 A193 E194 I195 F196 V197 V198 C199 K200 G201 F202 K203 A204 P205 K206 R207 L208 D209 P210 R211 L212 L213 D214 P215 K216 E217 V218 F219 E220 E221 L222 P223 D224 G225 GLN GLN ASN MET GLU SER LYS ILE TYR ASN PRO GLU LYS LYS VAL ARG

LYS ARG GLN GLY TYR GLU GLU GLY ASP ASN LEU LEU Y254 H255 E256 T257 S258 I259 L260 D261 F262 V263 R264 T265 GLU ASP PRO I269 S270 M271 L272 G273 E274 M275 N276 K277 F278 T279 I280 D281 E282 N283 D284 H285 E286 W287 K288 I289 L290 K291 K292 L293 K294 Q295 T296 T297 D298 E299 F300 R301

S302 C303 I304 E305 D306 L307 K308 V309 L310 G311 K312 K313 D314 F315 K316 M317 I318 L319 R320 W321 R322 K323 I324 A325 R326 E327 I328 L329 GLY ILE GLU VAL LYS ASP ASP ALA LYS THR GLU ILE GLU VAL PRO LEU THR GLU GLU GLU GLN ILE GLU LYS ASP LEU GLN GLY LEU GLN GLU

LYS GLN ARG LEU ASN VAL LYS ARG GLU ARG ARG LYS ASN GLU MET LYS GLN LYS GLU LEU GLN ARG MET GLN MET ASN MET ILE THR PRO THR ASP ILE GLY ILE GLU ALA ALA SER LEU GLY LYS GLU SER LEU PHE ASN LEU LYS THR ALA GLU LYS THR GLY ILE LEU ASN ASP

LEU ALA LYS GLY LYS LYS ARG MET ILE PHE THR ASP ASP GLU LEU ALA LYS ASP ASN ASP ILE TYR ILE ASP GLU ASN ILE MET ILE LYS ASP LYS ASP SER ALA ALA ASP ALA ASP ASP LEU GLU SER GLU LEU ASN ALA MET TYR SER ASP TYR LYS THR ARG ARG SER GLU ARG ASP

ALA LYS PHE ARG ALA LYS GLN ALA ARG GLY GLY ASP ASN GLU GLU GLU TRP THR GLY PHE ASN GLU GLY SER LEU GLU LYS LYS GLU GLU GLU GLY LYS ASP TYR ILE GLU ASP ASN ASP ASP GLU GLY VAL GLU GLY ASP SER ASP ASP ASP GLU ALA ILE THR ASN LEU ILE SER LYS

LEU LYS GLY GLN GLU GLY ASP HIS LYS LEU SER SER LYS ALA ARG MET ILE PHE ASN ASP PRO ILE PHE ASN ASN VAL GLU PRO ASP LEU PRO VAL ASN THR VAL ASN ASP GLY ILE MET SER SER GLU SER VAL GLY ASP ILE SER LYS LEU ASN LYS LYS ARG LYS HIS GLU GLU MET

HIS GLN LYS GLN ASP GLU ALA ASP SER SER ASP GLU SER SER SER ASP ASP SER ASP PHE GLU ILE VAL ALA ASN ASP ASN ALA SER GLU GLU PHE ASP SER ASP TYR ASP SER GLU GLU GLU LYS ASN GLN THR LYS LYS GLU LYS HIS SER ARG ASP ILE ASP ILE ALA THR VAL GLU

ALA MET THR LEU ALA HIS GLN LEU ALA LEU GLY GLN LYS ASN LYS HIS ASP LEU VAL ASP GLU GLY PHE ASN ARG TYR THR F689 R690 D691 T692 E693 N694 L695 P696 D697 E701 D702 E703 K704 E705 H706 S707 K708 I709 N710 K711 P712 I713 T714 K715 E716 A717 A718 M719 A720 I721 K722 E723

K724 I725 K726 A727 MET ASN ALA ARG PRO ILE LYS LYS VAL ALA GLU ALA LYS ALA ARG LYS ARG MET ARG ALA VAL ALA ARG LEU GLU LYS ILE LYS LYS LYS ALA GLY LEU ILE ASN ASP ASP SER ASP LYS THR GLU LYS ASP LYS ALA GLU GLU ILE SER ARG LEU MET ARG LYS VAL


THR
LYS
LYS
PRO
LYS
THR
LYS
PRO
LYS
V793
N802
K803
K810
K813
G814
K815
Y816
K835
K836
H837
H838
LYS
LYS
LYS

4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	29163	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	24	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.483	Depositor
Minimum map value	-0.257	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.013	Depositor
Recommended contour level	0.055	Depositor
Map size (Å)	416.25598, 416.25598, 416.25598	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.084, 1.084, 1.084	Depositor

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	B	1.10	6/3152 (0.2%)	1.05	15/4239 (0.4%)
2	C	1.33	14/2801 (0.5%)	1.10	22/3792 (0.6%)
3	E	0.95	0/1260	0.96	9/1694 (0.5%)
4	F	1.23	5/1821 (0.3%)	1.00	10/2451 (0.4%)
5	G	0.91	5/1542 (0.3%)	0.92	3/2083 (0.1%)
6	H	0.86	0/1539	0.95	8/2073 (0.4%)
7	K	0.47	0/2098	0.75	0/2830
8	L	1.08	2/1524 (0.1%)	1.12	13/2046 (0.6%)
9	M	1.04	3/1074 (0.3%)	0.98	6/1446 (0.4%)
10	N	1.49	12/1575 (0.8%)	1.28	29/2106 (1.4%)
11	O	1.51	13/1585 (0.8%)	1.11	13/2128 (0.6%)
12	P	1.35	12/1419 (0.8%)	1.06	9/1904 (0.5%)
13	Q	1.10	1/1050 (0.1%)	1.06	8/1419 (0.6%)
14	R	0.69	0/1275	0.91	7/1702 (0.4%)
15	S	1.01	1/1473 (0.1%)	1.01	9/1980 (0.5%)
16	T	0.44	0/440	0.93	2/594 (0.3%)
17	U	0.56	0/861	0.73	0/1167
18	V	0.68	0/1018	0.89	2/1369 (0.1%)
19	W	0.50	0/1918	0.81	0/2586
20	X	1.18	3/1116 (0.3%)	0.93	4/1503 (0.3%)
21	Y	1.17	2/1004 (0.2%)	1.06	7/1341 (0.5%)
22	Z	0.54	0/1118	0.78	2/1497 (0.1%)
23	a	0.80	0/751	0.96	3/1013 (0.3%)
24	b	0.57	1/3885 (0.0%)	0.85	6/5242 (0.1%)
25	c	0.43	0/751	0.72	0/1008
26	d	1.00	1/887 (0.1%)	0.98	4/1191 (0.3%)
27	e	1.40	7/1041 (0.7%)	1.09	10/1394 (0.7%)
28	f	1.72	7/868 (0.8%)	1.25	12/1168 (1.0%)
29	g	0.80	0/891	1.07	8/1191 (0.7%)
30	h	1.12	0/978	1.03	2/1301 (0.2%)
31	i	0.73	0/778	0.91	2/1034 (0.2%)
32	j	1.49	8/696 (1.1%)	1.34	10/923 (1.1%)
33	k	0.64	0/618	0.89	0/826
34	l	0.69	0/443	1.12	4/588 (0.7%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#|Z| >5	RMSZ	#|Z| >5
35	n	0.74	0/3101	0.91	12/4187 (0.3%)
36	o	0.55	0/1129	0.84	0/1502
37	q	0.47	0/733	0.90	4/977 (0.4%)
38	r	0.63	0/1789	0.91	3/2389 (0.1%)
39	s	0.70	0/301	1.15	3/386 (0.8%)
40	t	0.54	0/2333	0.89	3/3128 (0.1%)
41	u	0.72	0/1061	0.99	6/1410 (0.4%)
42	y	0.52	0/1872	0.79	2/2548 (0.1%)
43	z	0.58	0/445	0.89	0/585
44	1	1.93	1801/60703 (3.0%)	1.96	3153/94630 (3.3%)
45	2	2.45	221/3746 (5.9%)	2.31	330/5832 (5.7%)
46	6	0.96	1/1527 (0.1%)	1.50	26/2371 (1.1%)
47	w	0.46	0/2952	0.76	0/3965
All	All	1.55	2126/126942 (1.7%)	1.61	3781/184739 (2.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	7
2	C	0	6
4	F	0	2
5	G	0	5
6	H	0	3
7	K	0	1
8	L	0	5
9	M	0	1
10	N	0	1
12	P	0	1
14	R	0	1
15	S	0	2
18	V	0	1
19	W	0	2
20	X	0	1
23	a	0	2
24	b	0	3
26	d	0	1
27	e	0	1
28	f	0	2
29	g	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
30	h	0	3
31	i	0	2
33	k	0	2
35	n	0	11
36	o	0	5
37	q	0	1
38	r	0	1
39	s	0	1
40	t	0	5
41	u	0	2
42	y	0	1
47	w	0	2
All	All	0	86

The worst 5 of 2126 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
44	1	346	C	N1-C6	-13.06	1.29	1.37
44	1	945	C	C4-C5	-12.55	1.32	1.43
44	1	1437	C	C4-C5	-12.42	1.33	1.43
44	1	1332	A	N7-C5	-12.41	1.31	1.39
44	1	407	A	N9-C4	-12.35	1.30	1.37

The worst 5 of 3781 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
44	1	630	A	N1-C6-N6	17.03	128.82	118.60
44	1	630	A	C5-C6-N6	-16.99	110.11	123.70
44	1	1363	A	C5-C6-N6	-16.56	110.45	123.70
44	1	630	A	C4-C5-N7	16.19	118.79	110.70
44	1	1159	A	C5-C6-N6	-15.59	111.23	123.70

There are no chirality outliers.

5 of 86 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	170	PRO	Peptide
1	B	221	THR	Peptide
1	B	241	LYS	Peptide
1	B	35	ASP	Peptide
1	B	37	ARG	Peptide

5.2 Too-close contacts (i)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	384/387 (99%)	363 (94%)	21 (6%)	0	100	100
2	C	359/362 (99%)	338 (94%)	20 (6%)	1 (0%)	41	75
3	E	152/176 (86%)	150 (99%)	2 (1%)	0	100	100
4	F	220/244 (90%)	206 (94%)	14 (6%)	0	100	100
5	G	190/256 (74%)	183 (96%)	7 (4%)	0	100	100
6	H	189/191 (99%)	182 (96%)	6 (3%)	1 (0%)	29	67
7	K	252/376 (67%)	242 (96%)	10 (4%)	0	100	100
8	L	185/199 (93%)	176 (95%)	8 (4%)	1 (0%)	29	67
9	M	135/138 (98%)	133 (98%)	2 (2%)	0	100	100
10	N	176/204 (86%)	167 (95%)	9 (5%)	0	100	100
11	O	195/199 (98%)	191 (98%)	4 (2%)	0	100	100
12	P	172/184 (94%)	167 (97%)	5 (3%)	0	100	100
13	Q	132/186 (71%)	132 (100%)	0	0	100	100
14	R	154/189 (82%)	152 (99%)	2 (1%)	0	100	100
15	S	169/172 (98%)	165 (98%)	4 (2%)	0	100	100
16	T	54/160 (34%)	53 (98%)	1 (2%)	0	100	100
17	U	104/121 (86%)	103 (99%)	1 (1%)	0	100	100
18	V	134/137 (98%)	133 (99%)	1 (1%)	0	100	100
19	W	232/236 (98%)	229 (99%)	3 (1%)	0	100	100
20	X	139/142 (98%)	136 (98%)	3 (2%)	0	100	100
21	Y	124/127 (98%)	122 (98%)	2 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
22	Z	133/136 (98%)	132 (99%)	1 (1%)	0	100	100
23	a	91/149 (61%)	87 (96%)	4 (4%)	0	100	100
24	b	468/647 (72%)	451 (96%)	17 (4%)	0	100	100
25	c	95/105 (90%)	95 (100%)	0	0	100	100
26	d	105/113 (93%)	103 (98%)	2 (2%)	0	100	100
27	e	125/130 (96%)	123 (98%)	2 (2%)	0	100	100
28	f	104/107 (97%)	102 (98%)	2 (2%)	0	100	100
29	g	110/121 (91%)	107 (97%)	3 (3%)	0	100	100
30	h	117/120 (98%)	110 (94%)	7 (6%)	0	100	100
31	i	97/100 (97%)	94 (97%)	3 (3%)	0	100	100
32	j	85/88 (97%)	82 (96%)	3 (4%)	0	100	100
33	k	75/78 (96%)	74 (99%)	1 (1%)	0	100	100
34	l	48/51 (94%)	47 (98%)	1 (2%)	0	100	100
35	n	365/605 (60%)	339 (93%)	26 (7%)	0	100	100
36	o	131/220 (60%)	123 (94%)	8 (6%)	0	100	100
37	q	83/455 (18%)	80 (96%)	3 (4%)	0	100	100
38	r	211/261 (81%)	200 (95%)	11 (5%)	0	100	100
39	s	34/520 (6%)	31 (91%)	3 (9%)	0	100	100
40	t	283/322 (88%)	267 (94%)	16 (6%)	0	100	100
41	u	121/199 (61%)	115 (95%)	6 (5%)	0	100	100
42	y	242/245 (99%)	240 (99%)	2 (1%)	0	100	100
43	z	53/106 (50%)	52 (98%)	1 (2%)	0	100	100
47	w	350/841 (42%)	347 (99%)	3 (1%)	0	100	100
All	All	7377/10105 (73%)	7124 (97%)	250 (3%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	339	LEU
8	L	63	VAL
6	H	50	ASN

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	B	322/323 (100%)	316 (98%)	6 (2%)	57 75
2	C	288/289 (100%)	286 (99%)	2 (1%)	84 90
3	E	134/153 (88%)	133 (99%)	1 (1%)	84 90
4	F	186/205 (91%)	186 (100%)	0	100 100
5	G	159/208 (76%)	156 (98%)	3 (2%)	57 75
6	H	171/171 (100%)	171 (100%)	0	100 100
7	K	236/346 (68%)	235 (100%)	1 (0%)	91 94
8	L	149/159 (94%)	148 (99%)	1 (1%)	84 90
9	M	108/109 (99%)	107 (99%)	1 (1%)	78 87
10	N	156/176 (89%)	151 (97%)	5 (3%)	39 63
11	O	160/162 (99%)	159 (99%)	1 (1%)	86 91
12	P	142/146 (97%)	141 (99%)	1 (1%)	84 90
13	Q	110/151 (73%)	110 (100%)	0	100 100
14	R	129/154 (84%)	128 (99%)	1 (1%)	81 89
15	S	155/156 (99%)	155 (100%)	0	100 100
16	T	45/137 (33%)	45 (100%)	0	100 100
17	U	93/107 (87%)	93 (100%)	0	100 100
18	V	104/105 (99%)	103 (99%)	1 (1%)	76 86
19	W	211/213 (99%)	211 (100%)	0	100 100
20	X	117/118 (99%)	117 (100%)	0	100 100
21	Y	109/110 (99%)	108 (99%)	1 (1%)	78 87
22	Z	115/116 (99%)	114 (99%)	1 (1%)	78 87
23	a	76/119 (64%)	75 (99%)	1 (1%)	69 82
24	b	424/573 (74%)	423 (100%)	1 (0%)	93 96
25	c	81/88 (92%)	81 (100%)	0	100 100
26	d	94/97 (97%)	92 (98%)	2 (2%)	53 73

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
27	e	109/111 (98%)	107 (98%)	2 (2%)	59 77
28	f	90/91 (99%)	89 (99%)	1 (1%)	73 84
29	g	95/103 (92%)	94 (99%)	1 (1%)	73 84
30	h	104/105 (99%)	104 (100%)	0	100 100
31	i	81/82 (99%)	81 (100%)	0	100 100
32	j	70/71 (99%)	69 (99%)	1 (1%)	67 81
33	k	68/69 (99%)	68 (100%)	0	100 100
34	l	45/46 (98%)	44 (98%)	1 (2%)	52 71
35	n	334/548 (61%)	333 (100%)	1 (0%)	92 95
36	o	118/199 (59%)	116 (98%)	2 (2%)	60 78
37	q	80/420 (19%)	80 (100%)	0	100 100
38	r	191/229 (83%)	191 (100%)	0	100 100
39	s	32/445 (7%)	32 (100%)	0	100 100
40	t	256/287 (89%)	253 (99%)	3 (1%)	71 83
41	u	108/180 (60%)	107 (99%)	1 (1%)	78 87
42	y	210/211 (100%)	210 (100%)	0	100 100
43	z	48/95 (50%)	48 (100%)	0	100 100
47	w	319/745 (43%)	311 (98%)	8 (2%)	47 69
All	All	6432/8728 (74%)	6381 (99%)	51 (1%)	82 89

5 of 51 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
26	d	16	LEU
34	l	41	ARG
47	w	810	LYS
26	d	23	VAL
28	f	72	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 29 such sidechains are listed below:

Mol	Chain	Res	Type
24	b	454	GLN
42	y	82	GLN
30	h	59	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
41	u	110	ASN
27	e	121	ASN

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
44	1	2523/3396 (74%)	688 (27%)	34 (1%)
45	2	157/158 (99%)	46 (29%)	3 (1%)
46	6	63/232 (27%)	29 (46%)	0
All	All	2743/3786 (72%)	763 (27%)	37 (1%)

5 of 763 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
44	1	2	U
44	1	3	U
44	1	7	C
44	1	13	A
44	1	14	U

5 of 37 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
44	1	2317	A
45	2	73	U
44	1	2920	U
44	1	3350	C
44	1	761	A

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
28	f	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	f	102:LEU	C	103:TYR	N	1.16

6 Map visualisation

This section contains visualisations of the EMDB entry EMD-10841. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections

6.1.1 Primary map



X



Y



Z

6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map



X Index: 192



Y Index: 192



Z Index: 192

6.2.2 Raw map



X Index: 192



Y Index: 192



Z Index: 192

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 201



Y Index: 216



Z Index: 245

6.3.2 Raw map



X Index: 217



Y Index: 216



Z Index: 244

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views (i)

6.4.1 Primary map

X Y Z

The images above show the 3D surface view of the map at the recommended contour level 0.055. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map

X Y Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.5 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate (i)



The volume at the recommended contour level is 727 nm^3; this corresponds to an approximate mass of 656 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.256 Å^{-1}

8 Fourier-Shell correlation

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC



*Reported resolution corresponds to spatial frequency of 0.256 Å^{-1}

8.2 Resolution estimates (i)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.90	-	-
Author-provided FSC curve	3.83	4.59	3.86
Unmasked-calculated*	5.07	9.08	5.45

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.07 differs from the reported value 3.9 by more than 10 %

9 Map-model fit

This section contains information regarding the fit between EMDB map EMD-10841 and PDB model 6YLX. Per-residue inclusion information can be found in section 3 on page 12.

9.1 Map-model overlay



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.055 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.055).

9.4 Atom inclusion (i)



At the recommended contour level, 75% of all backbone atoms, 67% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.055) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6732	0.3840
1	0.7889	0.3960
2	0.8917	0.4560
6	0.6832	0.3070
B	0.6806	0.4290
C	0.7748	0.4690
E	0.7246	0.4280
F	0.7773	0.4300
G	0.6424	0.3890
H	0.6866	0.4150
K	0.2694	0.2150
L	0.6909	0.4310
M	0.7607	0.4410
N	0.8020	0.4900
O	0.8058	0.4790
P	0.7617	0.4590
Q	0.7507	0.4440
R	0.4546	0.3430
S	0.7066	0.4280
T	0.1876	0.3110
U	0.4614	0.3320
V	0.5393	0.3800
W	0.4072	0.2770
X	0.7078	0.4430
Y	0.7805	0.4720
Z	0.5033	0.3200
a	0.6194	0.3960
b	0.3232	0.2730
c	0.3406	0.2580
d	0.7037	0.4430
e	0.8008	0.4980
f	0.8392	0.5110
g	0.5810	0.3980
h	0.7413	0.4570
i	0.5933	0.3700

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
j	0.7496	0.4660
k	0.5409	0.3910
l	0.2795	0.3650
n	0.5325	0.3380
o	0.3760	0.2480
q	0.1926	0.2420
r	0.2483	0.2720
s	0.4775	0.4100
t	0.4623	0.3010
u	0.5326	0.3480
w	0.1113	0.2630
y	0.4430	0.2890
z	0.4562	0.3770