



# wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 14, 2020 – 07:42 pm BST

PDB ID : 2YMW  
Title : Structure of the epsilon-lysine oxidase from *Marinomonas mediterranea*  
Authors : Medrano, F.J.; Romero, A.  
Deposited on : 2012-10-10  
Resolution : 2.41 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4647 (2.44-2.40)
Clashscore	141614	5161 (2.44-2.40)
Ramachandran outliers	138981	5073 (2.44-2.40)
Sidechain outliers	138945	5074 (2.44-2.40)
RSRZ outliers	127900	4543 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	746	 75% 15% • 9%
1	B	746	 75% 16% • 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EOH	A	1691	-	-	X	-
3	EOH	A	1696	-	-	X	-
3	EOH	A	1720	-	-	X	-

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 11836 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-LYSINE 6-OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	680	5348	3361	888	1076	23	0	0	0
1	B	685	5378	3379	893	1083	23	0	0	0

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP F2JXJ3
A	-18	GLY	-	expression tag	UNP F2JXJ3
A	-17	SER	-	expression tag	UNP F2JXJ3
A	-16	SER	-	expression tag	UNP F2JXJ3
A	-15	HIS	-	expression tag	UNP F2JXJ3
A	-14	HIS	-	expression tag	UNP F2JXJ3
A	-13	HIS	-	expression tag	UNP F2JXJ3
A	-12	HIS	-	expression tag	UNP F2JXJ3
A	-11	HIS	-	expression tag	UNP F2JXJ3
A	-10	HIS	-	expression tag	UNP F2JXJ3
A	-9	SER	-	expression tag	UNP F2JXJ3
A	-8	SER	-	expression tag	UNP F2JXJ3
A	-7	GLY	-	expression tag	UNP F2JXJ3
A	-6	LEU	-	expression tag	UNP F2JXJ3
A	-5	VAL	-	expression tag	UNP F2JXJ3
A	-4	PRO	-	expression tag	UNP F2JXJ3
A	-3	ARG	-	expression tag	UNP F2JXJ3
A	-2	GLY	-	expression tag	UNP F2JXJ3
A	-1	SER	-	expression tag	UNP F2JXJ3
A	0	HIS	-	expression tag	UNP F2JXJ3
B	-19	MET	-	expression tag	UNP F2JXJ3
B	-18	GLY	-	expression tag	UNP F2JXJ3
B	-17	SER	-	expression tag	UNP F2JXJ3
B	-16	SER	-	expression tag	UNP F2JXJ3
B	-15	HIS	-	expression tag	UNP F2JXJ3

*Continued on next page...*


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	expression tag	UNP F2JXJ3
B	-13	HIS	-	expression tag	UNP F2JXJ3
B	-12	HIS	-	expression tag	UNP F2JXJ3
B	-11	HIS	-	expression tag	UNP F2JXJ3
B	-10	HIS	-	expression tag	UNP F2JXJ3
B	-9	SER	-	expression tag	UNP F2JXJ3
B	-8	SER	-	expression tag	UNP F2JXJ3
B	-7	GLY	-	expression tag	UNP F2JXJ3
B	-6	LEU	-	expression tag	UNP F2JXJ3
B	-5	VAL	-	expression tag	UNP F2JXJ3
B	-4	PRO	-	expression tag	UNP F2JXJ3
B	-3	ARG	-	expression tag	UNP F2JXJ3
B	-2	GLY	-	expression tag	UNP F2JXJ3
B	-1	SER	-	expression tag	UNP F2JXJ3
B	0	HIS	-	expression tag	UNP F2JXJ3

- Molecule 2 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	2	Total Na 2 2	0	0
2	A	2	Total Na 2 2	0	0

- Molecule 3 is ETHANOL (three-letter code: EOH) (formula: C<sub>2</sub>H<sub>6</sub>O).





*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		
3	A	1	Total	C	O	0	0
			3	2	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		


*Continued on next page...*



Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		
3	B	1	Total	C	O	0	0
			3	2	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
5	A	473	Total 473	O 473	0	0
5	B	408	Total 408	O 408	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: L-LYSINE 6-OXIDASE



- Molecule 1: L-LYSINE 6-OXIDASE



I604	Q609	I610	S620	I632	E649	E686	SER	LEU	GLU	GLY	LYS	GLY	THR	LYS	LYS	GLY	LYS	LEU	MET	ALA	SER	TYR	PHE	GLU	GLU	ARG	ALA	PHE	SER	SER	LYS	VAL	ARG	SER	SER	ASN	ILE	ILE	ARG	PRO	ARG	SER	GLY	THR	ARG	MET	ARG	GLY
------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	70.68Å 127.88Å 106.90Å 90.00° 107.18° 90.00°	Depositor
Resolution (Å)	35.28 – 2.41 48.14 – 2.41	Depositor EDS
% Data completeness (in resolution range)	98.3 (35.28-2.41) 89.7 (48.14-2.41)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.92 (at 2.42Å)	Xtrriage
Refinement program	BUSTER 2.10.0	Depositor
R, $R_{free}$	0.192 , 0.279 0.207 , 0.303	Depositor DCC
$R_{free}$ test set	3476 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.7	Xtrriage
Anisotropy	0.787	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 49.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.42$ , $\langle L^2 \rangle = 0.25$	Xtrriage
Estimated twinning fraction	0.097 for h,-k,-h-l	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	11836	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.71% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TRQ, GOL, EOH, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.52	0/5466	0.74	0/7445
1	B	0.50	0/5498	0.75	1/7489 (0.0%)
All	All	0.51	0/10964	0.74	1/14934 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	210	GLY	N-CA-C	5.44	126.70	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5348	0	5000	67	0
1	B	5378	0	5024	64	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	129	0	258	13	0
3	B	84	0	168	6	0
4	B	12	0	16	1	0
5	A	473	0	0	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	408	0	0	0	0
All	All	11836	0	10466	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 132 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:443:VAL:HG23	1:A:584:GLN:HG3	1.37	1.01
1:A:443:VAL:CG2	1:A:584:GLN:HG3	2.06	0.85
1:A:589:VAL:HG11	1:A:632:ILE:HD12	1.63	0.81
1:B:9:ILE:HB	1:B:439:ILE:HD11	1.62	0.79
1:B:589:VAL:HG11	1:B:632:ILE:HD12	1.65	0.79

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	675/746 (90%)	624 (92%)	46 (7%)	5 (1%)	22	31
1	B	682/746 (91%)	629 (92%)	48 (7%)	5 (1%)	22	31
All	All	1357/1492 (91%)	1253 (92%)	94 (7%)	10 (1%)	22	31

5 of 10 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	68	ALA
1	A	455	TRP
1	A	156	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	212	GLY
1	B	476	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	591/644 (92%)	560 (95%)	31 (5%)	23	37
1	B	593/644 (92%)	565 (95%)	28 (5%)	26	41
All	All	1184/1288 (92%)	1125 (95%)	59 (5%)	24	38

5 of 59 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	640	ASP
1	B	106	LEU
1	B	564	LYS
1	A	653	GLU
1	A	670	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 8 such sidechains are listed below:

Mol	Chain	Res	Type
1	A	310	GLN
1	B	415	GLN
1	B	335	ASN
1	A	59	GLN
1	A	471	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.



## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	TRQ	A	581	1	13,17,18	5.62	8 (61%)	14,24,26	2.26	4 (28%)
1	TRQ	B	581	1	13,17,18	5.50	8 (61%)	14,24,26	2.18	5 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TRQ	A	581	1	-	0/4/19/21	0/2/2/2
1	TRQ	B	581	1	-	0/4/19/21	0/2/2/2

The worst 5 of 16 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	581	TRQ	CH2-CZ2	-13.49	1.38	1.54
1	B	581	TRQ	CH2-CZ2	-12.71	1.39	1.54
1	A	581	TRQ	O7-CZ2	9.45	1.43	1.23
1	B	581	TRQ	O7-CZ2	9.30	1.42	1.23
1	B	581	TRQ	CE2-CZ2	-8.82	1.38	1.50

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	581	TRQ	CZ2-CE2-NE1	6.32	130.04	119.94
1	B	581	TRQ	CZ2-CE2-NE1	5.70	129.05	119.94
1	A	581	TRQ	CB-CG-CD1	-4.00	123.03	127.97
1	B	581	TRQ	O7-CZ2-CE2	-3.25	118.40	121.84
1	B	581	TRQ	CB-CG-CD1	-2.88	124.40	127.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	581	TRQ	1	0
1	B	581	TRQ	1	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 77 ligands modelled in this entry, 4 are monoatomic - leaving 73 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	EOH	A	1706	-	2,2,2	0.52	0	1,1,1	0.63	0
3	EOH	A	1697	-	2,2,2	0.57	0	1,1,1	0.65	0
3	EOH	A	1696	-	2,2,2	0.62	0	1,1,1	0.53	0
3	EOH	B	1713	-	2,2,2	0.57	0	1,1,1	0.57	0
3	EOH	A	1711	-	2,2,2	0.58	0	1,1,1	0.60	0
3	EOH	A	1714	-	2,2,2	0.54	0	1,1,1	0.58	0
3	EOH	A	1689	-	2,2,2	0.48	0	1,1,1	0.68	0
3	EOH	B	1689	-	2,2,2	0.52	0	1,1,1	0.64	0
4	GOL	B	1714	-	5,5,5	0.06	0	5,5,5	0.11	0
3	EOH	A	1701	-	2,2,2	0.52	0	1,1,1	0.53	0
3	EOH	A	1700	-	2,2,2	0.63	0	1,1,1	0.73	0
3	EOH	B	1696	-	2,2,2	0.50	0	1,1,1	0.63	0
3	EOH	A	1803	-	2,2,2	0.60	0	1,1,1	0.60	0
3	EOH	A	1727	-	2,2,2	0.53	0	1,1,1	0.60	0
3	EOH	A	1698	-	2,2,2	0.53	0	1,1,1	0.61	0
3	EOH	B	1802	-	2,2,2	0.55	0	1,1,1	0.63	0
3	EOH	A	1695	-	2,2,2	0.45	0	1,1,1	0.74	0
3	EOH	A	1716	-	2,2,2	0.46	0	1,1,1	0.38	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	EOH	A	1801	-	2,2,2	0.53	0	1,1,1	0.71	0
3	EOH	B	1690	-	2,2,2	0.54	0	1,1,1	0.70	0
3	EOH	B	1711	-	2,2,2	0.57	0	1,1,1	0.45	0
3	EOH	B	1703	-	2,2,2	0.67	0	1,1,1	0.18	0
3	EOH	A	1710	-	2,2,2	0.49	0	1,1,1	0.72	0
3	EOH	A	1719	-	2,2,2	0.49	0	1,1,1	0.47	0
3	EOH	A	1717	-	2,2,2	0.53	0	1,1,1	0.71	0
3	EOH	A	1802	-	2,2,2	0.54	0	1,1,1	0.68	0
3	EOH	A	1725	-	2,2,2	0.54	0	1,1,1	0.62	0
3	EOH	B	1691	-	2,2,2	0.51	0	1,1,1	0.53	0
3	EOH	B	1694	-	2,2,2	0.58	0	1,1,1	0.79	0
3	EOH	B	1695	-	2,2,2	0.52	0	1,1,1	0.66	0
4	GOL	B	1715	-	5,5,5	0.05	0	5,5,5	0.23	0
3	EOH	B	1701	-	2,2,2	0.51	0	1,1,1	0.80	0
3	EOH	B	1698	-	2,2,2	0.62	0	1,1,1	0.54	0
3	EOH	B	1704	-	2,2,2	0.61	0	1,1,1	0.65	0
3	EOH	A	1715	-	2,2,2	0.59	0	1,1,1	0.64	0
3	EOH	B	1700	-	2,2,2	0.50	0	1,1,1	0.76	0
3	EOH	A	1702	-	2,2,2	0.58	0	1,1,1	0.64	0
3	EOH	A	1723	-	2,2,2	0.50	0	1,1,1	0.68	0
3	EOH	A	1707	-	2,2,2	0.45	0	1,1,1	0.66	0
3	EOH	B	1693	-	2,2,2	0.58	0	1,1,1	0.55	0
3	EOH	B	1697	-	2,2,2	0.58	0	1,1,1	0.60	0
3	EOH	A	1693	-	2,2,2	0.55	0	1,1,1	0.69	0
3	EOH	B	1699	-	2,2,2	0.57	0	1,1,1	0.60	0
3	EOH	B	1692	-	2,2,2	0.53	0	1,1,1	0.66	0
3	EOH	A	1712	-	2,2,2	0.40	0	1,1,1	0.53	0
3	EOH	A	1713	-	2,2,2	0.50	0	1,1,1	0.61	0
3	EOH	B	1709	-	2,2,2	0.58	0	1,1,1	0.67	0
3	EOH	B	1706	-	2,2,2	0.54	0	1,1,1	0.82	0
3	EOH	A	1722	-	2,2,2	0.52	0	1,1,1	0.57	0
3	EOH	A	1709	-	2,2,2	0.65	0	1,1,1	0.58	0
3	EOH	A	1726	-	2,2,2	0.59	0	1,1,1	0.58	0
3	EOH	A	1705	-	2,2,2	0.54	0	1,1,1	0.71	0
3	EOH	A	1692	-	2,2,2	0.58	0	1,1,1	0.60	0
3	EOH	A	1699	-	2,2,2	0.55	0	1,1,1	0.73	0
3	EOH	B	1800	-	2,2,2	0.47	0	1,1,1	0.65	0
3	EOH	B	1707	-	2,2,2	0.53	0	1,1,1	0.68	0
3	EOH	A	1720	-	2,2,2	0.59	0	1,1,1	0.49	0
3	EOH	B	1702	-	2,2,2	0.56	0	1,1,1	0.62	0
3	EOH	A	1708	-	2,2,2	0.56	0	1,1,1	0.57	0
3	EOH	A	1703	-	2,2,2	0.50	0	1,1,1	0.85	0
3	EOH	A	1724	-	2,2,2	0.54	0	1,1,1	0.62	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	EOH	A	1704	-	2,2,2	0.46	0	1,1,1	0.67	0
3	EOH	A	1721	-	2,2,2	0.50	0	1,1,1	0.73	0
3	EOH	A	1690	-	2,2,2	0.54	0	1,1,1	0.61	0
3	EOH	A	1718	-	2,2,2	0.59	0	1,1,1	0.64	0
3	EOH	A	1694	-	2,2,2	0.58	0	1,1,1	0.68	0
3	EOH	A	1691	-	2,2,2	0.81	0	1,1,1	0.15	0
3	EOH	B	1705	-	2,2,2	0.53	0	1,1,1	0.72	0
3	EOH	B	1708	-	2,2,2	0.58	0	1,1,1	0.56	0
3	EOH	B	1712	-	2,2,2	0.57	0	1,1,1	0.76	0
3	EOH	B	1710	-	2,2,2	0.63	0	1,1,1	0.67	0
3	EOH	A	1800	-	2,2,2	0.54	0	1,1,1	0.66	0
3	EOH	B	1801	-	2,2,2	0.52	0	1,1,1	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	1714	-	-	1/4/4/4	-
4	GOL	B	1715	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	1715	GOL	C1-C2-C3-O3
4	B	1715	GOL	O2-C2-C3-O3
4	B	1714	GOL	O1-C1-C2-C3

There are no ring outliers.

14 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1696	EOH	2	0
3	B	1713	EOH	1	0
3	A	1689	EOH	1	0
3	A	1701	EOH	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1696	EOH	1	0
3	B	1690	EOH	1	0
3	B	1703	EOH	1	0
3	A	1725	EOH	1	0
4	B	1715	GOL	1	0
3	B	1704	EOH	1	0
3	B	1700	EOH	1	0
3	A	1705	EOH	1	0
3	A	1720	EOH	3	0
3	A	1691	EOH	5	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	679/746 (91%)	-0.27	3 (0%) 92 91	15, 37, 61, 76	0
1	B	684/746 (91%)	-0.16	10 (1%) 73 71	26, 44, 70, 86	0
All	All	1363/1492 (91%)	-0.22	13 (0%) 82 80	15, 41, 65, 86	0

The worst 5 of 13 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	211	TYR	4.6
1	B	212	GLY	4.5
1	B	2	ALA	3.9
1	A	68	ALA	3.5
1	B	68	ALA	3.3

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	TRQ	A	581	16/17	0.96	0.13	17,27,30,31	0
1	TRQ	B	581	16/17	0.97	0.11	22,33,39,43	0

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	EOH	B	1699	3/3	0.69	0.29	58,58,59,60	0
3	EOH	A	1723	3/3	0.73	0.17	51,51,52,52	0
3	EOH	B	1704	3/3	0.74	0.33	47,47,49,49	0
3	EOH	A	1692	3/3	0.75	0.19	53,53,56,57	0
3	EOH	A	1727	3/3	0.78	0.31	50,50,51,52	0
3	EOH	A	1726	3/3	0.79	0.18	48,48,50,50	0
3	EOH	B	1705	3/3	0.80	0.36	41,41,41,41	0
3	EOH	A	1696	3/3	0.80	0.31	33,33,35,36	0
3	EOH	B	1802	3/3	0.81	0.17	51,51,51,52	0
3	EOH	A	1722	3/3	0.81	0.18	48,48,48,49	0
3	EOH	B	1708	3/3	0.81	0.38	43,43,43,44	0
3	EOH	A	1693	3/3	0.82	0.20	80,80,80,80	0
3	EOH	A	1802	3/3	0.83	0.16	52,52,53,53	0
3	EOH	B	1801	3/3	0.84	0.43	79,79,80,80	0
3	EOH	A	1717	3/3	0.85	0.28	67,67,67,67	0
3	EOH	A	1691	3/3	0.85	0.31	27,27,28,29	0
4	GOL	B	1714	6/6	0.85	0.19	68,71,71,73	0
3	EOH	A	1706	3/3	0.85	0.32	56,56,57,57	0
3	EOH	B	1800	3/3	0.85	0.22	37,37,40,44	0
3	EOH	B	1697	3/3	0.86	0.25	37,37,40,42	0
3	EOH	B	1689	3/3	0.87	0.19	45,45,46,48	0
3	EOH	A	1698	3/3	0.87	0.21	34,34,38,42	0
3	EOH	A	1713	3/3	0.87	0.16	35,35,38,42	0
3	EOH	A	1801	3/3	0.87	0.13	68,68,69,69	0
3	EOH	B	1696	3/3	0.88	0.15	32,32,34,35	0
3	EOH	A	1699	3/3	0.88	0.19	51,51,52,52	0
3	EOH	A	1710	3/3	0.88	0.29	45,45,46,47	0
3	EOH	B	1698	3/3	0.88	0.16	43,43,44,45	0
3	EOH	A	1708	3/3	0.88	0.14	43,43,44,46	0
3	EOH	A	1705	3/3	0.89	0.20	65,65,66,66	0
3	EOH	B	1690	3/3	0.89	0.29	48,48,48,49	0
3	EOH	B	1707	3/3	0.89	0.24	49,49,50,50	0
3	EOH	A	1724	3/3	0.89	0.17	57,57,57,58	0
3	EOH	A	1689	3/3	0.89	0.18	28,28,32,34	0
3	EOH	A	1703	3/3	0.90	0.15	47,47,48,50	0
3	EOH	A	1716	3/3	0.90	0.18	29,29,34,37	0
3	EOH	A	1719	3/3	0.90	0.30	39,39,42,43	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	EOH	B	1711	3/3	0.90	0.15	37,37,40,40	0
3	EOH	A	1714	3/3	0.91	0.15	41,41,43,44	0
3	EOH	A	1720	3/3	0.91	0.40	34,34,37,38	0
3	EOH	A	1709	3/3	0.91	0.15	31,31,32,33	0
3	EOH	B	1695	3/3	0.91	0.23	76,76,77,78	0
4	GOL	B	1715	6/6	0.91	0.14	38,40,46,48	0
3	EOH	A	1721	3/3	0.92	0.10	60,60,62,64	0
3	EOH	A	1707	3/3	0.92	0.14	41,41,46,48	0
3	EOH	B	1712	3/3	0.92	0.28	35,35,36,37	0
3	EOH	A	1800	3/3	0.92	0.10	44,44,45,45	0
3	EOH	A	1702	3/3	0.93	0.18	29,29,31,36	0
3	EOH	A	1701	3/3	0.93	0.15	36,36,36,37	0
3	EOH	B	1703	3/3	0.93	0.26	21,21,26,27	0
3	EOH	A	1718	3/3	0.94	0.18	38,38,41,42	0
3	EOH	A	1715	3/3	0.94	0.14	35,35,37,38	0
3	EOH	B	1701	3/3	0.94	0.27	28,28,32,36	0
3	EOH	B	1713	3/3	0.94	0.17	36,36,38,38	0
3	EOH	A	1712	3/3	0.94	0.21	32,32,35,38	0
3	EOH	A	1690	3/3	0.94	0.10	45,45,47,47	0
3	EOH	A	1725	3/3	0.95	0.52	45,45,45,46	0
3	EOH	B	1691	3/3	0.95	0.08	26,26,28,29	0
3	EOH	A	1711	3/3	0.95	0.19	31,31,34,34	0
3	EOH	B	1702	3/3	0.95	0.18	31,31,31,32	0
3	EOH	B	1709	3/3	0.95	0.14	54,54,55,55	0
3	EOH	A	1694	3/3	0.96	0.12	40,40,41,43	0
3	EOH	B	1706	3/3	0.96	0.13	45,45,46,47	0
3	EOH	B	1693	3/3	0.96	0.13	29,29,30,31	0
3	EOH	B	1692	3/3	0.96	0.13	36,36,38,39	0
3	EOH	B	1694	3/3	0.96	0.20	32,32,34,34	0
2	NA	B	1688	1/1	0.96	0.08	30,30,30,30	0
3	EOH	A	1695	3/3	0.96	0.11	14,14,15,16	0
3	EOH	A	1697	3/3	0.97	0.22	40,40,43,43	0
3	EOH	A	1803	3/3	0.97	0.12	28,28,32,35	0
3	EOH	A	1700	3/3	0.97	0.10	24,24,25,26	0
3	EOH	B	1710	3/3	0.97	0.10	32,32,32,33	0
3	EOH	A	1704	3/3	0.98	0.14	38,38,39,41	0
2	NA	B	1687	1/1	0.98	0.06	27,27,27,27	0
2	NA	A	1687	1/1	0.98	0.11	26,26,26,26	0
2	NA	A	1688	1/1	0.98	0.10	27,27,27,27	0
3	EOH	B	1700	3/3	0.99	0.14	26,26,27,27	0



## 6.5 Other polymers

There are no such residues in this entry.