



wwPDB EM Validation Summary Report ⓘ

Dec 19, 2022 – 03:52 pm GMT

PDB ID : 6Z1P
EMDB ID : EMD-11032
Title : Structure of the mitochondrial ribosome from *Tetrahymena thermophila*
Authors : Tobiasson, V.; Amunts, A.
Deposited on : 2020-05-14
Resolution : 3.70 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|-----------------------------|-----------------------------|
| Ramachandran outliers | 154571 | 4023 |
| Sidechain outliers | 154315 | 3826 |
| RNA backbone | 4643 | 859 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | Aa | 278 | |
| 2 | Ab | 2314 | |
| 3 | Ac | 262 | |
| 4 | Ad | 439 | |
| 5 | Ae | 358 | |
| 6 | Af | 68 | |
| 7 | Ag | 179 | |
| 8 | Ah | 106 | |


























Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 9 | Ai | 61 | 26% 100% |
| 10 | Aj | 69 | 67% 100% |
| 11 | Ak | 105 | 44% 100% |
| 12 | Al | 223 | 24% 76% |
| 13 | Am | 166 | 33% 100% |
| 14 | An | 158 | 15% 100% |
| 15 | Ao | 391 | 84% 16% |
| 16 | Ap | 119 | 99% |
| 17 | Aq | 305 | 90% 10% |
| 18 | Ar | 143 | 100% |
| 19 | As | 237 | 7% 99% |
| 20 | At | 242 | 75% 24% |
| 21 | Au | 170 | 5% 99% |
| 22 | Av | 235 | 86% 12% |
| 23 | Aw | 364 | 94% 6% |
| 24 | Ax | 138 | 5% 96% |
| 25 | Ay | 234 | 81% 19% |
| 26 | Az | 321 | 6% 73% 26% |
| 27 | AA | 237 | 74% 26% |
| 28 | AB | 289 | 90% 9% |
| 29 | AC | 307 | 7% 93% 7% |
| 30 | AD | 36 | 100% |
| 31 | AE | 64 | 6% 89% 11% |
| 32 | AF | 164 | 70% 30% |
| 33 | AG | 93 | 41% 59% |


























Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 34 | AH | 199 |  |
| 35 | AI | 155 |  |
| 36 | AJ | 179 |  |
| 37 | AK | 309 |  |
| 38 | AL | 145 |  |
| 39 | AM | 184 |  |
| 40 | AN | 158 |  |
| 41 | AO | 155 |  |
| 42 | AP | 386 |  |
| 43 | AQ | 109 |  |
| 44 | AR | 348 |  |
| 45 | AS | 764 |  |
| 46 | AT | 299 |  |
| 47 | AU | 499 |  |
| 48 | AV | 160 |  |
| 49 | Ba | 196 |  |
| 50 | Bb | 1395 |  |
| 51 | Bc | 159 |  |
| 52 | Bd | 330 |  |
| 53 | Be | 405 |  |
| 54 | Bf | 351 |  |
| 55 | Bg | 141 |  |
| 56 | Bh | 276 |  |
| 57 | Bi | 737 |  |
| 58 | Bj | 152 |  |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 59 | Bk | 238 |  |
| 60 | Bl | 133 |  |
| 61 | Bm | 276 |  |
| 62 | Bn | 101 |  |
| 63 | Bo | 196 |  |
| 64 | Bp | 437 |  |
| 65 | Bq | 182 |  |
| 66 | Br | 549 |  |
| 67 | Bs | 98 |  |
| 68 | Bt | 102 |  |
| 69 | Bu | 567 |  |
| 70 | Bv | 579 |  |
| 71 | Bw | 703 |  |
| 72 | Bx | 719 |  |
| 73 | By | 132 |  |
| 74 | Bz | 147 |  |
| 75 | BA | 149 |  |
| 76 | BB | 112 |  |
| 77 | BC | 37 |  |
| 78 | BD | 130 |  |
| 79 | BE | 464 |  |
| 80 | BF | 23 |  |
| 81 | BG | 182 |  |
| 82 | BH | 63 |  |
| 83 | BI | 1451 |  |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 84 | BJ | 1539 | |
| 85 | BK | 267 | |
| 86 | BL | 310 | |
| 87 | BM | 355 | |
| 88 | BN | 283 | |
| 89 | BO | 142 | |
| 90 | BP | 100 | |
| 91 | BQ | 1032 | |
| 92 | BR | 143 | |
| 93 | BS | 1086 | |
| 94 | BT | 297 | |
| 95 | BU | 439 | |
| 96 | BV | 310 | |
| 97 | BW | 285 | |
| 98 | BX | 151 | |
| 99 | BY | 327 | |

2 Entry composition [i](#)

There are 103 unique types of molecules in this entry. The entry contains 518719 atoms, of which 235830 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called LSU rRNA_1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|------|------|---------|-------|---|
| | | | Total | C | H | N | O | | | P |
| 1 | Aa | 278 | 8881 | 2659 | 2963 | 1052 | 1929 | 278 | 0 | 0 |

- Molecule 2 is a RNA chain called LSU rRNA_2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-------|-------|------|-------|---------|-------|---|
| | | | Total | C | H | N | O | | | P |
| 2 | Ab | 2237 | 71421 | 21355 | 23854 | 8399 | 15576 | 2237 | 0 | 0 |

- Molecule 3 is a protein called Ribosomal protein L2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 3 | Ac | 262 | 4332 | 1365 | 2218 | 385 | 358 | 6 | 0 | 0 |

- Molecule 4 is a protein called 50S ribosomal protein L3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 4 | Ad | 374 | 6024 | 1892 | 3035 | 538 | 546 | 13 | 0 | 0 |

- Molecule 5 is a protein called 50S ribosomal protein L4.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 5 | Ae | 337 | 5671 | 1770 | 2890 | 505 | 500 | 6 | 0 | 0 |

- Molecule 6 is a protein called Ymf69.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|----|----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 6 | Af | 68 | 1232 | 409 | 639 | 91 | 90 | 3 | 0 | 0 |

- Molecule 7 is a protein called Ymf60.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 7 | Ag | 176 | 3072 | 997 | 1555 | 265 | 253 | 2 | 0 | 0 |

- Molecule 8 is a protein called bL7/L12m.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|
| | | | Total | C | H | N | O | | |
| 8 | Ah | 106 | 641 | 318 | 111 | 106 | 106 | 0 | 0 |

- Molecule 9 is a protein called bL7/12m.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|----|---------|-------|
| | | | Total | C | H | N | O | | |
| 9 | Ai | 61 | 369 | 183 | 64 | 61 | 61 | 0 | 0 |

- Molecule 10 is a protein called bL7/12m.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|----|---------|-------|
| | | | Total | C | H | N | O | | |
| 10 | Aj | 69 | 419 | 207 | 74 | 69 | 69 | 0 | 0 |

- Molecule 11 is a protein called Ribosomal protein L7/L12 carboxy-terminal domain protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 11 | Ak | 105 | 1705 | 564 | 831 | 151 | 158 | 1 | 0 | 0 |

There are 3 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| Ak | 12 | LYS | - | expression tag | UNP Q24IM4 |
| Ak | 13 | UNK | - | expression tag | UNP Q24IM4 |
| Ak | 61 | ALA | ARG | conflict | UNP Q24IM4 |

- Molecule 12 is a protein called Ribosomal protein L9, amine-terminal domain protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|----|----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 12 | Al | 53 | 869 | 278 | 439 | 79 | 72 | 1 | 0 | 0 |

- Molecule 13 is a protein called Ymf74.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 13 | Am | 166 | 2862 | 946 | 1456 | 223 | 235 | 2 | 0 | 0 |

There are 9 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| Am | -8 | UNK | - | expression tag | UNP Q951B5 |
| Am | -7 | UNK | - | expression tag | UNP Q951B5 |
| Am | -6 | UNK | - | expression tag | UNP Q951B5 |
| Am | -5 | UNK | - | expression tag | UNP Q951B5 |
| Am | -4 | UNK | - | expression tag | UNP Q951B5 |
| Am | -3 | UNK | - | expression tag | UNP Q951B5 |
| Am | -2 | UNK | - | expression tag | UNP Q951B5 |
| Am | -1 | UNK | - | expression tag | UNP Q951B5 |
| Am | 0 | UNK | - | expression tag | UNP Q951B5 |

- Molecule 14 is a protein called Ribosomal protein L11, amine-terminal domain protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 14 | An | 158 | 2562 | 802 | 1317 | 214 | 219 | 10 | 0 | 0 |

- Molecule 15 is a protein called 50S ribosomal protein L13.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 15 | Ao | 330 | 5591 | 1788 | 2820 | 485 | 485 | 13 | 0 | 0 |

- Molecule 16 is a protein called Ribosomal protein L14.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 16 | Ap | 119 | 2014 | 625 | 1058 | 172 | 155 | 4 | 0 | 0 |

- Molecule 17 is a protein called Ribosomal protein L15, putative.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 17 | Aq | 273 | 4477 | 1387 | 2293 | 416 | 376 | 5 | 0 | 0 |

- Molecule 18 is a protein called Ribosomal protein L16.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 18 | Ar | 143 | 2561 | 813 | 1329 | 224 | 190 | 5 | 0 | 0 |

- Molecule 19 is a protein called 50S ribosomal protein L17.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 19 | As | 236 | 3953 | 1227 | 2015 | 355 | 351 | 5 | 0 | 0 |

- Molecule 20 is a protein called bL19m.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 20 | At | 183 | 3069 | 987 | 1531 | 273 | 273 | 5 | 0 | 0 |

- Molecule 21 is a protein called 50S ribosomal protein L20.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 21 | Au | 169 | 2888 | 904 | 1469 | 274 | 239 | 2 | 0 | 0 |

- Molecule 22 is a protein called 50S ribosomal protein L21.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 22 | Av | 206 | 3434 | 1080 | 1722 | 307 | 322 | 3 | 0 | 0 |

- Molecule 23 is a protein called Ribosomal protein L22/L17e.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 23 | Aw | 342 | 5767 | 1788 | 2943 | 514 | 514 | 8 | 0 | 0 |

- Molecule 24 is a protein called Ribosomal protein L23, putative.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 24 | Ax | 132 | 2257 | 711 | 1164 | 186 | 191 | 5 | 0 | 0 |

- Molecule 25 is a protein called 50S ribosomal protein L24.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 25 | Ay | 190 | 3124 | 960 | 1597 | 285 | 281 | 1 | 0 | 0 |

- Molecule 26 is a protein called bL25m.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 26 | Az | 237 | 3934 | 1246 | 1990 | 344 | 350 | 4 | 0 | 0 |

- Molecule 27 is a protein called 50S ribosomal protein L27.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 27 | AA | 176 | 2872 | 907 | 1425 | 276 | 263 | 1 | 0 | 0 |

- Molecule 28 is a protein called Ribosomal protein L28.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 28 | AB | 264 | 4599 | 1439 | 2341 | 410 | 397 | 12 | 0 | 0 |

- Molecule 29 is a protein called 39-S ribosomal protein L47.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 29 | AC | 284 | 4819 | 1494 | 2434 | 442 | 446 | 3 | 0 | 0 |

- Molecule 30 is a protein called bL32m.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|----|---------|-------|
| | | | Total | C | H | N | O | | |
| 30 | AD | 36 | 326 | 108 | 146 | 36 | 36 | 0 | 0 |

- Molecule 31 is a protein called 50S ribosomal protein L33.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|----|---------|-------|
| | | | Total | C | H | N | O | | |
| 31 | AE | 57 | 935 | 296 | 483 | 78 | 78 | 0 | 0 |

- Molecule 32 is a protein called bL35m.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 32 | AF | 115 | 2028 | 618 | 1054 | 209 | 145 | 2 | 0 | 0 |

- Molecule 33 is a protein called Ribosomal protein.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 33 | AG | 38 | 673 | 201 | 357 | 64 | 46 | 5 | 0 | 0 |

- Molecule 34 is a protein called mL40.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 34 | AH | 177 | 2989 | 942 | 1496 | 264 | 282 | 5 | 0 | 0 |

- Molecule 35 is a protein called Ribosomal protein L27.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 35 | AI | 122 | 2088 | 662 | 1052 | 190 | 182 | 2 | 0 | 0 |

- Molecule 36 is a protein called Ribosomal protein L51/S25/CI-B8 domain protein.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 36 | AJ | 178 | 2961 | 948 | 1480 | 260 | 267 | 6 | 0 | 0 |

- Molecule 37 is a protein called mL46.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 37 | AK | 244 | 4093 | 1340 | 2017 | 351 | 377 | 8 | 0 | 0 |

- Molecule 38 is a protein called Large subunit ribosomal protein.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 38 | AL | 145 | 2406 | 748 | 1225 | 224 | 203 | 6 | 0 | 0 |

- Molecule 39 is a protein called mL53.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 39 | AM | 126 | 2085 | 673 | 1026 | 185 | 198 | 3 | 0 | 0 |

- Molecule 40 is a protein called mL54.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 40 | AN | 96 | 1629 | 524 | 815 | 140 | 148 | 2 | 0 | 0 |

- Molecule 41 is a protein called mL64.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 41 | AO | 120 | 2060 | 649 | 1049 | 191 | 169 | 2 | 0 | 0 |

- Molecule 42 is a protein called mL101.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 42 | AP | 364 | 6118 | 1976 | 3070 | 515 | 546 | 11 | 0 | 0 |

- Molecule 43 is a protein called mL102.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|----|----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 43 | AQ | 50 | 863 | 262 | 444 | 85 | 68 | 4 | 0 | 0 |

- Molecule 44 is a protein called mL103.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 44 | AR | 274 | 4603 | 1492 | 2253 | 405 | 447 | 6 | 0 | 0 |

- Molecule 45 is a protein called mL104.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|------|------|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 45 | AS | 728 | 12114 | 3916 | 6045 | 1028 | 1105 | 20 | 0 | 0 |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| AS | 764 | GLU | - | expression tag | UNP I7LTP6 |

- Molecule 46 is a protein called Signal peptide-binding domain protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 46 | AT | 166 | 2811 | 875 | 1434 | 247 | 252 | 3 | 0 | 0 |

- Molecule 47 is a protein called mL106.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 47 | AU | 479 | 7927 | 2508 | 4014 | 662 | 735 | 8 | 0 | 0 |

- Molecule 48 is a protein called Iron-binding zinc finger CDGSH type protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 48 | AV | 129 | 2068 | 666 | 1030 | 170 | 193 | 9 | 0 | 0 |

- Molecule 49 is a RNA chain called SSU rRNA_1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|------|---------|-------|---|
| | | | Total | C | H | N | O | | | P |
| 49 | Ba | 196 | 6269 | 1875 | 2097 | 750 | 1351 | 196 | 0 | 0 |

There are 11 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|-------------|
| Ba | 14 | A | - | expression tag | GB 15011465 |
| Ba | 15 | A | - | expression tag | GB 15011465 |
| Ba | 16 | A | - | expression tag | GB 15011465 |
| Ba | 17 | A | - | expression tag | GB 15011465 |
| Ba | 18 | U | - | expression tag | GB 15011465 |
| Ba | 19 | A | - | expression tag | GB 15011465 |
| Ba | 20 | A | - | expression tag | GB 15011465 |
| Ba | 21 | A | - | expression tag | GB 15011465 |
| Ba | 22 | A | - | expression tag | GB 15011465 |
| Ba | 23 | A | - | expression tag | GB 15011465 |
| Ba | 24 | A | - | expression tag | GB 15011465 |

- Molecule 50 is a RNA chain called SSU rRNA_2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-------|-------|------|------|---------|-------|---|
| | | | Total | C | H | N | O | | | P |
| 50 | Bb | 1385 | 44233 | 13212 | 14779 | 5192 | 9665 | 1385 | 0 | 0 |

- Molecule 51 is a protein called Ymf73.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 51 | Bc | 159 | 2838 | 925 | 1465 | 217 | 224 | 7 | 0 | 0 |

- Molecule 52 is a protein called Ymf64.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 52 | Bd | 330 | 5839 | 1868 | 3013 | 477 | 468 | 13 | 0 | 0 |

- Molecule 53 is a protein called Ymf76.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 53 | Be | 405 | 7533 | 2416 | 3929 | 645 | 537 | 6 | 0 | 0 |

- Molecule 54 is a protein called 30S ribosomal protein S5.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 54 | Bf | 337 | 5491 | 1745 | 2735 | 483 | 515 | 13 | 0 | 0 |

- Molecule 55 is a protein called Ribosomal protein S6.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 55 | Bg | 136 | 2204 | 681 | 1124 | 197 | 200 | 2 | 0 | 0 |

- Molecule 56 is a protein called Ymf63.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 56 | Bh | 256 | 4454 | 1459 | 2250 | 350 | 386 | 9 | 0 | 0 |

- Molecule 57 is a protein called Ribosomal protein S9.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 57 | Bi | 626 | 10472 | 3325 | 5228 | 916 | 990 | 13 | 0 | 0 |

- Molecule 58 is a protein called Ymf59.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 58 | Bj | 152 | 2652 | 870 | 1348 | 217 | 214 | 3 | 0 | 0 |

- Molecule 59 is a protein called Ymf61.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 59 | Bk | 226 | 4012 | 1310 | 2055 | 325 | 321 | 1 | 0 | 0 |

- Molecule 60 is a protein called Ribosomal protein S12.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 60 | Bl | 129 | 2199 | 656 | 1154 | 226 | 159 | 4 | 0 | 0 |

- Molecule 61 is a protein called Ribosomal protein S13.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 61 | Bm | 224 | 3877 | 1268 | 1946 | 328 | 330 | 5 | 0 | 0 |

- Molecule 62 is a protein called Ribosomal protein S14.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 62 | Bn | 101 | 1804 | 565 | 939 | 161 | 134 | 5 | 0 | 0 |

- Molecule 63 is a protein called 30S ribosomal protein S15.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 63 | Bo | 179 | 3003 | 944 | 1515 | 273 | 264 | 7 | 0 | 0 |

- Molecule 64 is a protein called 30S ribosomal protein S16.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 64 | Bp | 412 | 6956 | 2214 | 3499 | 611 | 624 | 8 | 0 | 0 |

- Molecule 65 is a protein called 30S ribosomal protein S17.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 65 | Bq | 176 | 2959 | 927 | 1505 | 257 | 265 | 5 | 0 | 0 |

There are 3 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| Bq | 181 | VAL | - | expression tag | UNP I7M6C7 |
| Bq | 182 | ALA | - | expression tag | UNP I7M6C7 |
| Bq | 183 | ALA | - | expression tag | UNP I7M6C7 |

- Molecule 66 is a protein called Ribosomal protein S18.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 66 | Br | 523 | 8589 | 2689 | 4310 | 755 | 829 | 6 | 0 | 0 |

- Molecule 67 is a protein called Ribosomal protein S19.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 67 | Bs | 87 | 1508 | 479 | 786 | 123 | 118 | 2 | 0 | 0 |

- Molecule 68 is a protein called bS21m.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 68 | Bt | 102 | 1760 | 555 | 891 | 169 | 141 | 4 | 0 | 0 |

- Molecule 69 is a protein called mS23.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 69 | Bu | 559 | 7883 | 2656 | 3630 | 777 | 804 | 16 | 0 | 0 |

- Molecule 70 is a protein called mS26.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 70 | Bv | 465 | 7896 | 2484 | 3977 | 686 | 736 | 13 | 0 | 0 |

- Molecule 71 is a protein called Ribosomal death-associated protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|------|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 71 | Bw | 662 | 10999 | 3589 | 5447 | 937 | 1004 | 22 | 0 | 0 |

- Molecule 72 is a protein called mS31.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 72 | Bx | 530 | 8568 | 2781 | 4175 | 731 | 865 | 16 | 0 | 0 |

- Molecule 73 is a protein called mS33.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 73 | By | 107 | 1772 | 556 | 903 | 155 | 152 | 6 | 0 | 0 |

- Molecule 74 is a protein called mS34.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 74 | Bz | 123 | 1999 | 644 | 1000 | 176 | 179 | | 0 | 0 |

- Molecule 75 is a protein called Ribosomal subunit protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 75 | BA | 138 | 2335 | 743 | 1167 | 205 | 212 | 8 | 0 | 0 |

- Molecule 76 is a protein called mS37.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 76 | BB | 110 | 1864 | 596 | 930 | 167 | 165 | 6 | 0 | 0 |

- Molecule 77 is a protein called mS38.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|----|---------|-------|
| | | | Total | C | H | N | O | | |
| 77 | BC | 37 | 226 | 111 | 41 | 37 | 37 | 0 | 0 |

- Molecule 78 is a protein called IGR motif protein.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 78 | BD | 107 | 1791 | 569 | 908 | 152 | 158 | 4 | 0 | 0 |

- Molecule 79 is a protein called mS45.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 79 | BE | 447 | 7339 | 2342 | 3615 | 630 | 739 | 13 | 0 | 0 |

- Molecule 80 is a protein called mS75.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|----|---------|-------|
| | | | Total | C | H | N | O | | |
| 80 | BF | 23 | 147 | 69 | 32 | 23 | 23 | 0 | 0 |

- Molecule 81 is a protein called mS76.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 81 | BG | 164 | 2704 | 863 | 1329 | 237 | 270 | 5 | 0 | 0 |

- Molecule 82 is a protein called mS77.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|----|---------|-------|
| | | | Total | C | H | N | O | | |
| 82 | BH | 63 | 382 | 189 | 67 | 63 | 63 | 0 | 0 |

- Molecule 83 is a protein called Enoyl-CoA hydratase/isomerase.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-------|------|------|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 83 | BI | 1413 | 23519 | 7509 | 11719 | 1995 | 2263 | 33 | 0 | 0 |

- Molecule 84 is a protein called mS78.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|-------|------|------|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 84 | BJ | 1515 | 24865 | 7913 | 12419 | 2110 | 2396 | 27 | 0 | 0 |

- Molecule 85 is a protein called mS79.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 85 | BK | 267 | 4236 | 1356 | 2106 | 366 | 401 | 7 | 0 | 0 |

- Molecule 86 is a protein called SelR domain protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 86 | BL | 181 | 2962 | 954 | 1461 | 267 | 272 | 8 | 0 | 0 |

- Molecule 87 is a protein called mS81.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 87 | BM | 284 | 4692 | 1522 | 2321 | 404 | 436 | 9 | 0 | 0 |

- Molecule 88 is a protein called mS82.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 88 | BN | 274 | 4557 | 1481 | 2253 | 389 | 424 | 10 | 0 | 0 |

- Molecule 89 is a protein called PARP alpha-helical domain-containing protein,mS83.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 89 | BO | 142 | 1225 | 511 | 397 | 151 | 164 | 2 | 0 | 0 |

- Molecule 90 is a protein called mS84,mS84.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | |
| 90 | BP | 100 | 1259 | 428 | 567 | 127 | 137 | | 0 | 0 |

- Molecule 91 is a protein called mS85.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|------|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 91 | BQ | 622 | 10266 | 3281 | 5095 | 853 | 1025 | 12 | 0 | 0 |

- Molecule 92 is a protein called Iron donor protein CyaY.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 92 | BR | 143 | 2361 | 746 | 1179 | 210 | 223 | 3 | 0 | 0 |

- Molecule 93 is a protein called mS87.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|----|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 93 | BS | 433 | 7221 | 2298 | 3602 | 611 | 697 | 13 | 0 | 0 |

- Molecule 94 is a protein called mS88.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|
| | | | Total | C | H | N | O | | |
| 94 | BT | 297 | 1815 | 891 | 330 | 297 | 297 | 0 | 0 |

- Molecule 95 is a protein called mS89.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 95 | BU | 309 | 5164 | 1667 | 2568 | 441 | 481 | 7 | 0 | 0 |

- Molecule 96 is a protein called mS90.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| | | | Total | C | H | N | O | S | | |
| 96 | BV | 310 | 4185 | 1427 | 1924 | 405 | 426 | 3 | 0 | 0 |

- Molecule 97 is a protein called mS91.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|
| | | | Total | C | H | N | O | | |
| 97 | BW | 285 | 1731 | 855 | 306 | 285 | 285 | 0 | 0 |

- Molecule 98 is a protein called Ribosomal protein S3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 98 | BX | 133 | 2351 | 776 | 1195 | 190 | 182 | 8 | 0 | 0 |

- Molecule 99 is a protein called mS93.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|-------|---|
| | | | Total | C | H | N | O | | | S |
| 99 | BY | 327 | 5119 | 1667 | 2528 | 446 | 472 | 6 | 0 | 0 |


- Molecule 100 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|--------------|-----------|---------|
| 100 | Aa | 28 | Total 28 | Mg 28 | 0 |
| 100 | Ab | 270 | Total 270 | Mg 270 | 0 |
| 100 | Ad | 1 | Total 1 | Mg 1 | 0 |
| 100 | Ae | 1 | Total 1 | Mg 1 | 0 |
| 100 | Aq | 1 | Total 1 | Mg 1 | 0 |
| 100 | AB | 1 | Total 1 | Mg 1 | 0 |
| 100 | AF | 1 | Total 1 | Mg 1 | 0 |
| 100 | AQ | 1 | Total 1 | Mg 1 | 0 |
| 100 | Ba | 10 | Total 10 | Mg 10 | 0 |
| 100 | Bb | 76 | Total 76 | Mg 76 | 0 |
| 100 | Bi | 1 | Total 1 | Mg 1 | 0 |
| 100 | Bw | 1 | Total 1 | Mg 1 | 0 |
| 100 | Bz | 1 | Total 1 | Mg 1 | 0 |

- Molecule 101 is ZINC ION (three-letter code: ZN) (formula: Zn).


| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 101 | AG | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 101 | BL | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |

- Molecule 102 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).



| Mol | Chain | Residues | Atoms | | | AltConf |
|-----|-------|----------|-------|----|---|---------|
| 102 | AV | 1 | Total | Fe | S | 0 |
| | | | 8 | 4 | 4 | |
| 102 | AV | 1 | Total | Fe | S | 0 |
| | | | 8 | 4 | 4 | |

- Molecule 103 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).




| Mol | Chain | Residues | Atoms | | | | | AltConf | |
|-----|-------|----------|-------|----|---|---|----|---------|---|
| | | | Total | C | H | N | O | | P |
| 103 | Bw | 1 | 35 | 10 | 4 | 5 | 13 | 3 | 0 |


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: LSU rRNA_1




- Molecule 2: LSU rRNA_2







• Molecule 3: Ribosomal protein L2




• Molecule 4: 50S ribosomal protein L3




• Molecule 5: 50S ribosomal protein L4







- Molecule 6: Ymf69




- Molecule 7: Ymf60




- Molecule 8: bL7/L12m



- Molecule 9: bL7/12m




- Molecule 10: bL7/12m




- Molecule 11: Ribosomal protein L7/L12 carboxy-terminal domain protein







- Molecule 12: Ribosomal protein L9, amine-terminal domain protein





- Molecule 13: Ymf74




- Molecule 14: Ribosomal protein L11, amine-terminal domain protein




- Molecule 15: 50S ribosomal protein L13




- Molecule 16: Ribosomal protein L14





• Molecule 23: Ribosomal protein L22/L17e







• Molecule 24: Ribosomal protein L23, putative





• Molecule 25: 50S ribosomal protein L24





• Molecule 26: bL25m





• Molecule 27: 50S ribosomal protein L27



• Molecule 28: Ribosomal protein L28



• Molecule 29: 39-S ribosomal protein L47





• Molecule 30: bL32m




There are no outlier residues recorded for this chain.


• Molecule 31: 50S ribosomal protein L33




• Molecule 32: bL35m




• Molecule 33: Ribosomal protein





• Molecule 34: mL40








- Molecule 35: Ribosomal protein L27



- Molecule 36: Ribosomal protein L51/S25/CI-B8 domain protein



- Molecule 37: mL46




- Molecule 38: Large subunit ribosomal protein





There are no outlier residues recorded for this chain.



- Molecule 39: mL53




- Molecule 40: mL54



- Molecule 41: mL64




- Molecule 42: mL101




- Molecule 43: mL102




- Molecule 44: mL103







• Molecule 45: mL104





• Molecule 46: Signal peptide-binding domain protein









• Molecule 47: mL106





• Molecule 48: Iron-binding zinc finger CDGSH type protein




• Molecule 49: SSU rRNA_1




• Molecule 50: SSU rRNA_2







• Molecule 51: Ymf73



• Molecule 52: Ymf64





• Molecule 53: Ymf76




• Molecule 54: 30S ribosomal protein S5


• Molecule 63: 30S ribosomal protein S15




• Molecule 64: 30S ribosomal protein S16





• Molecule 65: 30S ribosomal protein S17




• Molecule 66: Ribosomal protein S18




• Molecule 67: Ribosomal protein S19





• Molecule 68: bS21m




• Molecule 69: mS23




• Molecule 70: mS26





• Molecule 71: Ribosomal death-associated protein







• Molecule 74: mS34



• Molecule 75: Ribosomal subunit protein



• Molecule 76: mS37





• Molecule 77: mS38




There are no outlier residues recorded for this chain.

• Molecule 78: IGR motif protein



• Molecule 79: mS45







• Molecule 80: mS75




There are no outlier residues recorded for this chain.


• Molecule 81: mS76



• Molecule 82: mS77




• Molecule 83: Enoyl-CoA hydratase/isomerase








• Molecule 88: mS82




• Molecule 89: PARP alpha-helical domain-containing protein, mS83




• Molecule 90: mS84, mS84





• Molecule 91: mS85




• Molecule 97: mS91



• Molecule 98: Ribosomal protein S3



• Molecule 99: mS93



| | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|
| I376 | E379 | E380 | F381 | E382 | K383 | L384 | K385 | K386 | Q387 |
|------|------|------|------|------|------|------|------|------|------|

4 Experimental information

| Property | Value | Source |
|--------------------------------------|---|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, C1 | Depositor |
| Number of particles used | 99300 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 30 | Depositor |
| Minimum defocus (nm) | 200 | Depositor |
| Maximum defocus (nm) | 3200 | Depositor |
| Magnification | 92000 | Depositor |
| Image detector | GATAN K2 SUMMIT (4k x 4k) | Depositor |
| Maximum map value | 0.198 | Depositor |
| Minimum map value | -0.109 | Depositor |
| Average map value | 0.000 | Depositor |
| Map value standard deviation | 0.009 | Depositor |
| Recommended contour level | 0.03 | Depositor |
| Map size (Å) | 588.5, 588.5, 588.5 | wwPDB |
| Map dimensions | 550, 550, 550 | wwPDB |
| Map angles (°) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (Å) | 1.07, 1.07, 1.07 | Depositor |

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: FES, MG, ZN, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------------|-------------|-----------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 1 | Aa | 0.71 | 0/6630 | 0.87 | 3/10321 (0.0%) |
| 2 | Ab | 0.74 | 0/53260 | 0.87 | 22/82922 (0.0%) |
| 3 | Ac | 0.49 | 0/2161 | 0.64 | 0/2897 |
| 4 | Ad | 0.49 | 0/3051 | 0.60 | 0/4097 |
| 5 | Ae | 0.50 | 0/2836 | 0.60 | 0/3817 |
| 6 | Af | 0.39 | 0/608 | 0.50 | 0/811 |
| 7 | Ag | 0.48 | 0/1553 | 0.61 | 0/2081 |
| 11 | Ak | 0.35 | 0/890 | 0.52 | 0/1205 |
| 12 | Al | 0.45 | 0/440 | 0.61 | 0/596 |
| 13 | Am | 0.43 | 0/1389 | 0.53 | 0/1861 |
| 14 | An | 0.41 | 0/1268 | 0.54 | 0/1709 |
| 15 | Ao | 0.49 | 0/2842 | 0.58 | 0/3820 |
| 16 | Ap | 0.53 | 1/975 (0.1%) | 0.66 | 0/1303 |
| 17 | Aq | 0.49 | 0/2232 | 0.61 | 0/2998 |
| 18 | Ar | 0.51 | 0/1261 | 0.65 | 0/1682 |
| 19 | As | 0.44 | 0/1964 | 0.59 | 0/2620 |
| 20 | At | 0.53 | 1/1579 (0.1%) | 0.63 | 0/2128 |
| 21 | Au | 0.54 | 0/1449 | 0.64 | 0/1949 |
| 22 | Av | 0.51 | 0/1744 | 0.64 | 0/2350 |
| 23 | Aw | 0.46 | 0/2866 | 0.59 | 1/3840 (0.0%) |
| 24 | Ax | 0.47 | 0/1115 | 0.59 | 0/1498 |
| 25 | Ay | 0.45 | 0/1548 | 0.63 | 0/2068 |
| 26 | Az | 0.46 | 0/1984 | 0.60 | 1/2680 (0.0%) |
| 27 | AA | 0.48 | 0/1482 | 0.62 | 0/2003 |
| 28 | AB | 0.48 | 0/2304 | 0.60 | 0/3082 |
| 29 | AC | 0.45 | 0/2416 | 0.56 | 0/3227 |
| 31 | AE | 0.47 | 0/459 | 0.63 | 0/612 |
| 32 | AF | 0.49 | 0/997 | 0.70 | 0/1321 |
| 33 | AG | 0.54 | 0/320 | 0.58 | 0/418 |
| 34 | AH | 0.37 | 0/1520 | 0.47 | 0/2038 |
| 35 | AI | 0.48 | 0/1059 | 0.56 | 0/1416 |
| 36 | AJ | 0.52 | 0/1513 | 0.58 | 0/2031 |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------------|-------------|----------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 37 | AK | 0.35 | 0/2136 | 0.56 | 0/2895 |
| 38 | AL | 0.50 | 0/1208 | 0.58 | 0/1630 |
| 39 | AM | 0.51 | 0/1083 | 0.52 | 0/1458 |
| 40 | AN | 0.45 | 0/833 | 0.61 | 0/1129 |
| 41 | AO | 0.47 | 0/1037 | 0.60 | 0/1403 |
| 42 | AP | 0.48 | 0/3125 | 0.54 | 0/4220 |
| 43 | AQ | 0.57 | 0/428 | 0.64 | 0/567 |
| 44 | AR | 0.40 | 0/2415 | 0.54 | 0/3250 |
| 45 | AS | 0.41 | 0/6212 | 0.53 | 0/8373 |
| 46 | AT | 0.34 | 0/1398 | 0.49 | 0/1867 |
| 47 | AU | 0.40 | 0/3979 | 0.50 | 0/5353 |
| 48 | AV | 0.57 | 0/1067 | 0.58 | 0/1439 |
| 49 | Ba | 0.52 | 0/4674 | 0.80 | 0/7275 |
| 50 | Bb | 0.52 | 0/32970 | 0.80 | 8/51341 (0.0%) |
| 51 | Bc | 0.47 | 0/1403 | 0.58 | 0/1880 |
| 52 | Bd | 0.35 | 0/2883 | 0.53 | 0/3843 |
| 53 | Be | 0.46 | 0/3693 | 0.55 | 0/4907 |
| 54 | Bf | 0.45 | 1/2814 (0.0%) | 0.56 | 0/3788 |
| 55 | Bg | 0.39 | 0/1095 | 0.62 | 0/1471 |
| 56 | Bh | 0.32 | 0/2259 | 0.49 | 0/3043 |
| 57 | Bi | 0.38 | 0/5344 | 0.53 | 0/7174 |
| 58 | Bj | 0.43 | 0/1339 | 0.60 | 0/1801 |
| 59 | Bk | 0.37 | 0/2006 | 0.51 | 0/2685 |
| 60 | Bl | 0.41 | 0/1062 | 0.70 | 0/1415 |
| 61 | Bm | 0.38 | 0/1983 | 0.54 | 1/2661 (0.0%) |
| 62 | Bn | 0.44 | 0/881 | 0.55 | 0/1168 |
| 63 | Bo | 0.42 | 0/1519 | 0.56 | 0/2038 |
| 64 | Bp | 0.42 | 0/3537 | 0.53 | 0/4761 |
| 65 | Bq | 0.41 | 0/1480 | 0.54 | 0/1982 |
| 66 | Br | 0.37 | 0/4353 | 0.54 | 0/5860 |
| 67 | Bs | 0.42 | 0/739 | 0.56 | 0/983 |
| 68 | Bt | 0.42 | 0/891 | 0.52 | 0/1195 |
| 69 | Bu | 0.38 | 0/3548 | 0.54 | 0/4746 |
| 70 | Bv | 0.35 | 0/3981 | 0.48 | 0/5335 |
| 71 | Bw | 0.40 | 0/5700 | 0.52 | 0/7694 |
| 72 | Bx | 0.36 | 0/4504 | 0.49 | 0/6108 |
| 73 | By | 0.36 | 0/887 | 0.47 | 0/1185 |
| 74 | Bz | 0.37 | 0/1025 | 0.54 | 0/1388 |
| 75 | BA | 0.40 | 0/1193 | 0.57 | 0/1601 |
| 76 | BB | 0.39 | 0/959 | 0.52 | 0/1290 |
| 78 | BD | 0.38 | 0/903 | 0.59 | 0/1214 |
| 79 | BE | 0.42 | 0/3795 | 0.53 | 0/5084 |
| 81 | BG | 0.37 | 0/1402 | 0.50 | 0/1878 |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|-----------------|-------------|------------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 83 | BI | 0.41 | 0/12014 | 0.53 | 0/16144 |
| 84 | BJ | 0.40 | 0/12675 | 0.48 | 0/17091 |
| 85 | BK | 0.42 | 0/2176 | 0.54 | 0/2937 |
| 86 | BL | 0.39 | 0/1542 | 0.53 | 0/2078 |
| 87 | BM | 0.34 | 0/2428 | 0.51 | 0/3263 |
| 88 | BN | 0.40 | 0/2359 | 0.50 | 0/3168 |
| 89 | BO | 0.36 | 0/306 | 0.48 | 0/414 |
| 90 | BP | 0.38 | 0/489 | 0.56 | 0/647 |
| 91 | BQ | 0.35 | 0/5264 | 0.49 | 0/7086 |
| 92 | BR | 0.35 | 0/1204 | 0.52 | 0/1623 |
| 93 | BS | 0.31 | 0/3682 | 0.44 | 0/4953 |
| 94 | BT | 0.22 | 0/19 | 0.46 | 0/25 |
| 95 | BU | 0.37 | 0/2655 | 0.50 | 0/3578 |
| 96 | BV | 0.30 | 0/1868 | 0.44 | 0/2523 |
| 98 | BX | 0.42 | 0/1189 | 0.54 | 0/1591 |
| 99 | BY | 0.30 | 0/2465 | 0.48 | 0/3331 |
| All | All | 0.51 | 3/289793 (0.0%) | 0.67 | 36/410231 (0.0%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 3 | Ac | 0 | 1 |
| 15 | Ao | 0 | 1 |
| 19 | As | 0 | 1 |
| 20 | At | 0 | 1 |
| 22 | Av | 0 | 1 |
| 26 | Az | 0 | 2 |
| 28 | AB | 0 | 2 |
| 36 | AJ | 0 | 1 |
| 47 | AU | 0 | 1 |
| 48 | AV | 0 | 1 |
| 53 | Be | 0 | 1 |
| 56 | Bh | 0 | 1 |
| 57 | Bi | 0 | 1 |
| 63 | Bo | 0 | 1 |
| 65 | Bq | 0 | 1 |
| 71 | Bw | 0 | 1 |
| 75 | BA | 0 | 1 |
| 83 | BI | 0 | 1 |

Continued on next page...

Continued from previous page...

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 84 | BJ | 0 | 2 |
| 90 | BP | 0 | 1 |
| 91 | BQ | 0 | 1 |
| All | All | 0 | 24 |

All (3) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|--------|-------|-------------|----------|
| 20 | At | 32 | ARG | C-N | -5.63 | 1.21 | 1.34 |
| 54 | Bf | 238 | CYS | CB-SG | -5.26 | 1.73 | 1.81 |
| 16 | Ap | 19 | VAL | CB-CG2 | -5.03 | 1.42 | 1.52 |

The worst 5 of 36 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|------------|------|-------------|----------|
| 2 | Ab | 1015 | U | C2-N1-C1' | 8.29 | 127.65 | 117.70 |
| 2 | Ab | 1149 | C | N1-C2-O2 | 7.27 | 123.26 | 118.90 |
| 2 | Ab | 624 | C | N1-C2-O2 | 7.14 | 123.18 | 118.90 |
| 2 | Ab | 359 | C | C2-N1-C1' | 7.07 | 126.58 | 118.80 |
| 2 | Ab | 1410 | G | O4'-C1'-N9 | 6.66 | 113.53 | 108.20 |

There are no chirality outliers.

5 of 24 planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|-----------|
| 3 | Ac | 124 | PHE | Mainchain |
| 15 | Ao | 211 | GLN | Peptide |
| 19 | As | 124 | ILE | Peptide |
| 20 | At | 46 | TRP | Peptide |
| 22 | Av | 170 | ARG | Peptide |

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|-----------|----------|----------|-------------|-----|
| 3 | Ac | 260/262 (99%) | 244 (94%) | 16 (6%) | 0 | 100 | 100 |
| 4 | Ad | 368/439 (84%) | 344 (94%) | 24 (6%) | 0 | 100 | 100 |
| 5 | Ae | 335/358 (94%) | 319 (95%) | 16 (5%) | 0 | 100 | 100 |
| 6 | Af | 66/68 (97%) | 63 (96%) | 3 (4%) | 0 | 100 | 100 |
| 7 | Ag | 174/179 (97%) | 165 (95%) | 9 (5%) | 0 | 100 | 100 |
| 11 | Ak | 102/105 (97%) | 96 (94%) | 6 (6%) | 0 | 100 | 100 |
| 12 | Al | 51/223 (23%) | 49 (96%) | 2 (4%) | 0 | 100 | 100 |
| 13 | Am | 156/166 (94%) | 145 (93%) | 11 (7%) | 0 | 100 | 100 |
| 14 | An | 156/158 (99%) | 150 (96%) | 6 (4%) | 0 | 100 | 100 |
| 15 | Ao | 328/391 (84%) | 309 (94%) | 19 (6%) | 0 | 100 | 100 |
| 16 | Ap | 117/119 (98%) | 109 (93%) | 8 (7%) | 0 | 100 | 100 |
| 17 | Aq | 271/305 (89%) | 251 (93%) | 20 (7%) | 0 | 100 | 100 |
| 18 | Ar | 141/143 (99%) | 126 (89%) | 15 (11%) | 0 | 100 | 100 |
| 19 | As | 234/237 (99%) | 215 (92%) | 19 (8%) | 0 | 100 | 100 |
| 20 | At | 181/242 (75%) | 170 (94%) | 10 (6%) | 1 (1%) | 25 | 62 |
| 21 | Au | 167/170 (98%) | 161 (96%) | 6 (4%) | 0 | 100 | 100 |
| 22 | Av | 204/235 (87%) | 193 (95%) | 9 (4%) | 2 (1%) | 15 | 51 |
| 23 | Aw | 340/364 (93%) | 323 (95%) | 17 (5%) | 0 | 100 | 100 |
| 24 | Ax | 130/138 (94%) | 124 (95%) | 6 (5%) | 0 | 100 | 100 |
| 25 | Ay | 188/234 (80%) | 180 (96%) | 8 (4%) | 0 | 100 | 100 |
| 26 | Az | 235/321 (73%) | 223 (95%) | 11 (5%) | 1 (0%) | 34 | 69 |
| 27 | AA | 174/237 (73%) | 162 (93%) | 12 (7%) | 0 | 100 | 100 |
| 28 | AB | 262/289 (91%) | 247 (94%) | 14 (5%) | 1 (0%) | 34 | 69 |
| 29 | AC | 282/307 (92%) | 269 (95%) | 13 (5%) | 0 | 100 | 100 |
| 31 | AE | 55/64 (86%) | 51 (93%) | 4 (7%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|----------------|-----------|---------|----------|-------------|-----|
| 32 | AF | 113/164 (69%) | 110 (97%) | 3 (3%) | 0 | 100 | 100 |
| 33 | AG | 36/93 (39%) | 35 (97%) | 1 (3%) | 0 | 100 | 100 |
| 34 | AH | 175/199 (88%) | 169 (97%) | 6 (3%) | 0 | 100 | 100 |
| 35 | AI | 120/155 (77%) | 113 (94%) | 7 (6%) | 0 | 100 | 100 |
| 36 | AJ | 176/179 (98%) | 165 (94%) | 11 (6%) | 0 | 100 | 100 |
| 37 | AK | 242/309 (78%) | 230 (95%) | 12 (5%) | 0 | 100 | 100 |
| 38 | AL | 143/145 (99%) | 136 (95%) | 7 (5%) | 0 | 100 | 100 |
| 39 | AM | 124/184 (67%) | 121 (98%) | 3 (2%) | 0 | 100 | 100 |
| 40 | AN | 94/158 (60%) | 91 (97%) | 3 (3%) | 0 | 100 | 100 |
| 41 | AO | 118/155 (76%) | 117 (99%) | 1 (1%) | 0 | 100 | 100 |
| 42 | AP | 362/386 (94%) | 351 (97%) | 11 (3%) | 0 | 100 | 100 |
| 43 | AQ | 48/109 (44%) | 41 (85%) | 7 (15%) | 0 | 100 | 100 |
| 44 | AR | 272/348 (78%) | 256 (94%) | 16 (6%) | 0 | 100 | 100 |
| 45 | AS | 724/764 (95%) | 696 (96%) | 28 (4%) | 0 | 100 | 100 |
| 46 | AT | 164/299 (55%) | 155 (94%) | 9 (6%) | 0 | 100 | 100 |
| 47 | AU | 477/499 (96%) | 454 (95%) | 23 (5%) | 0 | 100 | 100 |
| 48 | AV | 127/160 (79%) | 116 (91%) | 11 (9%) | 0 | 100 | 100 |
| 51 | Bc | 157/159 (99%) | 147 (94%) | 10 (6%) | 0 | 100 | 100 |
| 52 | Bd | 328/330 (99%) | 316 (96%) | 12 (4%) | 0 | 100 | 100 |
| 53 | Be | 403/405 (100%) | 387 (96%) | 16 (4%) | 0 | 100 | 100 |
| 54 | Bf | 335/351 (95%) | 314 (94%) | 21 (6%) | 0 | 100 | 100 |
| 55 | Bg | 134/141 (95%) | 124 (92%) | 10 (8%) | 0 | 100 | 100 |
| 56 | Bh | 254/276 (92%) | 237 (93%) | 17 (7%) | 0 | 100 | 100 |
| 57 | Bi | 620/737 (84%) | 593 (96%) | 26 (4%) | 1 (0%) | 47 | 78 |
| 58 | Bj | 150/152 (99%) | 143 (95%) | 7 (5%) | 0 | 100 | 100 |
| 59 | Bk | 224/238 (94%) | 208 (93%) | 16 (7%) | 0 | 100 | 100 |
| 60 | Bl | 127/133 (96%) | 115 (91%) | 12 (9%) | 0 | 100 | 100 |
| 61 | Bm | 218/276 (79%) | 205 (94%) | 13 (6%) | 0 | 100 | 100 |
| 62 | Bn | 99/101 (98%) | 98 (99%) | 1 (1%) | 0 | 100 | 100 |
| 63 | Bo | 177/196 (90%) | 170 (96%) | 7 (4%) | 0 | 100 | 100 |
| 64 | Bp | 410/437 (94%) | 386 (94%) | 24 (6%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|---------|----------|-------------|-----|
| 65 | Bq | 172/182 (94%) | 164 (95%) | 7 (4%) | 1 (1%) | 25 | 62 |
| 66 | Br | 521/549 (95%) | 498 (96%) | 23 (4%) | 0 | 100 | 100 |
| 67 | Bs | 85/98 (87%) | 78 (92%) | 7 (8%) | 0 | 100 | 100 |
| 68 | Bt | 100/102 (98%) | 99 (99%) | 1 (1%) | 0 | 100 | 100 |
| 69 | Bu | 400/567 (70%) | 385 (96%) | 15 (4%) | 0 | 100 | 100 |
| 70 | Bv | 461/579 (80%) | 450 (98%) | 11 (2%) | 0 | 100 | 100 |
| 71 | Bw | 656/703 (93%) | 630 (96%) | 26 (4%) | 0 | 100 | 100 |
| 72 | Bx | 526/719 (73%) | 505 (96%) | 21 (4%) | 0 | 100 | 100 |
| 73 | By | 105/132 (80%) | 104 (99%) | 1 (1%) | 0 | 100 | 100 |
| 74 | Bz | 121/147 (82%) | 111 (92%) | 10 (8%) | 0 | 100 | 100 |
| 75 | BA | 136/149 (91%) | 127 (93%) | 9 (7%) | 0 | 100 | 100 |
| 76 | BB | 108/112 (96%) | 103 (95%) | 5 (5%) | 0 | 100 | 100 |
| 78 | BD | 105/130 (81%) | 100 (95%) | 5 (5%) | 0 | 100 | 100 |
| 79 | BE | 445/464 (96%) | 418 (94%) | 27 (6%) | 0 | 100 | 100 |
| 81 | BG | 162/182 (89%) | 156 (96%) | 6 (4%) | 0 | 100 | 100 |
| 83 | BI | 1409/1451 (97%) | 1337 (95%) | 72 (5%) | 0 | 100 | 100 |
| 84 | BJ | 1513/1539 (98%) | 1438 (95%) | 75 (5%) | 0 | 100 | 100 |
| 85 | BK | 265/267 (99%) | 253 (96%) | 12 (4%) | 0 | 100 | 100 |
| 86 | BL | 179/310 (58%) | 170 (95%) | 9 (5%) | 0 | 100 | 100 |
| 87 | BM | 282/355 (79%) | 265 (94%) | 17 (6%) | 0 | 100 | 100 |
| 88 | BN | 272/283 (96%) | 257 (94%) | 15 (6%) | 0 | 100 | 100 |
| 89 | BO | 34/142 (24%) | 30 (88%) | 4 (12%) | 0 | 100 | 100 |
| 90 | BP | 58/100 (58%) | 49 (84%) | 9 (16%) | 0 | 100 | 100 |
| 91 | BQ | 618/1032 (60%) | 578 (94%) | 40 (6%) | 0 | 100 | 100 |
| 92 | BR | 141/143 (99%) | 136 (96%) | 5 (4%) | 0 | 100 | 100 |
| 93 | BS | 429/1086 (40%) | 416 (97%) | 13 (3%) | 0 | 100 | 100 |
| 94 | BT | 4/297 (1%) | 4 (100%) | 0 | 0 | 100 | 100 |
| 95 | BU | 307/439 (70%) | 298 (97%) | 9 (3%) | 0 | 100 | 100 |
| 96 | BV | 222/310 (72%) | 210 (95%) | 12 (5%) | 0 | 100 | 100 |
| 98 | BX | 127/151 (84%) | 121 (95%) | 6 (5%) | 0 | 100 | 100 |
| 99 | BY | 290/327 (89%) | 279 (96%) | 11 (4%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-------------------|-------------|-----------|----------|-------------|-----|
| All | All | 22381/27039 (83%) | 21256 (95%) | 1118 (5%) | 7 (0%) | 100 | 100 |

5 of 7 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 20 | At | 46 | TRP |
| 22 | Av | 114 | ALA |
| 26 | Az | 138 | ASP |
| 57 | Bi | 565 | VAL |
| 65 | Bq | 143 | LYS |

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|------------|----------|-------------|-----|
| 3 | Ac | 235/235 (100%) | 235 (100%) | 0 | 100 | 100 |
| 4 | Ad | 330/391 (84%) | 328 (99%) | 2 (1%) | 86 | 93 |
| 5 | Ae | 306/326 (94%) | 306 (100%) | 0 | 100 | 100 |
| 6 | Af | 68/68 (100%) | 68 (100%) | 0 | 100 | 100 |
| 7 | Ag | 170/172 (99%) | 170 (100%) | 0 | 100 | 100 |
| 11 | Ak | 93/93 (100%) | 93 (100%) | 0 | 100 | 100 |
| 12 | Al | 46/203 (23%) | 46 (100%) | 0 | 100 | 100 |
| 13 | Am | 156/156 (100%) | 156 (100%) | 0 | 100 | 100 |
| 14 | An | 138/138 (100%) | 138 (100%) | 0 | 100 | 100 |
| 15 | Ao | 309/345 (90%) | 309 (100%) | 0 | 100 | 100 |
| 16 | Ap | 110/110 (100%) | 110 (100%) | 0 | 100 | 100 |
| 17 | Aq | 239/269 (89%) | 239 (100%) | 0 | 100 | 100 |
| 18 | Ar | 135/135 (100%) | 135 (100%) | 0 | 100 | 100 |
| 19 | As | 208/209 (100%) | 208 (100%) | 0 | 100 | 100 |
| 20 | At | 168/224 (75%) | 168 (100%) | 0 | 100 | 100 |
| 21 | Au | 150/151 (99%) | 150 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|------------|----------|-------------|-----|
| 22 | Av | 187/211 (89%) | 187 (100%) | 0 | 100 | 100 |
| 23 | Aw | 309/331 (93%) | 309 (100%) | 0 | 100 | 100 |
| 24 | Ax | 125/130 (96%) | 125 (100%) | 0 | 100 | 100 |
| 25 | Ay | 168/208 (81%) | 168 (100%) | 0 | 100 | 100 |
| 26 | Az | 218/295 (74%) | 218 (100%) | 0 | 100 | 100 |
| 27 | AA | 157/212 (74%) | 157 (100%) | 0 | 100 | 100 |
| 28 | AB | 255/278 (92%) | 255 (100%) | 0 | 100 | 100 |
| 29 | AC | 256/277 (92%) | 256 (100%) | 0 | 100 | 100 |
| 31 | AE | 49/55 (89%) | 49 (100%) | 0 | 100 | 100 |
| 32 | AF | 103/150 (69%) | 103 (100%) | 0 | 100 | 100 |
| 33 | AG | 35/89 (39%) | 35 (100%) | 0 | 100 | 100 |
| 34 | AH | 164/184 (89%) | 164 (100%) | 0 | 100 | 100 |
| 35 | AI | 115/144 (80%) | 115 (100%) | 0 | 100 | 100 |
| 36 | AJ | 164/165 (99%) | 164 (100%) | 0 | 100 | 100 |
| 37 | AK | 226/286 (79%) | 226 (100%) | 0 | 100 | 100 |
| 38 | AL | 132/132 (100%) | 132 (100%) | 0 | 100 | 100 |
| 39 | AM | 113/170 (66%) | 113 (100%) | 0 | 100 | 100 |
| 40 | AN | 91/139 (66%) | 91 (100%) | 0 | 100 | 100 |
| 41 | AO | 109/138 (79%) | 109 (100%) | 0 | 100 | 100 |
| 42 | AP | 339/359 (94%) | 339 (100%) | 0 | 100 | 100 |
| 43 | AQ | 45/98 (46%) | 45 (100%) | 0 | 100 | 100 |
| 44 | AR | 258/324 (80%) | 258 (100%) | 0 | 100 | 100 |
| 45 | AS | 657/691 (95%) | 657 (100%) | 0 | 100 | 100 |
| 46 | AT | 151/273 (55%) | 151 (100%) | 0 | 100 | 100 |
| 47 | AU | 443/461 (96%) | 442 (100%) | 1 (0%) | 93 | 97 |
| 48 | AV | 119/149 (80%) | 119 (100%) | 0 | 100 | 100 |
| 51 | Bc | 158/158 (100%) | 158 (100%) | 0 | 100 | 100 |
| 52 | Bd | 319/319 (100%) | 319 (100%) | 0 | 100 | 100 |
| 53 | Be | 396/396 (100%) | 396 (100%) | 0 | 100 | 100 |
| 54 | Bf | 304/317 (96%) | 303 (100%) | 1 (0%) | 92 | 96 |
| 55 | Bg | 117/122 (96%) | 117 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-----------------|-------------|----------|-------------|-----|
| 56 | Bh | 249/269 (93%) | 249 (100%) | 0 | 100 | 100 |
| 57 | Bi | 582/683 (85%) | 582 (100%) | 0 | 100 | 100 |
| 58 | Bj | 148/148 (100%) | 148 (100%) | 0 | 100 | 100 |
| 59 | Bk | 216/228 (95%) | 216 (100%) | 0 | 100 | 100 |
| 60 | Bl | 113/116 (97%) | 113 (100%) | 0 | 100 | 100 |
| 61 | Bm | 209/258 (81%) | 208 (100%) | 1 (0%) | 88 | 94 |
| 62 | Bn | 94/94 (100%) | 94 (100%) | 0 | 100 | 100 |
| 63 | Bo | 161/177 (91%) | 161 (100%) | 0 | 100 | 100 |
| 64 | Bp | 382/406 (94%) | 382 (100%) | 0 | 100 | 100 |
| 65 | Bq | 161/167 (96%) | 161 (100%) | 0 | 100 | 100 |
| 66 | Br | 481/506 (95%) | 481 (100%) | 0 | 100 | 100 |
| 67 | Bs | 82/93 (88%) | 82 (100%) | 0 | 100 | 100 |
| 68 | Bt | 93/93 (100%) | 93 (100%) | 0 | 100 | 100 |
| 69 | Bu | 378/386 (98%) | 378 (100%) | 0 | 100 | 100 |
| 70 | Bv | 433/540 (80%) | 433 (100%) | 0 | 100 | 100 |
| 71 | Bw | 609/647 (94%) | 608 (100%) | 1 (0%) | 93 | 97 |
| 72 | Bx | 491/660 (74%) | 491 (100%) | 0 | 100 | 100 |
| 73 | By | 96/116 (83%) | 96 (100%) | 0 | 100 | 100 |
| 74 | Bz | 107/126 (85%) | 106 (99%) | 1 (1%) | 78 | 88 |
| 75 | BA | 130/141 (92%) | 130 (100%) | 0 | 100 | 100 |
| 76 | BB | 101/102 (99%) | 101 (100%) | 0 | 100 | 100 |
| 78 | BD | 98/120 (82%) | 98 (100%) | 0 | 100 | 100 |
| 79 | BE | 404/420 (96%) | 403 (100%) | 1 (0%) | 93 | 97 |
| 81 | BG | 153/171 (90%) | 152 (99%) | 1 (1%) | 84 | 91 |
| 83 | BI | 1306/1335 (98%) | 1306 (100%) | 0 | 100 | 100 |
| 84 | BJ | 1405/1426 (98%) | 1405 (100%) | 0 | 100 | 100 |
| 85 | BK | 235/235 (100%) | 235 (100%) | 0 | 100 | 100 |
| 86 | BL | 168/291 (58%) | 168 (100%) | 0 | 100 | 100 |
| 87 | BM | 256/322 (80%) | 256 (100%) | 0 | 100 | 100 |
| 88 | BN | 249/256 (97%) | 249 (100%) | 0 | 100 | 100 |
| 89 | BO | 35/35 (100%) | 35 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-------------------|--------------|----------|-------------|-----|
| 90 | BP | 57/57 (100%) | 57 (100%) | 0 | 100 | 100 |
| 91 | BQ | 582/958 (61%) | 582 (100%) | 0 | 100 | 100 |
| 92 | BR | 133/133 (100%) | 132 (99%) | 1 (1%) | 81 | 89 |
| 93 | BS | 399/1002 (40%) | 399 (100%) | 0 | 100 | 100 |
| 95 | BU | 285/403 (71%) | 285 (100%) | 0 | 100 | 100 |
| 96 | BV | 197/197 (100%) | 197 (100%) | 0 | 100 | 100 |
| 98 | BX | 126/142 (89%) | 126 (100%) | 0 | 100 | 100 |
| 99 | BY | 280/280 (100%) | 279 (100%) | 1 (0%) | 91 | 95 |
| All | All | 20827/24225 (86%) | 20816 (100%) | 11 (0%) | 93 | 98 |

5 of 11 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 79 | BE | 421 | ARG |
| 81 | BG | 24 | ARG |
| 99 | BY | 229 | ASN |
| 92 | BR | 96 | ARG |
| 61 | Bm | 184 | ASN |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 65 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 88 | BN | 168 | ASN |
| 91 | BQ | 433 | ASN |
| 53 | Be | 210 | ASN |
| 52 | Bd | 167 | ASN |
| 92 | BR | 50 | GLN |

5.3.3 RNA [i](#)

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 1 | Aa | 277/278 (99%) | 64 (23%) | 0 |
| 2 | Ab | 2234/2314 (96%) | 447 (20%) | 0 |
| 49 | Ba | 195/196 (99%) | 43 (22%) | 0 |
| 50 | Bb | 1384/1395 (99%) | 256 (18%) | 0 |
| All | All | 4090/4183 (97%) | 810 (19%) | 0 |

5 of 810 RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | Aa | 6 | U |
| 1 | Aa | 7 | G |
| 1 | Aa | 13 | A |
| 1 | Aa | 35 | A |
| 1 | Aa | 47 | U |

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 398 ligands modelled in this entry, 395 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|-------------|-------------|------|-------------|
| | | | | | Counts | RMSZ | $\# Z > 2$ | Counts | RMSZ | $\# Z > 2$ |
| 102 | FES | AV | 202 | 48 | 0,4,4 | - | - | - | | |
| 103 | ATP | Bw | 801 | 100 | 26,33,33 | 0.98 | 2 (7%) | 31,52,52 | 1.72 | 7 (22%) |
| 102 | FES | AV | 201 | 48 | 0,4,4 | - | - | - | | |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|------------|---------|
| 102 | FES | AV | 202 | 48 | - | - | 0/1/1/1 |
| 102 | FES | AV | 201 | 48 | - | - | 0/1/1/1 |
| 103 | ATP | Bw | 801 | 100 | - | 5/18/38/38 | 0/3/3/3 |

All (2) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|---------|------|-------------|----------|
| 103 | Bw | 801 | ATP | C5-C4 | 2.15 | 1.46 | 1.40 |
| 103 | Bw | 801 | ATP | O4'-C1' | 2.14 | 1.44 | 1.41 |

The worst 5 of 7 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-------------|-------|-------------|----------|
| 103 | Bw | 801 | ATP | N3-C2-N1 | -3.68 | 122.93 | 128.68 |
| 103 | Bw | 801 | ATP | PB-O3B-PG | -3.55 | 120.65 | 132.83 |
| 103 | Bw | 801 | ATP | C4-C5-N7 | -3.04 | 106.23 | 109.40 |
| 103 | Bw | 801 | ATP | PA-O3A-PB | -2.72 | 123.49 | 132.83 |
| 103 | Bw | 801 | ATP | O4'-C1'-C2' | -2.63 | 103.08 | 106.93 |

There are no chirality outliers.

All (5) torsion outliers are listed below:


| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-----------------|
| 103 | Bw | 801 | ATP | O4'-C4'-C5'-O5' |
| 103 | Bw | 801 | ATP | C3'-C4'-C5'-O5' |
| 103 | Bw | 801 | ATP | PG-O3B-PB-O1B |
| 103 | Bw | 801 | ATP | PB-O3A-PA-O2A |
| 103 | Bw | 801 | ATP | PG-O3B-PB-O2B |

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

The following chains have linkage breaks:

| Mol | Chain | Number of breaks |
|-----|-------|------------------|
| 97 | BW | 18 |
| 89 | BO | 8 |
| 99 | BY | 4 |
| 96 | BV | 4 |
| 69 | Bu | 2 |
| 10 | Aj | 1 |
| 8 | Ah | 1 |
| 94 | BT | 1 |

The worst 5 of 39 chain breaks are listed below:

| Model | Chain | Residue-1 | Atom-1 | Residue-2 | Atom-2 | Distance (Å) |
|-------|-------|-----------|--------|-----------|--------|--------------|
| 1 | BO | 142:CYS | C | 147:UNK | N | 25.16 |
| 1 | BW | 47:UNK | C | 49:UNK | N | 20.28 |
| 1 | Bu | 448:UNK | C | 457:GLU | N | 19.30 |
| 1 | BW | 201:UNK | C | 202:UNK | N | 19.15 |
| 1 | BW | 83:UNK | C | 84:UNK | N | 18.63 |


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11032. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 275




Y Index: 275




Z Index: 275


6.2.2 Raw map



X Index: 275



Y Index: 275




Z Index: 275


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 325




Y Index: 255




Z Index: 275


6.3.2 Raw map



X Index: 325



Y Index: 255




Z Index: 285

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.03. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_11032_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1885 nm³; this corresponds to an approximate mass of 1703 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹

8.2 Resolution estimates [i](#)


| Resolution estimate (Å) | Estimation criterion (FSC cut-off) | | |
|---------------------------|------------------------------------|------|----------|
| | 0.143 | 0.5 | Half-bit |
| Reported by author | 3.70 | - | - |
| Author-provided FSC curve | - | - | - |
| Unmasked-calculated* | 4.60 | 7.62 | 4.79 |

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.60 differs from the reported value 3.7 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11032 and PDB model 6Z1P. Per-residue inclusion information can be found in section [3](#) on page [25](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.03 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.03).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 69% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.03) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| All |  0.7010 |  0.3830 |
| AA |  0.7606 |  0.4440 |
| AB |  0.7120 |  0.4090 |
| AC |  0.6715 |  0.3650 |
| AD |  0.9000 |  0.5190 |
| AE |  0.6906 |  0.4150 |
| AF |  0.7748 |  0.4570 |
| AG |  0.7702 |  0.4630 |
| AH |  0.5038 |  0.2540 |
| AI |  0.6988 |  0.3960 |
| AJ |  0.7348 |  0.4430 |
| AK |  0.3641 |  0.1780 |
| AL |  0.7863 |  0.4570 |
| AM |  0.6827 |  0.3790 |
| AN |  0.6474 |  0.3750 |
| AO |  0.7150 |  0.3930 |
| AP |  0.7073 |  0.3860 |
| AQ |  0.7822 |  0.4570 |
| AR |  0.5124 |  0.2630 |
| AS |  0.5915 |  0.3190 |
| AT |  0.5240 |  0.2980 |
| AU |  0.6745 |  0.3660 |
| AV |  0.7623 |  0.4500 |
| Aa |  0.8761 |  0.4320 |
| Ab |  0.8931 |  0.4460 |
| Ac |  0.7561 |  0.4580 |
| Ad |  0.7238 |  0.4340 |
| Ae |  0.7371 |  0.4290 |
| Af |  0.5025 |  0.2960 |
| Ag |  0.7409 |  0.4160 |
| Ah |  0.3774 |  0.2760 |
| Ai |  0.5967 |  0.2870 |
| Aj |  0.3768 |  0.2440 |
| Ak |  0.4289 |  0.2720 |
| Al |  0.6995 |  0.3830 |

















































Continued on next page...

Continued from previous page...

| Chain | Atom inclusion | Q-score |
|-------|----------------|---------|
| Am | 0.5014 | 0.3110 |
| An | 0.6150 | 0.3510 |
| Ao | 0.7227 | 0.4260 |
| Ap | 0.7455 | 0.4650 |
| Aq | 0.7382 | 0.4290 |
| Ar | 0.7467 | 0.4510 |
| As | 0.6911 | 0.3850 |
| At | 0.7580 | 0.4460 |
| Au | 0.7380 | 0.4330 |
| Av | 0.7536 | 0.4390 |
| Aw | 0.7332 | 0.4300 |
| Ax | 0.6957 | 0.4060 |
| Ay | 0.7381 | 0.4240 |
| Az | 0.6721 | 0.3820 |
| BA | 0.5616 | 0.3540 |
| BB | 0.6231 | 0.3650 |
| BC | 0.8865 | 0.4930 |
| BD | 0.6725 | 0.3790 |
| BE | 0.6721 | 0.4120 |
| BF | 0.7826 | 0.4430 |
| BG | 0.5394 | 0.3170 |
| BH | 0.7143 | 0.3560 |
| BI | 0.6642 | 0.3950 |
| BJ | 0.6599 | 0.3690 |
| BK | 0.7417 | 0.4310 |
| BL | 0.6967 | 0.4100 |
| BM | 0.3524 | 0.2350 |
| BN | 0.7116 | 0.3860 |
| BO | 0.3006 | 0.2350 |
| BP | 0.5723 | 0.2930 |
| BQ | 0.5206 | 0.2920 |
| BR | 0.5924 | 0.3300 |
| BS | 0.3966 | 0.2270 |
| BT | 0.6088 | 0.3160 |
| BU | 0.4715 | 0.2790 |
| BV | 0.5002 | 0.2710 |
| BW | 0.2189 | 0.2080 |
| BX | 0.5665 | 0.3580 |
| BY | 0.5390 | 0.2720 |
| Ba | 0.8742 | 0.4210 |
| Bb | 0.8428 | 0.4080 |
| Bc | 0.6981 | 0.4420 |

Continued on next page...

Continued from previous page...

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| Bd |  0.5334 |  0.3400 |
| Be |  0.6934 |  0.4220 |
| Bf |  0.7072 |  0.4390 |
| Bg |  0.6853 |  0.4030 |
| Bh |  0.4651 |  0.3010 |
| Bi |  0.6010 |  0.3720 |
| Bj |  0.6396 |  0.3880 |
| Bk |  0.5932 |  0.3520 |
| Bl |  0.7120 |  0.4240 |
| Bm |  0.3903 |  0.2720 |
| Bn |  0.6311 |  0.3780 |
| Bo |  0.7266 |  0.4180 |
| Bp |  0.6986 |  0.4030 |
| Bq |  0.5595 |  0.3700 |
| Br |  0.6388 |  0.3620 |
| Bs |  0.5134 |  0.3060 |
| Bt |  0.6913 |  0.4000 |
| Bu |  0.6137 |  0.3590 |
| Bv |  0.5986 |  0.3290 |
| Bw |  0.5103 |  0.3060 |
| Bx |  0.4969 |  0.3070 |
| By |  0.5482 |  0.3250 |
| Bz |  0.6656 |  0.3690 |