



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 27, 2023 – 12:29 pm GMT

PDB ID : 7Z1I
Title : Plant myrosinase TGG1 from Arabidopsis thaliana
Authors : Gao, Y.; Farmer, E.; Jimenez-Sandoval, P.; Santiago, J.
Deposited on : 2022-02-24
Resolution : 3.09 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.32.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.32.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	536	 2% 75% 17% 8%
1	B	536	 9% 74% 18% 8%
1	C	536	 16% 82% 10% 8%
1	D	536	 10% 78% 13% 8%
2	E	2	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	F	2	-	-	-	X
3	NAG	B	603	-	-	-	X
3	NAG	C	602	-	-	-	X
3	NAG	C	603	-	-	-	X
3	NAG	C	605	-	-	-	X
3	NAG	D	604	-	-	-	X

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 15094 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Myrosinase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	493	3850	2467	638	728	17	0	0	0
1	B	493	3845	2464	637	727	17	0	0	0
1	C	493	3601	2281	600	705	15	0	0	0
1	D	492	3390	2107	584	688	11	0	0	0

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	16	ALA	-	expression tag	UNP P37702
A	17	THR	-	expression tag	UNP P37702
A	18	MET	-	expression tag	UNP P37702
A	542	LEU	-	expression tag	UNP P37702
A	543	GLU	-	expression tag	UNP P37702
A	544	GLY	-	expression tag	UNP P37702
A	545	SER	-	expression tag	UNP P37702
A	546	GLU	-	expression tag	UNP P37702
A	547	ASN	-	expression tag	UNP P37702
A	548	LEU	-	expression tag	UNP P37702
A	549	TYR	-	expression tag	UNP P37702
A	550	PHE	-	expression tag	UNP P37702
A	551	GLN	-	expression tag	UNP P37702
B	16	ALA	-	expression tag	UNP P37702
B	17	THR	-	expression tag	UNP P37702
B	18	MET	-	expression tag	UNP P37702
B	542	LEU	-	expression tag	UNP P37702
B	543	GLU	-	expression tag	UNP P37702
B	544	GLY	-	expression tag	UNP P37702
B	545	SER	-	expression tag	UNP P37702
B	546	GLU	-	expression tag	UNP P37702

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	547	ASN	-	expression tag	UNP P37702
B	548	LEU	-	expression tag	UNP P37702
B	549	TYR	-	expression tag	UNP P37702
B	550	PHE	-	expression tag	UNP P37702
B	551	GLN	-	expression tag	UNP P37702
C	16	ALA	-	expression tag	UNP P37702
C	17	THR	-	expression tag	UNP P37702
C	18	MET	-	expression tag	UNP P37702
C	542	LEU	-	expression tag	UNP P37702
C	543	GLU	-	expression tag	UNP P37702
C	544	GLY	-	expression tag	UNP P37702
C	545	SER	-	expression tag	UNP P37702
C	546	GLU	-	expression tag	UNP P37702
C	547	ASN	-	expression tag	UNP P37702
C	548	LEU	-	expression tag	UNP P37702
C	549	TYR	-	expression tag	UNP P37702
C	550	PHE	-	expression tag	UNP P37702
C	551	GLN	-	expression tag	UNP P37702
D	16	ALA	-	expression tag	UNP P37702
D	17	THR	-	expression tag	UNP P37702
D	18	MET	-	expression tag	UNP P37702
D	542	LEU	-	expression tag	UNP P37702
D	543	GLU	-	expression tag	UNP P37702
D	544	GLY	-	expression tag	UNP P37702
D	545	SER	-	expression tag	UNP P37702
D	546	GLU	-	expression tag	UNP P37702
D	547	ASN	-	expression tag	UNP P37702
D	548	LEU	-	expression tag	UNP P37702
D	549	TYR	-	expression tag	UNP P37702
D	550	PHE	-	expression tag	UNP P37702
D	551	GLN	-	expression tag	UNP P37702

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
			Total	C	N				O
2	E	2	28	16	2	10	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	F	2	28	16	2	10	0	0	0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	14	8	1	5	0	0
3	A	1	14	8	1	5	0	0
3	A	1	14	8	1	5	0	0
3	A	1	14	8	1	5	0	0
3	A	1	14	8	1	5	0	0
3	A	1	14	8	1	5	0	0
3	A	1	14	8	1	5	0	0
3	B	1	14	8	1	5	0	0
3	B	1	14	8	1	5	0	0
3	B	1	14	8	1	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Ca	0	0
			1	1		
4	D	1	Total	Ca	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Myrosinase 1




- Molecule 1: Myrosinase 1



- Molecule 1: Myrosinase 1



- Molecule 1: Myrosinase 1



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



PAGE
PAGE

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	70.99Å 88.99Å 120.98Å 108.79° 92.87° 102.97°	Depositor
Resolution (Å)	55.52 – 3.09 56.81 – 3.09	Depositor EDS
% Data completeness (in resolution range)	98.0 (55.52-3.09) 84.2 (56.81-3.09)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	0.14	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.95 (at 3.07Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.317 , 0.341 0.316 , 0.340	Depositor DCC
R_{free} test set	2398 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	60.6	Xtrriage
Anisotropy	0.431	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 98.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	15094	wwPDB-VP
Average B, all atoms (Å ²)	130.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/3963	0.46	0/5398
1	B	0.24	0/3957	0.45	0/5391
1	C	0.24	0/3702	0.43	0/5073
1	D	0.24	0/3473	0.43	0/4778
All	All	0.24	0/15095	0.44	0/20640

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3850	0	3542	52	0
1	B	3845	0	3545	59	0
1	C	3601	0	3073	31	0
1	D	3390	0	2712	43	0
2	E	28	0	25	0	0
2	F	28	0	25	0	0
3	A	98	0	91	1	0
3	B	112	0	104	1	0
3	C	70	0	65	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	70	0	65	2	0
4	A	1	0	0	0	0
4	D	1	0	0	0	0
All	All	15094	0	13247	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:274:VAL:HG22	1:C:344:GLY:HA3	1.68	0.75
1:A:66:LEU:HD13	1:B:66:LEU:HD13	1.68	0.74
1:A:170:TYR:HB2	1:A:175:ASN:HD22	1.53	0.72
1:B:389:PHE:HD2	1:B:390:ASN:HD22	1.40	0.69
1:B:500:LEU:HD22	1:B:504:GLY:HA3	1.72	0.69
1:B:99:LYS:NZ	1:B:496:GLY:O	2.27	0.68
1:D:283:PHE:HA	1:D:379:ASN:HB2	1.76	0.68
1:A:51:VAL:HG21	1:A:470:LEU:HD13	1.79	0.64
1:A:295:ARG:NH2	1:A:355:ASN:OD1	2.30	0.64
1:B:77:PRO:HB2	1:B:84:LEU:HD22	1.81	0.63
1:D:67:ASN:HD22	1:D:161:ASP:HB2	1.65	0.62
1:B:91:CYS:O	1:B:498:ARG:NH2	2.34	0.61
1:A:487:SER:HB3	1:A:500:LEU:HD23	1.81	0.60
1:B:51:VAL:HG21	1:B:470:LEU:HD13	1.84	0.60
1:B:257:ASP:HB2	1:B:335:LEU:HD11	1.83	0.60
1:C:404:MET:HB3	1:C:460:VAL:HG11	1.81	0.60
1:A:346:ASN:OD1	1:A:419:THR:OG1	2.16	0.59
1:B:404:MET:HB3	1:B:460:VAL:HG11	1.84	0.59
1:B:253:ALA:HB1	1:B:335:LEU:HG	1.85	0.59
1:A:146:LEU:HB3	1:A:151:MET:HB2	1.84	0.58
1:B:380:ALA:HB3	3:B:603:NAG:H82	1.85	0.58
1:A:418:VAL:HB	1:A:465:TYR:HA	1.84	0.58
1:A:225:SER:HB2	1:A:228:ILE:HG12	1.85	0.58
1:A:357:GLN:HG3	1:A:372:ARG:HD3	1.86	0.57
1:B:187:ASP:OD1	1:B:263:TYR:OH	2.18	0.57
1:D:388:PRO:HA	1:D:394:TYR:HA	1.87	0.57
1:D:51:VAL:HG21	1:D:470:LEU:HD13	1.87	0.56
1:D:90:THR:OG1	1:D:91:CYS:N	2.39	0.56
1:A:154:PHE:HA	1:A:199:ASN:HB2	1.87	0.56
1:B:173:PHE:HA	1:B:178:ILE:HG21	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:274:VAL:HG22	1:B:344:GLY:HA3	1.87	0.55
1:C:408:LYS:HA	1:C:413:ASP:HA	1.89	0.55
1:D:156:THR:HA	1:D:201:ILE:HB	1.88	0.55
1:B:361:PRO:HG2	1:B:364:VAL:HG22	1.88	0.55
3:D:601:NAG:H83	3:D:601:NAG:H3	1.88	0.55
1:C:208:THR:HG23	1:C:212:ARG:HD3	1.89	0.54
1:C:418:VAL:HB	1:C:465:TYR:HA	1.89	0.54
1:B:421:ASN:HD22	1:B:465:TYR:HE2	1.55	0.54
1:B:225:SER:HB2	1:B:228:ILE:HG12	1.90	0.54
1:C:346:ASN:OD1	1:C:419:THR:OG1	2.23	0.54
1:A:364:VAL:O	1:A:364:VAL:HG12	2.07	0.53
1:A:497:ASP:OD1	3:A:606:NAG:O6	2.26	0.53
1:C:293:THR:HG22	1:C:297:LYS:HE3	1.90	0.53
1:A:245:ALA:HB1	1:A:304:PHE:HE1	1.73	0.53
1:B:379:ASN:OD1	1:B:382:GLY:N	2.42	0.53
1:D:236:ASN:HB3	1:D:240:GLU:HG3	1.89	0.53
1:B:325:LEU:HD12	1:B:326:PRO:HD2	1.91	0.53
1:D:113:ARG:HA	1:D:154:PHE:HB2	1.90	0.53
1:C:53:SER:HG	1:C:112:TYR:HH	1.54	0.53
1:C:435:THR:HA	1:C:501:LYS:HG2	1.91	0.52
1:A:111:GLY:HA2	1:A:152:THR:H	1.75	0.52
1:B:497:ASP:N	1:B:497:ASP:OD1	2.42	0.52
1:D:469:SER:H	1:D:485:GLY:HA2	1.75	0.52
1:C:221:PRO:HG2	1:C:223:ARG:HG3	1.92	0.52
1:A:274:VAL:HG22	1:A:344:GLY:HA3	1.90	0.52
1:B:379:ASN:OD1	1:B:383:HIS:N	2.38	0.52
1:B:72:PHE:CZ	1:B:79:LYS:HD3	2.45	0.52
1:C:325:LEU:HD12	1:C:326:PRO:HD2	1.91	0.51
1:B:90:THR:OG1	1:B:91:CYS:N	2.43	0.51
1:B:451:LEU:HD11	1:B:462:VAL:HG11	1.92	0.51
1:A:77:PRO:HB2	1:A:84:LEU:HD22	1.93	0.51
1:A:91:CYS:O	1:A:498:ARG:NH2	2.43	0.51
1:D:321:VAL:HG12	1:D:324:ARG:HB2	1.93	0.51
1:D:389:PHE:H	1:D:394:TYR:HA	1.76	0.51
1:A:170:TYR:O	1:A:175:ASN:HB2	2.10	0.51
1:B:390:ASN:HD21	1:B:393:SER:HB3	1.75	0.51
1:A:90:THR:OG1	1:A:91:CYS:N	2.43	0.50
1:A:214:TYR:CE2	1:A:223:ARG:HD3	2.47	0.50
1:A:408:LYS:HA	1:A:414:PRO:HB3	1.93	0.49
1:A:325:LEU:HD12	1:A:326:PRO:HD2	1.93	0.49
1:A:70:ASP:O	1:A:74:HIS:ND1	2.35	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:354:GLN:N	1:D:374:THR:O	2.46	0.49
1:A:451:LEU:HD11	1:A:462:VAL:HG11	1.95	0.49
1:C:225:SER:HB2	1:C:228:ILE:HG12	1.94	0.49
1:A:64:ARG:NH1	1:A:65:GLY:O	2.42	0.49
1:B:118:TRP:HE1	1:B:122:LEU:HD12	1.78	0.49
1:D:54:SER:HB2	1:D:57:GLN:HG3	1.95	0.48
1:A:416:ILE:HB	1:A:462:VAL:HG22	1.95	0.48
1:B:418:VAL:HB	1:B:465:TYR:HA	1.95	0.48
1:D:54:SER:O	1:D:58:VAL:HG22	2.13	0.48
1:A:156:THR:HA	1:A:201:ILE:HB	1.95	0.48
1:B:352:TYR:HE1	1:B:385:PRO:HD3	1.76	0.48
1:D:221:PRO:HG2	1:D:223:ARG:HG3	1.95	0.48
1:D:343:LEU:HD12	1:D:414:PRO:HG3	1.94	0.48
1:A:396:TYR:CZ	1:A:398:LYS:HB3	2.49	0.48
1:D:162:LEU:HD11	1:D:178:ILE:HD11	1.94	0.48
1:D:160:TRP:HZ2	1:D:205:GLN:HB2	1.78	0.48
1:C:67:ASN:HD22	1:C:161:ASP:HB2	1.79	0.47
1:B:73:THR:HG21	1:B:86:ASN:HB3	1.96	0.47
1:B:207:TYR:CZ	1:B:211:THR:HG21	2.48	0.47
1:D:109:SER:OG	1:D:111:GLY:O	2.31	0.47
1:D:158:PHE:HD2	1:D:203:ILE:HG23	1.79	0.47
1:D:225:SER:HB2	1:D:228:ILE:HG12	1.95	0.47
1:D:381:THR:HG21	3:D:604:NAG:H4	1.97	0.47
1:D:183:LYS:HG3	1:D:258:VAL:HG21	1.97	0.47
1:B:273:PRO:HD2	1:B:340:TYR:HB2	1.97	0.47
1:D:207:TYR:HD1	1:D:304:PHE:HE1	1.63	0.47
1:B:355:ASN:OD1	1:B:357:GLN:NE2	2.41	0.47
1:A:113:ARG:HA	1:A:154:PHE:O	2.15	0.46
1:C:497:ASP:N	1:C:497:ASP:OD1	2.48	0.46
1:D:158:PHE:HB3	1:D:203:ILE:HG12	1.96	0.46
1:D:179:VAL:HG13	1:D:251:ALA:HA	1.98	0.46
1:D:368:LEU:HD12	1:D:368:LEU:H	1.81	0.46
1:C:429:GLU:OE2	1:C:439:LYS:NZ	2.47	0.46
1:D:474:TYR:CE2	1:D:479:GLY:HA2	2.51	0.46
1:A:143:ILE:HD13	1:A:193:PHE:HB3	1.97	0.46
1:A:207:TYR:CZ	1:A:211:THR:HG21	2.51	0.46
1:A:401:TYR:HB2	1:A:450:PHE:HB3	1.97	0.46
1:A:468:TRP:HA	1:A:469:SER:HA	1.55	0.46
1:C:173:PHE:HA	1:C:178:ILE:HG21	1.98	0.46
1:B:54:SER:O	1:B:58:VAL:HG22	2.16	0.45
1:C:70:ASP:O	1:C:74:HIS:ND1	2.39	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:32:CYS:HB2	1:B:445:CYS:HB2	1.59	0.45
1:B:390:ASN:ND2	1:B:393:SER:HB3	2.31	0.45
1:B:158:PHE:HD2	1:B:203:ILE:HG23	1.81	0.45
1:C:204:ASN:OD1	1:C:205:GLN:HG3	2.16	0.45
1:A:54:SER:O	1:A:58:VAL:HG22	2.17	0.45
1:B:225:SER:OG	1:B:236:ASN:O	2.35	0.45
1:D:365:HIS:CE1	1:D:369:MET:HB2	2.52	0.45
1:D:387:PRO:HB2	1:D:395:TYR:CE2	2.52	0.45
1:A:210:PRO:HG2	1:A:245:ALA:HB2	1.99	0.44
1:B:441:ILE:HG12	1:B:503:SER:HA	1.98	0.44
1:C:179:VAL:HG13	1:C:251:ALA:HA	1.99	0.44
1:C:460:VAL:HG12	1:C:462:VAL:HG23	2.00	0.44
1:D:64:ARG:NH1	1:D:119:SER:OG	2.46	0.44
1:A:173:PHE:HA	1:A:178:ILE:HG21	2.00	0.44
1:A:217:GLY:HA3	1:A:224:CYS:HB3	1.98	0.44
1:C:335:LEU:O	1:C:339:SER:HB3	2.16	0.44
1:B:460:VAL:HG12	1:B:462:VAL:HG23	2.00	0.44
1:D:387:PRO:HB2	1:D:395:TYR:CZ	2.52	0.44
1:A:354:GLN:HG2	1:A:374:THR:HB	2.00	0.44
1:B:346:ASN:OD1	1:B:419:THR:OG1	2.30	0.44
1:C:64:ARG:HD3	1:C:120:ARG:NH2	2.33	0.44
1:D:157:LEU:HD12	1:D:202:THR:HA	2.00	0.43
1:B:217:GLY:HA3	1:B:224:CYS:HB3	2.00	0.43
1:B:487:SER:HB3	1:B:500:LEU:HD23	2.00	0.43
1:A:118:TRP:HE1	1:A:122:LEU:HD12	1.84	0.43
1:A:256:VAL:HA	1:A:271:ILE:HD13	2.00	0.43
1:A:112:TYR:CE2	1:A:114:PHE:HB3	2.53	0.43
1:D:173:PHE:HA	1:D:178:ILE:HG21	1.99	0.43
1:D:246:HIS:ND1	1:D:326:PRO:HB2	2.33	0.43
1:D:321:VAL:HA	1:D:324:ARG:HH21	1.82	0.43
1:A:283:PHE:O	1:A:379:ASN:HB2	2.19	0.43
1:B:214:TYR:CE2	1:B:223:ARG:HD3	2.53	0.43
1:B:113:ARG:HA	1:B:154:PHE:O	2.18	0.43
1:D:32:CYS:HB2	1:D:445:CYS:HB2	1.40	0.43
1:B:195:ASP:OD1	1:B:195:ASP:N	2.51	0.42
1:D:214:TYR:CE1	1:D:223:ARG:HD3	2.54	0.42
1:A:441:ILE:HG12	1:A:503:SER:HA	2.01	0.42
1:B:55:ALA:H	1:B:115:SER:HB3	1.83	0.42
1:C:158:PHE:HB3	1:C:203:ILE:HG12	2.02	0.42
1:C:420:GLU:HG2	1:C:468:TRP:CE3	2.54	0.42
1:A:418:VAL:O	1:A:466:PHE:N	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96:LEU:HB3	1:B:99:LYS:HD3	2.02	0.42
1:B:437:ASP:O	1:B:441:ILE:HG13	2.20	0.42
1:C:455:ILE:HD11	1:C:462:VAL:HB	2.02	0.42
1:B:174:LEU:HD12	1:B:174:LEU:HA	1.91	0.42
1:B:203:ILE:HB	1:B:206:LEU:CD2	2.50	0.42
1:A:423:PHE:O	1:A:440:ARG:NH2	2.52	0.42
1:B:70:ASP:O	1:B:74:HIS:ND1	2.43	0.42
1:C:471:GLY:C	1:C:485:GLY:HA3	2.41	0.42
1:A:227:LYS:CB	1:A:364:VAL:HG22	2.50	0.41
1:C:468:TRP:HA	1:C:469:SER:HA	1.59	0.41
1:C:274:VAL:HG13	1:C:344:GLY:O	2.20	0.41
1:D:205:GLN:HB3	1:D:208:THR:OG1	2.21	0.41
1:B:162:LEU:HD12	1:B:163:PRO:HD2	2.02	0.41
1:A:404:MET:SD	1:A:416:ILE:HG21	2.61	0.41
1:B:179:VAL:HG13	1:B:251:ALA:HA	2.03	0.41
1:A:474:TYR:CE1	1:A:479:GLY:HA2	2.55	0.41
1:B:468:TRP:HA	1:B:469:SER:HA	1.55	0.41
1:B:76:PHE:HB2	1:B:79:LYS:HB2	2.03	0.41
1:B:424:SER:HB3	1:B:484:PHE:CZ	2.56	0.41
1:A:124:LYS:HD2	1:B:168:ASP:HA	2.01	0.41
1:D:54:SER:HG	1:D:159:HIS:CD2	2.37	0.41
1:D:252:HIS:NE2	1:D:339:SER:O	2.54	0.41
1:C:51:VAL:HG21	1:C:470:LEU:HD13	2.03	0.40
1:C:205:GLN:NE2	1:C:420:GLU:OE1	2.54	0.40
1:A:404:MET:HB2	1:A:454:VAL:HG21	2.03	0.40
1:D:163:PRO:HD2	1:D:166:LEU:HD12	2.03	0.40
1:B:395:TYR:CD2	1:B:447:HIS:HE1	2.40	0.40
1:A:512:ASN:HD22	1:A:512:ASN:HA	1.52	0.40
1:B:262:LYS:HE3	1:B:263:TYR:CE2	2.56	0.40
1:C:61:GLY:N	1:C:88:ASP:O	2.53	0.40
1:D:83:ASP:OD2	1:D:480:PHE:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	491/536 (92%)	473 (96%)	18 (4%)	0	100	100
1	B	491/536 (92%)	473 (96%)	18 (4%)	0	100	100
1	C	491/536 (92%)	475 (97%)	16 (3%)	0	100	100
1	D	490/536 (91%)	471 (96%)	19 (4%)	0	100	100
All	All	1963/2144 (92%)	1892 (96%)	71 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	395/458 (86%)	392 (99%)	3 (1%)	81	92
1	B	395/458 (86%)	394 (100%)	1 (0%)	92	96
1	C	336/458 (73%)	334 (99%)	2 (1%)	86	94
1	D	285/458 (62%)	284 (100%)	1 (0%)	91	96
All	All	1411/1832 (77%)	1404 (100%)	7 (0%)	88	94

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	CYS
1	A	219	ASP
1	A	512	ASN
1	B	354	GLN
1	C	32	CYS
1	C	236	ASN
1	D	32	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	390	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	E	1	2,1	14,14,15	0.36	0	17,19,21	0.58	0
2	NAG	E	2	2	14,14,15	0.36	0	17,19,21	0.39	0
2	NAG	F	1	2,1	14,14,15	0.35	0	17,19,21	0.50	0
2	NAG	F	2	2	14,14,15	0.34	0	17,19,21	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	NAG	F	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	F	2	NAG	C4-C5-C6-O6
2	E	2	NAG	O5-C5-C6-O6
2	F	1	NAG	O5-C5-C6-O6
2	F	2	NAG	O5-C5-C6-O6
2	F	1	NAG	C4-C5-C6-O6
2	E	2	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 27 ligands modelled in this entry, 2 are monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	B	608	1	14,14,15	0.27	0	17,19,21	0.44	0
3	NAG	A	603	1	14,14,15	0.33	0	17,19,21	0.44	0
3	NAG	A	601	1	14,14,15	0.21	0	17,19,21	0.53	0
3	NAG	A	604	1	14,14,15	0.24	0	17,19,21	0.42	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	B	602	1	14,14,15	0.33	0	17,19,21	0.57	0
3	NAG	B	603	1	14,14,15	0.32	0	17,19,21	0.34	0
3	NAG	B	605	1	14,14,15	1.29	1 (7%)	17,19,21	2.53	2 (11%)
3	NAG	B	606	1	14,14,15	0.23	0	17,19,21	0.44	0
3	NAG	D	601	1	14,14,15	0.45	0	17,19,21	1.26	1 (5%)
3	NAG	C	602	1	14,14,15	0.29	0	17,19,21	0.44	0
3	NAG	A	605	1	14,14,15	1.49	1 (7%)	17,19,21	1.27	2 (11%)
3	NAG	C	601	1	14,14,15	0.32	0	17,19,21	0.48	0
3	NAG	C	604	1	14,14,15	0.20	0	17,19,21	0.44	0
3	NAG	A	607	1	14,14,15	0.24	0	17,19,21	0.51	0
3	NAG	D	605	1	14,14,15	0.27	0	17,19,21	0.53	0
3	NAG	C	605	1	14,14,15	0.33	0	17,19,21	0.51	0
3	NAG	B	607	1	14,14,15	0.31	0	17,19,21	0.48	0
3	NAG	B	604	1	14,14,15	0.22	0	17,19,21	0.37	0
3	NAG	A	602	1	14,14,15	0.19	0	17,19,21	0.52	0
3	NAG	C	603	1	14,14,15	0.61	1 (7%)	17,19,21	1.28	1 (5%)
3	NAG	D	603	1	14,14,15	0.24	0	17,19,21	0.40	0
3	NAG	A	606	1	14,14,15	0.24	0	17,19,21	0.49	0
3	NAG	D	604	1	14,14,15	0.30	0	17,19,21	0.47	0
3	NAG	D	602	1	14,14,15	0.28	0	17,19,21	0.51	0
3	NAG	B	601	1	14,14,15	0.28	0	17,19,21	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	608	1	-	0/6/23/26	0/1/1/1
3	NAG	A	603	1	-	4/6/23/26	0/1/1/1
3	NAG	A	601	1	-	2/6/23/26	0/1/1/1
3	NAG	A	604	1	-	2/6/23/26	0/1/1/1
3	NAG	B	602	1	-	2/6/23/26	0/1/1/1
3	NAG	B	603	1	-	3/6/23/26	0/1/1/1
3	NAG	B	605	1	-	1/6/23/26	0/1/1/1
3	NAG	B	606	1	-	2/6/23/26	0/1/1/1
3	NAG	D	601	1	-	5/6/23/26	0/1/1/1
3	NAG	C	602	1	-	4/6/23/26	0/1/1/1
3	NAG	A	605	1	-	3/6/23/26	0/1/1/1
3	NAG	C	601	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	604	1	-	2/6/23/26	0/1/1/1
3	NAG	A	607	1	-	2/6/23/26	0/1/1/1
3	NAG	D	605	1	-	1/6/23/26	0/1/1/1
3	NAG	C	605	1	-	2/6/23/26	0/1/1/1
3	NAG	B	607	1	-	2/6/23/26	0/1/1/1
3	NAG	B	604	1	-	2/6/23/26	0/1/1/1
3	NAG	A	602	1	-	4/6/23/26	0/1/1/1
3	NAG	C	603	1	-	2/6/23/26	0/1/1/1
3	NAG	D	603	1	-	2/6/23/26	0/1/1/1
3	NAG	A	606	1	-	2/6/23/26	0/1/1/1
3	NAG	D	604	1	-	3/6/23/26	0/1/1/1
3	NAG	D	602	1	-	2/6/23/26	0/1/1/1
3	NAG	B	601	1	-	2/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	605	NAG	O5-C1	-5.34	1.35	1.43
3	B	605	NAG	O5-C1	4.66	1.51	1.43
3	C	603	NAG	O5-C1	2.05	1.47	1.43

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	605	NAG	C1-O5-C5	10.01	125.75	112.19
3	C	603	NAG	C1-O5-C5	4.94	118.88	112.19
3	D	601	NAG	C2-N2-C7	4.30	129.02	122.90
3	A	605	NAG	C3-C4-C5	4.22	117.77	110.24
3	A	605	NAG	C4-C3-C2	2.38	114.51	111.02
3	B	605	NAG	O5-C5-C4	2.11	115.96	110.83

There are no chirality outliers.

All (56) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	607	NAG	C4-C5-C6-O6
3	A	604	NAG	O5-C5-C6-O6
3	B	607	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	602	NAG	O5-C5-C6-O6
3	B	603	NAG	O5-C5-C6-O6
3	A	602	NAG	O5-C5-C6-O6
3	A	603	NAG	O5-C5-C6-O6
3	D	604	NAG	O5-C5-C6-O6
3	B	601	NAG	O5-C5-C6-O6
3	C	603	NAG	O5-C5-C6-O6
3	A	602	NAG	C4-C5-C6-O6
3	B	603	NAG	C4-C5-C6-O6
3	C	602	NAG	C4-C5-C6-O6
3	B	604	NAG	O5-C5-C6-O6
3	A	603	NAG	C4-C5-C6-O6
3	A	604	NAG	C4-C5-C6-O6
3	B	601	NAG	C4-C5-C6-O6
3	A	602	NAG	C8-C7-N2-C2
3	A	602	NAG	O7-C7-N2-C2
3	A	603	NAG	C8-C7-N2-C2
3	A	603	NAG	O7-C7-N2-C2
3	C	602	NAG	C8-C7-N2-C2
3	C	602	NAG	O7-C7-N2-C2
3	D	601	NAG	C8-C7-N2-C2
3	D	601	NAG	O7-C7-N2-C2
3	B	602	NAG	C4-C5-C6-O6
3	C	604	NAG	O5-C5-C6-O6
3	A	605	NAG	C4-C5-C6-O6
3	C	603	NAG	C4-C5-C6-O6
3	B	606	NAG	O5-C5-C6-O6
3	C	602	NAG	O5-C5-C6-O6
3	C	604	NAG	C4-C5-C6-O6
3	D	603	NAG	C4-C5-C6-O6
3	C	605	NAG	C4-C5-C6-O6
3	A	606	NAG	O5-C5-C6-O6
3	D	604	NAG	C4-C5-C6-O6
3	A	606	NAG	C4-C5-C6-O6
3	A	601	NAG	C4-C5-C6-O6
3	D	601	NAG	C4-C5-C6-O6
3	A	607	NAG	O5-C5-C6-O6
3	A	601	NAG	O5-C5-C6-O6
3	D	601	NAG	O5-C5-C6-O6
3	D	602	NAG	O5-C5-C6-O6
3	B	605	NAG	O5-C5-C6-O6
3	B	604	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	603	NAG	O5-C5-C6-O6
3	A	605	NAG	O5-C5-C6-O6
3	C	605	NAG	O5-C5-C6-O6
3	B	606	NAG	C4-C5-C6-O6
3	B	603	NAG	C1-C2-N2-C7
3	D	604	NAG	C3-C2-N2-C7
3	D	605	NAG	C3-C2-N2-C7
3	A	605	NAG	C1-C2-N2-C7
3	A	607	NAG	C3-C2-N2-C7
3	D	601	NAG	C3-C2-N2-C7
3	D	602	NAG	C3-C2-N2-C7

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	603	NAG	1	0
3	D	601	NAG	1	0
3	A	606	NAG	1	0
3	D	604	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	493/536 (91%)	0.31	12 (2%) 59 37	60, 95, 129, 156	0
1	B	493/536 (91%)	0.58	47 (9%) 8 2	80, 121, 154, 182	0
1	C	493/536 (91%)	0.95	85 (17%) 1 0	101, 148, 218, 234	0
1	D	492/536 (91%)	0.70	54 (10%) 5 2	100, 149, 198, 226	0
All	All	1971/2144 (91%)	0.63	198 (10%) 7 2	60, 127, 199, 234	0

All (198) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	350	THR	10.7
1	C	110	THR	8.9
1	C	152	THR	8.5
1	C	513	VAL	8.5
1	D	51	VAL	8.5
1	C	269	GLY	8.1
1	C	87	GLY	7.3
1	D	385	PRO	7.2
1	D	351	GLN	6.5
1	B	269	GLY	6.4
1	C	51	VAL	6.2
1	C	46	GLY	5.6
1	B	50	GLY	5.5
1	C	421	ASN	5.4
1	C	47	PHE	5.4
1	C	153	PRO	5.4
1	B	272	GLY	5.1
1	C	100	ASP	5.0
1	C	143	ILE	5.0
1	C	272	GLY	4.8
1	B	270	MET	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	419	THR	4.5
1	D	349	VAL	4.4
1	D	153	PRO	4.3
1	C	350	THR	4.3
1	D	53	SER	4.2
1	C	499	ASP	4.2
1	D	199	ASN	4.1
1	C	465	TYR	4.1
1	D	449	CYS	4.0
1	B	345	LEU	4.0
1	D	91	CYS	4.0
1	C	466	PHE	3.9
1	C	470	LEU	3.9
1	D	50	GLY	3.9
1	D	24	CYS	3.9
1	C	49	PHE	3.8
1	A	35	THR	3.8
1	C	493	ASN	3.8
1	C	299	PHE	3.8
1	C	507	PHE	3.8
1	C	52	ALA	3.8
1	A	272	GLY	3.7
1	D	480	PHE	3.7
1	C	498	ARG	3.7
1	D	218	THR	3.6
1	B	467	ALA	3.6
1	D	152	THR	3.6
1	C	151	MET	3.6
1	C	486	LEU	3.5
1	A	235	GLY	3.5
1	D	394	TYR	3.4
1	C	464	GLY	3.4
1	C	154	PHE	3.4
1	D	270	MET	3.4
1	D	390	ASN	3.4
1	D	280	PHE	3.3
1	C	345	LEU	3.3
1	C	484	PHE	3.3
1	C	150	ASN	3.2
1	C	108	ASN	3.2
1	C	200	TRP	3.2
1	C	389	PHE	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	384	ALA	3.2
1	B	401	TYR	3.1
1	B	199	ASN	3.1
1	D	377	SER	3.1
1	C	38	PHE	3.0
1	A	214	TYR	3.0
1	D	89	THR	3.0
1	B	23	VAL	3.0
1	C	481	THR	3.0
1	C	342	PHE	3.0
1	C	277	THR	3.0
1	B	465	TYR	2.9
1	C	278	ARG	2.9
1	C	104	MET	2.9
1	D	429	GLU	2.9
1	B	464	GLY	2.9
1	C	135	ALA	2.8
1	D	73	THR	2.8
1	D	266	ASP	2.8
1	C	511	ILE	2.8
1	C	43	PHE	2.8
1	D	23	VAL	2.8
1	D	31	THR	2.8
1	C	412	GLY	2.8
1	B	351	GLN	2.8
1	C	83	ASP	2.8
1	D	200	TRP	2.8
1	C	506	TRP	2.7
1	C	510	PHE	2.7
1	C	497	ASP	2.7
1	C	32	CYS	2.7
1	B	276	ILE	2.7
1	B	397	PRO	2.7
1	C	270	MET	2.7
1	C	69	TRP	2.7
1	C	279	TRP	2.7
1	D	26	GLU	2.7
1	B	389	PHE	2.7
1	C	418	VAL	2.7
1	C	94	TYR	2.7
1	D	484	PHE	2.6
1	D	111	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	25	GLU	2.6
1	B	385	PRO	2.6
1	B	350	THR	2.6
1	D	499	ASP	2.6
1	C	25	GLU	2.6
1	B	219	ASP	2.6
1	B	255	ALA	2.6
1	C	102	ASP	2.6
1	D	90	THR	2.6
1	C	199	ASN	2.6
1	B	384	ALA	2.5
1	B	327	GLU	2.5
1	D	150	ASN	2.5
1	B	278	ARG	2.5
1	C	417	TYR	2.4
1	D	83	ASP	2.4
1	D	193	PHE	2.4
1	B	510	PHE	2.4
1	C	346	ASN	2.4
1	D	279	TRP	2.4
1	D	80	GLY	2.4
1	C	419	THR	2.4
1	D	488	TYR	2.4
1	C	97	TRP	2.4
1	C	367	ALA	2.4
1	A	48	ILE	2.3
1	C	91	CYS	2.3
1	B	235	GLY	2.3
1	B	396	TYR	2.3
1	D	155	VAL	2.3
1	A	148	ALA	2.3
1	C	93	SER	2.3
1	D	46	GLY	2.3
1	C	53	SER	2.3
1	B	87	GLY	2.3
1	C	157	LEU	2.3
1	C	31	THR	2.3
1	C	50	GLY	2.3
1	B	157	LEU	2.3
1	D	76	PHE	2.3
1	D	112	TYR	2.3
1	C	468	TRP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	42	ASN	2.2
1	A	322	GLY	2.2
1	C	68	VAL	2.2
1	C	109	SER	2.2
1	B	22	PHE	2.2
1	A	50	GLY	2.2
1	B	30	PHE	2.2
1	C	105	ASP	2.2
1	C	509	LYS	2.2
1	D	256	VAL	2.2
1	D	157	LEU	2.2
1	B	257	ASP	2.2
1	D	482	VAL	2.2
1	C	503	SER	2.2
1	B	54	SER	2.2
1	B	414	PRO	2.2
1	B	328	PHE	2.1
1	B	242	TYR	2.1
1	B	421	ASN	2.1
1	B	463	LYS	2.1
1	B	416	ILE	2.1
1	C	103	VAL	2.1
1	A	161	ASP	2.1
1	D	49	PHE	2.1
1	B	48	ILE	2.1
1	D	197	VAL	2.1
1	B	198	LYS	2.1
1	C	395	TYR	2.1
1	A	385	PRO	2.1
1	B	24	CYS	2.1
1	B	189	CYS	2.1
1	C	396	TYR	2.1
1	B	41	GLY	2.1
1	C	41	GLY	2.1
1	C	30	PHE	2.1
1	B	418	VAL	2.1
1	C	160	TRP	2.1
1	D	28	GLU	2.1
1	B	462	VAL	2.1
1	D	65	GLY	2.1
1	C	343	LEU	2.1
1	D	47	PHE	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	457	GLU	2.0
1	B	113	ARG	2.0
1	A	384	ALA	2.0
1	C	411	TYR	2.0
1	C	512	ASN	2.0
1	D	464	GLY	2.0
1	B	150	ASN	2.0
1	A	377	SER	2.0
1	C	197	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)


There are no non-standard protein/DNA/RNA residues in this entry.


6.3 Carbohydrates [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	F	2	14/15	0.44	0.44	157,164,176,179	0
2	NAG	E	2	14/15	0.76	0.22	128,128,128,128	0
2	NAG	F	1	14/15	0.77	0.28	127,136,142,164	0
2	NAG	E	1	14/15	0.85	0.34	120,120,120,120	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	D	604	14/15	0.19	0.44	203,203,203,203	0
3	NAG	C	604	14/15	0.43	0.30	211,211,211,211	0
3	NAG	C	602	14/15	0.46	0.44	149,149,149,149	0
3	NAG	C	603	14/15	0.56	0.42	181,181,181,181	0
3	NAG	B	607	14/15	0.58	0.39	155,155,155,155	0
3	NAG	D	605	14/15	0.60	0.31	168,168,168,168	0
3	NAG	C	601	14/15	0.64	0.29	148,148,148,148	0
3	NAG	B	603	14/15	0.64	0.44	128,128,128,128	0
3	NAG	A	607	14/15	0.64	0.35	142,142,142,142	0
3	NAG	B	608	14/15	0.65	0.29	155,155,155,155	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NAG	C	605	14/15	0.65	0.49	204,204,204,204	0
3	NAG	A	604	14/15	0.67	0.38	124,124,124,124	0
3	NAG	A	606	14/15	0.69	0.29	140,140,140,140	0
3	NAG	B	604	14/15	0.70	0.26	148,148,148,148	0
3	NAG	D	602	14/15	0.74	0.27	144,144,144,144	0
3	NAG	A	605	14/15	0.74	0.25	147,147,147,147	0
3	NAG	D	601	14/15	0.74	0.30	168,168,168,168	0
3	NAG	B	605	14/15	0.76	0.23	159,159,159,159	0
3	NAG	D	603	14/15	0.80	0.24	120,120,120,120	0
4	CA	D	606	1/1	0.81	0.21	124,124,124,124	0
3	NAG	A	602	14/15	0.83	0.24	90,101,111,116	0
3	NAG	A	603	14/15	0.83	0.27	102,116,151,160	0
3	NAG	B	606	14/15	0.84	0.24	138,138,138,138	0
3	NAG	B	602	14/15	0.84	0.16	132,132,132,132	0
3	NAG	A	601	14/15	0.86	0.18	78,84,93,98	0
3	NAG	B	601	14/15	0.87	0.18	96,101,105,107	0
4	CA	A	608	1/1	0.95	0.11	35,35,35,35	0

6.5 Other polymers [i](#)

There are no such residues in this entry.