



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 30, 2024 – 06:21 AM EST

PDB ID : 2Z7X
Title : Crystal structure of the TLR1-TLR2 heterodimer induced by binding of a tri-acylated lipopeptide
Authors : Lee, J.O.; Jin, M.S.; Kim, S.E.; Heo, J.Y.
Deposited on : 2007-08-29
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	549	
2	B	520	
3	C	6	
4	D	3	
5	E	3	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	F	3	 100%
7	G	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	MAN	D	3	-	-	-	X
5	MAN	E	3	-	-	-	X
8	NAG	A	901	X	-	-	X

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 9087 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toll-like receptor 2, Variable lymphocyte receptor B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	549	4366	2766	735	844	21	0	0	0

- Molecule 2 is a protein called Toll-like receptor 1, Variable lymphocyte receptor B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	520	4172	2671	697	784	20	0	0	0


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	477	SER	-	linker	UNP Q15399

- Molecule 3 is a protein called Pam3CSK4.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	6	48	30	10	7	1	0	0	0

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	D	3	39	22	2	15	0	0	0

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	E	3	39	22	2	15	0	0	0

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
6	F	3	39	22	2	15	0	0	0

- Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
7	G	2	25	14	1	10	0	0	0

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
8	A	1	14	8	1	5	0	0
8	A	1	14	8	1	5	0	0
8	A	1	14	8	1	5	0	0
8	B	1	14	8	1	5	0	0

- Molecule 9 is PALMITIC ACID (three-letter code: PLM) (formula: $C_{16}H_{32}O_2$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
9	C	1	Total	C	O	0	0
			17	16	1		

- Molecule 10 is (2S)-3-hydroxypropane-1,2-diyl dihexadecanoate (three-letter code: Z41) (formula: C₃₅H₆₈O₅).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
10	C	1	Total	C	O	0	0
			39	35	4		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	67	Total	O	0	0
			67	67		
11	B	178	Total	O	0	0
			178	178		
11	C	2	Total	O	0	0
			2	2		


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Toll-like receptor 2, Variable lymphocyte receptor B




- Molecule 2: Toll-like receptor 1, Variable lymphocyte receptor B





- Molecule 3: Pam3CSK4



- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	200.30Å 120.14Å 74.12Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.85 – 2.10 45.85 – 2.08	Depositor EDS
% Data completeness (in resolution range)	94.5 (45.85-2.10) 93.0 (45.85-2.08)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.72 (at 2.08Å)	Xtrriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.244 , 0.270 0.234 , 0.257	Depositor DCC
R_{free} test set	5025 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	29.4	Xtrriage
Anisotropy	0.283	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 49.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9087	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, PLM, BMA, NAG, DCY, Z41, NDG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/4442	0.60	2/6014 (0.0%)
2	B	0.38	0/4257	0.63	0/5766
3	C	0.34	0/41	0.50	0/49
All	All	0.35	0/8740	0.61	2/11829 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	425	PHE	N-CA-C	-5.74	95.51	111.00
1	A	351	VAL	N-CA-C	-5.03	97.41	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4366	0	4418	154	0
2	B	4172	0	4221	91	0
3	C	48	0	60	1	0
4	D	39	0	33	4	0
5	E	39	0	34	0	0
6	F	39	0	34	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	G	25	0	22	2	0
8	A	42	0	39	1	0
8	B	14	0	13	0	0
9	C	17	0	31	2	0
10	C	39	0	0	0	0
11	A	67	0	0	3	0
11	B	178	0	0	3	0
11	C	2	0	0	0	0
All	All	9087	0	8905	249	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (249) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:511:LEU:H	1:A:533:ASN:HD22	1.01	0.95
2:B:229:LYS:HD2	2:B:263:ARG:HE	1.32	0.94
1:A:456:PRO:HG2	1:A:459:LEU:HD13	1.59	0.84
1:A:372:MET:H	1:A:397:ASN:HD22	1.25	0.84
2:B:81:ILE:H	2:B:103:ASN:HD22	1.27	0.81
1:A:170:PHE:HA	1:A:173:LEU:HD21	1.62	0.81
1:A:56:SER:HA	1:A:80:ALA:HB3	1.65	0.79
1:A:469:LEU:H	1:A:487:ASN:HD22	1.28	0.79
2:B:457:ILE:H	2:B:478:ASN:HD22	1.29	0.79
2:B:410:VAL:H	2:B:433:ASN:HD22	1.34	0.76
1:A:30:CYS:HA	1:A:36:CYS:HA	1.67	0.76
1:A:239:PHE:H	1:A:268:GLN:HE21	1.34	0.75
2:B:435:LEU:H	2:B:455:ASN:HD22	1.33	0.74
2:B:55:ASN:HB2	2:B:79:ASN:HD21	1.53	0.73
1:A:123:LEU:HD13	1:A:126:LEU:HD22	1.69	0.72
1:A:511:LEU:H	1:A:533:ASN:ND2	1.84	0.72
1:A:183:ALA:HB1	1:A:186:LEU:HB2	1.72	0.71
2:B:229:LYS:HD2	2:B:263:ARG:NE	2.04	0.71
2:B:54:GLN:HE22	4:D:2:NDG:H8C3	1.55	0.71
1:A:121:LYS:HB3	1:A:122:PRO:HD3	1.73	0.69
1:A:346:SER:H	1:A:370:ASN:HD21	1.38	0.69
2:B:103:ASN:HB2	2:B:124:ASN:HD21	1.57	0.69
2:B:410:VAL:H	2:B:433:ASN:ND2	1.89	0.69
1:A:571:SER:O	1:A:572:ILE:HG23	1.93	0.69
1:A:64:ILE:HB	1:A:86:ASN:HB3	1.74	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:166:GLN:HA	1:A:190:GLU:HB3	1.75	0.68
1:A:511:LEU:N	1:A:533:ASN:HD22	1.84	0.68
1:A:38:GLY:H	1:A:58:ASP:HB3	1.57	0.68
1:A:487:ASN:HB2	1:A:509:ASN:HD21	1.58	0.68
1:A:218:VAL:HG12	1:A:244:THR:HB	1.77	0.67
1:A:112:LEU:H	1:A:134:ASN:HD22	1.42	0.66
1:A:489:LEU:H	1:A:509:ASN:HD22	1.43	0.66
1:A:158:ASN:HD22	1:A:160:ASP:HB2	1.59	0.66
1:A:59:LEU:HD12	1:A:64:ILE:HD11	1.78	0.66
1:A:112:LEU:HD22	1:A:115:LEU:HD23	1.78	0.65
1:A:239:PHE:H	1:A:268:GLN:NE2	1.95	0.65
2:B:408:ASN:HB2	2:B:433:ASN:HD21	1.61	0.65
7:G:1:NAG:H62	7:G:2:BMA:O5	1.96	0.64
2:B:115:ASN:ND2	2:B:138:MET:HA	2.13	0.63
1:A:110:ASN:HB2	1:A:134:ASN:HD21	1.64	0.63
2:B:54:GLN:HE22	4:D:2:NDG:C8	2.12	0.63
1:A:310:GLU:HG3	1:A:311:THR:HG23	1.80	0.62
2:B:62:THR:HA	2:B:88:VAL:HG13	1.80	0.62
1:A:68:SER:HA	1:A:92:GLU:HB2	1.80	0.62
1:A:43:LEU:H	1:A:43:LEU:HD12	1.62	0.62
1:A:158:ASN:ND2	1:A:160:ASP:HB2	2.13	0.62
1:A:489:LEU:HB2	1:A:509:ASN:HD22	1.64	0.62
2:B:397:MET:O	2:B:422:THR:HG21	2.01	0.61
2:B:281:VAL:HG12	2:B:283:LEU:HD13	1.82	0.61
2:B:360:LEU:H	2:B:382:ASN:HD22	1.48	0.61
1:A:489:LEU:HB2	1:A:509:ASN:ND2	2.15	0.61
2:B:239:LYS:O	2:B:242:THR:HG22	2.00	0.60
1:A:270:MET:HB3	1:A:304:ILE:HD12	1.83	0.60
2:B:57:ILE:H	2:B:79:ASN:HD22	1.49	0.60
1:A:395:ARG:O	1:A:421:SER:O	2.20	0.60
2:B:455:ASN:HB2	2:B:478:ASN:HD21	1.66	0.60
1:A:113:SER:HB3	1:A:135:PRO:HB2	1.84	0.60
2:B:433:ASN:HB2	2:B:455:ASN:HD21	1.67	0.60
1:A:73:GLN:HA	1:A:98:SER:HB2	1.82	0.59
2:B:460:ILE:HG23	2:B:464:VAL:HG21	1.83	0.59
1:A:522:LEU:HD22	1:A:522:LEU:H	1.68	0.58
1:A:569:VAL:HA	1:A:572:ILE:HD11	1.85	0.58
1:A:78:LEU:HD23	1:A:99:LEU:HD22	1.84	0.58
1:A:234:LEU:HB3	1:A:261:ILE:HD12	1.86	0.57
1:A:52:GLU:OE1	1:A:76:VAL:HG12	2.04	0.57
2:B:36:LEU:HD13	2:B:40:PRO:HD3	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:SER:HA	1:A:172:GLY:HA3	1.86	0.57
1:A:346:SER:H	1:A:370:ASN:ND2	2.02	0.57
1:A:446:THR:CG2	1:A:448:ILE:HG23	2.35	0.56
2:B:242:THR:O	2:B:244:PRO:HD3	2.04	0.56
7:G:1:NAG:H4	7:G:2:BMA:O2	2.04	0.56
1:A:378:LYS:HA	1:A:408:THR:HG23	1.87	0.56
1:A:425:PHE:O	1:A:446:THR:O	2.23	0.56
1:A:537:CYS:HA	1:A:542:ILE:HG21	1.87	0.56
2:B:36:LEU:H	2:B:55:ASN:ND2	2.02	0.56
1:A:35:ILE:HG23	1:A:56:SER:HB2	1.87	0.56
1:A:481:GLU:HG2	1:A:503:VAL:HB	1.88	0.56
2:B:358:ASN:HB2	2:B:382:ASN:HD21	1.70	0.56
1:A:79:GLN:HA	1:A:102:LEU:HA	1.88	0.55
1:A:82:VAL:HA	1:A:106:ASP:HB3	1.89	0.55
1:A:85:SER:HA	1:A:109:TYR:O	2.07	0.55
1:A:335:THR:HB	1:A:359:LEU:HD23	1.89	0.55
2:B:80:ARG:HG2	2:B:80:ARG:HH11	1.72	0.55
2:B:230:CYS:HA	11:B:751:HOH:O	2.06	0.54
1:A:356:SER:HB3	1:A:385:ALA:HB1	1.89	0.54
1:A:506:ILE:HD12	1:A:511:LEU:HD11	1.88	0.54
1:A:540:PRO:O	1:A:541:ARG:HG3	2.07	0.54
2:B:282:LYS:HG2	11:B:807:HOH:O	2.06	0.54
2:B:538:VAL:HA	2:B:541:ILE:HD13	1.88	0.54
2:B:66:LEU:HD12	2:B:67:SER:N	2.23	0.54
2:B:273:VAL:HG23	2:B:299:LEU:HD21	1.90	0.54
1:A:535:TRP:CD1	1:A:560:ALA:HB1	2.42	0.53
2:B:193:HIS:HD2	11:B:823:HOH:O	1.91	0.53
2:B:522:SER:HA	2:B:539:ARG:HH21	1.72	0.53
1:A:212:LEU:HD22	1:A:215:GLU:OE1	2.09	0.53
1:A:469:LEU:H	1:A:487:ASN:ND2	2.02	0.53
1:A:36:CYS:HB2	1:A:57:LEU:HD23	1.89	0.53
1:A:506:ILE:HG23	1:A:506:ILE:O	2.08	0.53
1:A:129:LEU:HG	1:A:131:LEU:HD21	1.91	0.53
1:A:369:GLU:HA	1:A:396:GLN:O	2.10	0.52
2:B:147:SER:O	2:B:148:THR:HG23	2.08	0.52
1:A:121:LYS:H	1:A:122:PRO:CD	2.23	0.52
2:B:113:THR:HG23	2:B:114:VAL:O	2.10	0.52
1:A:573:ILE:HD12	1:A:573:ILE:N	2.24	0.52
1:A:377:LEU:HG	1:A:408:THR:HG21	1.91	0.51
1:A:138:THR:HG22	1:A:139:LEU:H	1.75	0.51
1:A:556:GLU:OE1	1:A:559:SER:HA	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:THR:HG23	1:A:89:ASN:OD1	2.10	0.51
1:A:124:SER:O	1:A:150:LYS:HD3	2.11	0.51
2:B:34:ASN:H	2:B:55:ASN:HD21	1.59	0.51
1:A:467:ASN:HB2	1:A:487:ASN:HD21	1.75	0.51
1:A:370:ASN:HB2	1:A:397:ASN:HD21	1.76	0.50
1:A:137:LYS:HA	1:A:162:PHE:HA	1.94	0.50
1:A:167:ARG:C	1:A:169:ASP:H	2.15	0.50
1:A:446:THR:HG22	1:A:448:ILE:HG23	1.93	0.50
1:A:443:LEU:O	1:A:446:THR:HB	2.11	0.50
1:A:510:GLN:NE2	1:A:534:PRO:HG2	2.27	0.50
2:B:215:ASN:HD22	2:B:248:ASN:HB2	1.75	0.50
1:A:548:TRP:HE3	1:A:549:LEU:HD12	1.76	0.50
2:B:435:LEU:H	2:B:455:ASN:ND2	2.05	0.49
1:A:50:LEU:HD12	1:A:50:LEU:H	1.78	0.49
2:B:57:ILE:H	2:B:79:ASN:ND2	2.09	0.49
2:B:394:THR:CG2	2:B:422:THR:H	2.25	0.49
2:B:229:LYS:HB2	2:B:260:SER:OG	2.12	0.49
1:A:96:PHE:CE1	1:A:119:TRP:HB3	2.48	0.49
2:B:312:PHE:O	9:C:101:PLM:H22	2.13	0.49
1:A:139:LEU:HB2	1:A:169:ASP:OD1	2.13	0.48
2:B:440:PHE:CD2	2:B:464:VAL:HG22	2.49	0.48
1:A:306:PRO:HG3	1:A:334:LEU:HA	1.96	0.48
1:A:218:VAL:HG13	1:A:242:LEU:HD22	1.95	0.48
1:A:198:GLN:HG2	1:A:199:ASN:OD1	2.13	0.48
2:B:480:LEU:H	2:B:502:ASN:HD22	1.62	0.48
2:B:500:HIS:HD2	2:B:501:THR:OG1	1.97	0.47
1:A:87:GLY:HA2	1:A:111:TYR:CD1	2.50	0.47
1:A:234:LEU:HD22	1:A:259:VAL:HG11	1.96	0.47
1:A:345:ASN:HA	1:A:369:GLU:O	2.15	0.47
1:A:512:LYS:HA	1:A:534:PRO:O	2.15	0.47
2:B:273:VAL:HG23	2:B:299:LEU:CD2	2.44	0.47
2:B:33:LYS:HE3	4:D:1:NAG:C6	2.45	0.47
2:B:129:LEU:HA	2:B:148:THR:CG2	2.44	0.47
1:A:298:SER:HB3	1:A:303:VAL:HG12	1.97	0.46
1:A:118:SER:O	1:A:122:PRO:HD3	2.14	0.46
2:B:129:LEU:HA	2:B:148:THR:HG23	1.98	0.46
1:A:158:ASN:OD1	1:A:162:PHE:HB2	2.16	0.46
2:B:462:LYS:O	2:B:465:VAL:HG22	2.16	0.46
1:A:161:THR:O	1:A:163:THR:HG23	2.16	0.46
2:B:518:LEU:HG	2:B:525:GLU:OE2	2.16	0.46
2:B:115:ASN:HD21	2:B:138:MET:HA	1.77	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:474:ASN:HA	2:B:498:TRP:HB2	1.98	0.45
2:B:413:ASP:OD1	2:B:415:LYS:HG2	2.16	0.45
2:B:534:SER:OG	2:B:536:LYS:HG3	2.14	0.45
1:A:125:SER:HA	1:A:150:LYS:HD3	1.97	0.45
1:A:132:LEU:HD11	1:A:155:ARG:HB3	1.99	0.45
1:A:182:ASP:HA	1:A:206:HIS:HB2	1.97	0.45
1:A:469:LEU:N	1:A:487:ASN:HD22	2.04	0.45
1:A:173:LEU:N	1:A:173:LEU:HD23	2.31	0.45
1:A:328:LEU:HA	11:A:1027:HOH:O	2.17	0.45
1:A:385:ALA:O	1:A:386:TRP:C	2.55	0.45
1:A:475:ASN:HA	1:A:497:LEU:HB3	1.99	0.45
2:B:28:LEU:HD22	2:B:29:VAL:N	2.30	0.45
2:B:37:ILE:HG13	2:B:38:HIS:CD2	2.52	0.45
1:A:398:HIS:ND1	2:B:383:GLN:NE2	2.64	0.44
2:B:305:HIS:CD2	2:B:334:SER:HB2	2.52	0.44
1:A:383:GLU:O	1:A:384:ASP:HB2	2.17	0.44
2:B:221:ILE:HD13	2:B:233:PHE:CZ	2.52	0.44
2:B:514:LEU:O	2:B:518:LEU:HB2	2.17	0.44
2:B:115:ASN:HD22	2:B:115:ASN:HA	1.58	0.44
2:B:541:ILE:HD12	2:B:541:ILE:N	2.33	0.44
1:A:28:LEU:HD13	1:A:36:CYS:HB3	2.00	0.44
2:B:181:PRO:HG3	2:B:205:ILE:HD12	2.00	0.44
8:A:902:NAG:C7	11:A:1021:HOH:O	2.66	0.44
1:A:138:THR:HG22	1:A:139:LEU:N	2.32	0.44
1:A:460:GLU:HG3	1:A:480:LYS:HG2	2.00	0.44
2:B:114:VAL:HG12	2:B:115:ASN:H	1.83	0.44
2:B:358:ASN:HB2	2:B:382:ASN:ND2	2.33	0.44
1:A:176:LEU:HD11	1:A:200:VAL:HG22	1.99	0.43
2:B:394:THR:HG21	2:B:421:TRP:HE3	1.83	0.43
1:A:52:GLU:C	1:A:54:VAL:H	2.22	0.43
1:A:67:ILE:HB	1:A:91:ILE:HG12	2.00	0.43
2:B:411:SER:HB3	2:B:434:ILE:HG13	1.99	0.43
1:A:115:LEU:HA	1:A:119:TRP:HZ3	1.84	0.43
1:A:132:LEU:HA	1:A:157:GLY:O	2.19	0.43
1:A:542:ILE:HD12	1:A:546:SER:OG	2.18	0.43
2:B:79:ASN:HB2	2:B:103:ASN:HD21	1.83	0.43
1:A:142:THR:O	1:A:143:SER:C	2.56	0.43
1:A:43:LEU:HD12	1:A:43:LEU:N	2.30	0.43
2:B:457:ILE:H	2:B:478:ASN:ND2	2.06	0.43
2:B:177:GLU:O	2:B:178:LYS:C	2.57	0.43
2:B:290:ARG:HD2	2:B:318:TYR:CE2	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:1:NAG:H61	4:D:2:NDG:H8C3	1.99	0.43
1:A:176:LEU:CD1	1:A:200:VAL:HG22	2.49	0.42
1:A:535:TRP:NE1	1:A:560:ALA:HB1	2.35	0.42
2:B:480:LEU:H	2:B:502:ASN:ND2	2.16	0.42
1:A:560:ALA:O	1:A:561:LYS:HD2	2.20	0.42
2:B:73:ILE:HG23	2:B:97:TYR:CD2	2.54	0.42
1:A:61:ASN:HA	1:A:85:SER:O	2.19	0.42
1:A:484:ILE:O	1:A:484:ILE:HG12	2.19	0.42
2:B:128:ALA:C	2:B:148:THR:HG22	2.40	0.42
1:A:402:LEU:HD12	1:A:428:MET:HB3	2.02	0.42
1:A:519:PHE:HB2	1:A:544:TYR:OH	2.20	0.42
2:B:39:VAL:HG11	2:B:64:ASP:HB3	2.02	0.42
1:A:41:GLY:HA2	1:A:62:ASN:OD1	2.20	0.42
1:A:505:LYS:HA	1:A:529:TRP:HB2	2.01	0.42
1:A:195:LYS:HB2	1:A:219:ASP:HB3	2.02	0.42
2:B:229:LYS:HE2	2:B:259:ASN:HB2	2.02	0.42
2:B:511:ILE:HG13	2:B:511:ILE:O	2.20	0.42
1:A:134:ASN:HA	1:A:135:PRO:HD3	1.89	0.41
1:A:348:VAL:H	1:A:370:ASN:ND2	2.18	0.41
2:B:394:THR:O	2:B:422:THR:HG23	2.19	0.41
1:A:82:VAL:O	1:A:82:VAL:HG13	2.20	0.41
1:A:74:ARG:HG3	1:A:74:ARG:O	2.20	0.41
1:A:446:THR:HG22	1:A:448:ILE:HG12	2.02	0.41
1:A:451:VAL:HG21	1:A:472:PHE:CD1	2.55	0.41
2:B:84:LEU:HD22	2:B:85:ASP:N	2.35	0.41
1:A:131:LEU:N	1:A:131:LEU:HD22	2.34	0.41
2:B:28:LEU:HD22	2:B:29:VAL:H	1.85	0.41
2:B:105:LEU:H	2:B:124:ASN:HD22	1.69	0.41
1:A:78:LEU:HD23	1:A:99:LEU:CD2	2.50	0.41
1:A:158:ASN:HD21	1:A:161:THR:H	1.68	0.41
1:A:290:ASN:HB2	11:A:1034:HOH:O	2.19	0.41
2:B:73:ILE:HG12	2:B:97:TYR:HB3	2.03	0.41
1:A:139:LEU:HD21	1:A:156:VAL:HG21	2.02	0.41
1:A:506:ILE:HG22	1:A:529:TRP:O	2.21	0.41
1:A:58:ASP:HA	1:A:82:VAL:CG1	2.50	0.41
1:A:141:GLU:HB3	1:A:168:LYS:HD2	2.03	0.41
1:A:418:ILE:HD12	1:A:438:MET:SD	2.61	0.41
1:A:515:PRO:HB2	1:A:518:ILE:HB	2.02	0.41
1:A:538:SER:O	1:A:542:ILE:HG12	2.20	0.41
1:A:565:SER:C	1:A:567:LYS:H	2.24	0.41
2:B:35:GLY:N	2:B:55:ASN:ND2	2.69	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:360:LEU:H	2:B:382:ASN:ND2	2.16	0.41
1:A:224:VAL:HG12	1:A:225:GLU:N	2.36	0.41
2:B:440:PHE:CD1	2:B:461:PRO:HD2	2.56	0.41
2:B:508:CYS:C	2:B:510:ARG:H	2.23	0.41
3:C:7:DCY:HA	9:C:101:PLM:H21	1.84	0.41
1:A:50:LEU:HD12	1:A:50:LEU:N	2.36	0.41
1:A:121:LYS:HA	1:A:147:HIS:HD2	1.86	0.41
2:B:113:THR:OG1	2:B:114:VAL:N	2.52	0.41
1:A:112:LEU:H	1:A:134:ASN:ND2	2.15	0.40
1:A:573:ILE:HG22	1:A:574:CYS:N	2.36	0.40
1:A:155:ARG:HH11	1:A:155:ARG:HG2	1.87	0.40
1:A:234:LEU:HD22	1:A:259:VAL:CG1	2.51	0.40
2:B:473:LEU:O	2:B:497:ILE:HA	2.21	0.40
1:A:159:MET:H	1:A:159:MET:HG3	1.65	0.40
2:B:237:LEU:HB3	2:B:267:LEU:HD22	2.03	0.40
1:A:103:GLU:HA	1:A:126:LEU:HA	2.02	0.40
1:A:145:PHE:HB3	1:A:148:LEU:HD11	2.02	0.40
1:A:230:ARG:HG2	1:A:257:ARG:HB3	2.03	0.40
1:A:84:THR:HG23	1:A:108:SER:HB2	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	547/549 (100%)	458 (84%)	72 (13%)	17 (3%)	4 1
2	B	518/520 (100%)	480 (93%)	36 (7%)	2 (0%)	34 32
3	C	4/6 (67%)	4 (100%)	0	0	100 100
All	All	1069/1075 (99%)	942 (88%)	108 (10%)	19 (2%)	8 4

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	39	SER
1	A	143	SER
1	A	241	GLU
1	A	572	ILE
1	A	85	SER
1	A	395	ARG
1	A	494	ASP
1	A	40	SER
1	A	71	ASP
2	B	220	ASN
1	A	121	LYS
1	A	145	PHE
1	A	541	ARG
1	A	550	ASN
2	B	306	GLN
1	A	32	ARG
1	A	168	LYS
1	A	49	GLY
1	A	100	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	518/518 (100%)	492 (95%)	26 (5%)	24 23
2	B	494/494 (100%)	476 (96%)	18 (4%)	35 36
3	C	5/5 (100%)	4 (80%)	1 (20%)	1 0
All	All	1017/1017 (100%)	972 (96%)	45 (4%)	28 28

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	A	55	LYS
1	A	148	LEU
1	A	159	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	173	LEU
1	A	176	LEU
1	A	205	LEU
1	A	207	MET
1	A	227	LEU
1	A	229	LEU
1	A	234	LEU
1	A	242	LEU
1	A	254	PHE
1	A	270	MET
1	A	282	LEU
1	A	324	LEU
1	A	325	PHE
1	A	371	LEU
1	A	402	LEU
1	A	446	THR
1	A	459	LEU
1	A	470	ASN
1	A	490	MET
1	A	506	ILE
1	A	522	LEU
1	A	523	THR
2	B	41	LYS
2	B	60	LEU
2	B	80	ARG
2	B	84	LEU
2	B	115	ASN
2	B	116	LEU
2	B	157	LEU
2	B	188	ASN
2	B	189	THR
2	B	193	HIS
2	B	223	CYS
2	B	265	LEU
2	B	283	LEU
2	B	394	THR
2	B	403	LEU
2	B	422	THR
2	B	425	LEU
2	B	514	LEU
3	C	9	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (54)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	A	62	ASN
1	A	73	GLN
1	A	86	ASN
1	A	134	ASN
1	A	147	HIS
1	A	158	ASN
1	A	202	HIS
1	A	258	ASN
1	A	268	GLN
1	A	290	ASN
1	A	370	ASN
1	A	397	ASN
1	A	417	ASN
1	A	423	ASN
1	A	470	ASN
1	A	475	ASN
1	A	478	GLN
1	A	487	ASN
1	A	509	ASN
1	A	510	GLN
1	A	526	GLN
1	A	531	HIS
1	A	533	ASN
1	A	557	GLN
2	B	38	HIS
2	B	54	GLN
2	B	55	ASN
2	B	79	ASN
2	B	82	GLN
2	B	92	ASN
2	B	103	ASN
2	B	115	ASN
2	B	118	HIS
2	B	124	ASN
2	B	188	ASN
2	B	193	HIS
2	B	199	ASN
2	B	215	ASN
2	B	243	ASN
2	B	358	ASN
2	B	367	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	382	ASN
2	B	383	GLN
2	B	402	GLN
2	B	408	ASN
2	B	433	ASN
2	B	455	ASN
2	B	471	GLN
2	B	478	ASN
2	B	479	GLN
2	B	500	HIS
2	B	502	ASN
2	B	526	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

11 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	D	1	4,2	14,14,15	0.77	0	17,19,21	0.71	0
4	NDG	D	2	4	14,14,15	0.90	0	17,19,21	0.83	0
4	MAN	D	3	4	11,11,12	0.77	0	15,15,17	0.82	0
5	NAG	E	1	5,2	14,14,15	0.60	0	17,19,21	1.00	1 (5%)
5	NAG	E	2	5	14,14,15	0.69	0	17,19,21	0.73	1 (5%)
5	MAN	E	3	5	11,11,12	0.71	0	15,15,17	0.71	0
6	NAG	F	1	6,2	14,14,15	0.61	0	17,19,21	0.74	0
6	NAG	F	2	6	14,14,15	0.63	0	17,19,21	0.61	0
6	BMA	F	3	6	11,11,12	0.52	0	15,15,17	0.27	0
7	NAG	G	1	7	14,14,15	0.74	0	17,19,21	0.88	0
7	BMA	G	2	7	11,11,12	0.67	0	15,15,17	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	1	4,2	-	3/6/23/26	0/1/1/1
4	NDG	D	2	4	-	2/6/23/26	0/1/1/1
4	MAN	D	3	4	-	0/2/19/22	0/1/1/1
5	NAG	E	1	5,2	-	2/6/23/26	0/1/1/1
5	NAG	E	2	5	-	4/6/23/26	0/1/1/1
5	MAN	E	3	5	-	2/2/19/22	0/1/1/1
6	NAG	F	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	F	2	6	-	0/6/23/26	0/1/1/1
6	BMA	F	3	6	-	2/2/19/22	0/1/1/1
7	NAG	G	1	7	-	2/6/23/26	0/1/1/1
7	BMA	G	2	7	-	2/2/19/22	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	1	NAG	C2-N2-C7	-2.62	119.17	122.90
5	E	2	NAG	C2-N2-C7	-2.04	120.00	122.90

There are no chirality outliers.

All (21) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	D	2	NDG	C8-C7-N2-C2
4	D	2	NDG	O7-C7-N2-C2
7	G	1	NAG	C8-C7-N2-C2
7	G	1	NAG	O7-C7-N2-C2
5	E	3	MAN	O5-C5-C6-O6
5	E	1	NAG	C4-C5-C6-O6
5	E	1	NAG	O5-C5-C6-O6
5	E	2	NAG	C4-C5-C6-O6
6	F	3	BMA	O5-C5-C6-O6
5	E	3	MAN	C4-C5-C6-O6
6	F	3	BMA	C4-C5-C6-O6
4	D	1	NAG	C8-C7-N2-C2
5	E	2	NAG	C8-C7-N2-C2
7	G	2	BMA	C4-C5-C6-O6
6	F	1	NAG	C4-C5-C6-O6
5	E	2	NAG	O5-C5-C6-O6
4	D	1	NAG	O7-C7-N2-C2
5	E	2	NAG	O7-C7-N2-C2
7	G	2	BMA	O5-C5-C6-O6
6	F	1	NAG	O5-C5-C6-O6
4	D	1	NAG	C4-C5-C6-O6


There are no ring outliers.


4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	G	1	NAG	2	0
7	G	2	BMA	2	0
4	D	1	NAG	2	0
4	D	2	NDG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	A	902	1	14,14,15	0.63	0	17,19,21	0.57	0
8	NAG	A	901	1	14,14,15	0.59	0	17,19,21	0.61	0
8	NAG	A	903	1	14,14,15	0.56	0	17,19,21	0.62	0
9	PLM	C	101	3	16,16,17	0.24	0	15,15,17	0.65	0
8	NAG	B	601	2	14,14,15	0.57	0	17,19,21	0.67	1 (5%)
10	Z41	C	102	3	38,38,39	0.60	1 (2%)	40,40,41	1.34	3 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	A	902	1	-	4/6/23/26	0/1/1/1
8	NAG	A	901	1	1/1/5/7	3/6/23/26	0/1/1/1
8	NAG	A	903	1	-	0/6/23/26	0/1/1/1
9	PLM	C	101	3	-	1/13/14/15	-
8	NAG	B	601	2	-	2/6/23/26	0/1/1/1
10	Z41	C	102	3	-	12/39/39/41	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	C	102	Z41	O3-C18	-2.82	1.42	1.47

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	C	102	Z41	C18-O3-C19	-5.42	110.91	117.88
10	C	102	Z41	O3-C19-C20	3.58	119.22	111.50
10	C	102	Z41	O2-C16-C15	2.57	119.97	111.91
8	B	601	NAG	C2-N2-C7	-2.15	119.84	122.90

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
8	A	901	NAG	C1

All (22) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
8	A	901	NAG	C8-C7-N2-C2
8	A	901	NAG	O7-C7-N2-C2
8	A	902	NAG	C8-C7-N2-C2
8	A	902	NAG	O7-C7-N2-C2
8	B	601	NAG	C8-C7-N2-C2
8	B	601	NAG	O7-C7-N2-C2
10	C	102	Z41	O2-C17-C18-O3
8	A	902	NAG	O5-C5-C6-O6
8	A	902	NAG	C4-C5-C6-O6
10	C	102	Z41	C13-C14-C15-C16
10	C	102	Z41	C12-C13-C14-C15
10	C	102	Z41	C23-C24-C25-C26
10	C	102	Z41	C9-C10-C11-C12
8	A	901	NAG	O5-C5-C6-O6
10	C	102	Z41	C24-C25-C26-C27
10	C	102	Z41	O2-C17-C18-C35
10	C	102	Z41	C15-C16-O2-C17
9	C	101	PLM	C4-C5-C6-C7
10	C	102	Z41	O1-C16-O2-C17
10	C	102	Z41	C11-C10-C9-C8
10	C	102	Z41	C14-C15-C16-O2
10	C	102	Z41	C14-C15-C16-O1

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	902	NAG	1	0
9	C	101	PLM	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	549/549 (100%)	1.54	153 (27%) 0 0	22, 59, 130, 137	0
2	B	520/520 (100%)	0.15	11 (2%) 63 68	20, 35, 60, 83	0
3	C	5/6 (83%)	1.20	1 (20%) 1 1	41, 57, 74, 83	0
All	All	1074/1075 (99%)	0.86	165 (15%) 2 2	20, 43, 125, 137	0

All (165) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	28	LEU	11.3
1	A	244	THR	11.3
1	A	67	ILE	10.8
1	A	35	ILE	10.7
1	A	46	ILE	10.6
1	A	99	LEU	10.2
1	A	83	LEU	9.4
1	A	48	SER	9.4
1	A	247	THR	9.2
1	A	573	ILE	9.1
1	A	59	LEU	9.0
1	A	96	PHE	8.6
1	A	57	LEU	8.6
1	A	76	VAL	8.2
1	A	31	ASP	8.1
1	A	38	GLY	8.0
1	A	33	ASN	8.0
1	A	50	LEU	7.9
1	A	572	ILE	7.8
1	A	39	SER	7.8
1	A	53	ALA	7.8
1	A	40	SER	7.8
1	A	66	TYR	7.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	43	LEU	7.7
1	A	27	SER	7.6
1	A	47	PRO	7.5
1	A	32	ARG	7.4
1	A	36	CYS	7.3
1	A	242	LEU	7.0
1	A	105	LEU	6.9
1	A	141	GLU	6.9
1	A	78	LEU	6.6
1	A	107	LEU	6.6
1	A	51	THR	6.6
1	A	245	GLY	6.6
1	A	74	ARG	6.3
1	A	30	CYS	6.2
1	A	574	CYS	6.1
1	A	115	LEU	6.0
1	A	29	SER	6.0
1	A	55	LYS	6.0
1	A	243	SER	5.9
1	A	68	SER	5.8
2	B	228	ASN	5.7
1	A	117	SER	5.6
1	A	102	LEU	5.6
1	A	61	ASN	5.6
1	A	81	LEU	5.6
1	A	175	PHE	5.6
1	A	72	LEU	5.5
1	A	90	THR	5.5
1	A	302	ARG	5.3
2	B	227	ASP	5.2
1	A	112	LEU	5.2
1	A	120	PHE	5.1
1	A	164	LYS	5.1
1	A	575	PRO	5.0
1	A	86	ASN	5.0
1	A	63	ARG	5.0
1	A	56	SER	4.9
1	A	91	ILE	4.9
1	A	145	PHE	4.8
1	A	129	LEU	4.8
1	A	140	GLY	4.6
1	A	49	GLY	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	151	LEU	4.5
1	A	564	GLY	4.4
2	B	25	SER	4.4
1	A	77	ASN	4.4
1	A	88	ILE	4.3
1	A	103	GLU	4.3
1	A	170	PHE	4.3
1	A	114	ASN	4.3
1	A	37	LYS	4.2
1	A	143	SER	4.2
1	A	300	ASN	4.2
1	A	159	MET	4.2
1	A	148	LEU	4.1
1	A	111	TYR	4.1
1	A	126	LEU	4.1
1	A	44	ASN	4.1
1	A	123	LEU	4.1
1	A	87	GLY	4.1
1	A	75	CYS	4.1
1	A	551	LYS	4.0
1	A	135	PRO	4.0
1	A	248	ASN	4.0
1	A	176	LEU	4.0
1	A	58	ASP	4.0
1	A	137	LYS	3.9
1	A	144	LEU	3.8
1	A	34	GLY	3.8
1	A	198	GLN	3.8
1	A	62	ASN	3.7
1	A	301	ASP	3.7
2	B	508	CYS	3.6
1	A	519	PHE	3.6
3	C	12	LYS	3.5
1	A	570	ARG	3.5
1	A	547	ARG	3.5
1	A	73	GLN	3.5
2	B	533	GLY	3.4
1	A	160	ASP	3.4
1	A	246	GLU	3.4
1	A	121	LYS	3.4
1	A	65	THR	3.3
1	A	569	VAL	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	84	THR	3.2
1	A	54	VAL	3.2
1	A	82	VAL	3.1
1	A	42	SER	3.1
1	A	539	CYS	3.1
1	A	571	SER	3.1
1	A	89	ASN	3.0
1	A	168	LYS	3.0
1	A	104	HIS	3.0
1	A	558	GLY	3.0
2	B	226	GLU	3.0
1	A	541	ARG	2.9
1	A	41	GLY	2.9
1	A	94	ASP	2.9
1	A	125	SER	2.8
1	A	147	HIS	2.8
1	A	70	SER	2.8
1	A	79	GLN	2.7
1	A	109	TYR	2.7
1	A	92	GLU	2.7
1	A	173	LEU	2.7
1	A	542	ILE	2.6
1	A	52	GLU	2.6
1	A	298	SER	2.6
1	A	128	PHE	2.6
1	A	150	LYS	2.6
1	A	119	TRP	2.6
1	A	261	ILE	2.5
2	B	114	VAL	2.5
2	B	219	SER	2.5
1	A	211	ILE	2.5
1	A	152	GLN	2.4
1	A	71	ASP	2.4
1	A	45	SER	2.4
2	B	229	LYS	2.4
1	A	139	LEU	2.4
1	A	156	VAL	2.4
1	A	136	TYR	2.4
1	A	490	MET	2.3
1	A	187	GLN	2.3
1	A	153	ILE	2.3
1	A	172	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	510	GLN	2.3
1	A	535	TRP	2.3
1	A	540	PRO	2.2
2	B	509	PRO	2.2
1	A	543	ASP	2.2
2	B	242	THR	2.2
1	A	69	ASN	2.2
1	A	93	GLU	2.2
1	A	60	SER	2.2
1	A	118	SER	2.2
1	A	549	LEU	2.1
1	A	516	ASP	2.1
1	A	544	TYR	2.1
1	A	64	ILE	2.0
1	A	167	ARG	2.0
1	A	106	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	DCY	C	7	6/7	0.94	0.17	31,35,37,38	0

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MAN	D	3	11/12	0.36	0.70	98,100,102,102	0
7	NAG	G	1	14/15	0.43	0.28	90,93,96,96	0
7	BMA	G	2	11/12	0.48	0.31	96,98,99,99	0
4	NDG	D	2	14/15	0.61	0.29	80,85,89,94	0
5	MAN	E	3	11/12	0.72	0.46	81,84,86,88	0
6	BMA	F	3	11/12	0.78	0.18	68,72,74,77	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	NAG	E	2	14/15	0.84	0.19	55,65,71,75	0
5	NAG	E	1	14/15	0.90	0.11	41,46,52,56	0
6	NAG	F	2	14/15	0.93	0.11	35,48,54,62	0
4	NAG	D	1	14/15	0.93	0.09	53,58,62,72	0
6	NAG	F	1	14/15	0.95	0.10	24,30,33,40	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain F:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	NAG	A	902	14/15	0.54	0.22	71,74,77,78	0
8	NAG	A	901	14/15	0.67	0.46	104,106,107,107	0
8	NAG	B	601	14/15	0.71	0.28	74,78,80,81	0
9	PLM	C	101	17/18	0.89	0.21	28,35,39,41	0
8	NAG	A	903	14/15	0.94	0.08	31,34,37,37	0
10	Z41	C	102	39/40	0.94	0.20	28,40,54,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.