



wwPDB EM Validation Summary Report ⓘ

Dec 11, 2022 – 05:18 pm GMT

PDB ID : 6Z85
EMDB ID : EMD-11114
Title : inhibitory human GTP cyclohydrolase I - GFRP complex
Authors : Ebenhoch, R.; Nar, H.; Vonck, J.
Deposited on : 2020-06-02
Resolution : 2.90 Å(reported)
Based on initial models : 1WPL, 1FB1

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	224	
1	B	224	
1	C	224	
1	D	224	
1	E	224	
1	F	224	
1	G	224	
1	H	224	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	I	224	<p>5% 62% 7% 31%</p>
1	J	224	<p>5% 62% 7% 31%</p>
2	K	87	<p>8% 80% 13% 7%</p>
2	L	87	<p>6% 83% 10% 7%</p>
2	M	87	<p>8% 82% 11% 7%</p>
2	N	87	<p>9% 80% 13% 7%</p>
2	O	87	<p>9% 79% 14% 7%</p>
2	P	87	<p>8% 80% 13% 7%</p>
2	Q	87	<p>6% 82% 11% 7%</p>
2	R	87	<p>8% 83% 10% 7%</p>
2	S	87	<p>10% 80% 13% 7%</p>
2	T	87	<p>10% 79% 14% 7%</p>

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 18880 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GTP cyclohydrolase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	155	1218	779	214	217	8	0	0
1	C	155	1218	779	214	217	8	0	0
1	D	155	1218	779	214	217	8	0	0
1	B	155	1218	779	214	217	8	0	0
1	E	155	1218	779	214	217	8	0	0
1	G	155	1218	779	214	217	8	0	0
1	H	155	1218	779	214	217	8	0	0
1	I	155	1218	779	214	217	8	0	0
1	J	155	1218	779	214	217	8	0	0
1	F	155	1218	779	214	217	8	0	0

There are 140 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	27	MET	-	initiating methionine	UNP P30793
A	28	HIS	-	expression tag	UNP P30793
A	29	HIS	-	expression tag	UNP P30793
A	30	HIS	-	expression tag	UNP P30793
A	31	HIS	-	expression tag	UNP P30793
A	32	HIS	-	expression tag	UNP P30793
A	33	HIS	-	expression tag	UNP P30793
A	34	GLY	-	expression tag	UNP P30793
A	35	SER	-	expression tag	UNP P30793
A	36	ASP	-	expression tag	UNP P30793

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	37	ASP	-	expression tag	UNP P30793
A	38	ASP	-	expression tag	UNP P30793
A	39	ASP	-	expression tag	UNP P30793
A	40	LYS	-	expression tag	UNP P30793
C	27	MET	-	initiating methionine	UNP P30793
C	28	HIS	-	expression tag	UNP P30793
C	29	HIS	-	expression tag	UNP P30793
C	30	HIS	-	expression tag	UNP P30793
C	31	HIS	-	expression tag	UNP P30793
C	32	HIS	-	expression tag	UNP P30793
C	33	HIS	-	expression tag	UNP P30793
C	34	GLY	-	expression tag	UNP P30793
C	35	SER	-	expression tag	UNP P30793
C	36	ASP	-	expression tag	UNP P30793
C	37	ASP	-	expression tag	UNP P30793
C	38	ASP	-	expression tag	UNP P30793
C	39	ASP	-	expression tag	UNP P30793
C	40	LYS	-	expression tag	UNP P30793
D	27	MET	-	initiating methionine	UNP P30793
D	28	HIS	-	expression tag	UNP P30793
D	29	HIS	-	expression tag	UNP P30793
D	30	HIS	-	expression tag	UNP P30793
D	31	HIS	-	expression tag	UNP P30793
D	32	HIS	-	expression tag	UNP P30793
D	33	HIS	-	expression tag	UNP P30793
D	34	GLY	-	expression tag	UNP P30793
D	35	SER	-	expression tag	UNP P30793
D	36	ASP	-	expression tag	UNP P30793
D	37	ASP	-	expression tag	UNP P30793
D	38	ASP	-	expression tag	UNP P30793
D	39	ASP	-	expression tag	UNP P30793
D	40	LYS	-	expression tag	UNP P30793
B	27	MET	-	initiating methionine	UNP P30793
B	28	HIS	-	expression tag	UNP P30793
B	29	HIS	-	expression tag	UNP P30793
B	30	HIS	-	expression tag	UNP P30793
B	31	HIS	-	expression tag	UNP P30793
B	32	HIS	-	expression tag	UNP P30793
B	33	HIS	-	expression tag	UNP P30793
B	34	GLY	-	expression tag	UNP P30793
B	35	SER	-	expression tag	UNP P30793
B	36	ASP	-	expression tag	UNP P30793

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	37	ASP	-	expression tag	UNP P30793
B	38	ASP	-	expression tag	UNP P30793
B	39	ASP	-	expression tag	UNP P30793
B	40	LYS	-	expression tag	UNP P30793
E	27	MET	-	initiating methionine	UNP P30793
E	28	HIS	-	expression tag	UNP P30793
E	29	HIS	-	expression tag	UNP P30793
E	30	HIS	-	expression tag	UNP P30793
E	31	HIS	-	expression tag	UNP P30793
E	32	HIS	-	expression tag	UNP P30793
E	33	HIS	-	expression tag	UNP P30793
E	34	GLY	-	expression tag	UNP P30793
E	35	SER	-	expression tag	UNP P30793
E	36	ASP	-	expression tag	UNP P30793
E	37	ASP	-	expression tag	UNP P30793
E	38	ASP	-	expression tag	UNP P30793
E	39	ASP	-	expression tag	UNP P30793
E	40	LYS	-	expression tag	UNP P30793
G	27	MET	-	initiating methionine	UNP P30793
G	28	HIS	-	expression tag	UNP P30793
G	29	HIS	-	expression tag	UNP P30793
G	30	HIS	-	expression tag	UNP P30793
G	31	HIS	-	expression tag	UNP P30793
G	32	HIS	-	expression tag	UNP P30793
G	33	HIS	-	expression tag	UNP P30793
G	34	GLY	-	expression tag	UNP P30793
G	35	SER	-	expression tag	UNP P30793
G	36	ASP	-	expression tag	UNP P30793
G	37	ASP	-	expression tag	UNP P30793
G	38	ASP	-	expression tag	UNP P30793
G	39	ASP	-	expression tag	UNP P30793
G	40	LYS	-	expression tag	UNP P30793
H	27	MET	-	initiating methionine	UNP P30793
H	28	HIS	-	expression tag	UNP P30793
H	29	HIS	-	expression tag	UNP P30793
H	30	HIS	-	expression tag	UNP P30793
H	31	HIS	-	expression tag	UNP P30793
H	32	HIS	-	expression tag	UNP P30793
H	33	HIS	-	expression tag	UNP P30793
H	34	GLY	-	expression tag	UNP P30793
H	35	SER	-	expression tag	UNP P30793
H	36	ASP	-	expression tag	UNP P30793

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	37	ASP	-	expression tag	UNP P30793
H	38	ASP	-	expression tag	UNP P30793
H	39	ASP	-	expression tag	UNP P30793
H	40	LYS	-	expression tag	UNP P30793
I	27	MET	-	initiating methionine	UNP P30793
I	28	HIS	-	expression tag	UNP P30793
I	29	HIS	-	expression tag	UNP P30793
I	30	HIS	-	expression tag	UNP P30793
I	31	HIS	-	expression tag	UNP P30793
I	32	HIS	-	expression tag	UNP P30793
I	33	HIS	-	expression tag	UNP P30793
I	34	GLY	-	expression tag	UNP P30793
I	35	SER	-	expression tag	UNP P30793
I	36	ASP	-	expression tag	UNP P30793
I	37	ASP	-	expression tag	UNP P30793
I	38	ASP	-	expression tag	UNP P30793
I	39	ASP	-	expression tag	UNP P30793
I	40	LYS	-	expression tag	UNP P30793
J	27	MET	-	initiating methionine	UNP P30793
J	28	HIS	-	expression tag	UNP P30793
J	29	HIS	-	expression tag	UNP P30793
J	30	HIS	-	expression tag	UNP P30793
J	31	HIS	-	expression tag	UNP P30793
J	32	HIS	-	expression tag	UNP P30793
J	33	HIS	-	expression tag	UNP P30793
J	34	GLY	-	expression tag	UNP P30793
J	35	SER	-	expression tag	UNP P30793
J	36	ASP	-	expression tag	UNP P30793
J	37	ASP	-	expression tag	UNP P30793
J	38	ASP	-	expression tag	UNP P30793
J	39	ASP	-	expression tag	UNP P30793
J	40	LYS	-	expression tag	UNP P30793
F	27	MET	-	initiating methionine	UNP P30793
F	28	HIS	-	expression tag	UNP P30793
F	29	HIS	-	expression tag	UNP P30793
F	30	HIS	-	expression tag	UNP P30793
F	31	HIS	-	expression tag	UNP P30793
F	32	HIS	-	expression tag	UNP P30793
F	33	HIS	-	expression tag	UNP P30793
F	34	GLY	-	expression tag	UNP P30793
F	35	SER	-	expression tag	UNP P30793
F	36	ASP	-	expression tag	UNP P30793

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	37	ASP	-	expression tag	UNP P30793
F	38	ASP	-	expression tag	UNP P30793
F	39	ASP	-	expression tag	UNP P30793
F	40	LYS	-	expression tag	UNP P30793

- Molecule 2 is a protein called GTP cyclohydrolase 1 feedback regulatory protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	K	81	652	413	115	119	5	0	0
2	L	81	652	413	115	119	5	0	0
2	M	81	652	413	115	119	5	0	0
2	N	81	652	413	115	119	5	0	0
2	O	81	652	413	115	119	5	0	0
2	P	81	652	413	115	119	5	0	0
2	Q	81	652	413	115	119	5	0	0
2	R	81	652	413	115	119	5	0	0
2	S	81	652	413	115	119	5	0	0
2	T	81	652	413	115	119	5	0	0

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	-2	GLY	-	expression tag	UNP P30047
K	-1	SER	-	expression tag	UNP P30047
K	0	HIS	-	expression tag	UNP P30047
L	-2	GLY	-	expression tag	UNP P30047
L	-1	SER	-	expression tag	UNP P30047
L	0	HIS	-	expression tag	UNP P30047
M	-2	GLY	-	expression tag	UNP P30047
M	-1	SER	-	expression tag	UNP P30047
M	0	HIS	-	expression tag	UNP P30047
N	-2	GLY	-	expression tag	UNP P30047

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
N	-1	SER	-	expression tag	UNP P30047
N	0	HIS	-	expression tag	UNP P30047
O	-2	GLY	-	expression tag	UNP P30047
O	-1	SER	-	expression tag	UNP P30047
O	0	HIS	-	expression tag	UNP P30047
P	-2	GLY	-	expression tag	UNP P30047
P	-1	SER	-	expression tag	UNP P30047
P	0	HIS	-	expression tag	UNP P30047
Q	-2	GLY	-	expression tag	UNP P30047
Q	-1	SER	-	expression tag	UNP P30047
Q	0	HIS	-	expression tag	UNP P30047
R	-2	GLY	-	expression tag	UNP P30047
R	-1	SER	-	expression tag	UNP P30047
R	0	HIS	-	expression tag	UNP P30047
S	-2	GLY	-	expression tag	UNP P30047
S	-1	SER	-	expression tag	UNP P30047
S	0	HIS	-	expression tag	UNP P30047
T	-2	GLY	-	expression tag	UNP P30047
T	-1	SER	-	expression tag	UNP P30047
T	0	HIS	-	expression tag	UNP P30047

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	AltConf
3	A	1	Total Zn 1 1	0
3	C	1	Total Zn 1 1	0
3	D	1	Total Zn 1 1	0
3	B	1	Total Zn 1 1	0
3	E	1	Total Zn 1 1	0
3	G	1	Total Zn 1 1	0
3	H	1	Total Zn 1 1	0
3	I	1	Total Zn 1 1	0
3	J	1	Total Zn 1 1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
3	F	1	1	1	0


- Molecule 4 is 7,8-DIHYDROBIOPTERIN (three-letter code: HBI) (formula: C₉H₁₃N₅O₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
4	A	1	17	9	5	3	0
4	C	1	17	9	5	3	0
4	D	1	17	9	5	3	0
4	B	1	17	9	5	3	0
4	E	1	17	9	5	3	0
4	G	1	17	9	5	3	0
4	H	1	17	9	5	3	0
4	I	1	17	9	5	3	0
4	J	1	17	9	5	3	0
4	F	1	17	9	5	3	0





• Molecule 1: GTP cyclohydrolase 1





• Molecule 1: GTP cyclohydrolase 1





• Molecule 2: GTP cyclohydrolase 1 feedback regulatory protein





• Molecule 2: GTP cyclohydrolase 1 feedback regulatory protein





• Molecule 2: GTP cyclohydrolase 1 feedback regulatory protein





- Molecule 2: GTP cyclohydrolase 1 feedback regulatory protein





- Molecule 2: GTP cyclohydrolase 1 feedback regulatory protein





- Molecule 2: GTP cyclohydrolase 1 feedback regulatory protein





- Molecule 2: GTP cyclohydrolase 1 feedback regulatory protein




- Molecule 2: GTP cyclohydrolase 1 feedback regulatory protein




- Molecule 2: GTP cyclohydrolase 1 feedback regulatory protein



- Molecule 2: GTP cyclohydrolase 1 feedback regulatory protein

Chain T:  10% 79% 14% 7%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, D5	Depositor
Number of particles used	560802	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	55	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	130000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.590	Depositor
Minimum map value	-0.368	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.013	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	258.48, 258.48, 258.48	wwPDB
Map dimensions	240, 240, 240	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.077, 1.077, 1.077	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HBI, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/1238	0.59	0/1670
1	B	0.42	0/1238	0.59	0/1670
1	C	0.42	0/1238	0.59	0/1670
1	D	0.42	0/1238	0.59	0/1670
1	E	0.42	0/1238	0.59	0/1670
1	F	0.42	0/1238	0.59	0/1670
1	G	0.42	0/1238	0.59	0/1670
1	H	0.42	0/1238	0.59	0/1670
1	I	0.42	0/1238	0.59	0/1670
1	J	0.42	0/1238	0.59	0/1670
2	K	0.38	0/666	0.57	0/900
2	L	0.38	0/666	0.57	0/900
2	M	0.38	0/666	0.57	0/900
2	N	0.38	0/666	0.57	0/900
2	O	0.38	0/666	0.57	0/900
2	P	0.38	0/666	0.57	0/900
2	Q	0.38	0/666	0.57	0/900
2	R	0.38	0/666	0.57	0/900
2	S	0.38	0/666	0.57	0/900
2	T	0.38	0/666	0.57	0/900
All	All	0.41	0/19040	0.58	0/25700

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1
1	E	0	1
1	F	0	1
1	G	0	1
1	H	0	1
1	I	0	1
1	J	0	1
All	All	0	10

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 10 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	180	GLN	Peptide
1	B	180	GLN	Peptide
1	C	180	GLN	Peptide
1	D	180	GLN	Peptide
1	E	180	GLN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1218	0	1262	8	0
1	B	1218	0	1262	7	0
1	C	1218	0	1262	9	0
1	D	1218	0	1262	10	0
1	E	1218	0	1262	9	0
1	F	1218	0	1262	9	0
1	G	1218	0	1262	9	0
1	H	1218	0	1262	8	0
1	I	1218	0	1262	11	0
1	J	1218	0	1262	10	0
2	K	652	0	650	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	L	652	0	650	5	0
2	M	652	0	650	6	0
2	N	652	0	650	6	0
2	O	652	0	650	7	0
2	P	652	0	650	7	0
2	Q	652	0	650	6	0
2	R	652	0	650	5	0
2	S	652	0	650	6	0
2	T	652	0	650	7	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
3	I	1	0	0	0	0
3	J	1	0	0	0	0
4	A	17	0	13	0	0
4	B	17	0	13	0	0
4	C	17	0	13	0	0
4	D	17	0	13	0	0
4	E	17	0	13	0	0
4	F	17	0	13	0	0
4	G	17	0	13	0	0
4	H	17	0	13	0	0
4	I	17	0	13	0	0
4	J	17	0	13	0	0
All	All	18880	0	19250	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 130 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:N:22:GLU:HG2	2:N:45:TYR:HB2	1.82	0.62
2:S:22:GLU:HG2	2:S:45:TYR:HB2	1.82	0.62
1:I:225:THR:HG22	1:J:132:VAL:HG13	1.82	0.61
2:R:52:PRO:HD2	2:R:55:ILE:HD12	1.83	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:52:PRO:HD2	2:L:55:ILE:HD12	1.83	0.61

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	149/224 (66%)	146 (98%)	3 (2%)	0	100	100
1	B	149/224 (66%)	146 (98%)	3 (2%)	0	100	100
1	C	149/224 (66%)	146 (98%)	3 (2%)	0	100	100
1	D	149/224 (66%)	146 (98%)	3 (2%)	0	100	100
1	E	149/224 (66%)	146 (98%)	3 (2%)	0	100	100
1	F	149/224 (66%)	146 (98%)	3 (2%)	0	100	100
1	G	149/224 (66%)	146 (98%)	3 (2%)	0	100	100
1	H	149/224 (66%)	146 (98%)	3 (2%)	0	100	100
1	I	149/224 (66%)	146 (98%)	3 (2%)	0	100	100
1	J	149/224 (66%)	146 (98%)	3 (2%)	0	100	100
2	K	79/87 (91%)	75 (95%)	4 (5%)	0	100	100
2	L	79/87 (91%)	75 (95%)	4 (5%)	0	100	100
2	M	79/87 (91%)	75 (95%)	4 (5%)	0	100	100
2	N	79/87 (91%)	75 (95%)	4 (5%)	0	100	100
2	O	79/87 (91%)	75 (95%)	4 (5%)	0	100	100
2	P	79/87 (91%)	75 (95%)	4 (5%)	0	100	100
2	Q	79/87 (91%)	75 (95%)	4 (5%)	0	100	100
2	R	79/87 (91%)	75 (95%)	4 (5%)	0	100	100
2	S	79/87 (91%)	75 (95%)	4 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	T	79/87 (91%)	75 (95%)	4 (5%)	0	100	100
All	All	2280/3110 (73%)	2210 (97%)	70 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	134/195 (69%)	134 (100%)	0	100	100
1	B	134/195 (69%)	134 (100%)	0	100	100
1	C	134/195 (69%)	134 (100%)	0	100	100
1	D	134/195 (69%)	134 (100%)	0	100	100
1	E	134/195 (69%)	134 (100%)	0	100	100
1	F	134/195 (69%)	134 (100%)	0	100	100
1	G	134/195 (69%)	134 (100%)	0	100	100
1	H	134/195 (69%)	134 (100%)	0	100	100
1	I	134/195 (69%)	134 (100%)	0	100	100
1	J	134/195 (69%)	134 (100%)	0	100	100
2	K	72/77 (94%)	71 (99%)	1 (1%)	67	89
2	L	72/77 (94%)	71 (99%)	1 (1%)	67	89
2	M	72/77 (94%)	71 (99%)	1 (1%)	67	89
2	N	72/77 (94%)	71 (99%)	1 (1%)	67	89
2	O	72/77 (94%)	71 (99%)	1 (1%)	67	89
2	P	72/77 (94%)	71 (99%)	1 (1%)	67	89
2	Q	72/77 (94%)	71 (99%)	1 (1%)	67	89
2	R	72/77 (94%)	71 (99%)	1 (1%)	67	89
2	S	72/77 (94%)	71 (99%)	1 (1%)	67	89
2	T	72/77 (94%)	71 (99%)	1 (1%)	67	89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	2060/2720 (76%)	2050 (100%)	10 (0%)	89 96

5 of 10 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	R	12	MET
2	S	12	MET
2	T	12	MET
2	N	12	MET
2	O	12	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 20 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	180	GLN
1	I	180	GLN
1	F	180	GLN
1	J	180	GLN
2	P	42	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 10 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	HBI	J	302	-	13,18,18	0.97	1 (7%)	14,26,26	3.20	3 (21%)
4	HBI	E	302	-	13,18,18	0.98	1 (7%)	14,26,26	3.21	3 (21%)
4	HBI	A	302	-	13,18,18	0.99	1 (7%)	14,26,26	3.20	3 (21%)
4	HBI	B	302	-	13,18,18	0.98	1 (7%)	14,26,26	3.21	3 (21%)
4	HBI	I	302	-	13,18,18	0.99	1 (7%)	14,26,26	3.22	3 (21%)
4	HBI	C	302	-	13,18,18	0.98	1 (7%)	14,26,26	3.22	3 (21%)
4	HBI	D	302	-	13,18,18	1.00	1 (7%)	14,26,26	3.21	3 (21%)
4	HBI	H	302	-	13,18,18	0.98	1 (7%)	14,26,26	3.19	3 (21%)
4	HBI	G	302	-	13,18,18	0.98	1 (7%)	14,26,26	3.20	3 (21%)
4	HBI	F	302	-	13,18,18	0.98	1 (7%)	14,26,26	3.20	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HBI	J	302	-	-	4/4/17/17	0/2/2/2
4	HBI	E	302	-	-	4/4/17/17	0/2/2/2
4	HBI	A	302	-	-	4/4/17/17	0/2/2/2
4	HBI	B	302	-	-	4/4/17/17	0/2/2/2
4	HBI	I	302	-	-	4/4/17/17	0/2/2/2
4	HBI	C	302	-	-	4/4/17/17	0/2/2/2
4	HBI	D	302	-	-	4/4/17/17	0/2/2/2
4	HBI	H	302	-	-	4/4/17/17	0/2/2/2
4	HBI	G	302	-	-	4/4/17/17	0/2/2/2
4	HBI	F	302	-	-	4/4/17/17	0/2/2/2

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	302	HBI	C4-N3	2.66	1.37	1.33
4	I	302	HBI	C4-N3	2.66	1.37	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	302	HBI	C4-N3	2.66	1.37	1.33
4	E	302	HBI	C4-N3	2.63	1.37	1.33
4	H	302	HBI	C4-N3	2.62	1.37	1.33

The worst 5 of 30 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	I	302	HBI	C8A-C4A-C4	7.54	119.46	114.53
4	C	302	HBI	C8A-C4A-C4	7.50	119.44	114.53
4	E	302	HBI	C8A-C4A-C4	7.50	119.43	114.53
4	A	302	HBI	C8A-C4A-C4	7.48	119.42	114.53
4	D	302	HBI	C8A-C4A-C4	7.47	119.42	114.53

There are no chirality outliers.



5 of 40 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	A	302	HBI	O10-C10-C9-O9
4	C	302	HBI	O10-C10-C9-O9
4	D	302	HBI	O10-C10-C9-O9
4	B	302	HBI	O10-C10-C9-O9
4	E	302	HBI	O10-C10-C9-O9



There are no ring outliers.



No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11114. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 113



Y Index: 112




Z Index: 98


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 104 nm³; this corresponds to an approximate mass of 94 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.345 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11114 and PDB model 6Z85. Per-residue inclusion information can be found in section 3 on page 11.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).











































9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7461	 0.5290
A	 0.7457	 0.5280
B	 0.7432	 0.5230
C	 0.7490	 0.5320
D	 0.7531	 0.5370
E	 0.7514	 0.5300
F	 0.7556	 0.5320
G	 0.7539	 0.5340
H	 0.7556	 0.5390
I	 0.7564	 0.5390
J	 0.7581	 0.5340
K	 0.7346	 0.5220
L	 0.7346	 0.5210
M	 0.7330	 0.5240
N	 0.7314	 0.5210
O	 0.7362	 0.5240
P	 0.7346	 0.5260
Q	 0.7409	 0.5210
R	 0.7346	 0.5210
S	 0.7330	 0.5250
T	 0.7314	 0.5270

