



Full wwPDB X-ray Structure Validation Report i

Nov 14, 2023 – 12:50 PM JST

PDB ID : 5Z9S
Title : Functional and Structural Characterization of a beta-Glucosidase Involved in Saponin Metabolism from Intestinal Bacteria
Authors : Yan, S.; Wei, P.C.; Li, J.R.
Deposited on : 2018-02-05
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 12098 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glycosyl hydrolase family 3 protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	765	5804	3656	999	1129	20	0	0	0
1	B	763	5794	3652	997	1125	20	0	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP A0A133LV16
A	2	GLY	-	expression tag	UNP A0A133LV16
A	789	LEU	-	expression tag	UNP A0A133LV16
A	790	GLU	-	expression tag	UNP A0A133LV16
A	791	HIS	-	expression tag	UNP A0A133LV16
A	792	HIS	-	expression tag	UNP A0A133LV16
A	793	HIS	-	expression tag	UNP A0A133LV16
A	794	HIS	-	expression tag	UNP A0A133LV16
A	795	HIS	-	expression tag	UNP A0A133LV16
A	796	HIS	-	expression tag	UNP A0A133LV16
B	1	MET	-	expression tag	UNP A0A133LV16
B	2	GLY	-	expression tag	UNP A0A133LV16
B	789	LEU	-	expression tag	UNP A0A133LV16
B	790	GLU	-	expression tag	UNP A0A133LV16
B	791	HIS	-	expression tag	UNP A0A133LV16
B	792	HIS	-	expression tag	UNP A0A133LV16
B	793	HIS	-	expression tag	UNP A0A133LV16
B	794	HIS	-	expression tag	UNP A0A133LV16
B	795	HIS	-	expression tag	UNP A0A133LV16
B	796	HIS	-	expression tag	UNP A0A133LV16

- Molecule 2 is beta-D-glucopyranose (three-letter code: BGC) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 12 6 6	0	0
2	B	1	Total C O 12 6 6	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	236	Total O 236 236	0	0
3	B	240	Total O 240 240	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glycosyl hydrolase family 3 protein



- Molecule 1: Glycosyl hydrolase family 3 protein



L769
GLU
HIS

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	68.95Å 134.42Å 90.28Å 90.00° 98.82° 90.00°	Depositor
Resolution (Å)	47.85 – 2.30 47.85 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.2 (47.85-2.30) 93.3 (47.85-2.30)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.72 (at 2.29Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155)	Depositor
R , R_{free}	0.224 , 0.242 0.225 , 0.243	Depositor DCC
R_{free} test set	2000 reflections (2.82%)	wwPDB-VP
Wilson B-factor (Å ²)	28.6	Xtriage
Anisotropy	0.089	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 24.1	EDS
L-test for twinning ²	$< L > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	12098	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BGC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.26	0/5923	0.49	1/8062 (0.0%)
1	B	0.30	0/5913	0.52	2/8049 (0.0%)
All	All	0.28	0/11836	0.51	3/16111 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	4
All	All	0	5

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	37	LEU	CB-CG-CD1	5.53	120.40	111.00
1	A	37	LEU	CA-CB-CG	5.37	127.66	115.30
1	B	477	PHE	N-CA-C	-5.14	97.12	111.00

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	440	MET	Peptide
1	B	34	ARG	Peptide
1	B	38	GLU	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	41	VAL	Peptide
1	B	455	ASP	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5804	0	5718	80	0
1	B	5794	0	5715	107	0
2	A	12	0	11	1	0
2	B	12	0	11	0	0
3	A	236	0	0	11	0
3	B	240	0	0	17	0
All	All	12098	0	11455	186	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (186) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:479:PRO:HG3	1:B:484:ARG:HG2	1.20	1.12
1:B:477:PHE:HA	1:B:479:PRO:HD3	1.02	1.02
1:B:479:PRO:HG3	1:B:484:ARG:CG	1.88	1.02
1:B:477:PHE:HA	1:B:479:PRO:CD	1.90	1.01
1:B:478:TYR:CZ	1:B:480:ASP:HB3	1.96	1.00
1:B:477:PHE:CA	1:B:479:PRO:HD3	1.94	0.98
1:B:519:VAL:O	3:B:901:HOH:O	1.81	0.96
1:B:188:ALA:HA	1:B:190:GLU:HB3	1.48	0.96
1:B:478:TYR:C	1:B:480:ASP:HA	1.94	0.88
1:B:478:TYR:CE2	1:B:480:ASP:HB3	2.10	0.87
1:B:30:ASP:O	3:B:902:HOH:O	1.94	0.85
1:B:27:ARG:NH1	3:B:905:HOH:O	2.09	0.83
1:B:50:ARG:NH1	3:B:906:HOH:O	2.11	0.83
1:B:478:TYR:CE1	1:B:480:ASP:HB3	2.17	0.79
1:A:449:THR:H	1:A:458:VAL:HG21	1.48	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:479:PRO:CG	1:B:484:ARG:HG2	2.09	0.78
1:B:211:GLN:OE1	3:B:903:HOH:O	2.01	0.77
1:B:779:ASP:OD2	3:B:904:HOH:O	2.08	0.72
1:A:468:ASP:OD1	3:A:901:HOH:O	2.09	0.70
1:B:405:ILE:HG12	1:B:510:LEU:HB3	1.74	0.70
1:B:408:VAL:HG12	1:B:461:SER:HB2	1.73	0.70
1:A:408:VAL:HG12	1:A:461:SER:HB2	1.73	0.69
1:B:478:TYR:HA	1:B:480:ASP:O	1.93	0.69
1:A:150:CYS:HB3	1:A:208:SER:HB3	1.76	0.68
1:B:27:ARG:HG2	1:B:28:ILE:H	1.58	0.68
1:A:211:GLN:NE2	3:A:910:HOH:O	2.27	0.68
1:B:34:ARG:O	3:B:907:HOH:O	2.12	0.67
1:A:215:ASP:O	3:A:902:HOH:O	2.13	0.67
1:A:194:LYS:NZ	3:A:913:HOH:O	2.28	0.66
1:B:479:PRO:HD2	1:B:482:GLN:O	1.95	0.66
1:B:41:VAL:HG12	1:B:44:MET:HG2	1.76	0.66
1:A:50:ARG:NE	1:A:51:GLY:O	2.24	0.65
1:A:120:TRP:HB2	1:A:707:ILE:HD13	1.79	0.64
1:B:120:TRP:HB2	1:B:707:ILE:HD13	1.78	0.64
1:B:162:GLU:OE1	3:B:908:HOH:O	2.15	0.64
1:B:39:GLU:HG2	1:B:86:ARG:HH21	1.60	0.64
1:A:507:GLN:NE2	3:A:903:HOH:O	2.19	0.63
1:B:44:MET:HE3	1:B:323:ALA:HB3	1.79	0.63
1:B:150:CYS:HB3	1:B:208:SER:HB3	1.80	0.62
1:A:44:MET:HB3	1:A:47:LEU:HD13	1.82	0.62
1:B:34:ARG:O	3:B:909:HOH:O	2.15	0.62
1:B:155:THR:HG21	1:B:625:PRO:HG3	1.82	0.62
1:B:43:GLN:HB3	1:B:341:VAL:HG21	1.83	0.61
1:A:153:ARG:NH2	3:A:909:HOH:O	2.26	0.60
1:A:147:PRO:HB3	1:A:178:MET:SD	2.41	0.60
1:A:39:GLU:HG3	1:A:42:GLY:H	1.67	0.58
1:A:161:ASP:HB3	1:A:562:SER:HB2	1.85	0.58
1:B:479:PRO:N	1:B:480:ASP:HA	2.14	0.58
1:B:62:HIS:O	3:B:910:HOH:O	2.17	0.58
1:B:190:GLU:HG2	1:B:350:ARG:HE	1.69	0.58
1:B:38:GLU:HA	1:B:39:GLU:HG3	1.85	0.57
1:B:44:MET:HB3	1:B:47:LEU:HD13	1.86	0.57
1:B:452:THR:OG1	1:B:456:CYS:SG	2.60	0.57
1:A:40:LYS:HZ3	1:A:324:ILE:HG23	1.69	0.57
1:B:425:ASN:N	3:B:915:HOH:O	2.37	0.56
1:A:34:ARG:NH1	1:A:37:LEU:HD11	2.21	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:398:ALA:H	1:A:401:LYS:NZ	2.04	0.56
1:A:388:LEU:HA	1:A:593:LEU:HD23	1.87	0.56
1:B:41:VAL:HG11	1:B:44:MET:HE2	1.87	0.56
1:B:31:LEU:HA	1:B:34:ARG:HH12	1.71	0.55
1:B:476:GLU:N	1:B:476:GLU:OE2	2.39	0.55
1:B:388:LEU:HA	1:B:593:LEU:HD23	1.89	0.55
1:A:57:LEU:O	1:A:60:ASN:OD1	2.25	0.54
1:B:39:GLU:HG2	1:B:86:ARG:NH2	2.23	0.54
1:B:478:TYR:CD2	1:B:480:ASP:HB3	2.42	0.54
1:A:40:LYS:HA	1:A:43:GLN:HG3	1.90	0.54
1:A:153:ARG:HD3	1:A:209:GLU:OE2	2.08	0.53
1:B:403:LYS:HA	1:B:456:CYS:HB2	1.91	0.53
1:B:466:VAL:HG12	1:B:467:ILE:HG23	1.91	0.53
1:B:251:SER:HA	1:B:256:PRO:HA	1.91	0.53
1:B:405:ILE:HD12	1:B:451:LEU:HD23	1.92	0.52
1:B:479:PRO:N	1:B:480:ASP:CA	2.73	0.52
1:A:681:ASP:HB2	1:A:683:THR:HA	1.91	0.52
1:B:448:LEU:HA	1:B:451:LEU:HD13	1.91	0.52
1:B:54:LEU:HG	1:B:57:LEU:HB3	1.91	0.52
1:A:270:GLY:O	1:A:273:LYS:HE2	2.11	0.51
1:B:479:PRO:HG3	1:B:484:ARG:HG3	1.86	0.51
1:A:398:ALA:HB3	1:A:401:LYS:HD3	1.93	0.51
1:A:457:GLU:OE1	3:A:904:HOH:O	2.20	0.50
1:B:164:PHE:HB2	1:B:171:ILE:HG12	1.92	0.50
1:A:448:LEU:HD11	1:A:512:VAL:HG21	1.93	0.50
1:A:45:MET:HE2	3:A:905:HOH:O	2.10	0.50
1:B:39:GLU:H	1:B:42:GLY:H	1.60	0.50
1:A:62:HIS:O	3:A:905:HOH:O	2.20	0.49
1:A:311:ASP:OD1	1:A:343:ARG:NH1	2.43	0.49
1:A:413:ASP:OD1	1:A:443:THR:HG21	2.13	0.49
1:B:31:LEU:CA	1:B:34:ARG:HH22	2.25	0.49
1:B:35:MET:HA	3:B:907:HOH:O	2.11	0.49
1:B:288:SER:HA	1:B:292:GLN:HE21	1.78	0.49
1:A:506:ARG:NH2	1:A:550:GLU:OE2	2.36	0.49
1:A:251:SER:HA	1:A:256:PRO:HA	1.94	0.48
1:A:86:ARG:HH21	1:A:87:LEU:HD11	1.77	0.48
1:A:75:SER:O	1:A:79:LYS:HG2	2.13	0.48
1:A:204:PHE:O	1:A:257:VAL:HG11	2.13	0.48
1:B:285:ILE:O	1:B:288:SER:OG	2.29	0.48
1:A:115:GLY:HA2	1:A:596:PRO:HG2	1.95	0.48
1:B:33:SER:O	1:B:35:MET:HB2	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:28:ILE:HG12	1:A:31:LEU:HD13	1.94	0.47
1:A:443:THR:CG2	1:A:446:ASP:H	2.27	0.47
1:A:194:LYS:HA	1:A:194:LYS:HD3	1.69	0.47
1:B:399:ALA:O	1:B:452:THR:HG21	2.14	0.47
1:B:424:GLY:C	3:B:915:HOH:O	2.53	0.47
1:B:45:MET:HG2	3:B:910:HOH:O	2.14	0.47
1:B:204:PHE:O	1:B:257:VAL:HG11	2.15	0.47
1:B:392:ASP:OD2	3:B:911:HOH:O	2.20	0.47
1:B:452:THR:HB	1:B:456:CYS:HB3	1.96	0.47
1:A:34:ARG:CZ	1:A:37:LEU:HD11	2.46	0.46
1:B:39:GLU:HG2	1:B:86:ARG:HE	1.81	0.46
1:B:631:LEU:HD23	1:B:633:VAL:HG13	1.98	0.46
1:B:478:TYR:CD1	1:B:480:ASP:HB3	2.50	0.46
1:A:314:MET:HE3	2:A:801:BGC:H6C2	1.98	0.46
1:B:478:TYR:CD1	1:B:478:TYR:O	2.69	0.46
1:B:246:MET:HA	1:B:279:ILE:O	2.15	0.46
1:B:161:ASP:HB3	1:B:562:SER:HB2	1.99	0.45
1:A:449:THR:HG22	1:A:458:VAL:CG2	2.46	0.45
1:A:224:ARG:HD2	1:A:756:PRO:HA	1.98	0.45
1:A:449:THR:HG21	1:A:453:ALA:HB3	1.99	0.45
1:B:31:LEU:C	1:B:34:ARG:HH22	2.20	0.45
1:B:451:LEU:HA	1:B:452:THR:HA	1.47	0.45
1:B:30:ASP:OD1	1:B:30:ASP:N	2.43	0.45
1:B:145:PHE:HA	1:B:200:CYS:HB3	1.99	0.45
1:A:246:MET:HA	1:A:279:ILE:O	2.17	0.45
1:A:398:ALA:H	1:A:401:LYS:HZ2	1.63	0.45
1:B:52:GLY:HA2	1:B:53:ASP:HA	1.68	0.45
1:B:446:ASP:C	1:B:448:LEU:H	2.20	0.45
1:A:292:GLN:HG3	3:A:1095:HOH:O	2.17	0.44
1:B:451:LEU:HB2	1:B:452:THR:OG1	2.18	0.44
1:B:34:ARG:NH1	3:B:902:HOH:O	2.49	0.44
1:B:75:SER:O	1:B:79:LYS:HG3	2.17	0.44
1:B:502:VAL:O	1:B:506:ARG:HG3	2.17	0.44
1:A:71:PRO:HB3	1:A:104:TRP:CZ3	2.52	0.44
1:B:398:ALA:HB3	1:B:401:LYS:HD3	1.99	0.44
1:B:292:GLN:HE21	1:B:292:GLN:HB2	1.64	0.44
1:A:216:ALA:HB3	1:B:642:HIS:CD2	2.53	0.44
1:A:273:LYS:HA	1:A:273:LYS:HD3	1.87	0.44
1:B:619:ARG:HG2	1:B:707:ILE:HD12	1.98	0.44
1:B:187:LYS:O	1:B:241:GLY:HA3	2.18	0.44
1:A:403:LYS:HG3	1:A:509:ASP:OD2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:41:VAL:HA	1:B:43:GLN:HG3	2.00	0.43
1:A:448:LEU:HB2	1:A:607:ALA:HB2	2.00	0.43
1:A:454:ASP:O	1:A:456:CYS:N	2.45	0.43
1:A:677:ALA:HB1	1:A:683:THR:O	2.18	0.43
1:A:425:ASN:ND2	1:A:433:PRO:O	2.38	0.43
1:A:54:LEU:HG	1:A:57:LEU:HB3	2.00	0.43
1:A:443:THR:HG23	1:A:446:ASP:H	1.83	0.43
1:A:475:GLY:O	1:A:484:ARG:HD2	2.19	0.43
1:A:773:HIS:HB3	1:A:779:ASP:HB3	2.00	0.43
1:B:116:MET:HG2	1:B:381:LEU:HD21	2.01	0.43
1:B:318:GLN:H	1:B:318:GLN:CD	2.21	0.43
1:B:27:ARG:HG2	1:B:28:ILE:N	2.31	0.42
1:A:677:ALA:CB	1:A:683:THR:HG22	2.49	0.42
1:B:35:MET:HG3	1:B:37:LEU:HD13	2.00	0.42
1:A:34:ARG:HH12	1:A:37:LEU:HD21	1.84	0.42
1:A:707:ILE:HG12	1:A:731:ARG:HG2	2.02	0.42
1:B:269:ARG:NH2	1:B:278:LEU:HG	2.34	0.42
1:A:448:LEU:HA	1:A:449:THR:HA	1.59	0.42
1:A:682:GLY:HA3	1:A:683:THR:HA	1.54	0.42
1:B:696:LEU:HD21	1:B:706:GLU:HB3	2.02	0.42
1:A:40:LYS:NZ	1:A:324:ILE:HG23	2.32	0.42
1:A:164:PHE:HB2	1:A:171:ILE:HG12	2.01	0.42
1:A:619:ARG:HG2	1:A:707:ILE:HD12	2.02	0.42
1:A:151:ILE:HG23	1:A:153:ARG:HG3	2.02	0.41
1:B:478:TYR:CE1	1:B:480:ASP:CB	2.96	0.41
1:B:71:PRO:HB3	1:B:104:TRP:CZ3	2.56	0.41
1:B:484:ARG:HH21	1:B:484:ARG:HD2	1.74	0.41
1:A:407:VAL:O	1:A:460:TYR:HA	2.20	0.41
1:A:422:TRP:CZ3	1:A:428:GLN:HG2	2.56	0.41
1:B:448:LEU:HA	1:B:451:LEU:CD1	2.50	0.41
1:B:473:PRO:HA	1:B:474:ALA:HA	1.44	0.41
1:B:478:TYR:CZ	1:B:480:ASP:CB	2.85	0.41
1:A:397:PHE:CD2	1:A:510:LEU:HD13	2.56	0.41
1:B:365:ILE:HG23	1:B:369:ILE:HD12	2.03	0.41
1:B:407:VAL:O	1:B:460:TYR:HA	2.21	0.41
1:A:408:VAL:HA	1:A:461:SER:O	2.21	0.41
1:A:445:LEU:O	1:A:450:GLN:HG3	2.21	0.41
1:B:189:GLY:HA3	1:B:190:GLU:HA	1.79	0.41
1:A:404:ARG:HA	1:A:457:GLU:O	2.21	0.41
1:A:617:SER:HA	3:A:935:HOH:O	2.20	0.40
1:B:149:LEU:HD23	1:B:233:PRO:HB2	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:319:PHE:O	1:B:323:ALA:N	2.48	0.40
1:B:478:TYR:O	1:B:480:ASP:HA	2.20	0.40
1:A:269:ARG:NH2	1:A:278:LEU:HG	2.37	0.40
1:A:681:ASP:HB2	1:A:682:GLY:HA3	2.03	0.40
1:A:443:THR:HG23	1:A:445:LEU:N	2.36	0.40
1:A:466:VAL:HG12	1:A:467:ILE:HG23	2.01	0.40
1:B:194:LYS:NZ	3:B:949:HOH:O	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	763/796 (96%)	727 (95%)	34 (4%)	2 (0%)	41 50
1	B	761/796 (96%)	727 (96%)	31 (4%)	3 (0%)	34 42
All	All	1524/1592 (96%)	1454 (95%)	65 (4%)	5 (0%)	41 50

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	320	TYR
1	B	188	ALA
1	B	320	TYR
1	B	479	PRO
1	A	596	PRO

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	610/637 (96%)	602 (99%)	8 (1%)	69 82
1	B	610/637 (96%)	598 (98%)	12 (2%)	55 72
All	All	1220/1274 (96%)	1200 (98%)	20 (2%)	62 78

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	LEU
1	A	101	TYR
1	A	403	LYS
1	A	423	THR
1	A	432	MET
1	A	439	ASP
1	A	445	LEU
1	A	456	CYS
1	B	27	ARG
1	B	34	ARG
1	B	37	LEU
1	B	39	GLU
1	B	56	ASP
1	B	101	TYR
1	B	155	THR
1	B	432	MET
1	B	439	ASP
1	B	451	LEU
1	B	456	CYS
1	B	522	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	211	GLN
1	A	416	GLN
1	B	292	GLN
1	B	450	GLN
1	B	482	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BGC	B	801	-	12,12,12	1.16	1 (8%)	17,17,17	0.88	0
2	BGC	A	801	-	12,12,12	1.18	1 (8%)	17,17,17	1.01	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	B	801	-	-	2/2/22/22	0/1/1/1
2	BGC	A	801	-	-	2/2/22/22	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	BGC	O5-C1	3.01	1.50	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	BGC	O5-C1	3.01	1.50	1.42

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	BGC	O5-C5-C6-O6
2	A	801	BGC	C4-C5-C6-O6
2	B	801	BGC	C4-C5-C6-O6
2	B	801	BGC	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	BGC	1	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	765/796 (96%)	0.28	39 (5%) 28 35	22, 31, 43, 54	0
1	B	763/796 (95%)	0.27	46 (6%) 21 28	22, 32, 45, 56	0
All	All	1528/1592 (95%)	0.28	85 (5%) 24 30	22, 32, 44, 56	0

All (85) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	453	ALA	9.0
1	B	452	THR	8.9
1	B	479	PRO	8.2
1	A	449	THR	6.7
1	B	480	ASP	6.3
1	B	478	TYR	6.2
1	B	454	ASP	5.9
1	B	31	LEU	5.7
1	B	40	LYS	5.5
1	A	680	ALA	4.9
1	B	451	LEU	4.9
1	A	53	ASP	4.7
1	A	682	GLY	4.7
1	A	448	LEU	4.6
1	B	189	GLY	4.4
1	A	439	ASP	4.1
1	B	30	ASP	4.0
1	A	440	MET	4.0
1	B	474	ALA	4.0
1	B	28	ILE	3.9
1	B	477	PHE	3.7
1	B	482	GLN	3.7
1	B	455	ASP	3.6
1	B	36	THR	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	30	ASP	3.5
1	B	52	GLY	3.4
1	A	28	ILE	3.4
1	A	399	ALA	3.2
1	A	452	THR	3.2
1	A	188	ALA	3.2
1	B	401	LYS	3.0
1	A	60	ASN	3.0
1	B	789	LEU	2.9
1	B	469	LEU	2.9
1	A	474	ALA	2.8
1	B	56	ASP	2.8
1	A	61	LYS	2.8
1	A	785	PHE	2.8
1	A	681	ASP	2.8
1	B	402	VAL	2.8
1	A	35	MET	2.8
1	A	31	LEU	2.7
1	A	62	HIS	2.7
1	B	475	GLY	2.7
1	B	398	ALA	2.7
1	B	37	LEU	2.7
1	B	473	PRO	2.7
1	A	72	GLU	2.6
1	A	44	MET	2.6
1	B	397	PHE	2.6
1	B	550	GLU	2.6
1	A	476	GLU	2.6
1	B	680	ALA	2.6
1	A	450	GLN	2.5
1	A	424	GLY	2.5
1	B	187	LYS	2.5
1	B	481	GLY	2.4
1	B	34	ARG	2.4
1	B	476	GLU	2.4
1	B	456	CYS	2.4
1	B	44	MET	2.4
1	B	53	ASP	2.4
1	A	455	ASP	2.4
1	A	51	GLY	2.4
1	B	400	ASN	2.4
1	A	322	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	24	ALA	2.3
1	A	76	ARG	2.3
1	A	320	TYR	2.3
1	A	475	GLY	2.3
1	B	485	PRO	2.3
1	A	328	LYS	2.2
1	A	454	ASP	2.2
1	A	482	GLN	2.2
1	A	37	LEU	2.2
1	A	479	PRO	2.2
1	B	79	LYS	2.2
1	A	453	ALA	2.2
1	B	364	ARG	2.1
1	A	398	ALA	2.1
1	B	82	ASN	2.1
1	B	424	GLY	2.1
1	B	449	THR	2.1
1	B	84	LYS	2.1
1	B	55	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	BGC	A	801	12/12	0.91	0.15	25,26,27,27	0
2	BGC	B	801	12/12	0.94	0.11	26,27,29,29	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.