

wwPDB EM Validation Summary Report (i)

Apr 16, 2024 - 03:17 am BST

PDB ID	:	7ZAH
EMDB ID	:	EMD-14580
Title	:	Cryo-EM structure of a Pyrococcus abyssi 30S bound to Met-initiator tRNA,
		mRNA, aIF1A and aIF5B
Authors	:	Coureux, P.D.; Bourgeois, G.; Mechulam, Y.; Schmitt, E.; Kazan, R.
Deposited on	:	2022-03-22
Resolution	:	2.70 Å(reported)
This is a	ww	PDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev92
Mogul	:	1.8.4, CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f EM} {f structures} \ (\#{f Entries})$
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for $\geq=3, 2, 1$ and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq=5\%$ The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	2	1497	79%	18% •
2	А	199	88%	7% 6%
3	В	202	93%	
4	С	63	87%	• 10%
5	D	180	92%	• •
6	Е	243	93%	7%
7	F	236	89%	8% •



Mol	Chain	Length	Quality of chain	
8	G	125	83%	16% ·
9	Н	215	91%	8%
10	Ι	130	92%	7% •
11	J	127	96%	
12	К	135	93%	7%
13	L	102	87%	11% •
14	М	137	88%	5% 7%
15	Ν	147	91%	7% ••
16	О	148	91%	5% 5%
17	Р	56	96%	•••
18	Q	158	89%	6% · ·
19	R	113	91%	• 5%
20	S	67	93%	• •
21	Т	132	87%	7% 6%
22	U	150	96%	•••
23	V	99	76%	21% •
24	W	65	91%	• 6%
25	Х	65	95%	5%
26	Y	51	16% 59% 379	6 ·
27	Z	210	82%	11% 7%
28	0	36	94%	6%
29	3	123	67%	32%
30	5	22	82%	18%
31	4	77	64% 29	% 6% •
32	6	134	55% 13% •	31%

Continued from previous page...



Continued from previous page...

Mol	Chain	Length	Quality of chain		
	1		_		_
33	7	619	73%	22%	·



2 Entry composition (i)

There are 38 unique types of molecules in this entry. The entry contains 69366 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

•	Molecule	1	is	a	RNA	chain	called	16S	rRNA.
-	monound	-	TO	C.U	101111	onani	ounou	100	1101111

Mol	Chain	Residues		I	AltConf	Trace			
1	2	1497	Total 32312	C 14418	N 5959	O 10438	Р 1497	0	0

There are 29 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
2	17	4AC	С	modified residue	GB 5457433
2	53	4AC	С	modified residue	GB 5457433
2	286	4AC	С	modified residue	GB 5457433
2	303	4AC	С	modified residue	GB 5457433
2	319	4AC	С	modified residue	GB 5457433
2	379	4AC	С	modified residue	GB 5457433
2	394	4AC	С	modified residue	GB 5457433
2	479	4AC	С	modified residue	GB 5457433
2	511	4AC	С	modified residue	GB 5457433
2	546	4AC	С	modified residue	GB 5457433
2	590	4AC	С	modified residue	GB 5457433
2	626	4AC	С	modified residue	GB 5457433
2	636	4AC	С	modified residue	GB 5457433
2	703	4AC	С	modified residue	GB 5457433
2	718	4AC	С	modified residue	GB 5457433
2	731	4AC	С	modified residue	GB 5457433
2	751	4AC	С	modified residue	GB 5457433
2	828	4AC	С	modified residue	GB 5457433
2	839	4AC	С	modified residue	GB 5457433
2	848	4AC	С	modified residue	GB 5457433
2	851	4AC	С	modified residue	GB 5457433
2	868	4AC	С	modified residue	GB 5457433
2	957	4AC	С	modified residue	GB 5457433
2	1028	4AC	С	modified residue	GB 5457433
2	1147	4AC	С	modified residue	GB 5457433
2	1184	4AC	С	modified residue	GB 5457433
2	1233	4AC	С	modified residue	GB 5457433
2	1239	4AC	С	modified residue	GB 5457433



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
2	1479	4AC	С	modified residue	GB 5457433

• Molecule 2 is a protein called 30S ribosomal protein S3Ae.

Mol	Chain	Residues	Atoms				AltConf	Trace	
2	А	188	Total 1531	C 993	N 268	O 266	$\frac{S}{4}$	0	0

• Molecule 3 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	В	196	Total 1571	C 1017	N 269	0 281	$\frac{S}{4}$	0	0

• Molecule 4 is a protein called Zn-ribbon RNA-binding protein involved in translation.

Mol	Chain	Residues		Atc	\mathbf{ms}	AltConf	Trace		
4	С	57	Total 449	C 285	N 80	0 76	S 8	0	0

• Molecule 5 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues		At	oms	AltConf	Trace		
5	D	173	Total 1452	C 913	N 280	O 255	$\frac{S}{4}$	0	0

• Molecule 6 is a protein called 30S ribosomal protein S4e.

Mol	Chain	Residues		At	AltConf	Trace			
6	Е	242	Total 1983	C 1281	N 358	O 339	${ m S}{ m 5}$	0	0

• Molecule 7 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues		Ate	oms			AltConf	Trace
7	F	229	Total 1808	C 1147	N 334	O 320	${f S}{7}$	0	0

• Molecule 8 is a protein called 30S ribosomal protein S6e.



Mol	Chain	Residues		At	oms	AltConf	Trace		
8	G	124	Total 977	C 621	N 178	0 176	${ m S} { m 2}$	0	0

• Molecule 9 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues		Ate	AltConf	Trace			
9	Н	214	Total 1725	C 1095	N 323	O 300	${f S}{7}$	0	0

• Molecule 10 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues		At	oms	AltConf	Trace		
10	Ι	129	Total 1034	C 668	N 184	0 180	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0

• Molecule 11 is a protein called 30S ribosomal protein S8e.

Mol	Chain	Residues		Ato	ms	AltConf	Trace	
11	J	125	Total	C	N 205	0	0	0
			980	012	200	109		

• Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues		At	AltConf	Trace			
12	K	135	Total 1073	C 673	N 207	0 189	S 4	0	0

• Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues		At	oms	AltConf	Trace		
13	L	100	Total 809	C 502	N 157	0 147	${ m S} { m 3}$	0	0

• Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues		At	oms			AltConf	Trace
14	М	127	Total 955	C 591	N 190	0 172	${S \over 2}$	0	0

• Molecule 15 is a protein called 30S ribosomal protein S12.



Mol	Chain	Residues		At	oms			AltConf	Trace
15	N	146	Total 1148	С 727	N 224	O 194	${ m S} { m 3}$	0	0

• Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues		At	oms	AltConf	Trace		
16	О	141	Total 1134	C 712	N 224	O 193	${ m S}{ m 5}$	0	0

• Molecule 17 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues		Ato	\mathbf{ms}	AltConf	Trace		
17	Р	55	Total 455	C 288	N 95	O 67	${f S}{5}$	0	0

• Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues		At	oms	AltConf	Trace		
18	Q	151	Total 1257	C 801	N 239	0 213	${S \atop 4}$	0	0

• Molecule 19 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues		At	oms	AltConf	Trace		
19	R	107	Total 884	C 562	N 172	0 147	${ m S} { m 3}$	0	0

• Molecule 20 is a protein called 30S ribosomal protein S17e.

Mol	Chain	Residues		Ate	oms	AltConf	Trace		
20	\mathbf{S}	64	Total 541	C 343	N 104	0 93	S 1	0	0

• Molecule 21 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues		At	oms			AltConf	Trace
21	Т	124	Total 1007	C 641	N 191	0 168	S 7	0	0

• Molecule 22 is a protein called 30S ribosomal protein S19e.



Mol	Chain	Residues		Ato	ms		AltConf	Trace
22	U	149	Total 1223	C 790	N 221	O 212	0	0

• Molecule 23 is a protein called 30S ribosomal protein S24e.

Mol	Chain	Residues		At	oms	AltConf	Trace		
23	V	96	Total 808	C 528	N 129	0 148	${ m S} { m 3}$	0	0

• Molecule 24 is a protein called 30S ribosomal protein S27e.

Mol	Chain	Residues		Atc	\mathbf{ms}	AltConf	Trace		
24	W	61	Total 470	C 294	N 91	O 80	${ m S}{ m 5}$	0	0

• Molecule 25 is a protein called 30S ribosomal protein S28e.

Mol	Chain	Residues		Ator	ns	AltConf	Trace	
25	Х	65	Total 516	C 316	N 103	O 97	0	0

• Molecule 26 is a protein called 30S ribosomal protein S27ae.

Mol	Chain	Residues		Ato	\mathbf{ms}	AltConf	Trace		
26	Y	49	Total 400	C 257	N 76	O 62	${ m S}{ m 5}$	0	0

• Molecule 27 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues		At	oms	AltConf	Trace		
27	Z	196	Total 1541	C 983	N 284	O 270	$\frac{S}{4}$	0	0

• Molecule 28 is a protein called 50S ribosomal protein L41e.

Mol	Chain	Residues	Atoms			AltConf	Trace		
28	0	36	Total 343	C 218	N 84	O 39	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0

• Molecule 29 is a protein called 50S ribosomal protein L7Ae.



Mol	Chain	Residues	Atoms				AltConf	Trace	
29	3	122	Total 933	C 594	N 156	O 180	${ m S} { m 3}$	0	0

• Molecule 30 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms				AltConf	Trace	
30	5	22	Total 474	C 212	N 88	0 152	Р 22	0	0

• Molecule 31 is a RNA chain called tRNA-MET.

Mol	Chain	Residues	Atoms					AltConf	Trace	
31	4	77	Total 1644	С 734	N 296	O 536	Р 77	S 1	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
4	1	А	С	engineered mutation	GB 1334604293
4	72	U	А	engineered mutation	GB 1334604293

• Molecule 32 is a protein called Translation initiation factor 1A.

Mol	Chain	Residues	Atoms			AltConf	Trace		
32	6	92	Total 751	C 479	N 142	0 127	${ m S} { m 3}$	0	0

• Molecule 33 is a protein called Translation initiation factor 5B.

Mol	Chain	Residues	Atoms				AltConf	Trace	
33	7	595	Total 4684	C 3004	N 806	0 871	${ m S} { m 3}$	0	0

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
7	-20	MET	-	initiating methionine	UNP Q9UZK7
7	-19	GLY	-	expression tag	UNP Q9UZK7
7	-18	SER	-	expression tag	UNP Q9UZK7
7	-17	SER	-	expression tag	UNP Q9UZK7
7	-16	HIS	-	expression tag	UNP Q9UZK7
7	-15	HIS	-	expression tag	UNP Q9UZK7



Chain	Residue	Modelled	Actual	Comment	Reference
7	-14	HIS	-	expression tag	UNP Q9UZK7
7	-13	HIS	-	expression tag	UNP Q9UZK7
7	-12	HIS	-	expression tag	UNP Q9UZK7
7	-11	HIS	-	expression tag	UNP Q9UZK7
7	-10	SER	-	expression tag	UNP Q9UZK7
7	-9	SER	-	expression tag	UNP Q9UZK7
7	-8	GLY	-	expression tag	UNP Q9UZK7
7	-7	LEU	-	expression tag	UNP Q9UZK7
7	-6	VAL	-	expression tag	UNP Q9UZK7
7	-5	PRO	-	expression tag	UNP Q9UZK7
7	-4	ARG	-	expression tag	UNP Q9UZK7
7	-3	GLY	-	expression tag	UNP Q9UZK7
7	-2	SER	-	expression tag	UNP Q9UZK7
7	-1	HIS	-	expression tag	UNP Q9UZK7
7	0	MET	-	expression tag	UNP Q9UZK7

Continued from previous page...

• Molecule 34 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
34	2	57	Total Mg 57 57	0
34	F	1	Total Mg 1 1	0
34	K	1	Total Mg 1 1	0
34	М	1	Total Mg 1 1	0
34	5	1	Total Mg 1 1	0
34	4	1	Total Mg 1 1	0
34	7	1	Total Mg 1 1	0

• Molecule 35 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
35	С	2	Total Zn 2 2	0
35	F	1	Total Zn 1 1	0



Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
35	Р	1	Total Zn 1 1	0
35	R	1	Total Zn 1 1	0
35	W	1	Total Zn 1 1	0

• Molecule 36 is METHIONINE (three-letter code: MET) (formula: $C_5H_{11}NO_2S$).



Mo	l Cha	in	Residues	Atoms					AltConf
36	1		1	Total	С	Ν	0	S	0
- 50	4		1	8	5	1	1	1	0

• Molecule 37 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (three-letter code: GNP) (formula: $C_{10}H_{17}N_6O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				AltConf	
27	7	1	Total	С	Ν	Ο	Р	0
57	1	1	32	10	6	13	3	0

• Molecule 38 is water.

Mol	Chain	Residues	Atoms	AltConf
38	2	338	Total O 338 338	0
38	Е	1	Total O 1 1	0
38	F	4	Total O 4 4	0
38	Н	1	Total O 1 1	0
38	К	3	Total O 3 3	0
38	L	1	Total O 1 1	0
38	М	8	Total O 8 8	0
38	Ν	1	Total O 1 1	0
38	Q	3	Total O 3 3	0
38	S	1	Total O 1 1	0
38	U	5	Total O 5 5	0



Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
38	0	3	Total O 3 3	0
38	5	5	Total O 5 5	0
38	4	5	Total O 5 5	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S rRNA



• Molecule 2: 30S ribosomal protein S3Ae

Chain A:





• Molecule 3: 30S ribosomal protein S2



• Molecule 4: Zn-ribbon RNA-binding protein involved in translation

Chain C:	87%	• 10%
MET ALA GLU GLU CLU LT LT L1	en e	
• Molecule 5:	30S ribosomal protein S4	
Chain D:	92%	• •
MET G2 K49 K49 L77 L77	1114 1114 1114 1114 1114 1114 1114 111	
• Molecule 6:	30S ribosomal protein S4e	
Chain E:	93%	7%
MET A2 R3 R4 P36 D51 D51	P84 1138 1150 1150 1150 1150 1138 1150 1138 1138 1138 1138 1138 1138 1138 113	
• Molecule 7:	30S ribosomal protein S5	
Chain F:	89%	8% •
MET 82 W5 W5 K10 D14 E15	D33 H35 H35 H35 H35 H36 P56 P56 P56 M31 H161 H161 H161 H161 V183 V183 V183 P16 V183 P16 C12 C12 C12 C12 C12 C12 C12 C12 C12 C12	
• Molecule 8:	30S ribosomal protein S6e	
Chain G:	83%	16% ·
MET A2 K5 I21 E25 I 79	K32 K32 K32 C44 C44 F55 F55 F55 F55 F55 F55 F55 F114 F114	
• Molecule 9:	30S ribosomal protein S7	
Chain H:	91%	8%



• Molecule 10: 30S ribosomal protein S8





MET MET D3 D46 D46 M49 M49 M49 M49 M49 SER ARG LYS LYS LYS

• Molecule 17: 30S ribosomal protein S14 type Z

Chain P: 96% • Molecule 18: 30S ribosomal protein S15 Chain Q: 89% 6% • • ALA LYS LEU LEU VAL VAL ARG • Molecule 19: 30S ribosomal protein S17 Chain R: 91% • 5% GLU GLU ARG ARG D41 Y60 E61 R85 MET • Molecule 20: 30S ribosomal protein S17e Chain S: 93% • • Molecule 21: 30S ribosomal protein S19 Chain T: 87% 7% 6% PHE VAL ALA VAL VAL LYS MET ALA ARG • Molecule 22: 30S ribosomal protein S19e Chain U: . . 96% • Molecule 23: 30S ribosomal protein S24e Chain V: 76% 21%



• Molecule 24: 30S ribosomal protein S27e





• Molecule 30:	mRNA		
Chain 5:	82%	1	8%
U4 A12 U13 U14 C22 C22 A25			
• Molecule 31:	tRNA-MET		
Chain 4:	64%	29%	6% •
A1 G2 G15 C16 C17 C17 C17	420 421 421 422 422 433 433 455 455 455 455 459 459 450 450 450 451 457 477 477	476 476	
• Molecule 32:	Translation initiation factor 1A		
Chain 6:	55% 1	3 % • 31%	
MET GLY SER SER HIS HIS HIS HIS HIS	SER SER SER SER SER VLL VLL VLL VLL VLL VLL VLL VLL VLL VL	116 117 124 124 124 147 147 147 1450 1450 1450 1450 1450 1450	R57 R58 V67 V67 I68 W72 W72 D81
Y84 R85 E103 G107 G107 GLY SER LEU LEU	V ML GLU		
• Molecule 33:	Translation initiation factor 5B		
Chain 7:	73%	22%	·
MET OLY SER SER SER HIS HIS HIS HIS SER SER SER	SER SER ARG GLY PRO ARG GLY HIS MAT ITA MAT MAT MAT HIS MAT HIS MAT HIS	619 K20 121 122 123 123 123 R26 R26 R26 R26 R26 R26 R26 R26 R26 R26	147 154 155 162 162 162 164
W65 K66 A67 L71 C73 U73 D78 D78	779 179 182 182 182 188 188 188 188 188 188 188	K138	KI 73 EI 76 A181 A181 A181 A181 A185 A185 A186 A186 A191
R192 1196 1205 1205 1211 1211 1221	1228 1228 1228 1228 1228 1228 1228 1255 1255	P294 P294 P299 P299 P302 P303 P306 A306 A306	V310 A313 R348 K355 K355 K361 K361
E379 E379 F331 F331 R333 R333 R333 R333 R333 R333	Y408 L412 V4255 P445 E434 E455 E455 E455 E455 E455 E455 E	V480 F431 F431 R482 R433 F433 F433 F433 F433 F433 F495 F495 F495 F495 F495	1503 6509 6510 8511 8511 1515 1515 8520
R521 0522 E553 F524 F524 K529 K529 K529	1558 1541 1542 1542 1543 1545 1545 1547 1567 1569 1550 1551 1559 1557 1559 1557 1559 1557 1559 1557 1559 1557 1559 1557 1559 1557 1557	M583 W587 K588 K588 A589 F594 K595 R595 R595 R595 R595 R595	



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	37410	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	39	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.099	Depositor
Minimum map value	-0.025	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.007	Depositor
Map size (Å)	371.52002, 371.52002, 371.52002	wwPDB
Map dimensions	432, 432, 432	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8600001, 0.8600001, 0.8600001	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: 4SU, UR3, 5MU, PSU, B8H, MA6, GNP, A2M, H2U, 6MZ, OMU, 4AC, MG, ZN, LHH, OMC, 5MC, OMG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	B	ond angles
WIOI	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5
1	2	0.98	0/34435	0.88	5/53681~(0.0%)
2	А	0.42	0/1557	0.53	0/2087
3	В	0.40	0/1602	0.52	0/2165
4	С	0.42	0/463	0.54	0/628
5	D	0.42	0/1476	0.56	0/1980
6	Е	0.44	0/2032	0.57	0/2742
7	F	0.42	0/1838	0.59	0/2478
8	G	0.33	0/993	0.55	0/1329
9	Н	0.39	0/1762	0.53	0/2366
10	Ι	0.49	0/1055	0.58	0/1415
11	J	0.38	0/995	0.60	0/1327
12	Κ	0.37	0/1089	0.59	0/1459
13	L	0.34	0/817	0.57	0/1097
14	М	0.39	0/973	0.60	0/1311
15	Ν	0.43	0/1165	0.58	0/1547
16	0	0.37	0/1153	0.58	0/1551
17	Р	0.46	0/465	0.62	0/613
18	Q	0.41	0/1285	0.57	0/1727
19	R	0.46	0/907	0.56	0/1225
20	S	0.39	0/548	0.54	0/725
21	Т	0.37	0/1026	0.54	0/1371
22	U	0.44	0/1253	0.55	0/1689
23	V	0.45	0/826	0.52	0/1108
24	W	0.39	0/476	0.57	0/641
25	Х	0.36	0/518	0.62	0/694
26	Y	0.28	0/412	0.53	0/549
27	Ζ	0.37	0/1563	0.55	0/2099
28	0	0.48	0/349	0.68	0/451
29	3	0.25	0/945	0.49	0/1274
30	5	0.72	0/531	0.80	0/826
31	4	0.67	$8\overline{)1724}\ (0.5\%)$	1.07	$1\overline{2/2687}~(0.4\%)$



Mal	Chain	Bo	nd lengths	Bond angles		
IVIOI	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
32	6	0.23	0/767	0.50	0/1037	
33	7	0.25	0/4758	0.49	0/6426	
All	All	0.74	8/71758~(0.0%)	0.75	17/104305~(0.0%)	

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	4	76	A	N3-C4	15.94	1.44	1.34
31	4	76	А	C8-N7	11.36	1.39	1.31
31	4	76	A	C6-N1	9.69	1.42	1.35
31	4	76	А	C5-C4	7.93	1.44	1.38
31	4	76	А	C6-N6	7.04	1.39	1.33

The worst 5 of 17 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
31	4	76	A	C2-N3-C4	19.19	120.19	110.60
31	4	76	A	N1-C2-N3	-15.38	121.61	129.30
31	4	76	А	N7-C8-N9	-12.03	107.78	113.80
31	4	76	А	N3-C4-C5	-10.77	119.26	126.80
31	4	76	A	C5-N7-C8	10.47	109.14	103.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2	32312	0	16354	104	0
2	А	1531	0	1623	8	0
3	В	1571	0	1630	5	0
4	С	449	0	435	2	0
5	D	1452	0	1521	6	0
6	Е	1983	0	2060	16	0
7	F	1808	0	1879	13	0
8	G	977	0	1037	13	0



		I previous	page			C Cll
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clasnes
9	H	1725	0	1780	12	0
10	l	1034	0	1069	6	0
	J	986	0	1070	2	0
12	K	1073	0	1133	5	0
13	L	809	0	859	6	0
14	М	955	0	981	6	0
15	N	1148	0	1248	16	0
16	0	1134	0	1173	3	0
17	P	455	0	476	1	0
18	Q	1257	0	1326	8	0
19	R	884	0	906	2	0
20	S	541	0	573	1	0
21	Т	1007	0	1073	5	0
22	U	1223	0	1263	3	0
23	V	808	0	832	14	0
24	W	470	0	496	1	0
25	Х	516	0	544	2	0
26	Y	400	0	401	26	0
27	Z	1541	0	1624	14	0
28	0	343	0	407	1	0
29	3	933	0	982	39	0
30	5	474	0	237	0	0
31	4	1644	0	840	18	0
32	6	751	0	771	22	0
33	7	4684	0	4891	110	0
34	2	57	0	0	0	0
34	4	1	0	0	0	0
34	5	1	0	0	0	0
34	7	1	0	0	0	0
34	F	1	0	0	0	0
34	K	1	0	0	0	0
34	М	1	0	0	0	0
35	С	2	0	0	0	0
35	F	1	0	0	0	0
35	Р	1	0	0	0	0
35	R	1	0	0	0	0
35	W	1	0	0	0	0
36	4	8	0	8	1	0
37	7	32	0	13	1	0
38	0	3	0	0	0	0
38	2	338	0	0	10	0
38	4	5	0	0	0	0

Continued from previous page...



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
38	5	5	0	0	0	0
38	Е	1	0	0	0	0
38	F	4	0	0	0	0
38	Н	1	0	0	0	0
38	Κ	3	0	0	0	0
38	L	1	0	0	0	0
38	М	8	0	0	1	0
38	Ν	1	0	0	1	0
38	Q	3	0	0	0	0
38	S	1	0	0	0	0
38	U	5	0	0	0	0
All	All	69366	0	53515	447	0

Continued from previous page...

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 447 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
26:Y:15:VAL:CG1	26:Y:17:ARG:HH12	1.25	1.47
7:F:67:ASP:OD1	7:F:86:LEU:HB3	1.41	1.18
26:Y:15:VAL:CG1	26:Y:17:ARG:NH1	2.08	1.17
26:Y:40:CYS:SG	26:Y:45:TYR:CE2	2.37	1.17
26:Y:15:VAL:HG12	26:Y:17:ARG:HH12	1.07	1.09

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	А	186/199~(94%)	182 (98%)	4 (2%)	0	100 100



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
3	В	194/202~(96%)	190 (98%)	4 (2%)	0	100	100
4	С	55/63~(87%)	55~(100%)	0	0	100	100
5	D	171/180~(95%)	168 (98%)	3(2%)	0	100	100
6	Е	240/243~(99%)	233 (97%)	7 (3%)	0	100	100
7	F	227/236~(96%)	221 (97%)	6 (3%)	0	100	100
8	G	122/125~(98%)	113 (93%)	9 (7%)	0	100	100
9	Н	212/215~(99%)	204 (96%)	8 (4%)	0	100	100
10	Ι	127/130~(98%)	122 (96%)	5 (4%)	0	100	100
11	J	123/127~(97%)	121 (98%)	2 (2%)	0	100	100
12	K	133/135~(98%)	127 (96%)	6 (4%)	0	100	100
13	L	98/102~(96%)	96 (98%)	2 (2%)	0	100	100
14	М	125/137~(91%)	121 (97%)	4 (3%)	0	100	100
15	Ν	144/147~(98%)	140 (97%)	4 (3%)	0	100	100
16	Ο	139/148 (94%)	136 (98%)	3 (2%)	0	100	100
17	Р	53/56~(95%)	47 (89%)	6 (11%)	0	100	100
18	Q	149/158~(94%)	145 (97%)	4 (3%)	0	100	100
19	R	105/113~(93%)	101 (96%)	4 (4%)	0	100	100
20	S	62/67~(92%)	61 (98%)	1 (2%)	0	100	100
21	Т	122/132~(92%)	120 (98%)	2(2%)	0	100	100
22	U	147/150~(98%)	145 (99%)	2(1%)	0	100	100
23	V	94/99~(95%)	91 (97%)	3 (3%)	0	100	100
24	W	59/65~(91%)	56~(95%)	3~(5%)	0	100	100
25	Х	63/65~(97%)	62 (98%)	1 (2%)	0	100	100
26	Y	47/51~(92%)	37 (79%)	10 (21%)	0	100	100
27	Ζ	194/210~(92%)	182 (94%)	12 (6%)	0	100	100
28	0	34/36~(94%)	34 (100%)	0	0	100	100
29	3	120/123~(98%)	106 (88%)	14 (12%)	0	100	100
32	6	90/134~(67%)	89 (99%)	1 (1%)	0	100	100
33	7	593/619~(96%)	579~(98%)	14 (2%)	0	100	100
All	All	4228/4467~(95%)	4084 (97%)	144 (3%)	0	100	100

There are no Ramachandran outliers to report.



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
2	А	160/167~(96%)	160 (100%)	0	100	100
3	В	168/173~(97%)	168 (100%)	0	100	100
4	С	50/55~(91%)	50 (100%)	0	100	100
5	D	156/160~(98%)	155~(99%)	1 (1%)	86	95
6	Е	213/214 (100%)	211 (99%)	2 (1%)	78	92
7	F	192/198~(97%)	190 (99%)	2(1%)	76	91
8	G	107/108~(99%)	106 (99%)	1 (1%)	78	92
9	Н	183/184 (100%)	180 (98%)	3 (2%)	62	85
10	Ι	106/107~(99%)	106 (100%)	0	100	100
11	J	101/103~(98%)	101 (100%)	0	100	100
12	K	111/111 (100%)	111 (100%)	0	100	100
13	L	89/91~(98%)	88 (99%)	1 (1%)	73	90
14	М	94/104 (90%)	94 (100%)	0	100	100
15	Ν	120/121~(99%)	118 (98%)	2(2%)	60	84
16	О	117/123~(95%)	116 (99%)	1 (1%)	78	92
17	Р	45/46~(98%)	44 (98%)	1 (2%)	52	79
18	Q	137/143~(96%)	136 (99%)	1 (1%)	84	94
19	R	96/102~(94%)	95~(99%)	1 (1%)	76	91
20	S	58/61~(95%)	58 (100%)	0	100	100
21	Т	108/114~(95%)	106 (98%)	2(2%)	57	82
22	U	126/127~(99%)	125 (99%)	1 (1%)	81	93
23	V	88/90 (98%)	87 (99%)	1 (1%)	73	90
24	W	$\overline{53/56}~(95\%)$	53 (100%)	0	100	100
25	Х	55/55~(100%)	55 (100%)	0	100	100
26	Y	40/42~(95%)	40 (100%)	0	100	100
27	Ζ	$\overline{155/168~(92\%)}$	151 (97%)	4 (3%)	46	75



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
28	0	34/34~(100%)	34 (100%)	0	100	100
29	3	98/99~(99%)	97~(99%)	1 (1%)	76	91
32	6	80/117~(68%)	79~(99%)	1 (1%)	69	87
33	7	502/523~(96%)	499~(99%)	3~(1%)	86	95
All	All	3642/3796~(96%)	3613~(99%)	29 (1%)	82	93

Continued from previous page...

 $5~{\rm of}~29$ residues with a non-rotameric side chain are listed below:

Mol	Chain	\mathbf{Res}	Type
18	Q	70	ASP
33	7	44	ILE
21	Т	35	SER
29	3	70	CYS
21	Т	18	ASN

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such side chains are listed below:

Mol	Chain	\mathbf{Res}	Type
15	Ν	100	HIS
33	7	151	ASN
33	7	155	GLN
33	7	510	GLN

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	2	1461/1497~(97%)	$159\ (10\%)$	1 (0%)
30	5	21/22~(95%)	4 (19%)	0
31	4	76/77~(98%)	9~(11%)	1 (1%)
All	All	1558/1596~(97%)	172 (11%)	2(0%)

5 of 172 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	2	45	U
1	2	57	U
1	2	59	А
1	2	76	G
1	2	85	U



All (2) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	2	1424	G
31	4	75	С

5.4 Non-standard residues in protein, DNA, RNA chains (i)

73 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	ths	B	ond ang	les
WIOI	Type	Ullalli	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
31	OMC	4	32	31	19,22,23	0.83	0	26,31,34	0.95	1 (3%)
31	4SU	4	8	31	18,21,22	1.74	5 (27%)	26,30,33	2.17	4 (15%)
1	6MZ	2	1469	1,34	18,25,26	0.79	1 (5%)	16,36,39	2.07	3 (18%)
1	4AC	2	286	1	21,24,25	1.07	2 (9%)	29,34,37	1.25	2 (6%)
1	OMC	2	1376	1	19,22,23	0.86	2 (10%)	26,31,34	0.88	1 (3%)
1	4AC	2	626	1	21,24,25	1.03	2 (9%)	29,34,37	1.37	4 (13%)
1	4AC	2	703	1	21,24,25	1.17	3 (14%)	29,34,37	1.72	4 (13%)
1	5MC	2	1025	1	18,22,23	0.96	1 (5%)	26,32,35	1.20	2 (7%)
1	4AC	2	848	1	21,24,25	1.04	2 (9%)	29,34,37	1.24	4 (13%)
1	4AC	2	1028	1	21,24,25	1.04	2 (9%)	29,34,37	1.29	4 (13%)
1	OMG	2	873	1	18,26,27	1.05	1 (5%)	19,38,41	1.17	3 (15%)
1	OMU	2	1177	1	19,22,23	1.37	4 (21%)	26,31,34	1.79	4 (15%)
1	5MC	2	1498	1	18,22,23	0.95	2 (11%)	26,32,35	1.35	4 (15%)
31	PSU	4	55	31	18,21,22	1.34	2 (11%)	22,30,33	1.88	3 (13%)
1	A2M	2	373	1	18,25,26	0.90	1 (5%)	18,36,39	1.28	2 (11%)
1	4AC	2	851	1	21,24,25	1.13	3 (14%)	29,34,37	1.19	3 (10%)
1	OMG	2	1069	1	18,26,27	1.06	1 (5%)	19,38,41	1.16	2 (10%)
1	LHH	2	250	1	22,25,26	2.51	8 (36%)	29,35,38	1.27	5 (17%)
1	OMU	2	20	1	19,22,23	1.42	4 (21%)	26,31,34	2.08	5 (19%)
1	4AC	2	718	1	21,24,25	1.10	2 (9%)	29,34,37	1.33	4 (13%)



Mol	Type	Chain	Dog	Link	Bo	ond leng	ths	Bond angles			
	Type	Ullalli	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2	
1	5MC	2	1202	1	18,22,23	0.97	2 (11%)	26,32,35	1.19	3 (11%)	
1	4AC	2	1233	1	21,24,25	1.08	2 (9%)	$29,\!34,\!37$	1.33	4 (13%)	
1	4AC	2	828	1	21,24,25	1.06	2 (9%)	$29,\!34,\!37$	1.30	5 (17%)	
1	4AC	2	479	1	21,24,25	1.03	2 (9%)	29,34,37	1.34	4 (13%)	
1	OMG	2	913	1	18,26,27	1.02	1 (5%)	19,38,41	1.20	2 (10%)	
1	MA6	2	1487	1	18,26,27	0.83	1 (5%)	19,38,41	1.27	2 (10%)	
1	OMG	2	657	1	18,26,27	0.99	1 (5%)	19,38,41	1.13	3 (15%)	
1	4AC	2	751	1	21,24,25	1.03	2 (9%)	29,34,37	1.18	2 (6%)	
1	OMC	2	129	1	19,22,23	0.85	0	26,31,34	0.83	1 (3%)	
1	OMG	2	934	1	18,26,27	1.05	1 (5%)	19,38,41	1.18	2 (10%)	
1	4AC	2	511	1	21,24,25	1.09	2 (9%)	29,34,37	1.39	5 (17%)	
1	4AC	2	590	1	21,24,25	1.05	2 (9%)	29,34,37	1.29	4 (13%)	
1	4AC	2	636	1	21,24,25	1.07	3 (14%)	29,34,37	1.61	4 (13%)	
1	5MC	2	1505	1,30	18,22,23	0.94	2 (11%)	26,32,35	1.20	3 (11%)	
1	OMC	2	1036	1	19,22,23	0.90	2 (10%)	26,31,34	0.82	0	
1	UR3	2	1467	1	19,22,23	0.94	2 (10%)	26,32,35	1.35	2 (7%)	
1	MA6	2	1488	1	18,26,27	0.81	0	19,38,41	1.29	2 (10%)	
1	B8H	2	938	1	19,22,23	0.86	1 (5%)	22,32,35	1.50	3 (13%)	
1	OMU	2	64	1	19,22,23	1.29	4 (21%)	26,31,34	1.76	5 (19%)	
1	4AC	2	379	1	21,24,25	1.04	2 (9%)	29,34,37	1.35	4 (13%)	
1	LHH	2	1041	1	22,25,26	2.48	8 (36%)	29,35,38	1.20	4 (13%)	
1	4AC	2	957	1	21,24,25	1.07	2 (9%)	29,34,37	1.31	4 (13%)	
1	OMG	2	467	1	18,26,27	1.00	1 (5%)	19,38,41	1.21	3 (15%)	
1	4AC	2	53	1	21,24,25	1.05	2 (9%)	29,34,37	1.27	4 (13%)	
1	4AC	2	303	1	21,24,25	1.09	2 (9%)	29,34,37	1.28	3 (10%)	
1	5MC	2	1496	1	18,22,23	0.96	2 (11%)	26,32,35	1.19	2 (7%)	
1	4AC	2	1239	1	21,24,25	1.06	2 (9%)	29,34,37	1.30	4 (13%)	
1	OMG	2	471	1	18,26,27	1.02	1 (5%)	19,38,41	1.10	2 (10%)	
1	OMG	2	680	1	18,26,27	1.04	1 (5%)	19,38,41	1.07	2 (10%)	
1	OMU	2	787	1	19,22,23	1.36	4 (21%)	26,31,34	1.84	5 (19%)	
1	4AC	2	17	1	21,24,25	1.08	3 (14%)	29,34,37	1.31	4 (13%)	
1	OMG	2	519	1	18,26,27	0.99	1 (5%)	19,38,41	1.18	2 (10%)	
1	5MC	2	535	1	18,22,23	0.95	1 (5%)	26,32,35	1.19	3 (11%)	
1	4AC	2	839	1	21,24,25	1.06	2 (9%)	29,34,37	1.28	4 (13%)	
31	H2U	4	20	31	18,21,22	0.99	2 (11%)	21,30,33	1.82	2 (9%)	



Mal	Turne	Chain	Dec	Tink	Bo	ond leng	ths	B	ond ang	les
WIOI	туре	Unain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
1	OMU	2	830	1	19,22,23	1.37	4 (21%)	26,31,34	1.86	5 (19%)
1	OMU	2	774	1	19,22,23	1.33	3 (15%)	26,31,34	1.80	5 (19%)
1	4AC	2	868	1	21,24,25	1.10	2 (9%)	29,34,37	1.30	3 (10%)
1	4AC	2	394	1	21,24,25	1.00	2 (9%)	29,34,37	1.29	4 (13%)
1	OMC	2	1040	1	19,22,23	0.89	2 (10%)	26,31,34	0.82	0
1	5MC	2	1374	1	18,22,23	0.96	2 (11%)	26,32,35	1.12	3 (11%)
1	4AC	2	1147	1	21,24,25	1.02	2 (9%)	29,34,37	1.33	4 (13%)
1	4AC	2	546	1	21,24,25	1.02	2 (9%)	29,34,37	1.29	4 (13%)
1	4AC	2	1479	1	21,24,25	1.03	2 (9%)	29,34,37	1.22	4 (13%)
1	OMU	2	1380	1	19,22,23	1.34	4 (21%)	26,31,34	1.87	5 (19%)
1	5MC	2	693	1	18,22,23	0.92	2 (11%)	26,32,35	1.12	2 (7%)
1	OMC	2	773	1	19,22,23	0.85	2 (10%)	26,31,34	0.87	1 (3%)
1	5MC	2	875	1	18,22,23	1.00	2 (11%)	26,32,35	1.13	3 (11%)
1	4AC	2	731	1	21,24,25	1.09	2 (9%)	29,34,37	1.27	4 (13%)
1	4AC	2	1184	1	21,24,25	1.04	2 (9%)	29,34,37	1.29	3 (10%)
31	5MU	4	54	31	19,22,23	1.43	5 (26%)	28,32,35	2.01	5 (17%)
1	OMC	2	846	1	19,22,23	0.86	2 (10%)	26,31,34	0.82	0
1	4AC	2	319	1	21,24,25	1.07	2 (9%)	29,34,37	1.31	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
31	OMC	4	32	31	-	1/9/27/28	0/2/2/2
31	4SU	4	8	31	-	0/7/25/26	0/2/2/2
1	6MZ	2	1469	1,34	-	0/5/27/28	0/3/3/3
1	4AC	2	286	1	-	0/11/29/30	0/2/2/2
1	OMC	2	1376	1	-	1/9/27/28	0/2/2/2
1	4AC	2	626	1	-	0/11/29/30	0/2/2/2
1	4AC	2	703	1	-	0/11/29/30	0/2/2/2
1	5MC	2	1025	1	-	0/7/25/26	0/2/2/2
1	4AC	2	848	1	-	0/11/29/30	0/2/2/2
1	4AC	2	1028	1	-	0/11/29/30	0/2/2/2
1	OMG	2	873	1	-	0/5/27/28	0/3/3/3
1	OMU	2	1177	1	-	1/9/27/28	0/2/2/2
1	5MC	2	1498	1	-	4/7/25/26	0/2/2/2



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
31	PSU	4	55	31	_	0/7/25/26	0/2/2/2
1	A2M	2	373	1	_	0/5/27/28	$\frac{1}{0/3/3/3}$
1	4AC	2	851	1	-	0/11/29/30	0/2/2/2
1	OMG	2	1069	1	-	0/5/27/28	0/3/3/3
1	LHH	2	250	1	-	0/13/31/32	0/2/2/2
1	OMU	2	20	1	-	6/9/27/28	0/2/2/2
1	4AC	2	718	1	-	0/11/29/30	0/2/2/2
1	5MC	2	1202	1	-	2/7/25/26	0/2/2/2
1	4AC	2	1233	1	-	0/11/29/30	0/2/2/2
1	4AC	2	828	1	-	0/11/29/30	0/2/2/2
1	4AC	2	479	1	-	0/11/29/30	0/2/2/2
1	OMG	2	913	1	-	1/5/27/28	0/3/3/3
1	MA6	2	1487	1	-	0/7/29/30	0/3/3/3
1	OMG	2	657	1	-	0/5/27/28	0/3/3/3
1	4AC	2	751	1	-	0/11/29/30	0/2/2/2
1	OMC	2	129	1	-	0/9/27/28	0/2/2/2
1	OMG	2	934	1	-	2/5/27/28	0/3/3/3
1	4AC	2	511	1	_	1/11/29/30	0/2/2/2
1	4AC	2	590	1	-	0/11/29/30	0/2/2/2
1	4AC	2	636	1	-	0/11/29/30	0/2/2/2
1	5MC	2	1505	1,30	-	0/7/25/26	0/2/2/2
1	OMC	2	1036	1	-	0/9/27/28	0/2/2/2
1	UR3	2	1467	1	-	0/7/25/26	0/2/2/2
1	MA6	2	1488	1	-	0/7/29/30	0/3/3/3
1	B8H	2	938	1	-	0/7/25/26	0/2/2/2
1	OMU	2	64	1	-	0/9/27/28	0/2/2/2
1	4AC	2	379	1	-	0/11/29/30	0/2/2/2
1	LHH	2	1041	1	-	0/13/31/32	0/2/2/2
1	4AC	2	957	1	-	0/11/29/30	0/2/2/2
1	OMG	2	467	1	-	0/5/27/28	0/3/3/3
1	4AC	2	53	1	-	0/11/29/30	0/2/2/2
1	4AC	2	303	1	-	0/11/29/30	0/2/2/2
1	5MC	2	1496	1	-	0/7/25/26	0/2/2/2
1	4AC	2	1239	1	-	0/11/29/30	0/2/2/2
1	OMG	2	471	1	-	0/5/27/28	0/3/3/3
1	OMG	2	680	1	-	0/5/27/28	0/3/3/3
1	OMU	2	787	1	-	2/9/27/28	0/2/2/2
1	4AC	2	17	1	-	2/11/29/30	$\overline{0/2/2/2}$
1	OMG	2	519	1	-	0/5/27/28	0/3/3/3
1	5MC	2	535	1	-	0/7/25/26	0/2/2/2
1	4AC	2	839	1	-	0/11/29/30	0/2/2/2

Continued from previous page...



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
31	H2U	4	20	31	-	3/7/38/39	0/2/2/2
1	OMU	2	830	1	-	0/9/27/28	0/2/2/2
1	OMU	2	774	1	-	0/9/27/28	0/2/2/2
1	4AC	2	868	1	-	0/11/29/30	0/2/2/2
1	4AC	2	394	1	-	0/11/29/30	0/2/2/2
1	OMC	2	1040	1	-	0/9/27/28	0/2/2/2
1	5MC	2	1374	1	-	0/7/25/26	0/2/2/2
1	4AC	2	1147	1	-	0/11/29/30	0/2/2/2
1	4AC	2	546	1	-	1/11/29/30	0/2/2/2
1	4AC	2	1479	1	-	0/11/29/30	0/2/2/2
1	OMU	2	1380	1	-	0/9/27/28	0/2/2/2
1	5MC	2	693	1	-	0/7/25/26	0/2/2/2
1	OMC	2	773	1	-	0/9/27/28	0/2/2/2
1	5MC	2	875	1	-	0/7/25/26	0/2/2/2
1	4AC	2	731	1	-	0/11/29/30	0/2/2/2
1	4AC	2	1184	1	-	0/11/29/30	0/2/2/2
31	5MU	4	54	31	-	0/7/25/26	0/2/2/2
1	OMC	2	846	1	-	0/9/27/28	0/2/2/2
1	4AC	2	319	1	-	0/11/29/30	0/2/2/2

Continued from previous page...

The worst 5 of 160 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2	250	LHH	C4-N4	6.42	1.49	1.39
1	2	1041	LHH	C4-N4	6.06	1.48	1.39
1	2	250	LHH	C7-N4	6.04	1.48	1.37
1	2	1041	LHH	C7-N4	5.85	1.48	1.37
1	2	1041	LHH	O2-C2	-4.58	1.15	1.23

The worst 5 of 231 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
31	4	20	H2U	C4-N3-C2	-7.68	119.42	125.79
31	4	8	4SU	C4-N3-C2	-6.83	120.70	127.34
1	2	1469	6MZ	C2-N1-C6	6.11	121.83	116.59
31	4	55	PSU	N1-C2-N3	5.96	121.89	115.13
31	4	8	4SU	C5-C4-N3	5.85	120.11	114.69

There are no chirality outliers.

5 of 27 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
1	2	934	OMG	O4'-C4'-C5'-O5'
1	2	934	OMG	C3'-C4'-C5'-O5'
31	4	20	H2U	O4'-C1'-N1-C6
1	2	1202	5MC	O4'-C4'-C5'-O5'
1	2	1202	5MC	C3'-C4'-C5'-O5'

There are no ring outliers.

13 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
31	4	32	OMC	1	0
1	2	626	4AC	1	0
1	2	703	4AC	3	0
1	2	373	A2M	1	0
1	2	1233	4AC	1	0
1	2	1487	MA6	1	0
1	2	636	4AC	3	0
1	2	1488	MA6	1	0
1	2	379	4AC	1	0
1	2	957	4AC	1	0
1	2	680	OMG	1	0
1	2	1147	4AC	1	0
1	2	1184	4AC	1	0

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 71 ligands modelled in this entry, 69 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bo	ond leng	$_{\rm sths}$	B	ond angles	
				LIUK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
37	GNP	7	601	34,33	29,34,34	0.93	1 (3%)	33,54,54	2.97	10 (30%)



Mol	Type C	Chain	Dog	Link	Bo	ond leng	\mathbf{ths}	Е	gles	
			nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
36	MET	4	101	31	6,7,8	1.22	1 (16%)	2,7,9	1.98	1 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
37	GNP	7	601	34,33	-	5/14/38/38	0/3/3/3
36	MET	4	101	31	-	0/5/6/8	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms		Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
37	7	601	GNP	C6-N1	3.10	1.38	1.33
36	4	101	MET	CB-CA	-2.75	1.49	1.53

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
37	7	601	GNP	O1B-PB-N3B	9.79	126.19	111.77
37	7	601	GNP	C5-C6-N1	-8.31	112.07	123.43
37	7	601	GNP	O1G-PG-N3B	6.01	120.61	111.77
37	7	601	GNP	C2-N1-C6	5.85	125.23	115.93
37	7	601	GNP	N3-C2-N1	-2.79	123.50	127.22

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
37	7	601	GNP	PG-N3B-PB-O1B
37	7	601	GNP	PA-O3A-PB-O1B
37	7	601	GNP	PA-O3A-PB-O2B
37	7	601	GNP	O4'-C4'-C5'-O5'
37	7	601	GNP	C5'-O5'-PA-O1A

There are no ring outliers.

2 monomers are involved in 2 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
37	7	601	GNP	1	0
36	4	101	MET	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-14580. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



6.2 Central slices (i)

6.2.1 Primary map



X Index: 216



Y Index: 216



Z Index: 216

6.2.2 Raw map



X Index: 216

Y Index: 216



The images above show central slices of the map in three orthogonal directions.



6.3 Largest variance slices (i)

Primary map 6.3.1



X Index: 228



Y Index: 231



Z Index: 218

Raw map 6.3.2



X Index: 224

Y Index: 231



The images above show the largest variance slices of the map in three orthogonal directions.



6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.007. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.



Mask visualisation (i) 6.6

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency

A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure

$emd_{14580}msk_{1.map}$ (i) 6.6.1



Υ



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 894 nm^3 ; this corresponds to an approximate mass of 807 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.370 ${\rm \AA^{-1}}$



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.370 ${\rm \AA^{-1}}$



8.2 Resolution estimates (i)

$\mathbf{Bosolution} \text{ ostimato } (\mathbf{\hat{\lambda}})$	Estimation criterion (FSC cut-off)			
Resolution estimate (A)	0.143	0.5	Half-bit	
Reported by author	2.70	-	-	
Author-provided FSC curve	2.70	3.07	2.75	
Unmasked-calculated*	3.15	4.20	3.20	

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.15 differs from the reported value 2.7 by more than 10 %



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-14580 and PDB model 7ZAH. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.007 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.007).



9.4 Atom inclusion (i)



At the recommended contour level, 97% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.007) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	$\mathbf{Q} extsf{-score}$
All	0.9730	0.5910
0	0.9840	0.6400
2	0.9990	0.6380
3	0.7460	0.2850
4	0.9550	0.3390
5	0.9900	0.5650
6	0.9050	0.4000
7	0.8440	0.3160
А	0.9740	0.6150
В	0.9850	0.6160
С	0.9820	0.6320
D	0.9910	0.6410
Е	0.9830	0.6230
F	0.9860	0.6420
G	0.9630	0.5550
Н	0.9850	0.6240
Ι	0.9930	0.6530
J	0.9800	0.6200
K	0.9880	0.6330
L	0.9600	0.5850
М	0.9880	0.6330
Ν	0.9860	0.6340
О	0.9840	0.6050
Р	0.9790	0.6240
Q	0.9850	0.6260
R	0.9930	0.6460
S	0.9810	0.5830
Т	0.9780	0.5930
U	0.9870	0.6260
V	0.9760	0.6090
W	0.9870	0.6090
Х	0.9640	0.6030
Y	0.7160	0.2480
Ζ	0.9710	0.5940

