



Full wwPDB EM Validation Report ⓘ

Oct 1, 2022 – 10:31 am BST

PDB ID : 7ZDM
EMDB ID : EMD-14658
Title : Complex I from *Ovis aries* at pH5.5, Closed state
Authors : Sazanov, L.; Petrova, O.
Deposited on : 2022-03-29
Resolution : 3.44 Å (reported)
Based on initial model : 6ZKC

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	464	92% 7%
2	2	246	86% 13%
3	3	727	94% 5%
4	4	463	5% 91% 7%
5	5	266	77% 22%
6	6	223	69% 30%
7	9	217	5% 79% 19%
8	a	109	40% 60%
9	b	124	76% 23%












Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	c	170	72% 26%
11	d	380	88% 11%
12	e	99	86% 13%
13	f	116	97%
14	g	140	80% 19%
15	h	114	76% 8% 16%
16	i	145	98%
17	X	157	55% 45%
17	j	157	11% 51% 48%
18	A	115	15% 99%
19	H	318	9% 98%
20	J	175	95% 5%
21	K	98	92% 8%
22	L	606	98%
23	M	459	99%
24	N	347	99%
25	V	141	96%
26	W	189	74% 26%
27	Y	171	98%
28	Z	175	96%
29	k	355	89% 10%
30	l	106	93% 6%
31	m	84	94% 5%
32	n	98	80% 19%
33	o	122	97%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	p	130	 93% 5%
35	q	144	 97%
36	r	128	 77% 23% 5%
37	s	137	 85% 11% 7%
38	t	179	 98%
39	u	108	 57% 40%
40	v	186	 82% 17%
41	w	154	 62% 34%
42	x	76	 63% 36% 5%
43	y	58	 84% 14% 12%
44	z	70	 96%

2 Entry composition [i](#)

There are 56 unique types of molecules in this entry. The entry contains 67086 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	1	430	3312	2086	593	613	20	0	0

- Molecule 2 is a protein called Mitochondrial complex I, 24 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	2	213	1655	1058	278	309	10	0	0

- Molecule 3 is a protein called NADH:ubiquinone oxidoreductase core subunit S1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	3	688	5275	3301	922	1011	41	0	0

- Molecule 4 is a protein called Complex I-49kD.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	4	430	3457	2207	594	631	25	0	0

- Molecule 5 is a protein called NADH:ubiquinone oxidoreductase core subunit S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	5	208	1726	1112	296	315	3	0	0

- Molecule 6 is a protein called Complex I-20kD.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	6	156	1247	795	225	213	14	0	0

- Molecule 7 is a protein called Complex I-23kD.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	9	176	Total	C	N	O	S	0	0
			1414	889	243	270	12		

- Molecule 8 is a protein called Complex I-9kD.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	a	44	Total	C	N	O	S	0	0
			371	233	66	71	1		

- Molecule 9 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	b	95	Total	C	N	O	S	0	0
			737	451	139	144	3		

- Molecule 10 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	c	126	Total	C	N	O	S	0	0
			1024	646	182	193	3		

- Molecule 11 is a protein called NADH:ubiquinone oxidoreductase subunit A9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	d	340	Total	C	N	O	S	0	0
			2748	1775	489	478	6		

- Molecule 12 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	e	86	Total	C	N	O	S	0	0
			691	434	129	126	2		

- Molecule 13 is a protein called Mitochondrial complex I, B13 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	f	113	Total	C	N	O	S	0	0
			917	595	153	167	2		

- Molecule 14 is a protein called NADH:ubiquinone oxidoreductase subunit A6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	g	114	969	619	180	166	4	0	0

- Molecule 15 is a protein called Mitochondrial complex I, B14.5a subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	h	96	769	480	146	140	3	0	0

- Molecule 16 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	i	145	1209	778	216	210	5	0	0

- Molecule 17 is a protein called Acyl carrier protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	j	82	660	425	98	132	5	0	0
17	X	87	701	451	103	142	5	0	0

- Molecule 18 is a protein called NADH-ubiquinone oxidoreductase chain 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	A	115	922	621	133	161	7	0	0

- Molecule 19 is a protein called NADH-ubiquinone oxidoreductase chain 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	H	318	2528	1704	384	421	19	0	0

- Molecule 20 is a protein called NADH-ubiquinone oxidoreductase chain 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	J	175	1344	904	192	235	13	0	0

- Molecule 21 is a protein called NADH-ubiquinone oxidoreductase chain 4L.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	K	98	749	490	112	132	15	0	0

- Molecule 22 is a protein called NADH-ubiquinone oxidoreductase chain 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	L	606	4807	3188	746	829	44	0	0

- Molecule 23 is a protein called NADH-ubiquinone oxidoreductase chain 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	M	459	3647	2429	571	607	40	0	0

- Molecule 24 is a protein called NADH-ubiquinone oxidoreductase chain 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	N	347	2723	1808	416	459	40	0	0

- Molecule 25 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	V	140	1028	656	175	191	6	0	0

- Molecule 26 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	W	139	1155	761	194	198	2	0	0

- Molecule 27 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	Y	171	1403	889	253	251	10	0	0

- Molecule 28 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	Z	171	1441	905	266	262	8	0	0

- Molecule 29 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	N	O	P	S		
29	k	320	2596	1659	432	494	1	10	0	0

- Molecule 30 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	l	105	874	551	164	153	6	0	0

- Molecule 31 is a protein called NADH:ubiquinone oxidoreductase subunit A3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	m	80	626	411	103	110	2	0	0

- Molecule 32 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	n	79	634	415	106	111	2	0	0

- Molecule 33 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	o	120	1004	652	175	172	5	0	0

- Molecule 34 is a protein called NADH:ubiquinone oxidoreductase subunit B4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	p	128	1059	675	189	194	1	0	0

- Molecule 35 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	q	139	1142	733	200	200	9	0	0

- Molecule 36 is a protein called Mitochondrial complex I, B17 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	r	99	846	554	149	142	1	0	0

- Molecule 37 is a protein called NADH:ubiquinone oxidoreductase subunit B7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	s	122	1047	653	199	186	9	0	0

- Molecule 38 is a protein called NADH:ubiquinone oxidoreductase subunit B9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	t	177	1520	973	279	262	6	0	0

- Molecule 39 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	u	65	563	372	93	97	1	0	0

- Molecule 40 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	v	155	1307	846	213	239	9	0	0

- Molecule 41 is a protein called Mitochondrial complex I, ESSS subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	w	101	846	542	140	160	4	0	0

- Molecule 42 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
42	x	49	412	271	70	71	0	0


- Molecule 43 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
43	y	50	436	287	77	72	0	0

- Molecule 44 is a protein called Complex I-MWFE.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	z	70	576	369	106	96	5	0	0

- Molecule 45 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
45	1	1	8	4	4	0
45	3	1	16	8	8	0
45	3	1	16	8	8	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
45	6	1	8	4	4	0
45	9	1	16	8	8	0
45	9	1	16	8	8	0

- Molecule 46 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: $C_{17}H_{21}N_4O_9P$).




Mol	Chain	Residues	Atoms				AltConf	
			Total	C	N	O		P
46	1	1	31	17	4	9	1	0

- Molecule 47 is 1,4-DIHYDRONICOTINAMIDE ADENINE DINUCLEOTIDE (three-letter code: NAI) (formula: $C_{21}H_{29}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms				AltConf	
			Total	C	N	O		P
47	1	1	44	21	7	14	2	0

- Molecule 48 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).




Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
48	2	1	4	2	2	0
48	3	1	4	2	2	0

- Molecule 49 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	AltConf
49	3	1	Total K 1 1	0

- Molecule 50 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (three-letter code: 3PE) (formula: $C_{41}H_{82}NO_8P$).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
50	4	1	Total 40	C 30	N 1	O 8	P 1	0
50	6	1	Total 51	C 41	N 1	O 8	P 1	0
50	A	1	Total 51	C 41	N 1	O 8	P 1	0
50	H	1	Total 51	C 41	N 1	O 8	P 1	0
50	J	1	Total 40	C 30	N 1	O 8	P 1	0
50	L	1	Total 51	C 41	N 1	O 8	P 1	0
50	M	1	Total 44	C 34	N 1	O 8	P 1	0
50	V	1	Total 64	C 45	N 1	O 16	P 2	0
50	V	1	Total 64	C 45	N 1	O 16	P 2	0
50	o	1	Total 31	C 21	N 1	O 8	P 1	0

- Molecule 51 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PC1) (formula: $C_{44}H_{88}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
51	6	1	Total 46	C 36	N 1	O 8	P 1	0
51	9	1	Total 54	C 44	N 1	O 8	P 1	0
51	L	1	Total 108	C 88	N 2	O 16	P 2	0
51	L	1	Total 108	C 88	N 2	O 16	P 2	0
51	M	1	Total 54	C 44	N 1	O 8	P 1	0

- Molecule 52 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
52	b	1	Total 1	Zn 1	0

- Molecule 53 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
53	d	1	48	21	7	17	3	0

- Molecule 54 is S-[2-({N-[(2S)-2-hydroxy-3,3-dimethyl-4-(phosphonoxy)butanoyl]-beta-alanyl})amino)ethyl] tetradecanethioate (three-letter code: ZMP) (formula: C₂₅H₄₉N₂O₈PS).




Mol	Chain	Residues	Atoms					AltConf	
			Total	C	N	O	P		S
54	j	1	34	23	2	7	1	1	0
54	X	1	31	20	2	7	1	1	0

- Molecule 55 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: $C_{10}H_{14}N_5O_7P$).



Mol	Chain	Residues	Atoms				AltConf	
			Total	C	N	O		P
55	k	1	23	10	5	7	1	0

- Molecule 56 is MYRISTIC ACID (three-letter code: MYR) (formula: $C_{14}H_{28}O_2$).





Mol	Chain	Residues	Atoms		AltConf	
			Total	C		O
56	s	1	15	14	1	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial

Chain 1:  92% 7%





- Molecule 2: Mitochondrial complex I, 24 kDa subunit

Chain 2:  86% 13%





- Molecule 3: NADH:ubiquinone oxidoreductase core subunit S1

Chain 3:  94% 5%






- Molecule 4: Complex I-49kD



Chain 4:  5% 91% 7%





- Molecule 5: NADH:ubiquinone oxidoreductase core subunit S3





• Molecule 6: Complex I-20kD





• Molecule 7: Complex I-23kD



• Molecule 8: Complex I-9kD




• Molecule 9: NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial






• Molecule 10: NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial








• Molecule 11: NADH:ubiquinone oxidoreductase subunit A9





• Molecule 12: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2





• Molecule 13: Mitochondrial complex I, B13 subunit



• Molecule 14: NADH:ubiquinone oxidoreductase subunit A6




• Molecule 15: Mitochondrial complex I, B14.5a subunit



• Molecule 16: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12







- Molecule 17: Acyl carrier protein




- Molecule 17: Acyl carrier protein



- Molecule 18: NADH-ubiquinone oxidoreductase chain 3



- Molecule 19: NADH-ubiquinone oxidoreductase chain 1



- Molecule 20: NADH-ubiquinone oxidoreductase chain 6



- Molecule 21: NADH-ubiquinone oxidoreductase chain 4L







- Molecule 22: NADH-ubiquinone oxidoreductase chain 5




- Molecule 23: NADH-ubiquinone oxidoreductase chain 4





- Molecule 24: NADH-ubiquinone oxidoreductase chain 2




- Molecule 25: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11



- Molecule 26: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial




- Molecule 27: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8





- Molecule 28: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10

Chain Z:  96%



- Molecule 29: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial

Chain k:  89%




- Molecule 30: NADH dehydrogenase [ubiquinone] iron-sulfur protein 5

Chain l:  93%





- Molecule 31: NADH:ubiquinone oxidoreductase subunit A3

Chain m:  94%




- Molecule 32: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3

Chain n:  80%




- Molecule 33: NADH dehydrogenase [ubiquinone] 1 subunit C2

Chain o:  97%




- Molecule 34: NADH:ubiquinone oxidoreductase subunit B4



Chain p:  93%





- Molecule 35: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13




- Molecule 36: Mitochondrial complex I, B17 subunit




- Molecule 37: NADH:ubiquinone oxidoreductase subunit B7





- Molecule 38: NADH:ubiquinone oxidoreductase subunit B9



- Molecule 39: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial





- Molecule 40: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial




- Molecule 41: Mitochondrial complex I, ESSS subunit

Chain w:  62% 34%





- Molecule 42: NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial

Chain x:  5% 63% 36%



- Molecule 43: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1

Chain y:  12% 84% 14%



- Molecule 44: Complex I-MWFE

Chain z:  96%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	32982	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	90	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	120000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.561	Depositor
Minimum map value	-0.069	Depositor
Average map value	0.009	Depositor
Map value standard deviation	0.028	Depositor
Recommended contour level	0.07	Depositor
Map size (\AA)	173.24, 197.64, 285.48	wwPDB
Map dimensions	162, 142, 234	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.22, 1.22, 1.22	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PC1, SF4, FMN, ZMP, AMP, ZN, 3PE, NAI, MYR, 2MR, FES, NDP, K, FME, SEP, AYA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.30	0/3386	0.54	0/4575
2	2	0.30	0/1695	0.51	0/2306
3	3	0.29	0/5362	0.53	0/7266
4	4	0.32	0/3535	0.53	0/4791
5	5	0.32	0/1776	0.55	0/2417
6	6	0.33	0/1278	0.54	0/1728
7	9	0.33	0/1445	0.56	1/1956 (0.1%)
8	a	0.26	0/383	0.57	0/518
9	b	0.29	0/749	0.53	0/1009
10	c	0.31	0/1047	0.61	1/1415 (0.1%)
11	d	0.29	0/2824	0.55	1/3830 (0.0%)
12	e	0.33	0/702	0.65	0/945
13	f	0.29	0/937	0.44	0/1271
14	g	0.32	0/993	0.58	0/1336
15	h	0.30	0/779	0.62	1/1053 (0.1%)
16	i	0.32	0/1250	0.54	0/1698
17	X	0.34	0/713	0.53	0/963
17	j	0.33	0/670	0.61	1/902 (0.1%)
18	A	0.31	0/947	0.56	0/1296
19	H	0.32	0/2603	0.54	0/3561
20	J	0.37	0/1378	0.64	2/1868 (0.1%)
21	K	0.34	0/749	0.67	2/1014 (0.2%)
22	L	0.32	0/4925	0.55	1/6700 (0.0%)
23	M	0.33	0/3731	0.56	0/5085
24	N	0.32	0/2787	0.55	0/3795
25	V	0.30	0/1041	0.50	0/1412
26	W	0.32	0/1188	0.52	0/1607
27	Y	0.32	0/1440	0.54	0/1942
28	Z	0.33	0/1475	0.54	1/1989 (0.1%)
29	k	0.33	0/2646	0.49	0/3579
30	l	0.30	0/896	0.62	1/1200 (0.1%)
31	m	0.31	0/647	0.58	1/890 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	n	0.31	0/653	0.50	0/882
33	o	0.36	0/1035	0.53	0/1398
34	p	0.30	0/1085	0.55	0/1467
35	q	0.31	0/1171	0.53	0/1579
36	r	0.31	0/874	0.56	0/1188
37	s	0.33	0/1072	0.62	0/1436
38	t	0.32	0/1573	0.52	0/2130
39	u	0.29	0/590	0.52	0/810
40	v	0.32	0/1361	0.53	1/1861 (0.1%)
41	w	0.34	0/872	0.62	2/1185 (0.2%)
42	x	0.32	0/425	0.46	0/576
43	y	0.28	0/449	0.49	0/605
44	z	0.37	0/591	0.68	0/795
All	All	0.32	0/67728	0.55	16/91829 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	3	0	1
4	4	0	1
20	J	0	1
All	All	0	3

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	J	132	ASP	CB-CG-OD1	9.33	126.70	118.30
21	K	88	ASP	CB-CG-OD1	7.78	125.30	118.30
10	c	18	ASP	CB-CG-OD1	7.70	125.23	118.30
17	j	64	ASP	CB-CG-OD2	7.61	125.15	118.30
30	l	61	ASP	CB-CG-OD2	7.54	125.08	118.30
41	w	37	LEU	CA-CB-CG	6.92	131.21	115.30
15	h	57	ASP	CB-CG-OD2	6.74	124.36	118.30
22	L	278	LEU	CA-CB-CG	6.20	129.56	115.30
41	w	114	ASP	CB-CG-OD2	5.79	123.51	118.30
40	v	69	LEU	CA-CB-CG	5.78	128.58	115.30
7	9	14	MET	CA-CB-CG	5.74	123.05	113.30
11	d	77	ASP	CB-CG-OD2	5.71	123.44	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	J	146	LEU	CA-CB-CG	5.52	128.00	115.30
31	m	34	LEU	CA-CB-CG	5.23	127.34	115.30
21	K	10	MET	CA-CB-CG	5.18	122.11	113.30
28	Z	112	CYS	CA-CB-SG	5.16	123.28	114.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	3	259	ASN	Peptide
4	4	275	TYR	Peptide
20	J	115	ILE	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	428/464 (92%)	414 (97%)	14 (3%)	0	100	100
2	2	211/246 (86%)	197 (93%)	14 (7%)	0	100	100
3	3	686/727 (94%)	665 (97%)	21 (3%)	0	100	100
4	4	427/463 (92%)	407 (95%)	20 (5%)	0	100	100
5	5	206/266 (77%)	195 (95%)	11 (5%)	0	100	100
6	6	154/223 (69%)	148 (96%)	6 (4%)	0	100	100
7	9	174/217 (80%)	166 (95%)	8 (5%)	0	100	100
8	a	42/109 (38%)	42 (100%)	0	0	100	100
9	b	93/124 (75%)	90 (97%)	3 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	c	124/170 (73%)	120 (97%)	4 (3%)	0	100	100
11	d	338/380 (89%)	326 (96%)	12 (4%)	0	100	100
12	e	84/99 (85%)	81 (96%)	3 (4%)	0	100	100
13	f	111/116 (96%)	106 (96%)	5 (4%)	0	100	100
14	g	112/140 (80%)	109 (97%)	3 (3%)	0	100	100
15	h	92/114 (81%)	90 (98%)	2 (2%)	0	100	100
16	i	143/145 (99%)	138 (96%)	5 (4%)	0	100	100
17	X	85/157 (54%)	80 (94%)	5 (6%)	0	100	100
17	j	80/157 (51%)	75 (94%)	5 (6%)	0	100	100
18	A	113/115 (98%)	105 (93%)	8 (7%)	0	100	100
19	H	316/318 (99%)	295 (93%)	21 (7%)	0	100	100
20	J	173/175 (99%)	165 (95%)	6 (4%)	2 (1%)	13	48
21	K	96/98 (98%)	96 (100%)	0	0	100	100
22	L	604/606 (100%)	576 (95%)	28 (5%)	0	100	100
23	M	457/459 (100%)	446 (98%)	11 (2%)	0	100	100
24	N	345/347 (99%)	337 (98%)	8 (2%)	0	100	100
25	V	138/141 (98%)	136 (99%)	2 (1%)	0	100	100
26	W	137/189 (72%)	135 (98%)	2 (2%)	0	100	100
27	Y	169/171 (99%)	165 (98%)	4 (2%)	0	100	100
28	Z	169/175 (97%)	167 (99%)	2 (1%)	0	100	100
29	k	317/355 (89%)	302 (95%)	15 (5%)	0	100	100
30	l	103/106 (97%)	93 (90%)	10 (10%)	0	100	100
31	m	78/84 (93%)	71 (91%)	7 (9%)	0	100	100
32	n	77/98 (79%)	74 (96%)	3 (4%)	0	100	100
33	o	118/122 (97%)	116 (98%)	2 (2%)	0	100	100
34	p	126/130 (97%)	123 (98%)	3 (2%)	0	100	100
35	q	137/144 (95%)	133 (97%)	4 (3%)	0	100	100
36	r	95/128 (74%)	92 (97%)	3 (3%)	0	100	100
37	s	120/137 (88%)	119 (99%)	1 (1%)	0	100	100
38	t	175/179 (98%)	169 (97%)	6 (3%)	0	100	100
39	u	63/108 (58%)	61 (97%)	2 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
40	v	153/186 (82%)	146 (95%)	7 (5%)	0	100	100
41	w	99/154 (64%)	95 (96%)	4 (4%)	0	100	100
42	x	47/76 (62%)	45 (96%)	2 (4%)	0	100	100
43	y	48/58 (83%)	47 (98%)	1 (2%)	0	100	100
44	z	68/70 (97%)	66 (97%)	2 (3%)	0	100	100
All	All	8131/9246 (88%)	7824 (96%)	305 (4%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
20	J	84	VAL
20	J	116	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	344/368 (94%)	342 (99%)	2 (1%)	86	94
2	2	183/210 (87%)	181 (99%)	2 (1%)	73	88
3	3	578/608 (95%)	573 (99%)	5 (1%)	78	90
4	4	370/391 (95%)	363 (98%)	7 (2%)	57	80
5	5	189/230 (82%)	186 (98%)	3 (2%)	62	83
6	6	132/181 (73%)	129 (98%)	3 (2%)	50	77
7	9	151/179 (84%)	148 (98%)	3 (2%)	55	79
8	a	43/93 (46%)	43 (100%)	0	100	100
9	b	79/97 (81%)	78 (99%)	1 (1%)	69	86
10	c	113/150 (75%)	110 (97%)	3 (3%)	44	73
11	d	294/326 (90%)	290 (99%)	4 (1%)	67	85
12	e	76/82 (93%)	75 (99%)	1 (1%)	69	86
13	f	101/102 (99%)	100 (99%)	1 (1%)	76	89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	g	107/124 (86%)	105 (98%)	2 (2%)	57	80
15	h	84/96 (88%)	77 (92%)	7 (8%)	11	39
16	i	131/131 (100%)	128 (98%)	3 (2%)	50	77
17	X	80/141 (57%)	79 (99%)	1 (1%)	69	86
17	j	76/141 (54%)	75 (99%)	1 (1%)	69	86
18	A	103/103 (100%)	102 (99%)	1 (1%)	76	89
19	H	278/278 (100%)	273 (98%)	5 (2%)	59	81
20	J	144/144 (100%)	139 (96%)	5 (4%)	36	67
21	K	86/86 (100%)	81 (94%)	5 (6%)	20	52
22	L	538/538 (100%)	525 (98%)	13 (2%)	49	76
23	M	411/411 (100%)	406 (99%)	5 (1%)	71	87
24	N	315/315 (100%)	310 (98%)	5 (2%)	62	83
25	V	101/102 (99%)	98 (97%)	3 (3%)	41	71
26	W	122/160 (76%)	122 (100%)	0	100	100
27	Y	154/154 (100%)	151 (98%)	3 (2%)	57	80
28	Z	155/157 (99%)	152 (98%)	3 (2%)	57	80
29	k	283/309 (92%)	280 (99%)	3 (1%)	73	88
30	l	94/95 (99%)	89 (95%)	5 (5%)	22	55
31	m	69/72 (96%)	69 (100%)	0	100	100
32	n	61/76 (80%)	60 (98%)	1 (2%)	62	83
33	o	107/109 (98%)	105 (98%)	2 (2%)	57	80
34	p	114/116 (98%)	107 (94%)	7 (6%)	18	51
35	q	119/122 (98%)	119 (100%)	0	100	100
36	r	95/122 (78%)	94 (99%)	1 (1%)	73	88
37	s	110/120 (92%)	104 (94%)	6 (6%)	21	54
38	t	159/161 (99%)	158 (99%)	1 (1%)	86	94
39	u	59/84 (70%)	56 (95%)	3 (5%)	24	56
40	v	140/160 (88%)	139 (99%)	1 (1%)	84	93
41	w	92/130 (71%)	89 (97%)	3 (3%)	38	68
42	x	44/67 (66%)	43 (98%)	1 (2%)	50	77
43	y	46/54 (85%)	45 (98%)	1 (2%)	52	77

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
44	z	59/59 (100%)	56 (95%)	3 (5%)	24 56
All	All	7189/7954 (90%)	7054 (98%)	135 (2%)	59 80

All (135) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1	385	ARG
1	1	405	CYS
2	2	103	CYS
2	2	122	LYS
3	3	35	MET
3	3	52	CYS
3	3	156	CYS
3	3	605	GLU
3	3	613	TYR
4	4	7	ASP
4	4	51	PHE
4	4	108	TYR
4	4	171	PHE
4	4	297	TYR
4	4	326	ASP
4	4	430	ARG
5	5	45	PHE
5	5	74	SER
5	5	198	ASP
6	6	44	SER
6	6	125	TYR
6	6	179	ARG
7	9	13	ASP
7	9	40	TYR
7	9	129	ASP
9	b	19	ASP
10	c	57	MET
10	c	64	ARG
10	c	117	SER
11	d	50	ARG
11	d	222	ASP
11	d	263	TYR
11	d	320	ARG
12	e	79	ASN
13	f	109	SER
14	g	94	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	g	126	ASP
15	h	15	SER
15	h	48	LEU
15	h	54	CYS
15	h	69	MET
15	h	71	SER
15	h	90	GLU
15	h	101	LYS
16	i	34	ARG
16	i	42	ASP
16	i	115	PHE
17	j	27	PRO
18	A	30	TYR
19	H	54	LYS
19	H	194	ASN
19	H	224	PHE
19	H	237	PHE
19	H	282	TYR
20	J	20	PHE
20	J	65	MET
20	J	106	TYR
20	J	132	ASP
20	J	135	PHE
21	K	3	LEU
21	K	47	MET
21	K	53	PHE
21	K	59	MET
21	K	69	CYS
22	L	17	MET
22	L	53	MET
22	L	101	MET
22	L	111	ASP
22	L	136	ASN
22	L	270	ASN
22	L	290	MET
22	L	338	MET
22	L	368	PHE
22	L	393	ASP
22	L	437	PHE
22	L	447	ASN
22	L	515	TYR
23	M	38	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	M	57	PHE
23	M	58	SER
23	M	117	PHE
23	M	130	LEU
24	N	1	MET
24	N	140	SER
24	N	179	MET
24	N	260	PHE
24	N	335	MET
25	V	38	TYR
25	V	74	CYS
25	V	114	CYS
17	X	68	GLU
27	Y	47	TRP
27	Y	112	ASP
27	Y	113	LYS
28	Z	14	ARG
28	Z	62	TYR
28	Z	112	CYS
29	k	60	ASP
29	k	206	TYR
29	k	311	ASP
30	l	21	SER
30	l	36	GLU
30	l	76	ASN
30	l	96	HIS
30	l	101	GLU
32	n	85	TYR
33	o	41	SER
33	o	86	ARG
34	p	54	SER
34	p	79	PHE
34	p	84	LYS
34	p	86	SER
34	p	91	LEU
34	p	105	LYS
34	p	127	SER
36	r	124	ASP
37	s	46	ASN
37	s	47	ASP
37	s	57	TYR
37	s	94	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
37	s	105	ARG
37	s	117	ARG
38	t	8	TYR
39	u	34	PHE
39	u	39	ARG
39	u	69	ASP
40	v	40	ASP
41	w	34	ASP
41	w	48	ASP
41	w	122	GLU
42	x	30	TYR
43	y	27	ASP
44	z	34	ARG
44	z	46	TYR
44	z	61	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
2	2	27	ASN
2	2	101	GLN
22	L	295	GLN
22	L	296	ASN
23	M	399	ASN
38	t	77	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

7 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
29	SEP	k	36	29	8,9,10	1.50	1 (12%)	8,12,14	1.69	2 (25%)
25	AYA	V	1	25	6,7,8	1.28	1 (16%)	5,8,10	1.97	2 (40%)
22	FME	L	1	22	8,9,10	0.95	0	7,9,11	1.05	1 (14%)
21	FME	K	1	21	8,9,10	0.95	0	7,9,11	1.08	1 (14%)
23	FME	M	1	23	8,9,10	1.04	1 (12%)	7,9,11	1.12	1 (14%)
15	AYA	h	1	15	6,7,8	1.32	1 (16%)	5,8,10	1.38	1 (20%)
4	2MR	4	85	4	10,12,13	2.38	2 (20%)	5,13,15	0.99	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
29	SEP	k	36	29	-	3/5/8/10	-
25	AYA	V	1	25	-	2/4/6/8	-
22	FME	L	1	22	-	2/7/9/11	-
21	FME	K	1	21	-	3/7/9/11	-
23	FME	M	1	23	-	4/7/9/11	-
15	AYA	h	1	15	-	0/4/6/8	-
4	2MR	4	85	4	-	3/10/13/15	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	4	85	2MR	CZ-NE	5.05	1.45	1.34
4	4	85	2MR	CZ-NH2	4.87	1.44	1.33
29	k	36	SEP	P-O1P	3.28	1.61	1.50
15	h	1	AYA	CA-N	-2.63	1.43	1.46
25	V	1	AYA	CA-N	-2.59	1.43	1.46
23	M	1	FME	CA-N	-2.30	1.43	1.46

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	V	1	AYA	CB-CA-N	3.58	113.59	109.61
29	k	36	SEP	P-OG-CB	-3.29	109.22	118.30
15	h	1	AYA	CB-CA-N	2.90	112.84	109.61
29	k	36	SEP	OG-CB-CA	2.86	110.93	108.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	V	1	AYA	CA-N-CT	2.17	124.68	121.52
21	K	1	FME	C-CA-N	2.12	113.56	109.73
22	L	1	FME	C-CA-N	2.04	113.41	109.73
23	M	1	FME	CA-N-CN	-2.00	119.74	122.82

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	4	85	2MR	C-CA-CB-CG
23	M	1	FME	C-CA-CB-CG
23	M	1	FME	CA-CB-CG-SD
25	V	1	AYA	OT-CT-N-CA
25	V	1	AYA	CM-CT-N-CA
22	L	1	FME	CA-CB-CG-SD
21	K	1	FME	N-CA-CB-CG
21	K	1	FME	CB-CG-SD-CE
22	L	1	FME	CB-CG-SD-CE
23	M	1	FME	CB-CG-SD-CE
29	k	36	SEP	CB-OG-P-O1P
23	M	1	FME	N-CA-CB-CG
4	4	85	2MR	NE-CD-CG-CB
4	4	85	2MR	CA-CB-CG-CD
21	K	1	FME	C-CA-CB-CG
29	k	36	SEP	CB-OG-P-O3P
29	k	36	SEP	CA-CB-OG-P

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 32 ligands modelled in this entry, 2 are monoatomic - leaving 30 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
50	3PE	A	201	-	50,50,50	0.30	0	53,55,55	0.32	0
51	PC1	9	401	-	53,53,53	0.30	0	59,61,61	0.44	0
50	3PE	4	501	-	39,39,50	0.33	0	42,44,55	0.35	0
56	MYR	s	201	37	14,14,15	0.20	0	13,13,15	0.19	0
45	SF4	3	801	3	0,12,12	-	-	-	-	-
50	3PE	6	203	-	50,50,50	0.30	0	53,55,55	0.30	0
46	FMN	1	502	-	33,33,33	1.08	2 (6%)	48,50,50	1.24	6 (12%)
50	3PE	V	202	-	36,36,50	0.35	0	39,41,55	0.29	0
45	SF4	1	501	1	0,12,12	-	-	-	-	-
47	NAI	1	503	-	42,48,48	0.59	0	47,73,73	1.92	4 (8%)
50	3PE	L	1001	-	50,50,50	0.30	0	53,55,55	0.32	0
50	3PE	V	201	-	26,26,50	0.47	0	30,31,55	0.50	1 (3%)
51	PC1	6	202	-	45,45,53	0.31	0	51,53,61	0.31	0
45	SF4	3	802	3	0,12,12	-	-	-	-	-
53	NDP	d	401	-	45,52,52	0.54	0	53,80,80	0.57	1 (1%)
45	SF4	9	403	7	0,12,12	-	-	-	-	-
51	PC1	M	502	-	53,53,53	0.30	0	59,61,61	0.34	0
54	ZMP	X	101	17	24,30,36	0.79	1 (4%)	29,37,45	1.01	2 (6%)
50	3PE	H	401	-	50,50,50	0.31	0	53,55,55	0.34	0
45	SF4	6	201	6	0,12,12	-	-	-	-	-
55	AMP	k	501	-	22,25,25	0.90	1 (4%)	25,38,38	1.22	2 (8%)
50	3PE	J	201	-	39,39,50	0.35	0	42,44,55	0.31	0
54	ZMP	j	101	17	27,33,36	0.67	1 (3%)	32,40,45	1.10	3 (9%)
50	3PE	M	501	-	43,43,50	0.32	0	46,48,55	0.32	0
51	PC1	L	1002	-	53,53,53	0.30	0	59,61,61	0.52	1 (1%)
48	FES	2	300	2	0,4,4	-	-	-	-	-
50	3PE	o	501	-	30,30,50	0.38	0	33,35,55	0.37	0
45	SF4	9	402	7	0,12,12	-	-	-	-	-
48	FES	3	803	3	0,4,4	-	-	-	-	-
51	PC1	L	1003	-	53,53,53	0.29	0	59,61,61	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
50	3PE	A	201	-	-	13/54/54/54	-
51	PC1	9	401	-	-	8/57/57/57	-
50	3PE	4	501	-	-	7/43/43/54	-
56	MYR	s	201	37	-	0/11/12/13	-
45	SF4	3	801	3	-	-	0/6/5/5
50	3PE	6	203	-	-	12/54/54/54	-
46	FMN	1	502	-	-	7/18/18/18	0/3/3/3
50	3PE	V	202	-	-	12/40/40/54	-
45	SF4	1	501	1	-	-	0/6/5/5
47	NAI	1	503	-	-	8/25/72/72	0/5/5/5
50	3PE	L	1001	-	-	13/54/54/54	-
50	3PE	V	201	-	-	2/27/27/54	-
51	PC1	6	202	-	-	9/49/49/57	-
45	SF4	3	802	3	-	-	0/6/5/5
53	NDP	d	401	-	-	10/30/77/77	0/5/5/5
51	PC1	M	502	-	-	12/57/57/57	-
54	ZMP	X	101	17	-	14/35/37/43	-
45	SF4	9	403	7	-	-	0/6/5/5
50	3PE	H	401	-	-	8/54/54/54	-
45	SF4	6	201	6	-	-	0/6/5/5
55	AMP	k	501	-	-	0/6/26/26	0/3/3/3
50	3PE	J	201	-	-	10/43/43/54	-
54	ZMP	j	101	17	-	8/38/40/43	-
50	3PE	M	501	-	-	9/47/47/54	-
51	PC1	L	1002	-	-	15/57/57/57	-
48	FES	2	300	2	-	-	0/1/1/1
50	3PE	o	501	-	-	5/34/34/54	-
45	SF4	9	402	7	-	-	0/6/5/5
48	FES	3	803	3	-	-	0/1/1/1
51	PC1	L	1003	-	-	8/57/57/57	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
46	1	502	FMN	C4A-N5	3.54	1.37	1.30
55	k	501	AMP	C5-C4	2.44	1.47	1.40
54	j	101	ZMP	C9-C10	2.40	1.53	1.50
54	X	101	ZMP	C9-C10	2.30	1.53	1.50
46	1	502	FMN	C10-N1	2.03	1.37	1.33

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
47	1	503	NAI	O5B-PA-O1A	-9.77	70.88	109.07
47	1	503	NAI	O2A-PA-O1A	-7.72	74.05	112.24
46	1	502	FMN	C4-N3-C2	-3.29	119.57	125.64
55	k	501	AMP	N3-C2-N1	-3.24	123.61	128.68
46	1	502	FMN	C4A-C10-N10	3.15	121.09	116.48
55	k	501	AMP	C4-C5-N7	-2.90	106.38	109.40
46	1	502	FMN	C4A-C4-N3	2.66	119.95	113.19
54	j	101	ZMP	C14-C15-N2	-2.63	106.59	111.90
54	X	101	ZMP	O1-C10-C9	-2.59	120.93	123.99
46	1	502	FMN	O4-C4-C4A	-2.47	120.04	126.60
54	j	101	ZMP	C15-C14-C13	-2.46	108.26	112.36
47	1	503	NAI	O2A-PA-O5B	2.41	118.92	107.75
54	j	101	ZMP	O1-C10-C9	-2.39	121.17	123.99
46	1	502	FMN	C10-C4A-N5	-2.38	119.80	124.86
54	X	101	ZMP	C15-C14-C13	-2.33	108.48	112.36
47	1	503	NAI	C5A-C6A-N6A	2.29	123.83	120.35
53	d	401	NDP	C5A-C6A-N6A	2.27	123.80	120.35
46	1	502	FMN	C4A-C10-N1	-2.19	119.66	124.73
50	V	201	3PE	O12-P-O14	2.15	119.09	110.68
51	L	1002	PC1	C2-O21-C21	2.07	122.89	117.79

There are no chirality outliers.

All (190) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
46	1	502	FMN	N10-C1'-C2'-O2'
46	1	502	FMN	N10-C1'-C2'-C3'
46	1	502	FMN	C5'-O5'-P-O2P
46	1	502	FMN	C5'-O5'-P-O3P
47	1	503	NAI	C5B-O5B-PA-O3
50	4	501	3PE	C11-O13-P-O11
50	4	501	3PE	O13-C11-C12-N
50	6	203	3PE	C1-O11-P-O12
50	A	201	3PE	C1-O11-P-O14
50	A	201	3PE	C11-O13-P-O11
50	A	201	3PE	C11-O13-P-O14
50	A	201	3PE	O13-C11-C12-N
50	H	401	3PE	C1-O11-P-O12
50	H	401	3PE	O13-C11-C12-N
50	J	201	3PE	C1-O11-P-O14
50	L	1001	3PE	C1-O11-P-O14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
50	L	1001	3PE	O13-C11-C12-N
50	V	202	3PE	C1-O11-P-O12
50	V	202	3PE	C1-O11-P-O13
50	V	202	3PE	C11-O13-P-O11
50	V	202	3PE	C11-O13-P-O12
50	V	202	3PE	C11-O13-P-O14
50	V	202	3PE	O13-C11-C12-N
50	o	501	3PE	C1-O11-P-O12
50	o	501	3PE	C1-O11-P-O14
51	6	202	PC1	C1-O11-P-O12
51	9	401	PC1	C11-O13-P-O12
51	9	401	PC1	C11-O13-P-O11
51	L	1002	PC1	C1-O11-P-O12
51	L	1003	PC1	C11-O13-P-O12
51	M	502	PC1	C11-O13-P-O12
51	M	502	PC1	C11-O13-P-O14
51	M	502	PC1	C11-O13-P-O11
53	d	401	NDP	C5D-O5D-PN-O1N
53	d	401	NDP	C2N-C3N-C7N-N7N
54	j	101	ZMP	C16-C17-C18-C21
54	j	101	ZMP	S1-C11-C12-N1
54	X	101	ZMP	C17-C18-C21-O5
54	X	101	ZMP	C16-C17-C18-C21
54	X	101	ZMP	C17-C16-N2-C15
54	X	101	ZMP	C7-C8-C9-C10
54	X	101	ZMP	O3-C16-N2-C15
51	M	502	PC1	C11-C12-N-C14
51	L	1002	PC1	C31-C32-C33-C34
50	6	203	3PE	C11-O13-P-O11
50	A	201	3PE	C1-O11-P-O13
50	H	401	3PE	C1-O11-P-O13
50	J	201	3PE	C1-O11-P-O13
50	L	1001	3PE	C11-O13-P-O11
50	M	501	3PE	C1-O11-P-O13
50	o	501	3PE	C1-O11-P-O13
51	6	202	PC1	C1-O11-P-O13
51	L	1003	PC1	C11-O13-P-O11
47	1	503	NAI	C2D-C1D-N1N-C2N
51	M	502	PC1	C11-C12-N-C15
50	V	201	3PE	C22-C23-C24-C25
51	L	1002	PC1	C2-C1-O11-P
54	X	101	ZMP	C6-C7-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
51	9	401	PC1	C3D-C3E-C3F-C3G
51	M	502	PC1	C3A-C3B-C3C-C3D
50	A	201	3PE	C2C-C2D-C2E-C2F
47	1	503	NAI	C2D-C1D-N1N-C6N
50	L	1001	3PE	O11-C1-C2-C3
50	J	201	3PE	O13-C11-C12-N
50	A	201	3PE	C2E-C2F-C2G-C2H
51	6	202	PC1	C11-C12-N-C14
51	M	502	PC1	C11-C12-N-C13
51	L	1002	PC1	O11-C1-C2-C3
51	9	401	PC1	C2B-C2C-C2D-C2E
51	L	1002	PC1	C38-C39-C3A-C3B
50	A	201	3PE	C1-C2-C3-O31
50	J	201	3PE	C1-C2-C3-O31
54	j	101	ZMP	C5-C6-C7-C8
54	X	101	ZMP	O3-C16-C17-O4
54	X	101	ZMP	C19-C18-C21-O5
54	X	101	ZMP	C5-C6-C7-C8
46	1	502	FMN	C5'-O5'-P-O1P
51	L	1002	PC1	O11-C1-C2-O21
51	6	202	PC1	C11-C12-N-C13
50	J	201	3PE	C26-C27-C28-C29
51	6	202	PC1	C11-C12-N-C15
51	M	502	PC1	C25-C26-C27-C28
50	M	501	3PE	C31-C32-C33-C34
51	L	1002	PC1	C32-C33-C34-C35
51	9	401	PC1	C3B-C3C-C3D-C3E
54	j	101	ZMP	C6-C7-C8-C9
50	6	203	3PE	C3C-C3D-C3E-C3F
50	6	203	3PE	C1-O11-P-O13
50	L	1001	3PE	C1-O11-P-O13
50	M	501	3PE	C11-O13-P-O11
50	L	1001	3PE	O11-C1-C2-O21
50	A	201	3PE	O21-C2-C3-O31
54	X	101	ZMP	O1-C10-S1-C11
53	d	401	NDP	PN-O3-PA-O5B
54	j	101	ZMP	C7-C8-C9-C10
50	M	501	3PE	C39-C3A-C3B-C3C
50	H	401	3PE	C27-C28-C29-C2A
51	M	502	PC1	C2-C1-O11-P
50	L	1001	3PE	C34-C35-C36-C37
47	1	503	NAI	O4D-C1D-N1N-C2N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
53	d	401	NDP	C5D-O5D-PN-O3
50	J	201	3PE	C31-C32-C33-C34
47	1	503	NAI	O4D-C1D-N1N-C6N
50	M	501	3PE	C2-C1-O11-P
47	1	503	NAI	C5B-O5B-PA-O1A
50	4	501	3PE	C11-O13-P-O12
50	6	203	3PE	C1-O11-P-O14
50	6	203	3PE	C11-O13-P-O14
50	A	201	3PE	C1-O11-P-O12
50	L	1001	3PE	C1-O11-P-O12
50	L	1001	3PE	C11-O13-P-O14
50	M	501	3PE	C1-O11-P-O12
50	M	501	3PE	C1-O11-P-O14
50	M	501	3PE	C11-O13-P-O12
50	V	202	3PE	C1-O11-P-O14
51	9	401	PC1	C11-O13-P-O14
51	L	1002	PC1	C1-O11-P-O14
51	L	1003	PC1	C11-C12-N-C13
51	L	1003	PC1	C11-C12-N-C14
53	d	401	NDP	C5D-O5D-PN-O2N
50	J	201	3PE	C21-C22-C23-C24
51	9	401	PC1	O13-C11-C12-N
51	L	1002	PC1	O13-C11-C12-N
53	d	401	NDP	C2N-C3N-C7N-O7N
54	X	101	ZMP	C2-C3-C4-C5
50	J	201	3PE	C25-C26-C27-C28
54	j	101	ZMP	O3-C16-C17-O4
50	V	201	3PE	C1-O11-P-O14
50	6	203	3PE	C33-C34-C35-C36
50	J	201	3PE	O21-C2-C3-O31
51	L	1002	PC1	C1-O11-P-O13
51	L	1003	PC1	C11-C12-N-C15
53	d	401	NDP	O4D-C1D-N1N-C6N
53	d	401	NDP	O4B-C4B-C5B-O5B
51	L	1002	PC1	C23-C24-C25-C26
46	1	502	FMN	O2'-C2'-C3'-C4'
50	L	1001	3PE	C36-C37-C38-C39
51	L	1003	PC1	C3E-C3F-C3G-C3H
51	M	502	PC1	C39-C3A-C3B-C3C
54	X	101	ZMP	S1-C11-C12-N1
54	X	101	ZMP	C20-C18-C21-O5
51	9	401	PC1	C3-C2-O21-C21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
50	V	202	3PE	C32-C33-C34-C35
50	A	201	3PE	C2-C1-O11-P
50	o	501	3PE	C31-C32-C33-C34
53	d	401	NDP	C2D-C1D-N1N-C6N
50	6	203	3PE	C23-C24-C25-C26
50	6	203	3PE	O13-C11-C12-N
46	1	502	FMN	O2'-C2'-C3'-O3'
50	H	401	3PE	O21-C2-C3-O31
50	A	201	3PE	O31-C31-C32-C33
51	L	1002	PC1	C1-C2-O21-C21
54	X	101	ZMP	C9-C10-S1-C11
50	V	202	3PE	O31-C31-C32-C33
54	j	101	ZMP	C13-C14-C15-N2
51	M	502	PC1	C36-C37-C38-C39
51	6	202	PC1	O21-C21-C22-C23
54	j	101	ZMP	C16-C17-C18-C20
50	J	201	3PE	C27-C28-C29-C2A
50	4	501	3PE	O21-C21-C22-C23
51	6	202	PC1	O31-C31-C32-C33
50	L	1001	3PE	O31-C31-C32-C33
50	6	203	3PE	C3D-C3E-C3F-C3G
53	d	401	NDP	C2B-O2B-P2B-O2X
50	M	501	3PE	C33-C34-C35-C36
50	6	203	3PE	O21-C21-C22-C23
47	1	503	NAI	PN-O3-PA-O1A
50	o	501	3PE	C25-C26-C27-C28
50	A	201	3PE	O32-C31-C32-C33
51	L	1003	PC1	C31-C32-C33-C34
51	L	1003	PC1	C39-C3A-C3B-C3C
51	L	1002	PC1	C24-C25-C26-C27
50	V	202	3PE	C31-C32-C33-C34
50	4	501	3PE	O22-C21-C22-C23
47	1	503	NAI	C2N-C3N-C7N-N7N
50	4	501	3PE	C1-O11-P-O12
50	4	501	3PE	C1-O11-P-O14
50	V	202	3PE	O32-C31-C32-C33
51	M	502	PC1	C12-C11-O13-P
51	6	202	PC1	O22-C21-C22-C23
50	H	401	3PE	O21-C21-C22-C23
50	H	401	3PE	C33-C34-C35-C36
50	6	203	3PE	C37-C38-C39-C3A
50	L	1001	3PE	O21-C21-C22-C23

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
51	L	1002	PC1	O21-C21-C22-C23
51	6	202	PC1	C22-C23-C24-C25
50	L	1001	3PE	O32-C31-C32-C33
50	H	401	3PE	O22-C21-C22-C23
51	L	1002	PC1	O22-C21-C22-C23
50	V	202	3PE	O21-C21-C22-C23


There are no ring outliers.



No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


























5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14658. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 71



Y Index: 81



Z Index: 117


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 89



Y Index: 106




Z Index: 172


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.07. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate [i](#)



The volume at the recommended contour level is 427 nm³; this corresponds to an approximate mass of 385 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.


7.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.291 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.44	-	-
Author-provided FSC curve	3.51	4.00	3.56
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14658 and PDB model 7ZDM. Per-residue inclusion information can be found in section [3](#) on page [18](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.07 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.07).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary























The table lists the average atom inclusion at the recommended contour level (0.07) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8178	 0.5240
1	 0.8900	 0.5310
2	 0.8617	 0.5300
3	 0.8460	 0.5330
4	 0.7968	 0.5180
5	 0.8612	 0.5550
6	 0.8396	 0.5440
9	 0.8322	 0.5280
A	 0.6362	 0.4750
H	 0.7409	 0.5040
J	 0.7749	 0.5110
K	 0.8062	 0.5270
L	 0.8201	 0.5220
M	 0.8435	 0.5460
N	 0.8450	 0.5390
V	 0.7694	 0.5060
W	 0.8668	 0.5430
X	 0.8278	 0.5100
Y	 0.8391	 0.5260
Z	 0.8253	 0.5240
a	 0.8398	 0.5190
b	 0.8189	 0.5480
c	 0.8042	 0.5410
d	 0.8254	 0.5320
e	 0.8229	 0.5090
f	 0.7965	 0.5220
g	 0.7894	 0.5290
h	 0.8183	 0.5260
i	 0.8434	 0.5450
j	 0.6357	 0.4420
k	 0.7965	 0.5200
l	 0.8171	 0.5200
m	 0.7899	 0.5100
n	 0.8091	 0.5030
o	 0.8333	 0.5330



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
p	 0.7914	 0.5190
q	 0.8212	 0.5130
r	 0.7966	 0.5170
s	 0.7986	 0.4910
t	 0.8241	 0.5170
u	 0.8431	 0.5040
v	 0.8175	 0.5240
w	 0.8034	 0.5250
x	 0.7593	 0.5110
y	 0.7234	 0.4980
z	 0.8156	 0.5020