



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 14, 2022 – 04:10 pm BST

PDB ID : 7ZMP
Title : Crystal structure of human RECQL5 helicase APO form in complex with engineered nanobody (Gluebody) G3-055
Authors : Ye, M.; Makola, M.; Newman, J.A.; Fairhead, M.; MacLean, E.; Krojer, T.; Aitkenhead, H.; Bountra, C.; Gileadi, O.; von Delft, F.
Deposited on : 2022-04-19
Resolution : 3.63 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.28.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.28.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.63 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1290 (3.74-3.50)
Clashscore	141614	1387 (3.74-3.50)
Ramachandran outliers	138981	1339 (3.74-3.50)
Sidechain outliers	138945	1339 (3.74-3.50)
RSRZ outliers	127900	1191 (3.74-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	445	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 80%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 19%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 40px;">4% 80% 19% .</p>
1	B	445	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 81%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 40px;">6% 81% 18% .</p>
2	C	127	<div style="display: flex; align-items: center;"> <div style="width: 65%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 33%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 40px;">65% 33% .</p>
2	K	127	<div style="display: flex; align-items: center;"> <div style="width: 73%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 24%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 40px;">73% 24% .</p>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8751 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent DNA helicase Q5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	441	Total 3401	C 2152	N 600	O 626	S 23	0	5	0
1	B	441	Total 3389	C 2146	N 596	O 624	S 23	0	5	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	9	SER	-	expression tag	UNP O94762
A	10	MET	-	expression tag	UNP O94762
B	9	SER	-	expression tag	UNP O94762
B	10	MET	-	expression tag	UNP O94762

- Molecule 2 is a protein called Gluebody G3-055.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	K	124	Total 942	C 586	N 161	O 192	S 3	0	2	0
2	C	124	Total 933	C 581	N 157	O 191	S 4	0	2	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total 1	Zn 1	0	0
3	B	1	Total 1	Zn 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	34	Total O 34 34	0	0
4	B	35	Total O 35 35	0	0
4	K	5	Total O 5 5	0	0
4	C	10	Total O 10 10	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATP-dependent DNA helicase Q5




- Molecule 1: ATP-dependent DNA helicase Q5



- Molecule 2: Gluebody G3-055



● Molecule 2: Gluebody G3-055

Chain C:  65% 33%

4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	89.11Å 159.27Å 220.04Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	129.02 – 3.63 129.02 – 3.63	Depositor EDS
% Data completeness (in resolution range)	99.6 (129.02-3.63) 99.6 (129.02-3.63)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.16 (at 3.67Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.332 , 0.359 0.331 , 0.357	Depositor DCC
R_{free} test set	1808 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	112.0	Xtriage
Anisotropy	0.212	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.23$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.83	EDS
Total number of atoms	8751	wwPDB-VP
Average B, all atoms (Å ²)	136.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.68	0/3487	0.80	0/4718
1	B	0.69	0/3476	0.79	0/4701
2	C	0.69	0/960	0.84	0/1304
2	K	0.70	0/977	0.83	0/1325
All	All	0.69	0/8900	0.80	0/12048

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	68	LEU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3401	0	3386	71	0
1	B	3389	0	3377	62	0
2	C	933	0	876	30	0
2	K	942	0	887	22	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	34	0	0	28	0
4	B	35	0	0	25	0
4	C	10	0	0	6	0
4	K	5	0	0	4	0
All	All	8751	0	8526	181	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (181) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:K:81:GLN:HA	4:K:201:HOH:O	1.47	1.13
1:B:285:ASN:HA	4:B:605:HOH:O	1.50	1.11
1:A:47:ASP:HB3	4:A:625:HOH:O	1.59	1.01
1:A:411:CYS:HA	4:A:617:HOH:O	1.65	0.96
1:B:399:PHE:HA	4:B:623:HOH:O	1.78	0.84
1:B:391:SER:HB3	4:B:629:HOH:O	1.81	0.80
1:B:431:CYS:SG	4:B:604:HOH:O	2.39	0.80
1:A:83:ILE:HD11	4:A:606:HOH:O	1.81	0.78
1:B:411:CYS:HA	4:B:604:HOH:O	1.84	0.77
1:A:76:VAL:HG23	4:A:602:HOH:O	1.88	0.73
2:C:81:GLN:HG2	4:C:201:HOH:O	1.89	0.73
2:C:7:ASN:HB3	4:C:207:HOH:O	1.89	0.72
1:A:145:LEU:CD2	4:A:623:HOH:O	2.38	0.72
1:A:145:LEU:HD23	4:A:623:HOH:O	1.90	0.71
1:A:150:LEU:HB2	4:A:623:HOH:O	1.90	0.71
1:A:269:ARG:HG2	4:A:612:HOH:O	1.90	0.70
1:A:434:CYS:SG	4:A:617:HOH:O	2.50	0.69
1:B:180:ARG:HD3	1:B:188:CYS:HB2	1.74	0.69
1:B:362:TYR:CZ	4:B:610:HOH:O	2.44	0.68
1:A:150:LEU:CB	4:A:623:HOH:O	2.41	0.67
1:A:180:ARG:HD3	1:A:188:CYS:HB2	1.76	0.66
1:A:406:CYS:SG	4:A:630:HOH:O	2.53	0.66
2:K:19:ARG:HA	4:K:201:HOH:O	1.94	0.66
1:A:219:PRO:HG2	2:C:105:PRO:O	1.96	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:128:ILE:HB	4:B:602:HOH:O	1.96	0.65
1:A:300:LEU:HB3	4:A:604:HOH:O	1.97	0.65
1:A:197:PRO:HG3	1:A:421:GLY:HA3	1.79	0.64
1:A:76:VAL:N	4:A:602:HOH:O	2.29	0.64
1:A:74:ILE:HG22	4:A:602:HOH:O	1.97	0.64
1:B:128:ILE:CA	4:B:602:HOH:O	2.44	0.63
1:B:265:TYR:OH	1:B:349:ARG:NH1	2.32	0.62
1:B:128:ILE:N	4:B:602:HOH:O	2.33	0.61
2:K:100:THR:HB	2:K:114:TYR:HE2	1.65	0.61
2:K:101:TYR:OH	2:K:103:LEU:HD22	2.00	0.61
2:C:6:GLU:HG3	2:C:22:CYS:HB3	1.81	0.61
2:C:100:THR:HB	2:C:114:TYR:HE2	1.66	0.60
1:A:413:HIS:CD2	4:A:619:HOH:O	2.55	0.60
1:A:265:TYR:OH	1:A:349:ARG:NH1	2.33	0.60
1:B:127:TYR:C	4:B:602:HOH:O	2.38	0.60
1:A:409:LEU:HA	4:A:603:HOH:O	2.01	0.59
1:B:132:MET:HB3	4:B:621:HOH:O	2.02	0.59
1:A:154:LEU:HD22	1:A:183:LEU:HD12	1.83	0.59
1:A:211:LYS:HE3	2:C:111:TYR:HE2	1.69	0.58
1:B:334:TRP:HZ3	4:B:610:HOH:O	1.87	0.57
2:K:22:CYS:SG	2:K:95:CYS:CB	2.92	0.57
2:C:81:GLN:HA	4:C:201:HOH:O	2.04	0.57
1:A:52:MET:HB3	1:A:53:PRO:HD2	1.87	0.57
2:K:67:PHE:O	2:K:68:THR:HG23	2.05	0.57
2:K:36:TRP:O	2:K:48:VAL:HB	2.05	0.56
1:A:83:ILE:CD1	4:A:606:HOH:O	2.46	0.56
1:A:52:MET:O	1:A:193:ALA:HA	2.06	0.56
1:B:138:PHE:HB2	4:B:621:HOH:O	2.06	0.55
2:C:36:TRP:O	2:C:48:VAL:HB	2.05	0.55
1:B:15:ARG:NH1	4:B:603:HOH:O	2.38	0.55
1:B:142:LEU:HD21	1:B:179:LEU:HD11	1.89	0.55
1:A:180:ARG:HD3	1:A:188:CYS:CB	2.37	0.55
2:C:6:GLU:HB2	4:C:202:HOH:O	2.07	0.55
1:B:330:PHE:HA	1:B:358:TRP:O	2.07	0.55
1:A:17:ARG:O	1:A:20:LEU:HB3	2.07	0.55
2:K:13:GLN:HA	2:K:124:SER:OG	2.07	0.55
2:C:67:PHE:O	2:C:68:THR:HG23	2.07	0.55
1:B:209:LEU:HD13	4:B:625:HOH:O	2.06	0.54
1:B:154:LEU:HD22	1:B:183:LEU:HD12	1.89	0.54
2:C:100:THR:HB	2:C:114:TYR:CE2	2.42	0.54
1:A:87:VAL:HG23	1:A:97:VAL:HG22	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:13:GLN:HA	2:C:124:SER:OG	2.08	0.54
1:B:197:PRO:HG3	1:B:421:GLY:HA3	1.89	0.54
1:A:330:PHE:HA	1:A:358:TRP:O	2.06	0.54
1:B:180:ARG:HD3	1:B:188:CYS:CB	2.37	0.53
1:A:406:CYS:HB2	4:A:616:HOH:O	2.08	0.53
1:B:17:ARG:O	1:B:20:LEU:HB3	2.08	0.53
1:B:89:HIS:O	1:B:92:THR:OG1	2.22	0.53
1:B:130:PRO:HB2	1:B:172:ASP:HB3	1.90	0.53
2:K:104:ALA:HB1	2:K:105:PRO:HD2	1.91	0.53
1:B:139:GLN:N	1:B:140:PRO:HD2	2.24	0.53
1:A:363:TYR:CD2	4:A:616:HOH:O	2.62	0.53
1:A:16:VAL:HG21	1:A:39:MET:SD	2.50	0.52
2:K:19:ARG:CA	4:K:201:HOH:O	2.55	0.52
1:B:136:SER:HA	1:B:139:GLN:HG2	1.91	0.52
1:A:139:GLN:N	1:A:140:PRO:HD2	2.25	0.52
2:K:69:ILE:HA	2:K:79:TYR:O	2.10	0.52
2:K:35:THR:O	2:K:95:CYS:HA	2.11	0.51
1:A:64:LEU:HB3	1:A:65:PRO:HD3	1.93	0.51
1:A:331:VAL:HG23	1:A:350:ALA:HB2	1.93	0.51
1:B:449:ARG:HD3	4:B:634:HOH:O	2.10	0.51
2:C:118:GLY:N	4:C:202:HOH:O	2.37	0.51
1:A:12:PRO:HB2	1:A:14:ARG:HG2	1.93	0.51
2:K:100:THR:HB	2:K:114:TYR:CE2	2.43	0.51
2:C:69:ILE:HA	2:C:79:TYR:O	2.11	0.51
1:B:280:SER:CB	4:B:605:HOH:O	2.58	0.51
2:C:70:SER:HA	4:C:210:HOH:O	2.10	0.50
1:A:209:LEU:HD13	4:A:625:HOH:O	2.12	0.50
1:B:434:CYS:N	4:B:604:HOH:O	2.43	0.50
1:A:407:GLU:HG2	4:A:616:HOH:O	2.12	0.50
1:B:128:ILE:HG12	1:B:129:THR:O	2.12	0.50
2:C:104:ALA:HB1	2:C:105:PRO:HD2	1.94	0.49
1:A:130:PRO:HB2	1:A:172:ASP:HB3	1.94	0.49
1:A:211:LYS:HE3	2:C:111:TYR:CE2	2.47	0.49
1:B:331:VAL:HG23	1:B:350:ALA:HB2	1.94	0.49
1:A:128:ILE:HG12	1:A:129:THR:O	2.13	0.48
1:B:180:ARG:CD	1:B:188:CYS:HB2	2.39	0.48
2:C:35:THR:O	2:C:95:CYS:HA	2.13	0.48
1:A:440:VAL:HG11	4:A:603:HOH:O	2.13	0.48
1:A:136:SER:HA	1:A:139:GLN:HG2	1.95	0.48
1:A:142:LEU:HD21	1:A:179:LEU:HD11	1.96	0.48
1:A:433:HIS:HA	1:A:440:VAL:HG21	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:K:92:VAL:HG22	2:K:120:GLN:HG3	1.95	0.48
1:A:361:LEU:HD13	4:A:630:HOH:O	2.13	0.47
2:K:19:ARG:HB3	2:C:17:SER:HB2	1.95	0.47
1:A:180:ARG:CD	1:A:188:CYS:HB2	2.41	0.47
1:B:242:LEU:HB2	4:B:610:HOH:O	2.14	0.47
1:B:294:LYS:HB2	1:B:297:GLU:HG3	1.95	0.47
1:B:64:LEU:HB3	1:B:65:PRO:HD3	1.97	0.47
2:C:50:ALA:C	2:C:69:ILE:HD11	2.34	0.47
1:B:280:SER:HB3	4:B:605:HOH:O	2.15	0.47
1:A:293:LEU:HA	4:A:629:HOH:O	2.14	0.47
1:B:129:THR:OG1	1:B:132:MET:HG2	2.15	0.46
2:K:4:LEU:HD11	2:K:97:ALA:HB2	1.97	0.46
1:B:43:LYS:HE3	1:B:45:ASN:HD21	1.80	0.46
1:A:89:HIS:O	1:A:92:THR:OG1	2.23	0.46
1:A:363:TYR:CE2	4:A:616:HOH:O	2.56	0.46
1:B:73:THR:HG23	1:B:153:TYR:HB2	1.98	0.46
1:A:73:THR:HG23	1:A:153:TYR:HB2	1.96	0.46
1:B:126:LEU:HG	4:B:602:HOH:O	2.15	0.46
1:B:87:VAL:HG23	1:B:97:VAL:HG22	1.98	0.45
1:B:433:HIS:HA	1:B:440:VAL:HG21	1.97	0.45
1:A:360:ARG:HD3	1:A:362:TYR:CZ	2.51	0.45
1:B:360:ARG:HD3	1:B:362:TYR:CZ	2.52	0.45
1:B:313:ILE:HD13	1:B:319:PHE:HE1	1.82	0.45
2:K:50:ALA:C	2:K:69:ILE:HD11	2.37	0.45
2:K:19:ARG:CB	4:K:201:HOH:O	2.65	0.45
2:K:38:ARG:HA	2:K:92:VAL:O	2.17	0.45
1:B:326:ALA:HB1	1:B:353:ASP:HB3	1.98	0.44
2:C:101:TYR:OH	2:C:103:LEU:HD22	2.17	0.44
1:B:381:LYS:O	1:B:385:LYS:HB2	2.17	0.44
1:A:75:VAL:HG11	1:A:127:TYR:CE1	2.53	0.44
2:K:19:ARG:HG3	2:K:81:GLN:HG3	2.00	0.44
2:C:38:ARG:HA	2:C:92:VAL:O	2.18	0.44
1:A:189:VAL:HG12	1:A:191:LEU:HD11	2.00	0.44
1:B:75:VAL:HG11	1:B:127:TYR:CE1	2.52	0.44
1:B:199:VAL:O	1:B:202:ASP:HB2	2.18	0.44
1:A:199:VAL:O	1:A:202:ASP:HB2	2.18	0.43
1:A:87:VAL:HG23	1:A:97:VAL:CG2	2.48	0.43
1:A:88:ASP:O	1:A:92:THR:HG23	2.18	0.43
2:K:59:TYR:CE1	2:K:68:THR:HA	2.54	0.43
1:A:100:LEU:HB2	1:A:126:LEU:HD11	2.01	0.43
2:C:67:PHE:HA	2:C:81:GLN:O	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:326:ALA:HB1	1:A:353:ASP:HB3	2.00	0.43
1:B:88:ASP:O	1:B:92:THR:HG23	2.19	0.43
1:B:401:ALA:HA	4:B:620:HOH:O	2.18	0.43
2:C:97:ALA:O	2:C:100:THR:OG1	2.34	0.43
1:B:87:VAL:HG23	1:B:97:VAL:CG2	2.48	0.42
1:A:289:TYR:O	1:A:315:ALA:HA	2.19	0.42
2:C:59:TYR:CE1	2:C:68:THR:HA	2.53	0.42
1:B:34:GLN:HE21	1:B:60:LEU:HD23	1.84	0.42
2:C:82:MET:HE2	2:C:85:LEU:HD21	2.02	0.42
1:A:74:ILE:HG13	1:A:151:LEU:HD11	2.01	0.42
1:A:294:LYS:HB2	1:A:297:GLU:HG3	2.02	0.42
1:A:139:GLN:O	1:A:142:LEU:HB3	2.19	0.42
1:A:145:LEU:HD22	4:A:623:HOH:O	2.15	0.42
1:B:271:ALA:O	1:B:275:LEU:HB2	2.20	0.42
2:K:67:PHE:HA	2:K:81:GLN:O	2.20	0.42
1:A:150:LEU:HB3	4:A:623:HOH:O	2.16	0.42
1:B:362:TYR:CE2	4:B:610:HOH:O	2.69	0.42
1:A:15:ARG:HD2	1:A:68:LEU:HD22	2.00	0.41
1:B:218:THR:HG21	4:B:630:HOH:O	2.19	0.41
1:A:197:PRO:HG3	1:A:421:GLY:CA	2.47	0.41
1:A:271:ALA:O	1:A:275:LEU:HB2	2.20	0.41
1:B:142:LEU:O	1:B:145:LEU:HB2	2.20	0.41
1:B:166:GLY:HA3	4:B:618:HOH:O	2.20	0.41
1:B:112:LEU:O	1:B:115:ASP:N	2.54	0.41
2:C:63:VAL:O	2:C:63:VAL:HG23	2.21	0.41
1:A:142:LEU:O	1:A:145:LEU:HB2	2.19	0.41
1:B:247:LEU:HD23	1:B:247:LEU:HA	1.97	0.41
1:A:112:LEU:O	1:A:115:ASP:N	2.54	0.41
1:A:407:GLU:CG	4:A:616:HOH:O	2.68	0.41
2:C:4:LEU:HD12	2:C:4:LEU:HA	1.93	0.40
1:B:64:LEU:N	1:B:65:PRO:CD	2.84	0.40
1:B:432:ASP:OD1	1:B:433:HIS:N	2.55	0.40
2:C:5:VAL:HG23	2:C:117:GLN:OE1	2.21	0.40
2:C:90:THR:HG23	2:C:122:THR:HA	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	442/445 (99%)	406 (92%)	36 (8%)	0	100	100
1	B	442/445 (99%)	406 (92%)	36 (8%)	0	100	100
2	C	124/127 (98%)	116 (94%)	8 (6%)	0	100	100
2	K	124/127 (98%)	119 (96%)	5 (4%)	0	100	100
All	All	1132/1144 (99%)	1047 (92%)	85 (8%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	361/373 (97%)	358 (99%)	3 (1%)	81	91
1	B	359/373 (96%)	356 (99%)	3 (1%)	81	91
2	C	95/99 (96%)	90 (95%)	5 (5%)	22	57
2	K	98/99 (99%)	93 (95%)	5 (5%)	24	58
All	All	913/944 (97%)	897 (98%)	16 (2%)	59	81

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	98	SER
1	A	352	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	409	LEU
1	B	31	THR
1	B	98	SER
1	B	317	ILE
2	K	18	LEU
2	K	25	SER
2	K	78	VAL
2	K	102	THR
2	K	106	THR
2	C	18	LEU
2	C	25	SER
2	C	56	SER
2	C	78	VAL
2	C	108	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	139	GLN
1	B	139	GLN
2	K	3	GLN
2	C	3	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	441/445 (99%)	0.59	16 (3%) 42 29	63, 137, 197, 256	0
1	B	441/445 (99%)	0.54	27 (6%) 21 12	70, 145, 196, 283	0
2	C	124/127 (97%)	0.28	0 100 100	76, 113, 149, 192	0
2	K	124/127 (97%)	0.36	1 (0%) 86 75	77, 114, 145, 156	0
All	All	1130/1144 (98%)	0.51	44 (3%) 39 26	63, 134, 193, 283	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	287	LYS	5.0
1	A	96	ARG	4.7
1	B	255	ASP	4.2
1	B	230	GLN	4.2
1	A	336	ILE	3.9
1	B	263	ILE	3.6
1	B	61	CYS	3.6
1	B	261	CYS	3.4
1	B	289	TYR	3.3
1	B	265	TYR	3.2
1	B	309	LYS	3.0
1	B	214	ALA	2.9
1	B	334	TRP	2.9
1	B	60	LEU	2.7
1	B	331	VAL	2.7
1	A	116	LEU	2.6
1	B	254	ALA	2.6
1	B	426	ALA	2.6
1	A	398	ALA	2.5
1	B	96	ARG	2.5
1	B	150	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	391	SER	2.3
1	B	232	LYS	2.3
1	A	213	VAL	2.3
1	B	74	ILE	2.2
1	A	321	MET	2.2
1	B	154	LEU	2.2
1	A	102	SER	2.2
1	B	336	ILE	2.2
1	B	97	VAL	2.2
1	A	337	ALA	2.2
1	B	68	LEU	2.2
1	A	260	GLY	2.1
1	B	229	VAL	2.1
1	A	34	GLN	2.1
1	B	332	ALA	2.1
1	B	260	GLY	2.1
1	A	154	LEU	2.1
1	B	157	ASP	2.1
1	B	159	ALA	2.1
2	K	101	TYR	2.1
1	A	214	ALA	2.1
1	A	393	LYS	2.1
1	A	127	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
-----	------	-------	-----	-------	------	-----	-----------------------------	-------

3	ZN	A	501	1/1	0.98	0.24	138,138,138,138	0
3	ZN	B	501	1/1	0.98	0.23	122,122,122,122	0

6.5 Other polymers [i](#)

There are no such residues in this entry.