



Full wwPDB EM Validation Report ⓘ

Oct 7, 2024 – 02:24 PM JST

PDB ID : 8ZSB
EMDB ID : EMD-60410
Title : Cryo-EM structure of human ZnT1, in the absence of zinc, determined in outward-facing conformation
Authors : Ma, J.; Zheng, S.
Deposited on : 2024-06-05
Resolution : 3.26 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	507	 46% 13% 39%
1	B	507	 45% 15% 39%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4798 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proton-coupled zinc antiporter SLC30A1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	307	2398	1557	405	415	21	1	0
1	B	307	2398	1557	405	415	21	1	0


- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
2	A	1	Total	Zn	0
			1	1	
2	B	1	Total	Zn	0
			1	1	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proton-coupled zinc antiporter SLC30A1



- Molecule 1: Proton-coupled zinc antiporter SLC30A1



T385	T386	H387	H388	Y396	K397	E398	T402	I403	V406	P419	A422	SER	VAL	GLY	SER	LYS	SER	SER	SER	VAL	VAL	PRO	CYS	GLU	LEU	LEU	ALA	CYS	ARG	THR	GLN	CYS	ALA	LEU	LYS	GLN	CYS	CYS	GLY	THR	LEU	PRO	GLN	ALA	PRO	SER	GLY	LYS	ASP	ALA	GLU	LYS	THR	PRO	ALA	VAL
SER	ILE	SER	CYS	LEU	LEU	SER	ASN	ASN	LEU	GLU	LYS	LYS	PRO	ARG	ARG	THR	LYS	ALA	GLU	ASN	ILE	PRO	ALA	VAL	VAL	ILE	ILE	LYS	ASN	MET	PRO	ASN	LYS	GLN	PRO	GLU	SER	SER	LEU																	

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	709780	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1230	Depositor
Maximum defocus (nm)	3250	Depositor
Magnification	64000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	1/2453 (0.0%)	0.70	5/3334 (0.1%)
1	B	0.59	1/2453 (0.0%)	0.66	4/3334 (0.1%)
All	All	0.59	2/4906 (0.0%)	0.68	9/6668 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	95	ALA	CA-CB	-5.78	1.40	1.52
1	A	95	ALA	CA-CB	-5.75	1.40	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	65	HIS	N-CA-C	9.23	135.93	111.00
1	B	94[A]	PHE	O-C-N	-6.24	112.72	122.70
1	B	94[B]	PHE	O-C-N	-6.24	112.72	122.70
1	A	94[A]	PHE	O-C-N	-6.22	112.74	122.70
1	A	94[B]	PHE	O-C-N	-6.22	112.74	122.70
1	A	387	HIS	CB-CA-C	-5.78	98.84	110.40
1	A	59	ARG	CB-CA-C	-5.65	99.11	110.40
1	B	387	HIS	CB-CA-C	-5.31	99.78	110.40
1	B	370	HIS	CB-CA-C	5.20	120.79	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2398	0	2437	50	0
1	B	2398	0	2437	52	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
All	All	4798	0	4874	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:ILE:HD12	1:B:35:LEU:HD12	1.69	0.73
1:B:310:PRO:HB2	1:B:312:TRP:HD1	1.59	0.68
1:A:310:PRO:HB2	1:A:312:TRP:HD1	1.58	0.67
1:B:371:GLU:O	1:B:386:ALA:HA	1.94	0.67
1:A:61:ALA:HB2	1:A:78:GLU:HB2	1.77	0.67
1:B:61:ALA:HB2	1:B:78:GLU:HB2	1.77	0.67
1:A:35:LEU:HD12	1:B:105:ILE:HD12	1.75	0.65
1:A:385:THR:HG21	1:B:385:THR:HG21	1.81	0.62
1:B:370:HIS:CE1	1:B:387:HIS:HD2	2.19	0.60
1:A:388:ILE:CD1	1:A:403:ILE:HD13	2.33	0.59
1:B:372:LEU:HD12	1:B:386:ALA:HB2	1.84	0.59
1:A:27:VAL:O	1:A:31:VAL:HG12	2.05	0.57
1:A:239:ARG:HD2	1:A:242:GLN:OE1	2.06	0.56
1:B:27:VAL:O	1:B:31:VAL:HG12	2.05	0.56
1:A:345:GLN:HE21	1:B:345:GLN:HE21	1.52	0.56
1:A:310:PRO:HB2	1:A:312:TRP:CD1	2.40	0.56
1:A:239:ARG:O	1:A:242:GLN:N	2.39	0.54
1:B:388:ILE:HD13	1:B:403:ILE:HD13	1.89	0.54
1:A:388:ILE:HD12	1:A:403:ILE:HD13	1.90	0.54
1:A:239:ARG:O	1:A:240:ALA:C	2.45	0.54
1:B:370:HIS:CE1	1:B:387:HIS:CD2	2.96	0.54
1:B:348:PRO:HG3	1:B:376:GLN:HB2	1.91	0.53
1:B:310:PRO:HB2	1:B:312:TRP:CD1	2.40	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:348:PRO:HG3	1:A:376:GLN:HB2	1.91	0.52
1:B:70:ASN:ND2	1:B:73:GLY:O	2.42	0.52
1:B:37:MET:HE1	1:B:119:VAL:HG21	1.92	0.52
1:A:37:MET:HE1	1:A:119:VAL:HG21	1.91	0.52
1:B:75:ILE:HD12	1:B:378:ALA:HB3	1.92	0.52
1:B:366:VAL:HG13	1:B:388:ILE:HG23	1.91	0.52
1:A:343:LEU:HB2	1:B:80:MET:HE1	1.92	0.51
1:A:70:ASN:ND2	1:A:73:GLY:O	2.43	0.51
1:A:75:ILE:HD12	1:A:378:ALA:HB3	1.92	0.51
1:B:322:VAL:O	1:B:325:VAL:HG22	2.11	0.51
1:A:322:VAL:O	1:A:325:VAL:HG22	2.11	0.51
1:A:238:ASP:OD1	1:A:238:ASP:N	2.45	0.50
1:A:94[B]:PHE:HZ	1:B:46:SER:HB3	1.76	0.50
1:B:15:LEU:HG	1:B:19:PHE:HE2	1.78	0.49
1:A:370:HIS:HD2	1:A:420:GLU:OE1	1.96	0.49
1:A:334:PRO:O	1:A:338:GLU:N	2.40	0.48
1:B:16:ALA:O	1:B:20:MET:HG2	2.13	0.48
1:A:15:LEU:HG	1:A:19:PHE:HE2	1.78	0.48
1:A:16:ALA:O	1:A:20:MET:HG2	2.13	0.48
1:B:402:THR:O	1:B:406:VAL:HG23	2.13	0.48
1:A:402:THR:O	1:A:406:VAL:HG23	2.13	0.48
1:B:396:TYR:CZ	1:B:419:PRO:HG3	2.49	0.48
1:A:396:TYR:CZ	1:A:419:PRO:HG3	2.49	0.47
1:B:341:LEU:HD22	1:B:346:THR:HG21	1.97	0.47
1:A:238:ASP:O	1:A:242:GLN:HG3	2.14	0.46
1:B:328:LEU:O	1:B:332:THR:N	2.47	0.46
1:A:328:LEU:O	1:A:332:THR:N	2.47	0.46
1:B:352:ASP:O	1:B:356:LEU:HD23	2.16	0.46
1:A:341:LEU:HD22	1:A:346:THR:HG21	1.97	0.46
1:A:352:ASP:O	1:A:356:LEU:HD23	2.16	0.46
1:B:127:ASN:HB3	1:B:256:ALA:HB2	1.98	0.45
1:A:127:ASN:HB3	1:A:256:ALA:HB2	1.98	0.45
1:A:96:ILE:HD13	1:A:324:MET:HE3	1.99	0.44
1:B:374:VAL:HG22	1:B:384:ALA:HB1	2.00	0.44
1:B:240:ALA:O	1:B:241:GLY:C	2.56	0.44
1:A:10:ARG:NH1	1:A:133:LEU:O	2.51	0.43
1:A:80:MET:HB2	1:A:80:MET:HE2	1.65	0.43
1:A:94[B]:PHE:HZ	1:B:46:SER:CB	2.32	0.43
1:A:376:GLN:NE2	1:A:379:GLY:O	2.51	0.43
1:A:388:ILE:HD13	1:A:403:ILE:HD13	2.00	0.43
1:B:334:PRO:O	1:B:338:GLU:N	2.40	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:374:VAL:HG22	1:B:384:ALA:CB	2.48	0.43
1:A:239:ARG:HG3	1:A:243:LEU:HD13	1.99	0.43
1:B:347:VAL:HG21	1:B:353:ILE:HD11	2.01	0.43
1:B:10:ARG:NH1	1:B:133:LEU:O	2.51	0.43
1:B:376:GLN:NE2	1:B:379:GLY:O	2.51	0.43
1:B:82:ALA:CB	1:B:243:LEU:HB3	2.49	0.43
1:A:64:THR:OG1	1:A:65:HIS:N	2.49	0.43
1:A:98:LEU:HG	1:B:42:PHE:HB3	2.01	0.42
1:B:238:ASP:O	1:B:242:GLN:HG3	2.20	0.42
1:B:239:ARG:HA	1:B:239:ARG:HD2	1.51	0.42
1:B:96:ILE:HD13	1:B:324:MET:HE3	2.01	0.42
1:A:281:PHE:O	1:A:306:TYR:N	2.52	0.42
1:A:129:LEU:HD23	1:A:129:LEU:HA	1.90	0.42
1:B:55:LEU:HD23	1:B:55:LEU:HA	1.90	0.42
1:B:265:ASN:ND2	1:B:317:ASP:HB2	2.35	0.42
1:A:345:GLN:NE2	1:B:345:GLN:HE21	2.17	0.41
1:B:129:LEU:HD23	1:B:129:LEU:HA	1.90	0.41
1:A:265:ASN:ND2	1:A:317:ASP:HB2	2.35	0.41
1:A:347:VAL:HG21	1:A:353:ILE:HD11	2.01	0.41
1:A:63:ARG:O	1:A:64:THR:C	2.57	0.41
1:A:83:LEU:HD22	1:A:343:LEU:HD12	2.03	0.41
1:B:281:PHE:O	1:B:306:TYR:N	2.52	0.41
1:B:267:LEU:HD23	1:B:267:LEU:HA	1.95	0.41
1:B:14:MET:HG3	1:B:134:PHE:HE2	1.86	0.41
1:B:83:LEU:HD22	1:B:343:LEU:HD12	2.03	0.41
1:B:29:SER:O	1:B:33:SER:N	2.53	0.40
1:A:29:SER:O	1:A:33:SER:N	2.53	0.40
1:A:14:MET:HG3	1:A:134:PHE:HE2	1.86	0.40
1:B:398:GLU:O	1:B:402:THR:HG23	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	302/507 (60%)	293 (97%)	9 (3%)	0	100	100
1	B	302/507 (60%)	293 (97%)	9 (3%)	0	100	100
All	All	604/1014 (60%)	586 (97%)	18 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	263/433 (61%)	258 (98%)	5 (2%)	52	71
1	B	263/433 (61%)	256 (97%)	7 (3%)	40	63
All	All	526/866 (61%)	514 (98%)	12 (2%)	49	67

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	VAL
1	A	65	HIS
1	A	80	MET
1	A	238	ASP
1	A	370	HIS
1	B	31	VAL
1	B	80	MET
1	B	94[A]	PHE
1	B	94[B]	PHE
1	B	238	ASP
1	B	243	LEU
1	B	370	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	387	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	345	GLN
1	B	387	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.