



## wwPDB EM Validation Summary Report ⓘ

Apr 23, 2024 – 01:20 am BST

PDB ID : 6ZU5  
EMDB ID : EMD-11437  
Title : Structure of the Paranosema locustae ribosome in complex with Lso2  
Authors : Ehrenbolger, K.; Jespersen, N.; Sharma, H.; Sokolova, Y.Y.; Tokarev, Y.S.;  
Vossbrinck, C.R.; Barandun, J.  
Deposited on : 2020-07-21  
Resolution : 2.90 Å(reported)  
Based on initial model : 4V88

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L50	2639	
2	L70	119	
3	LA0	247	
4	LAA	155	
5	LB0	385	
6	LBB	64	
7	LC0	330	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	LCC	108	6% 78% 15% 7%
9	LD0	266	83% 13%
10	LDD	109	90% 5% 6%
11	LE0	180	7% 86% 14%
12	LEE	132	85% 7% 8%
13	LF0	254	85% 13%
14	LFF	108	87% 9%
15	LG0	216	84% 9% 6%
16	LGG	113	78% 11% 12%
17	LH0	186	81% 18%
18	LHH	126	81% 14% 5%
19	LI0	218	78% 18%
20	LII	98	89% 9%
21	LJ0	174	84% 12%
22	LJJ	95	77% 17% 6%
23	LL0	166	86% 13%
24	LLL	51	69% 31%
25	LM0	108	73% 17% 10%
26	LMM	132	5% 38% 59%
27	LN0	204	83% 17%
28	LNN	77	9% 88% 9%
29	LO0	198	85% 13%
30	LOO	112	66% 14% 19%
31	LP0	171	78% 12% 11%
32	LPP	86	76% 19% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	LQ0	178	 87% 12%
34	LR0	166	 10% 87% 10%
35	LS0	175	 78% 19%
36	LT0	160	 82% 18%
37	LU0	114	 58% 82% 15%
38	LV0	140	 82% 16%
39	LW0	133	 19% 64% 6% 30%
40	LX0	106	 82% 10% 8%
41	LY0	140	 84% 15%
42	LZ0	127	 83% 17%
43	S60	1400	 63% 27% 5% 5%
44	SA0	242	 14% 83% 17%
45	SAA	104	 78% 15% 7%
46	SB0	230	 67% 18% 15%
47	SBB	86	 6% 72% 21% 7%
48	SC0	255	 67% 18% 13%
49	SCC	65	 12% 65% 18% 15%
50	SD0	217	 19% 71% 27%
51	SDD	63	 79% 14% 6%
52	SE0	267	 79% 17%
53	SEE	60	 70% 67% 13% 18%
54	SF0	195	 7% 84% 12% 5%
55	SG0	222	 10% 86% 13%
56	SGG	330	 5% 70% 22% 7%
57	SH0	176	 26% 86% 11%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
58	SI0	175	74% 22%
59	SJ0	187	12% 67% 20% 12%
60	SK0	102	32% 65% 7% 27%
61	SL0	160	72% 11% 17%
62	SN0	146	86% 11%
63	SO0	135	76% 17% 5%
64	SP0	146	63% 14% 23%
65	SQ0	145	77% 10% 12%
66	SR0	123	28% 81% 11% 8%
67	SS0	161	6% 71% 18% 11%
68	ST0	141	82% 16%
69	SU0	111	42% 69% 20% 11%
70	SV0	66	14% 85% 11% 5%
71	SW0	127	80% 20%
72	SX0	140	54% 82% 16%
73	SY0	133	8% 73% 20% 8%
74	SZ0	126	6% 48% 9% 43%

## 2 Entry composition [i](#)

There are 77 unique types of molecules in this entry. The entry contains 165175 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 25S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	L50	2455	52573	23405	9675	17038	2455	0	0

- Molecule 2 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	L70	119	2546	1136	461	830	119	0	0

- Molecule 3 is a protein called uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	LA0	246	1862	1159	373	323	7	0	0

- Molecule 4 is a protein called uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	LAA	145	1139	718	229	182	10	0	0

- Molecule 5 is a protein called uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	LB0	363	2887	1835	532	510	10	0	0

- Molecule 6 is a protein called eL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	LBB	63	527	322	116	88	1	0	0

- Molecule 7 is a protein called uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	LC0	325	2555	1610	466	462	17	0	0

- Molecule 8 is a protein called eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	LCC	100	774	500	136	136	2	0	0

- Molecule 9 is a protein called uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	LD0	258	2118	1339	394	376	9	0	0

- Molecule 10 is a protein called eL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	LDD	103	854	550	158	142	4	0	0

- Molecule 11 is a protein called eL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	LE0	179	1405	897	247	254	7	0	0

- Molecule 12 is a protein called eL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	LEE	121	1005	639	203	159	4	0	0

- Molecule 13 is a protein called uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	LF0	247	2050	1299	385	353	13	0	0

- Molecule 14 is a protein called eL33.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	LFF	104	Total	C	N	O	S	0	0
			832	528	155	146	3		

- Molecule 15 is a protein called eL8.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	LG0	202	Total	C	N	O	S	0	0
			1637	1041	300	286	10		

- Molecule 16 is a protein called eL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	LGG	100	Total	C	N	O	S	0	0
			802	493	171	133	5		

- Molecule 17 is a protein called uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	LH0	184	Total	C	N	O	S	0	0
			1455	908	266	269	12		

- Molecule 18 is a protein called uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	LHH	120	Total	C	N	O	S	0	0
			1024	641	200	175	8		

- Molecule 19 is a protein called uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	LI0	209	Total	C	N	O	S	0	0
			1676	1058	328	281	9		

- Molecule 20 is a protein called eL36.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	LII	97	Total	C	N	O	S	0	0
			789	496	158	130	5		

- Molecule 21 is a protein called uL5.



Mol	Chain	Residues	Atoms					AltConf	Trace
21	LJ0	168	Total	C	N	O	S	0	0
			1336	841	249	239	7		

- Molecule 22 is a protein called eL37.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	LJJ	89	Total	C	N	O	S	0	0
			707	425	163	113	6		

- Molecule 23 is a protein called eL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	LL0	164	Total	C	N	O	S	0	0
			1354	859	256	231	8		

- Molecule 24 is a protein called eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	LLL	51	Total	C	N	O	S	0	0
			453	282	103	66	2		

- Molecule 25 is a protein called eL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	LM0	97	Total	C	N	O	S	0	0
			799	498	144	154	3		

- Molecule 26 is a protein called eL40.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	LMM	54	Total	C	N	O	S	0	0
			429	262	90	71	6		

- Molecule 27 is a protein called eL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	LN0	203	Total	C	N	O	S	0	0
			1654	1027	344	277	6		

- Molecule 28 is a protein called Lso2.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	LNN	75	Total	C	N	O	S	0	0
			638	394	123	117	4		

- Molecule 29 is a protein called uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	LO0	196	Total	C	N	O	S	0	0
			1601	1022	289	281	9		

- Molecule 30 is a protein called eL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	LOO	91	Total	C	N	O	S	0	0
			756	463	164	124	5		

- Molecule 31 is a protein called uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	LP0	153	Total	C	N	O	S	0	0
			1236	785	240	205	6		

- Molecule 32 is a protein called eL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	LPP	81	Total	C	N	O	S	0	0
			603	380	114	105	4		

- Molecule 33 is a protein called eL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	LQ0	176	Total	C	N	O	S	0	0
			1388	883	253	248	4		

- Molecule 34 is a protein called eL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	LR0	161	Total	C	N	O	S	0	0
			1275	797	261	209	8		

- Molecule 35 is a protein called eL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	LS0	169	1414	910	250	246	8	0	0

- Molecule 36 is a protein called eL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	LT0	160	1311	820	266	218	7	0	0

- Molecule 37 is a protein called eL22.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
37	LU0	97	481	287	97	97	0	0

- Molecule 38 is a protein called uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	LV0	138	1048	652	208	181	7	0	0

- Molecule 39 is a protein called eL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	LW0	93	698	444	130	123	1	0	0

- Molecule 40 is a protein called uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	LX0	98	765	488	138	137	2	0	0

- Molecule 41 is a protein called uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	LY0	138	1138	701	230	197	10	0	0

- Molecule 42 is a protein called eL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	LZ0	127	Total	C	N	O	S	0	0
			1001	645	177	173	6		

- Molecule 43 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	S60	1336	Total	C	N	O	P	0	0
			28876	12841	5457	9242	1336		

- Molecule 44 is a protein called uS2.

Mol	Chain	Residues	Atoms				AltConf	Trace
44	SA0	202	Total	C	N	O	0	0
			1000	596	202	202		

- Molecule 45 is a protein called eS26.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	SAA	97	Total	C	N	O	S	0	0
			778	482	157	134	5		

- Molecule 46 is a protein called eS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	SB0	196	Total	C	N	O	S	0	0
			1580	1003	289	282	6		

- Molecule 47 is a protein called eS27.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	SBB	80	Total	C	N	O	S	0	0
			642	404	121	109	8		

- Molecule 48 is a protein called uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	SC0	221	Total	C	N	O	S	0	0
			1711	1092	304	308	7		

- Molecule 49 is a protein called eS28.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	SCC	55	Total	C	N	O	S	0	0
			419	265	73	77	4		

- Molecule 50 is a protein called uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	SD0	213	Total	C	N	O	S	0	0
			1690	1077	300	304	9		

- Molecule 51 is a protein called uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	SDD	59	Total	C	N	O	S	0	0
			488	308	99	77	4		

- Molecule 52 is a protein called eS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	SE0	257	Total	C	N	O	S	0	0
			2031	1293	357	369	12		

- Molecule 53 is a protein called eS30.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	SEE	49	Total	C	N	O	S	0	0
			334	203	72	57	2		

- Molecule 54 is a protein called uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	SF0	186	Total	C	N	O	S	0	0
			1447	901	278	258	10		

- Molecule 55 is a protein called eS6.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	SG0	218	Total	C	N	O	S	0	0
			1760	1112	331	307	10		

- Molecule 56 is a protein called RACK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	SGG	307	2306	1443	402	443	18	0	0

- Molecule 57 is a protein called eS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	SH0	156	1003	614	184	200	5	0	0

- Molecule 58 is a protein called eS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	SI0	169	1353	850	252	243	8	0	0

- Molecule 59 is a protein called uS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
59	SJ0	164	1357	855	258	238	6	0	0

- Molecule 60 is a protein called eS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
60	SK0	74	592	385	107	96	4	0	0

- Molecule 61 is a protein called uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
61	SL0	133	1102	711	199	187	5	0	0

- Molecule 62 is a protein called uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
62	SN0	142	1137	715	221	195	6	0	0

- Molecule 63 is a protein called uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	SO0	128	Total	C	N	O	S	0	0
			950	583	192	172	3		

- Molecule 64 is a protein called uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	SP0	112	Total	C	N	O	S	0	0
			896	570	159	160	7		

- Molecule 65 is a protein called uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	SQ0	127	Total	C	N	O	S	0	0
			1012	649	177	181	5		

- Molecule 66 is a protein called eS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	SR0	113	Total	C	N	O	S	0	0
			800	503	155	141	1		

- Molecule 67 is a protein called uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	SS0	144	Total	C	N	O	S	0	0
			1140	709	223	202	6		

- Molecule 68 is a protein called eS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	ST0	139	Total	C	N	O	S	0	0
			1115	701	213	195	6		

- Molecule 69 is a protein called uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	SU0	99	Total	C	N	O	S	0	0
			787	498	141	145	3		

- Molecule 70 is a protein called eS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	SV0	63	Total	C	N	O	S	0	0
			462	290	82	88	2		

- Molecule 71 is a protein called uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	SW0	127	Total	C	N	O	S	0	0
			1001	633	183	175	10		

- Molecule 72 is a protein called uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	SX0	138	Total	C	N	O	S	0	0
			1089	691	207	187	4		

- Molecule 73 is a protein called eS24.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	SY0	123	Total	C	N	O	S	0	0
			964	595	195	168	6		

- Molecule 74 is a protein called eS25.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	SZ0	72	Total	C	N	O	S	0	0
			548	340	104	101	3		

- Molecule 75 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
75	L50	152	Total	Mg	0
			152	152	
75	L70	4	Total	Mg	0
			4	4	
75	LA0	1	Total	Mg	0
			1	1	
75	LJJ	1	Total	Mg	0
			1	1	
75	LV0	1	Total	Mg	0
			1	1	
75	S60	20	Total	Mg	0
			20	20	



- Molecule 76 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
76	LGG	1	Total	Zn	0
			1	1	
76	LJJ	1	Total	Zn	0
			1	1	
76	LMM	1	Total	Zn	0
			1	1	
76	LOO	1	Total	Zn	0
			1	1	
76	LPP	1	Total	Zn	0
			1	1	
76	SAA	1	Total	Zn	0
			1	1	
76	SBB	1	Total	Zn	0
			1	1	
76	SDD	1	Total	Zn	0
			1	1	

- Molecule 77 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: C<sub>10</sub>H<sub>14</sub>N<sub>5</sub>O<sub>7</sub>P).




Mol	Chain	Residues	Atoms					AltConf
77	LH0	1	Total	C	N	O	P	0
			23	10	5	7	1	

### 3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 25S rRNA









• Molecule 2: 5S rRNA





• Molecule 3: uL2



• Molecule 4: uL15




• Molecule 5: uL3




• Molecule 6: eL29




• Molecule 7: uL4








• Molecule 8: eL30





• Molecule 9: uL18




• Molecule 10: eL31




• Molecule 11: eL6



• Molecule 12: eL32



• Molecule 13: uL30






• Molecule 14: eL33





• Molecule 15: eL8




• Molecule 16: eL34




• Molecule 17: uL6




• Molecule 18: uL29





• Molecule 19: uL16









- Molecule 20: eL36



- Molecule 21: uL5



- Molecule 22: eL37





- Molecule 23: eL13



- Molecule 24: eL39





- Molecule 25: eL14





- Molecule 26: eL40







• Molecule 27: eL15



• Molecule 28: Lso2





• Molecule 29: uL13




• Molecule 30: eL42




• Molecule 31: uL22




• Molecule 32: eL43










• Molecule 33: eL18




• Molecule 34: eL19






• Molecule 35: eL20




• Molecule 36: eL21



• Molecule 37: eL22





• Molecule 38: uL14







• Molecule 39: eL24




• Molecule 40: uL23





• Molecule 41: uL24



• Molecule 42: eL27




• Molecule 43: 18S rRNA









• Molecule 46: eS1




• Molecule 47: eS27




• Molecule 48: uS5




• Molecule 49: eS28





• Molecule 50: uS3








• Molecule 51: uS14





• Molecule 52: eS4




• Molecule 53: eS30





• Molecule 54: uS7






• Molecule 55: eS6








• Molecule 56: RACK1



• Molecule 57: eS7




• Molecule 58: eS8




• Molecule 59: uS4






• Molecule 60: eS10




• Molecule 61: uS17




• Molecule 62: uS15




• Molecule 63: uS11





• Molecule 64: uS19





• Molecule 65: uS9




• Molecule 66: eS17





• Molecule 67: uS13



• Molecule 68: eS19



• Molecule 69: uS10




• Molecule 70: eS21











• Molecule 71: uS8




• Molecule 72: uS12



• Molecule 73: eS24



• Molecule 74: eS25



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	124947	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	28.6	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.079	Depositor
Minimum map value	-0.030	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.011	Depositor
Map size (Å)	416.0, 416.0, 416.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.04, 1.04, 1.04	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, AMP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	L50	1.21	3/58781 (0.0%)	1.09	224/91678 (0.2%)
2	L70	1.07	0/2848	1.01	3/4439 (0.1%)
3	LA0	0.58	0/1896	0.61	1/2556 (0.0%)
4	LAA	0.59	0/1167	0.59	1/1560 (0.1%)
5	LB0	0.55	0/2938	0.59	1/3942 (0.0%)
6	LBB	0.49	0/538	0.50	0/715
7	LC0	0.62	1/2602 (0.0%)	0.58	0/3503
8	LCC	0.44	0/787	0.55	0/1061
9	LD0	0.50	0/2156	0.55	0/2878
10	LDD	0.53	0/872	0.51	0/1170
11	LE0	0.40	0/1426	0.60	0/1921
12	LEE	0.56	0/1028	0.55	0/1370
13	LF0	0.54	0/2091	0.55	0/2796
14	LFF	0.55	0/849	0.55	0/1140
15	LG0	0.53	0/1664	0.55	0/2236
16	LGG	0.50	0/813	0.56	0/1086
17	LH0	0.45	0/1474	0.62	0/1978
18	LHH	0.54	0/1037	0.55	0/1379
19	LI0	0.53	0/1707	0.53	0/2277
20	LII	0.48	0/802	0.53	0/1069
21	LJ0	0.45	0/1353	0.55	0/1804
22	LJJ	0.59	0/715	0.55	0/939
23	LL0	0.58	0/1382	0.56	0/1850
24	LLL	0.54	0/461	0.55	0/612
25	LM0	0.46	0/806	0.54	0/1081
26	LMM	0.35	0/431	0.48	0/565
27	LN0	0.67	0/1684	0.56	0/2251
28	LNN	0.33	0/642	0.51	1/838 (0.1%)
29	LO0	0.56	0/1628	0.54	0/2176
30	LOO	0.58	1/767 (0.1%)	0.57	0/1013
31	LP0	0.59	0/1260	0.57	0/1694
32	LPP	0.59	0/613	0.53	0/817

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	LQ0	0.55	0/1411	0.54	0/1891
34	LR0	0.49	0/1296	0.54	0/1723
35	LS0	0.56	0/1437	0.55	0/1914
36	LT0	0.54	0/1339	0.52	0/1789
37	LU0	0.26	0/480	0.54	0/668
38	LV0	0.55	1/1062 (0.1%)	0.54	0/1430
39	LW0	0.48	0/711	0.53	0/961
40	LX0	0.52	0/777	0.51	0/1047
41	LY0	0.57	0/1149	0.55	0/1516
42	LZ0	0.45	0/1017	0.53	0/1357
43	S60	0.86	0/32357	0.98	59/50521 (0.1%)
44	SA0	0.29	0/999	0.49	0/1391
45	SAA	0.50	0/792	0.55	0/1058
46	SB0	0.46	0/1604	0.54	1/2148 (0.0%)
47	SBB	0.41	0/651	0.63	0/868
48	SC0	0.43	0/1740	0.59	0/2336
49	SCC	0.40	0/423	0.61	0/569
50	SD0	0.36	0/1715	0.56	0/2297
51	SDD	0.43	0/497	0.57	0/659
52	SE0	0.44	0/2070	0.59	1/2780 (0.0%)
53	SEE	0.29	0/334	0.57	0/444
54	SF0	0.39	0/1463	0.54	0/1956
55	SG0	0.38	0/1783	0.55	0/2370
56	SGG	0.40	0/2343	0.62	2/3172 (0.1%)
57	SH0	0.34	0/1014	0.50	0/1383
58	SI0	0.47	0/1376	0.58	0/1834
59	SJ0	0.34	0/1378	0.63	2/1842 (0.1%)
60	SK0	0.35	0/605	0.59	0/818
61	SL0	0.53	0/1128	0.59	1/1509 (0.1%)
62	SN0	0.44	0/1160	0.50	0/1564
63	SO0	0.49	0/961	0.64	0/1291
64	SP0	0.41	0/909	0.57	0/1218
65	SQ0	0.46	0/1030	0.56	0/1386
66	SR0	0.37	0/810	0.58	0/1095
67	SS0	0.37	0/1156	0.52	0/1546
68	ST0	0.42	0/1131	0.53	0/1505
69	SU0	0.31	0/801	0.52	0/1077
70	SV0	0.37	0/468	0.54	0/637
71	SW0	0.47	0/1015	0.58	0/1358
72	SX0	0.34	0/1102	0.58	0/1468
73	SY0	0.34	0/970	0.57	0/1287
74	SZ0	0.39	0/552	0.55	0/743
All	All	0.87	6/176234 (0.0%)	0.88	297/256820 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	LAA	0	1

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	LC0	46	ARG	C-N	-5.40	1.21	1.34
1	L50	887	A	N9-C4	-5.28	1.34	1.37
38	LV0	110	GLY	C-N	-5.10	1.22	1.34
30	LOO	83	CYS	CB-SG	-5.05	1.73	1.81
1	L50	101	A	N9-C4	-5.03	1.34	1.37

The worst 5 of 297 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L50	1197	U	C2-N1-C1'	10.57	130.38	117.70
1	L50	1197	U	N1-C2-O2	10.32	130.02	122.80
1	L50	1197	U	N3-C2-O2	-9.32	115.68	122.20
1	L50	1058	C	C6-N1-C2	-8.94	116.72	120.30
1	L50	1505	C	C6-N1-C2	-8.93	116.73	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	LAA	23	GLY	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L50	52573	0	26704	270	0
2	L70	2546	0	1284	13	0
3	LA0	1862	0	1962	27	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	LAA	1139	0	1192	20	0
5	LB0	2887	0	3005	53	0
6	LBB	527	0	529	7	0
7	LC0	2555	0	2610	29	0
8	LCC	774	0	815	10	0
9	LD0	2118	0	2171	25	0
10	LDD	854	0	901	4	0
11	LE0	1405	0	1461	18	0
12	LEE	1005	0	1050	6	0
13	LF0	2050	0	2091	25	0
14	LFF	832	0	848	7	0
15	LG0	1637	0	1722	13	0
16	LGG	802	0	848	8	0
17	LH0	1455	0	1490	20	0
18	LHH	1024	0	1102	16	0
19	LI0	1676	0	1747	27	0
20	LII	789	0	859	8	0
21	LJ0	1336	0	1399	12	0
22	LJJ	707	0	749	10	0
23	LL0	1354	0	1421	17	0
24	LLL	453	0	493	14	0
25	LM0	799	0	811	11	0
26	LMM	429	0	471	4	0
27	LN0	1654	0	1713	21	0
28	LNN	638	0	675	5	0
29	LO0	1601	0	1691	19	0
30	LOO	756	0	803	13	0
31	LP0	1236	0	1311	14	0
32	LPP	603	0	626	10	0
33	LQ0	1388	0	1461	15	0
34	LR0	1275	0	1332	15	0
35	LS0	1414	0	1485	24	0
36	LT0	1311	0	1355	25	0
37	LU0	481	0	205	2	0
38	LV0	1048	0	1123	16	0
39	LW0	698	0	699	6	0
40	LX0	765	0	803	10	0
41	LY0	1138	0	1208	13	0
42	LZ0	1001	0	1062	15	0
43	S60	28876	0	14519	169	0
44	SA0	1000	0	442	0	0
45	SAA	778	0	796	13	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
46	SB0	1580	0	1651	27	0
47	SBB	642	0	684	13	0
48	SC0	1711	0	1804	35	0
49	SCC	419	0	440	7	0
50	SD0	1690	0	1792	38	0
51	SDD	488	0	500	8	0
52	SE0	2031	0	2100	31	0
53	SEE	334	0	290	8	0
54	SF0	1447	0	1526	15	0
55	SG0	1760	0	1875	20	0
56	SGG	2306	0	2268	40	0
57	SH0	1003	0	739	2	0
58	SI0	1353	0	1395	29	0
59	SJ0	1357	0	1411	30	0
60	SK0	592	0	612	5	0
61	SL0	1102	0	1132	14	0
62	SN0	1137	0	1180	13	0
63	SO0	950	0	995	21	0
64	SP0	896	0	958	13	0
65	SQ0	1012	0	1048	9	0
66	SR0	800	0	701	11	0
67	SS0	1140	0	1176	18	0
68	ST0	1115	0	1174	14	0
69	SU0	787	0	807	16	0
70	SV0	462	0	435	8	0
71	SW0	1001	0	1047	17	0
72	SX0	1089	0	1189	15	0
73	SY0	964	0	978	17	0
74	SZ0	548	0	573	6	0
75	L50	152	0	0	0	0
75	L70	4	0	0	0	0
75	LA0	1	0	0	0	0
75	LJJ	1	0	0	0	0
75	LV0	1	0	0	0	0
75	S60	20	0	0	0	0
76	LGG	1	0	0	0	0
76	LJJ	1	0	0	0	0
76	LMM	1	0	0	0	0
76	LOO	1	0	0	0	0
76	LPP	1	0	0	0	0
76	SAA	1	0	0	0	0
76	SBB	1	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
76	SDD	1	0	0	0	0
77	LH0	23	0	12	1	0
All	All	165175	0	125536	1213	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 1213 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
61:SL0:14:GLN:HE22	61:SL0:32:ARG:HE	1.27	0.82
48:SC0:221:CYS:HG	70:SV0:17:HIS:HD1	1.33	0.75
1:L50:855:C:H42	1:L50:871:C:H42	1.39	0.70
8:LCC:16:PRO:HG3	8:LCC:82:VAL:HB	1.75	0.69
55:SG0:173:PRO:HG2	55:SG0:175:ILE:HD11	1.75	0.69

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	LA0	244/247 (99%)	234 (96%)	10 (4%)	0	100	100
4	LAA	143/155 (92%)	133 (93%)	9 (6%)	1 (1%)	22	54
5	LB0	357/385 (93%)	348 (98%)	8 (2%)	1 (0%)	41	71
6	LBB	61/64 (95%)	59 (97%)	2 (3%)	0	100	100
7	LC0	323/330 (98%)	313 (97%)	9 (3%)	1 (0%)	41	71
8	LCC	98/108 (91%)	96 (98%)	2 (2%)	0	100	100
9	LD0	256/266 (96%)	249 (97%)	7 (3%)	0	100	100
10	LDD	101/109 (93%)	100 (99%)	1 (1%)	0	100	100

Continued on next page...



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	LE0	177/180 (98%)	159 (90%)	18 (10%)	0	100	100
12	LEE	119/132 (90%)	117 (98%)	2 (2%)	0	100	100
13	LF0	245/254 (96%)	238 (97%)	7 (3%)	0	100	100
14	LFF	102/108 (94%)	102 (100%)	0	0	100	100
15	LG0	200/216 (93%)	198 (99%)	2 (1%)	0	100	100
16	LGG	98/113 (87%)	95 (97%)	3 (3%)	0	100	100
17	LH0	182/186 (98%)	177 (97%)	5 (3%)	0	100	100
18	LHH	118/126 (94%)	113 (96%)	5 (4%)	0	100	100
19	LI0	205/218 (94%)	202 (98%)	3 (2%)	0	100	100
20	LII	95/98 (97%)	93 (98%)	2 (2%)	0	100	100
21	LJ0	166/174 (95%)	162 (98%)	4 (2%)	0	100	100
22	LJJ	87/95 (92%)	85 (98%)	2 (2%)	0	100	100
23	LL0	162/166 (98%)	154 (95%)	8 (5%)	0	100	100
24	LLL	49/51 (96%)	48 (98%)	1 (2%)	0	100	100
25	LM0	93/108 (86%)	92 (99%)	1 (1%)	0	100	100
26	LMM	52/132 (39%)	51 (98%)	1 (2%)	0	100	100
27	LN0	201/204 (98%)	196 (98%)	5 (2%)	0	100	100
28	LNN	73/77 (95%)	73 (100%)	0	0	100	100
29	LO0	194/198 (98%)	193 (100%)	1 (0%)	0	100	100
30	LOO	89/112 (80%)	85 (96%)	4 (4%)	0	100	100
31	LP0	151/171 (88%)	147 (97%)	4 (3%)	0	100	100
32	LPP	79/86 (92%)	75 (95%)	4 (5%)	0	100	100
33	LQ0	174/178 (98%)	170 (98%)	4 (2%)	0	100	100
34	LR0	159/166 (96%)	156 (98%)	3 (2%)	0	100	100
35	LS0	167/175 (95%)	165 (99%)	2 (1%)	0	100	100
36	LT0	158/160 (99%)	151 (96%)	7 (4%)	0	100	100
37	LU0	95/114 (83%)	89 (94%)	6 (6%)	0	100	100
38	LV0	136/140 (97%)	131 (96%)	5 (4%)	0	100	100
39	LW0	91/133 (68%)	86 (94%)	5 (6%)	0	100	100
40	LX0	96/106 (91%)	95 (99%)	1 (1%)	0	100	100
41	LY0	136/140 (97%)	133 (98%)	3 (2%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
42	LZ0	125/127 (98%)	124 (99%)	1 (1%)	0	100	100
44	SA0	200/242 (83%)	191 (96%)	9 (4%)	0	100	100
45	SAA	95/104 (91%)	95 (100%)	0	0	100	100
46	SB0	192/230 (84%)	187 (97%)	5 (3%)	0	100	100
47	SBB	78/86 (91%)	75 (96%)	2 (3%)	1 (1%)	12	37
48	SC0	219/255 (86%)	203 (93%)	16 (7%)	0	100	100
49	SCC	53/65 (82%)	51 (96%)	2 (4%)	0	100	100
50	SD0	211/217 (97%)	201 (95%)	10 (5%)	0	100	100
51	SDD	57/63 (90%)	55 (96%)	2 (4%)	0	100	100
52	SE0	255/267 (96%)	242 (95%)	13 (5%)	0	100	100
53	SEE	45/60 (75%)	42 (93%)	3 (7%)	0	100	100
54	SF0	184/195 (94%)	174 (95%)	10 (5%)	0	100	100
55	SG0	216/222 (97%)	210 (97%)	6 (3%)	0	100	100
56	SGG	303/330 (92%)	284 (94%)	17 (6%)	2 (1%)	22	54
57	SH0	152/176 (86%)	147 (97%)	5 (3%)	0	100	100
58	SI0	167/175 (95%)	163 (98%)	4 (2%)	0	100	100
59	SJ0	162/187 (87%)	151 (93%)	11 (7%)	0	100	100
60	SK0	72/102 (71%)	68 (94%)	4 (6%)	0	100	100
61	SL0	129/160 (81%)	122 (95%)	6 (5%)	1 (1%)	19	51
62	SN0	140/146 (96%)	138 (99%)	2 (1%)	0	100	100
63	SO0	126/135 (93%)	123 (98%)	2 (2%)	1 (1%)	19	51
64	SP0	110/146 (75%)	107 (97%)	3 (3%)	0	100	100
65	SQ0	125/145 (86%)	116 (93%)	9 (7%)	0	100	100
66	SR0	111/123 (90%)	108 (97%)	3 (3%)	0	100	100
67	SS0	142/161 (88%)	139 (98%)	3 (2%)	0	100	100
68	ST0	137/141 (97%)	133 (97%)	4 (3%)	0	100	100
69	SU0	97/111 (87%)	90 (93%)	7 (7%)	0	100	100
70	SV0	61/66 (92%)	60 (98%)	1 (2%)	0	100	100
71	SW0	125/127 (98%)	117 (94%)	8 (6%)	0	100	100
72	SX0	136/140 (97%)	128 (94%)	8 (6%)	0	100	100
73	SY0	119/133 (90%)	114 (96%)	5 (4%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
74	SZ0	70/126 (56%)	68 (97%)	2 (3%)	0	100	100
All	All	10146/11144 (91%)	9789 (96%)	349 (3%)	8 (0%)	54	82

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	LAA	24	LYS
63	SO0	123	ARG
56	SGG	287	ASN
5	LB0	186	VAL
61	SL0	80	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	LA0	199/200 (100%)	198 (100%)	1 (0%)	88	96
4	LAA	122/131 (93%)	122 (100%)	0	100	100
5	LB0	316/335 (94%)	316 (100%)	0	100	100
6	LBB	54/55 (98%)	54 (100%)	0	100	100
7	LC0	275/280 (98%)	274 (100%)	1 (0%)	91	97
8	LCC	82/88 (93%)	82 (100%)	0	100	100
9	LD0	223/231 (96%)	221 (99%)	2 (1%)	78	93
10	LDD	94/99 (95%)	94 (100%)	0	100	100
11	LE0	156/164 (95%)	156 (100%)	0	100	100
12	LEE	105/115 (91%)	105 (100%)	0	100	100
13	LF0	213/220 (97%)	213 (100%)	0	100	100
14	LFF	90/94 (96%)	90 (100%)	0	100	100
15	LG0	180/191 (94%)	179 (99%)	1 (1%)	86	96
16	LGG	86/96 (90%)	86 (100%)	0	100	100
17	LH0	163/164 (99%)	163 (100%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
18	LHH	114/120 (95%)	114 (100%)	0	100	100
19	LI0	174/180 (97%)	174 (100%)	0	100	100
20	LII	84/85 (99%)	83 (99%)	1 (1%)	71	91
21	LJ0	145/151 (96%)	145 (100%)	0	100	100
22	LJJ	73/79 (92%)	72 (99%)	1 (1%)	67	89
23	LL0	146/148 (99%)	146 (100%)	0	100	100
24	LLL	48/48 (100%)	47 (98%)	1 (2%)	53	81
25	LM0	92/101 (91%)	92 (100%)	0	100	100
26	LMM	46/112 (41%)	46 (100%)	0	100	100
27	LN0	170/171 (99%)	168 (99%)	2 (1%)	71	91
28	LNN	65/67 (97%)	65 (100%)	0	100	100
29	LO0	174/176 (99%)	172 (99%)	2 (1%)	73	92
30	LOO	83/100 (83%)	83 (100%)	0	100	100
31	LP0	134/147 (91%)	134 (100%)	0	100	100
32	LPP	61/65 (94%)	61 (100%)	0	100	100
33	LQ0	148/150 (99%)	148 (100%)	0	100	100
34	LR0	126/142 (89%)	126 (100%)	0	100	100
35	LS0	157/161 (98%)	157 (100%)	0	100	100
36	LT0	139/139 (100%)	139 (100%)	0	100	100
38	LV0	114/116 (98%)	113 (99%)	1 (1%)	78	93
39	LW0	72/114 (63%)	72 (100%)	0	100	100
40	LX0	80/88 (91%)	80 (100%)	0	100	100
41	LY0	123/125 (98%)	123 (100%)	0	100	100
42	LZ0	106/106 (100%)	105 (99%)	1 (1%)	78	93
45	SAA	83/89 (93%)	83 (100%)	0	100	100
46	SB0	174/204 (85%)	174 (100%)	0	100	100
47	SBB	72/77 (94%)	70 (97%)	2 (3%)	43	76
48	SC0	185/214 (86%)	182 (98%)	3 (2%)	62	86
49	SCC	47/56 (84%)	46 (98%)	1 (2%)	53	81
50	SD0	191/195 (98%)	190 (100%)	1 (0%)	88	96
51	SDD	50/54 (93%)	50 (100%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
52	SE0	227/235 (97%)	226 (100%)	1 (0%)	91	97
53	SEE	21/51 (41%)	20 (95%)	1 (5%)	25	58
54	SF0	157/164 (96%)	156 (99%)	1 (1%)	86	96
55	SG0	189/198 (96%)	188 (100%)	1 (0%)	88	96
56	SGG	247/266 (93%)	244 (99%)	3 (1%)	71	91
57	SH0	67/160 (42%)	67 (100%)	0	100	100
58	SI0	150/155 (97%)	150 (100%)	0	100	100
59	SJ0	149/165 (90%)	149 (100%)	0	100	100
60	SK0	64/92 (70%)	63 (98%)	1 (2%)	62	86
61	SL0	119/142 (84%)	118 (99%)	1 (1%)	81	94
62	SN0	122/125 (98%)	122 (100%)	0	100	100
63	SO0	96/103 (93%)	92 (96%)	4 (4%)	30	63
64	SP0	102/130 (78%)	101 (99%)	1 (1%)	76	92
65	SQ0	109/122 (89%)	108 (99%)	1 (1%)	78	93
66	SR0	64/116 (55%)	63 (98%)	1 (2%)	62	86
67	SS0	121/134 (90%)	121 (100%)	0	100	100
68	ST0	118/120 (98%)	115 (98%)	3 (2%)	47	78
69	SU0	88/100 (88%)	88 (100%)	0	100	100
70	SV0	46/59 (78%)	46 (100%)	0	100	100
71	SW0	110/110 (100%)	109 (99%)	1 (1%)	78	93
72	SX0	116/118 (98%)	115 (99%)	1 (1%)	78	93
73	SY0	96/125 (77%)	95 (99%)	1 (1%)	76	92
74	SZ0	60/103 (58%)	60 (100%)	0	100	100
All	All	8472/9336 (91%)	8429 (100%)	43 (0%)	89	96

5 of 43 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
60	SK0	19	ARG
65	SQ0	60	LYS
61	SL0	66	ARG
63	SO0	123	ARG
68	ST0	34	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	L50	2443/2639 (92%)	457 (18%)	19 (0%)
2	L70	118/119 (99%)	17 (14%)	1 (0%)
43	S60	1329/1400 (94%)	281 (21%)	15 (1%)
All	All	3890/4158 (93%)	755 (19%)	35 (0%)

5 of 755 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	L50	35	C
1	L50	36	C
1	L50	49	G
1	L50	50	G
1	L50	55	A

5 of 35 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
43	S60	762	G
43	S60	1057	G
43	S60	1208	G
1	L50	1903	C
1	L50	1841	A

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 188 ligands modelled in this entry, 187 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
77	AMP	LH0	500	-	22,25,25	0.85	1 (4%)	25,38,38	1.31	3 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
77	AMP	LH0	500	-	-	3/6/26/26	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
77	LH0	500	AMP	C5-C4	2.03	1.46	1.40

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
77	LH0	500	AMP	N3-C2-N1	-3.41	123.34	128.68
77	LH0	500	AMP	C4-C5-N7	-2.58	106.71	109.40
77	LH0	500	AMP	O3P-P-O2P	2.15	115.84	107.64

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
77	LH0	500	AMP	C5'-O5'-P-O1P
77	LH0	500	AMP	C5'-O5'-P-O2P
77	LH0	500	AMP	C5'-O5'-P-O3P

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
77	LH0	500	AMP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.



## 5.8 Polymer linkage issues

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11437. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


### 6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 205




Y Index: 211




Z Index: 238


### 6.3.2 Raw map



X Index: 238



Y Index: 211




Z Index: 205


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.




## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.011. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 1089  $\text{nm}^3$ ; this corresponds to an approximate mass of 984 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of  $0.345 \text{ \AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.345 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.90	-	-
Author-provided FSC curve	2.91	3.34	2.94
Unmasked-calculated*	2.90	3.32	2.93

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11437 and PDB model 6ZU5. Per-residue inclusion information can be found in section 3 on page 18.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.011 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.011).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 88% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

















































































The table lists the average atom inclusion at the recommended contour level (0.011) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8810	 0.5570
L50	 0.9820	 0.6020
L70	 0.9940	 0.5920
LA0	 0.8740	 0.5960
LAA	 0.9300	 0.6080
LB0	 0.8830	 0.5870
LBB	 0.8610	 0.5620
LC0	 0.9120	 0.5980
LCC	 0.7920	 0.5310
LD0	 0.8590	 0.5490
LDD	 0.8760	 0.5780
LE0	 0.7040	 0.4980
LEE	 0.9130	 0.5990
LF0	 0.8990	 0.5860
LFF	 0.9040	 0.6000
LG0	 0.8890	 0.5730
LGG	 0.8870	 0.5850
LH0	 0.8190	 0.5320
LHH	 0.9190	 0.5870
LI0	 0.8800	 0.5790
LII	 0.8940	 0.5850
LJ0	 0.7850	 0.5240
LJJ	 0.9360	 0.6150
LL0	 0.9190	 0.5930
LLL	 0.8920	 0.5930
LM0	 0.8240	 0.5370
LMM	 0.6260	 0.5160
LN0	 0.9650	 0.6300
LNN	 0.6240	 0.4660
LO0	 0.8720	 0.5740
LOO	 0.9070	 0.6090
LP0	 0.9250	 0.6050
LPP	 0.8630	 0.5950
LQ0	 0.8980	 0.5950
LR0	 0.8330	 0.5600



*Continued on next page...*

Continued from previous page...

Chain	Atom inclusion	Q-score
LS0	 0.8820	 0.5880
LT0	 0.9040	 0.5950
LU0	 0.2990	 0.2930
LV0	 0.8640	 0.5880
LW0	 0.6540	 0.5110
LX0	 0.9240	 0.5920
LY0	 0.9120	 0.5890
LZ0	 0.8300	 0.5270
S60	 0.9290	 0.5300
SA0	 0.6830	 0.4300
SAA	 0.7670	 0.5460
SB0	 0.7920	 0.5260
SBB	 0.7480	 0.4800
SC0	 0.7270	 0.4970
SCC	 0.6120	 0.4590
SD0	 0.5480	 0.4510
SDD	 0.7530	 0.5080
SE0	 0.7910	 0.5230
SEE	 0.2180	 0.3980
SF0	 0.7050	 0.4860
SG0	 0.6900	 0.4890
SGG	 0.6590	 0.4500
SH0	 0.5880	 0.4350
SI0	 0.8200	 0.5400
SJ0	 0.6320	 0.4350
SK0	 0.4280	 0.3860
SL0	 0.8360	 0.5690
SN0	 0.7960	 0.5470
SO0	 0.8170	 0.5410
SP0	 0.7380	 0.4740
SQ0	 0.7570	 0.5060
SR0	 0.6010	 0.4380
SS0	 0.7160	 0.4820
ST0	 0.7870	 0.4890
SU0	 0.3960	 0.4400
SV0	 0.6090	 0.4350
SW0	 0.8140	 0.5410
SX0	 0.4100	 0.4860
SY0	 0.6840	 0.4640
SZ0	 0.6960	 0.4530