



Full wwPDB Geometry-Only Validation Report ⓘ

May 22, 2020 – 02:34 am BST

PDB ID : 2ZWH
Title : Model for the F-actin structure
Authors : Oda, T.; Iwasa, M.; Aihara, T.; Maeda, Y.; Narita, A.
Deposited on : 2008-12-05
Resolution : 3.30 Å(reported)

This is a Full wwPDB Geometry-Only Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

FIBER DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1205 (3.34-3.26)
Ramachandran outliers	138981	1183 (3.34-3.26)
Sidechain outliers	138945	1182 (3.34-3.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	375	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 2961 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Actin, alpha skeletal muscle.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	375	2933	1855	493	564	21	0	0	0

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	27	10	5	10	2	0	0

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Actin, alpha skeletal muscle



4 Model quality i

4.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CA, HIC, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.77	0/2983	1.59	38/4040 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

There are no bond length outliers.

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	340	TRP	CD1-CG-CD2	8.41	113.03	106.30
1	A	340	TRP	CE2-CD2-CG	-8.29	100.67	107.30
1	A	79	TRP	CE2-CD2-CG	-8.02	100.89	107.30
1	A	79	TRP	CD1-CG-CD2	7.50	112.30	106.30
1	A	86	TRP	CE2-CD2-CG	-7.46	101.33	107.30
1	A	240	TYR	CB-CG-CD1	-7.38	116.57	121.00
1	A	86	TRP	CD1-CG-CD2	7.14	112.01	106.30
1	A	169	TYR	CB-CG-CD2	-6.80	116.92	121.00
1	A	356	TRP	CD1-CG-CD2	6.71	111.67	106.30
1	A	28	ARG	NE-CZ-NH2	-6.53	117.03	120.30
1	A	39	ARG	NE-CZ-NH1	6.52	123.56	120.30
1	A	340	TRP	CG-CD2-CE3	6.49	139.74	133.90
1	A	356	TRP	CE2-CD2-CG	-6.45	102.14	107.30
1	A	340	TRP	CB-CG-CD1	-6.34	118.76	127.00
1	A	28	ARG	NE-CZ-NH1	6.30	123.45	120.30
1	A	279	TYR	CB-CG-CD1	-6.12	117.33	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	147	ARG	CA-CB-CG	6.11	126.84	113.40
1	A	62	ARG	NE-CZ-NH2	-5.91	117.34	120.30
1	A	355	MET	CA-CB-CG	5.84	123.23	113.30
1	A	356	TRP	N-CA-C	5.79	126.64	111.00
1	A	79	TRP	CG-CD2-CE3	5.78	139.10	133.90
1	A	158	GLY	N-CA-C	5.76	127.51	113.10
1	A	244	ASP	N-CA-C	-5.76	95.44	111.00
1	A	291	LYS	CA-CB-CG	5.76	126.07	113.40
1	A	210	ARG	NE-CZ-NH2	5.75	123.17	120.30
1	A	275	HIS	CA-CB-CG	5.74	123.36	113.60
1	A	334	GLU	N-CA-C	-5.74	95.51	111.00
1	A	173	HIS	CA-CB-CG	5.64	123.19	113.60
1	A	14	SER	N-CA-CB	-5.36	102.46	110.50
1	A	210	ARG	NE-CZ-NH1	-5.24	117.68	120.30
1	A	187	ASP	CB-CG-OD2	5.21	122.98	118.30
1	A	100	GLU	CA-CB-CG	5.16	124.76	113.40
1	A	16	LEU	CA-CB-CG	5.14	127.13	115.30
1	A	293	LEU	CA-CB-CG	5.05	126.91	115.30
1	A	324	THR	N-CA-C	5.04	124.62	111.00
1	A	289	ILE	CA-CB-CG1	-5.02	101.47	111.00
1	A	248	ILE	N-CA-C	-5.01	97.47	111.00
1	A	183	ARG	NE-CZ-NH2	-5.01	117.80	120.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	108	ALA	Peptide
1	A	116	ARG	Sidechain
1	A	321	ALA	Peptide

4.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2933	0	2895	98	0
2	A	27	0	12	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	1	0	0	0	0
All	All	2961	0	2907	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:82:MET:SD	1:A:85:ILE:HD12	2.28	0.74
1:A:153:LEU:HD11	1:A:274:ILE:HB	1.72	0.71
1:A:262:PHE:HA	1:A:273:GLY:HA3	1.76	0.68
1:A:149:THR:HG23	1:A:166:TYR:HA	1.76	0.68
1:A:116:ARG:HB3	1:A:370:VAL:HG11	1.75	0.68
1:A:219:VAL:HG22	1:A:258:PRO:HB3	1.79	0.64
1:A:331:ALA:HB1	1:A:335:ARG:HD3	1.81	0.63
1:A:17:VAL:HG23	1:A:33:SER:OG	2.00	0.61
1:A:62:ARG:HE	1:A:207:GLU:HB3	1.65	0.61
1:A:192:ILE:HG23	1:A:256:ARG:HH11	1.64	0.61
1:A:200:PHE:HB3	1:A:205:GLU:HB2	1.82	0.61
1:A:275:HIS:HB3	1:A:313:MET:SD	2.41	0.60
1:A:164:PRO:HD3	1:A:281:SER:HB2	1.85	0.59
1:A:124:PHE:CE2	1:A:359:LYS:HA	2.39	0.58
1:A:220:ALA:HB2	1:A:255:PHE:HD1	1.69	0.58
1:A:19:ALA:HB3	1:A:29:ALA:HB3	1.86	0.57
1:A:183:ARG:O	1:A:186:THR:HB	2.04	0.56
1:A:150:GLY:HA2	1:A:293:LEU:HA	1.89	0.55
1:A:217:CYS:SG	1:A:254:ARG:HA	2.47	0.54
1:A:119:MET:O	1:A:123:MET:SD	2.66	0.53
1:A:210:ARG:O	1:A:213:LYS:HB3	2.09	0.53
1:A:230:ALA:HA	1:A:236:LEU:HD22	1.91	0.53
1:A:274:ILE:HD12	1:A:313:MET:HE2	1.90	0.53
1:A:372:ARG:HA	1:A:372:ARG:CZ	2.39	0.52
1:A:372:ARG:HA	1:A:372:ARG:NH1	2.23	0.52
1:A:160:THR:HB	1:A:178:LEU:HB3	1.92	0.52
1:A:12:ASN:HD21	1:A:71:ILE:HD13	1.75	0.52
1:A:152:VAL:HG22	1:A:298:VAL:HB	1.92	0.51
1:A:279:TYR:CE1	1:A:320:LEU:HB2	2.45	0.51
1:A:34:ILE:HG22	1:A:69:TYR:HA	1.91	0.51
1:A:47:MET:SD	1:A:48:GLY:N	2.84	0.51
1:A:187:ASP:O	1:A:190:MET:HG2	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:GLY:HA2	1:A:302:GLY:H	1.74	0.51
1:A:106:THR:OG1	1:A:137:GLN:NE2	2.44	0.50
1:A:124:PHE:HE2	1:A:359:LYS:HA	1.76	0.50
1:A:203:THR:O	1:A:206:ARG:HB3	2.12	0.50
1:A:196:ARG:HD3	1:A:198:TYR:CE2	2.47	0.50
1:A:219:VAL:HB	1:A:308:GLY:O	2.12	0.49
1:A:370:VAL:HG12	1:A:374:CYS:SG	2.52	0.49
1:A:159:VAL:HG11	1:A:177:ARG:HH11	1.78	0.48
1:A:261:LEU:HD22	1:A:274:ILE:HG12	1.95	0.48
1:A:1:ASP:OD2	1:A:6:THR:HB	2.14	0.48
1:A:35:VAL:HB	1:A:81:ASP:HB2	1.95	0.48
1:A:124:PHE:CE1	1:A:132:MET:SD	3.08	0.47
1:A:117:GLU:OE1	1:A:370:VAL:HB	2.15	0.47
1:A:192:ILE:HG23	1:A:256:ARG:NH1	2.27	0.47
1:A:155:SER:OG	1:A:160:THR:HA	2.15	0.47
1:A:157:ASP:HB3	2:A:376:ADP:O2B	2.15	0.46
1:A:135:ALA:HB1	1:A:140:LEU:HD11	1.97	0.46
1:A:223:PHE:HB2	1:A:259:GLU:OE1	2.15	0.46
1:A:276:GLU:HA	1:A:279:TYR:CD1	2.51	0.46
1:A:312:ARG:O	1:A:315:LYS:HD3	2.16	0.46
1:A:9:VAL:HA	1:A:104:LEU:HB3	1.97	0.46
1:A:252:ASN:HB3	1:A:256:ARG:HH21	1.81	0.45
1:A:122:ILE:O	1:A:126:THR:HB	2.16	0.45
1:A:191:LYS:NZ	1:A:266:PHE:O	2.50	0.45
1:A:267:ILE:HD13	1:A:269:MET:SD	2.56	0.45
1:A:192:ILE:HD12	1:A:256:ARG:NH1	2.31	0.45
1:A:328:LYS:HB3	1:A:328:LYS:NZ	2.32	0.45
1:A:164:PRO:O	1:A:170:ALA:HB2	2.16	0.44
1:A:79:TRP:O	1:A:82:MET:HB2	2.17	0.44
1:A:282:ILE:HG23	1:A:293:LEU:HD12	1.99	0.44
1:A:174:ALA:HA	1:A:284:LYS:HD2	2.00	0.44
1:A:164:PRO:HD2	1:A:175:ILE:HG22	1.98	0.44
1:A:1:ASP:N	1:A:4:GLU:O	2.49	0.44
1:A:39:ARG:HG3	1:A:64:ILE:O	2.17	0.44
1:A:173:HIS:O	1:A:284:LYS:HD2	2.18	0.44
1:A:40:HIS:HB2	1:A:64:ILE:HA	2.00	0.44
1:A:151:ILE:HG21	1:A:282:ILE:HD11	1.99	0.44
1:A:145:SER:O	1:A:147:ARG:HD2	2.18	0.43
1:A:192:ILE:HD12	1:A:256:ARG:HH11	1.83	0.43
1:A:274:ILE:HA	1:A:277:THR:OG1	2.18	0.43
1:A:111:ASN:O	1:A:116:ARG:NH1	2.52	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:TYR:CZ	1:A:248:ILE:HA	2.54	0.43
1:A:98:PRO:HB2	1:A:129:VAL:HG22	2.01	0.43
1:A:250:ILE:O	1:A:254:ARG:HG3	2.19	0.42
1:A:220:ALA:O	1:A:312:ARG:HD2	2.18	0.42
1:A:359:LYS:NZ	1:A:363:ASP:OD1	2.52	0.42
1:A:127:PHE:O	1:A:129:VAL:HG23	2.19	0.42
1:A:276:GLU:HA	1:A:279:TYR:CE1	2.55	0.42
1:A:10:CYS:O	1:A:105:LEU:HA	2.20	0.42
1:A:107:GLU:HB3	1:A:136:ILE:HG13	2.02	0.42
1:A:290:ARG:HA	1:A:293:LEU:HG	2.01	0.42
1:A:290:ARG:HB3	1:A:294:TYR:CE2	2.55	0.42
1:A:84:LYS:HG2	1:A:87:HIS:HD2	1.85	0.42
1:A:155:SER:O	1:A:301:GLY:HA3	2.20	0.41
1:A:202:THR:O	1:A:205:GLU:HG2	2.20	0.41
1:A:116:ARG:HD3	1:A:371:HIS:HE1	1.85	0.41
1:A:50:LYS:HG3	1:A:53:TYR:HA	2.01	0.41
1:A:297:ASN:HB2	1:A:329:ILE:HD13	2.03	0.41
1:A:51:ASP:OD1	1:A:84:LYS:NZ	2.53	0.41
1:A:285:CYS:O	1:A:290:ARG:NH2	2.53	0.41
1:A:206:ARG:O	1:A:209:VAL:HB	2.21	0.41
1:A:192:ILE:HA	1:A:192:ILE:HD13	1.83	0.41
1:A:39:ARG:HB3	1:A:66:THR:OG1	2.21	0.41
1:A:26:ALA:HB1	1:A:27:PRO:HD2	2.03	0.40
1:A:262:PHE:HE1	1:A:313:MET:SD	2.45	0.40
1:A:64:ILE:HB	1:A:65:LEU:HD12	2.04	0.40

There are no symmetry-related clashes.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	372/375 (99%)	288 (77%)	62 (17%)	22 (6%)	1 10

All (22) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	70	PRO
1	A	128	ASN
1	A	137	GLN
1	A	173	HIS
1	A	324	THR
1	A	356	TRP
1	A	45	VAL
1	A	89	THR
1	A	100	GLU
1	A	43	VAL
1	A	180	LEU
1	A	236	LEU
1	A	244	ASP
1	A	246	GLN
1	A	123	MET
1	A	234	SER
1	A	167	GLU
1	A	348	SER
1	A	7	ALA
1	A	88	HIS
1	A	55	GLY
1	A	71	ILE

4.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	317/317 (100%)	250 (79%)	67 (21%)	1 4

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	ASP
1	A	4	GLU
1	A	6	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	25	ASP
1	A	30	VAL
1	A	34	ILE
1	A	39	ARG
1	A	43	VAL
1	A	47	MET
1	A	51	ASP
1	A	66	THR
1	A	78	ASN
1	A	87	HIS
1	A	95	ARG
1	A	107	GLU
1	A	112	PRO
1	A	113	LYS
1	A	123	MET
1	A	130	PRO
1	A	134	VAL
1	A	137	GLN
1	A	151	ILE
1	A	153	LEU
1	A	159	VAL
1	A	171	LEU
1	A	173	HIS
1	A	183	ARG
1	A	192	ILE
1	A	193	LEU
1	A	194	THR
1	A	195	GLU
1	A	196	ARG
1	A	202	THR
1	A	211	ASP
1	A	222	ASP
1	A	238	LYS
1	A	241	GLU
1	A	246	GLN
1	A	247	VAL
1	A	249	THR
1	A	250	ILE
1	A	253	GLU
1	A	255	PHE
1	A	260	THR
1	A	261	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	264	PRO
1	A	267	ILE
1	A	269	MET
1	A	274	ILE
1	A	277	THR
1	A	286	ASP
1	A	291	LYS
1	A	300	SER
1	A	311	ASP
1	A	314	GLN
1	A	315	LYS
1	A	322	PRO
1	A	323	SER
1	A	324	THR
1	A	325	MET
1	A	332	PRO
1	A	335	ARG
1	A	340	TRP
1	A	341	ILE
1	A	356	TRP
1	A	363	ASP
1	A	372	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

4.3.3 RNA [i](#)

There are no RNA molecules in this entry.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	HIC	A	73	1	8,11,12	2.14	1 (12%)	6,14,16	2.57	4 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	HIC	A	73	1	-	1/5/6/8	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	73	HIC	CD2-NE2	-5.01	1.30	1.38

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	73	HIC	CZ-NE2-CD2	-3.86	112.91	126.31
1	A	73	HIC	CB-CA-C	-3.05	105.76	111.47
1	A	73	HIC	CG-CD2-NE2	-2.88	104.66	107.78
1	A	73	HIC	CZ-NE2-CE1	-2.10	115.22	125.48

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	73	HIC	CA-CB-CG-ND1

There are no ring outliers.

No monomer is involved in short contacts.

4.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

4.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADP	A	376	3	24,29,29	1.13	3 (12%)	29,45,45	2.15	5 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	376	3	-	2/12/32/32	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	376	ADP	PB-O2B	-2.41	1.45	1.54
2	A	376	ADP	PB-O3B	2.15	1.63	1.54
2	A	376	ADP	C8-N7	-2.02	1.31	1.34

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	376	ADP	O3B-PB-O1B	-5.74	88.20	110.68
2	A	376	ADP	O2B-PB-O3A	5.44	122.89	104.64
2	A	376	ADP	PA-O3A-PB	4.45	148.10	132.83
2	A	376	ADP	O3B-PB-O3A	4.14	118.53	104.64
2	A	376	ADP	C5-C6-N6	2.71	124.48	120.35

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	376	ADP	PA-O3A-PB-O3B
2	A	376	ADP	PA-O3A-PB-O2B

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	376	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues

There are no chain breaks in this entry.