



wwPDB X-ray Structure Validation Summary Report

Oct 6, 2022 – 04:22 pm BST

PDB ID : 7ZX0
Title : Crystal structure of Pol theta polymerase domain in complex with compound 5
Authors : Krajewski, W.W.; Turnbull, A.P.; Willis, S.; Charles, M.; Stockley, M.; Heald, R.A.
Deposited on : 2022-05-19
Resolution : 2.99 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.31.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	726	 2% 76% 11% 12%
1	BBB	726	 5% 76% 10% 13%
1	CCC	726	 5% 77% 10% 12%
1	DDD	726	 8% 76% 11% 13%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	EEE	726	
1	FFF	726	
2	GGG	16	
2	III	16	
2	KKK	16	
2	MMM	16	
2	OOO	16	
2	QQQ	16	
3	HHH	13	
3	JJJ	13	
3	LLL	13	
3	NNN	13	
3	PPP	13	
3	RRR	13	

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 32751 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase theta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	AAA	639	4884	3123	825	906	30	0	0	0
1	BBB	629	4811	3075	811	896	29	0	0	0
1	CCC	638	4856	3107	822	897	30	0	0	0
1	DDD	633	4810	3072	808	901	29	0	0	0
1	EEE	632	4824	3086	814	896	28	0	0	0
1	FFF	634	4823	3086	813	896	28	0	0	0

There are 276 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AAA	2261	GLY	PRO	engineered mutation	UNP O75417
AAA	?	-	THR	deletion	UNP O75417
AAA	?	-	LEU	deletion	UNP O75417
AAA	?	-	VAL	deletion	UNP O75417
AAA	?	-	GLY	deletion	UNP O75417
AAA	?	-	GLU	deletion	UNP O75417
AAA	?	-	SER	deletion	UNP O75417
AAA	?	-	PRO	deletion	UNP O75417
AAA	?	-	PRO	deletion	UNP O75417
AAA	?	-	SER	deletion	UNP O75417
AAA	?	-	GLN	deletion	UNP O75417
AAA	?	-	ALA	deletion	UNP O75417
AAA	?	-	VAL	deletion	UNP O75417
AAA	?	-	GLY	deletion	UNP O75417
AAA	?	-	LYS	deletion	UNP O75417
AAA	?	-	GLY	deletion	UNP O75417
AAA	?	-	LEU	deletion	UNP O75417

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
AAA	?	-	LEU	deletion	UNP O75417
AAA	?	-	PRO	deletion	UNP O75417
AAA	?	-	MET	deletion	UNP O75417
AAA	?	-	GLY	deletion	UNP O75417
AAA	?	-	ARG	deletion	UNP O75417
AAA	?	-	GLY	deletion	UNP O75417
AAA	?	-	LYS	deletion	UNP O75417
AAA	?	-	TYR	deletion	UNP O75417
AAA	?	-	LYS	deletion	UNP O75417
AAA	?	-	LYS	deletion	UNP O75417
AAA	?	-	GLY	deletion	UNP O75417
AAA	?	-	PHE	deletion	UNP O75417
AAA	?	-	SER	deletion	UNP O75417
AAA	?	-	VAL	deletion	UNP O75417
AAA	?	-	ASN	deletion	UNP O75417
AAA	?	-	PRO	deletion	UNP O75417
AAA	?	-	ARG	deletion	UNP O75417
AAA	?	-	CYS	deletion	UNP O75417
AAA	?	-	GLN	deletion	UNP O75417
AAA	?	-	ALA	deletion	UNP O75417
AAA	?	-	GLN	deletion	UNP O75417
AAA	?	-	MET	deletion	UNP O75417
AAA	?	-	GLU	deletion	UNP O75417
AAA	?	-	GLU	deletion	UNP O75417
AAA	?	-	ARG	deletion	UNP O75417
AAA	?	-	ALA	deletion	UNP O75417
AAA	?	-	ALA	deletion	UNP O75417
AAA	?	-	ASP	deletion	UNP O75417
AAA	?	-	ARG	deletion	UNP O75417
BBB	2261	GLY	PRO	engineered mutation	UNP O75417
BBB	?	-	THR	deletion	UNP O75417
BBB	?	-	LEU	deletion	UNP O75417
BBB	?	-	VAL	deletion	UNP O75417
BBB	?	-	GLY	deletion	UNP O75417
BBB	?	-	GLU	deletion	UNP O75417
BBB	?	-	SER	deletion	UNP O75417
BBB	?	-	PRO	deletion	UNP O75417
BBB	?	-	PRO	deletion	UNP O75417
BBB	?	-	SER	deletion	UNP O75417
BBB	?	-	GLN	deletion	UNP O75417
BBB	?	-	ALA	deletion	UNP O75417
BBB	?	-	VAL	deletion	UNP O75417

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
BBB	?	-	GLY	deletion	UNP O75417
BBB	?	-	LYS	deletion	UNP O75417
BBB	?	-	GLY	deletion	UNP O75417
BBB	?	-	LEU	deletion	UNP O75417
BBB	?	-	LEU	deletion	UNP O75417
BBB	?	-	PRO	deletion	UNP O75417
BBB	?	-	MET	deletion	UNP O75417
BBB	?	-	GLY	deletion	UNP O75417
BBB	?	-	ARG	deletion	UNP O75417
BBB	?	-	GLY	deletion	UNP O75417
BBB	?	-	LYS	deletion	UNP O75417
BBB	?	-	TYR	deletion	UNP O75417
BBB	?	-	LYS	deletion	UNP O75417
BBB	?	-	LYS	deletion	UNP O75417
BBB	?	-	GLY	deletion	UNP O75417
BBB	?	-	PHE	deletion	UNP O75417
BBB	?	-	SER	deletion	UNP O75417
BBB	?	-	VAL	deletion	UNP O75417
BBB	?	-	ASN	deletion	UNP O75417
BBB	?	-	PRO	deletion	UNP O75417
BBB	?	-	ARG	deletion	UNP O75417
BBB	?	-	CYS	deletion	UNP O75417
BBB	?	-	GLN	deletion	UNP O75417
BBB	?	-	ALA	deletion	UNP O75417
BBB	?	-	GLN	deletion	UNP O75417
BBB	?	-	MET	deletion	UNP O75417
BBB	?	-	GLU	deletion	UNP O75417
BBB	?	-	GLU	deletion	UNP O75417
BBB	?	-	ARG	deletion	UNP O75417
BBB	?	-	ALA	deletion	UNP O75417
BBB	?	-	ALA	deletion	UNP O75417
BBB	?	-	ASP	deletion	UNP O75417
BBB	?	-	ARG	deletion	UNP O75417
CCC	2261	GLY	PRO	engineered mutation	UNP O75417
CCC	?	-	THR	deletion	UNP O75417
CCC	?	-	LEU	deletion	UNP O75417
CCC	?	-	VAL	deletion	UNP O75417
CCC	?	-	GLY	deletion	UNP O75417
CCC	?	-	GLU	deletion	UNP O75417
CCC	?	-	SER	deletion	UNP O75417
CCC	?	-	PRO	deletion	UNP O75417
CCC	?	-	PRO	deletion	UNP O75417

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
CCC	?	-	SER	deletion	UNP O75417
CCC	?	-	GLN	deletion	UNP O75417
CCC	?	-	ALA	deletion	UNP O75417
CCC	?	-	VAL	deletion	UNP O75417
CCC	?	-	GLY	deletion	UNP O75417
CCC	?	-	LYS	deletion	UNP O75417
CCC	?	-	GLY	deletion	UNP O75417
CCC	?	-	LEU	deletion	UNP O75417
CCC	?	-	LEU	deletion	UNP O75417
CCC	?	-	PRO	deletion	UNP O75417
CCC	?	-	MET	deletion	UNP O75417
CCC	?	-	GLY	deletion	UNP O75417
CCC	?	-	ARG	deletion	UNP O75417
CCC	?	-	GLY	deletion	UNP O75417
CCC	?	-	LYS	deletion	UNP O75417
CCC	?	-	TYR	deletion	UNP O75417
CCC	?	-	LYS	deletion	UNP O75417
CCC	?	-	LYS	deletion	UNP O75417
CCC	?	-	GLY	deletion	UNP O75417
CCC	?	-	PHE	deletion	UNP O75417
CCC	?	-	SER	deletion	UNP O75417
CCC	?	-	VAL	deletion	UNP O75417
CCC	?	-	ASN	deletion	UNP O75417
CCC	?	-	PRO	deletion	UNP O75417
CCC	?	-	ARG	deletion	UNP O75417
CCC	?	-	CYS	deletion	UNP O75417
CCC	?	-	GLN	deletion	UNP O75417
CCC	?	-	ALA	deletion	UNP O75417
CCC	?	-	GLN	deletion	UNP O75417
CCC	?	-	MET	deletion	UNP O75417
CCC	?	-	GLU	deletion	UNP O75417
CCC	?	-	GLU	deletion	UNP O75417
CCC	?	-	ARG	deletion	UNP O75417
CCC	?	-	ALA	deletion	UNP O75417
CCC	?	-	ALA	deletion	UNP O75417
CCC	?	-	ASP	deletion	UNP O75417
CCC	?	-	ARG	deletion	UNP O75417
DDD	2261	GLY	PRO	engineered mutation	UNP O75417
DDD	?	-	THR	deletion	UNP O75417
DDD	?	-	LEU	deletion	UNP O75417
DDD	?	-	VAL	deletion	UNP O75417
DDD	?	-	GLY	deletion	UNP O75417

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
DDD	?	-	GLU	deletion	UNP O75417
DDD	?	-	SER	deletion	UNP O75417
DDD	?	-	PRO	deletion	UNP O75417
DDD	?	-	PRO	deletion	UNP O75417
DDD	?	-	SER	deletion	UNP O75417
DDD	?	-	GLN	deletion	UNP O75417
DDD	?	-	ALA	deletion	UNP O75417
DDD	?	-	VAL	deletion	UNP O75417
DDD	?	-	GLY	deletion	UNP O75417
DDD	?	-	LYS	deletion	UNP O75417
DDD	?	-	GLY	deletion	UNP O75417
DDD	?	-	LEU	deletion	UNP O75417
DDD	?	-	LEU	deletion	UNP O75417
DDD	?	-	PRO	deletion	UNP O75417
DDD	?	-	MET	deletion	UNP O75417
DDD	?	-	GLY	deletion	UNP O75417
DDD	?	-	ARG	deletion	UNP O75417
DDD	?	-	GLY	deletion	UNP O75417
DDD	?	-	LYS	deletion	UNP O75417
DDD	?	-	TYR	deletion	UNP O75417
DDD	?	-	LYS	deletion	UNP O75417
DDD	?	-	LYS	deletion	UNP O75417
DDD	?	-	GLY	deletion	UNP O75417
DDD	?	-	PHE	deletion	UNP O75417
DDD	?	-	SER	deletion	UNP O75417
DDD	?	-	VAL	deletion	UNP O75417
DDD	?	-	ASN	deletion	UNP O75417
DDD	?	-	PRO	deletion	UNP O75417
DDD	?	-	ARG	deletion	UNP O75417
DDD	?	-	CYS	deletion	UNP O75417
DDD	?	-	GLN	deletion	UNP O75417
DDD	?	-	ALA	deletion	UNP O75417
DDD	?	-	GLN	deletion	UNP O75417
DDD	?	-	MET	deletion	UNP O75417
DDD	?	-	GLU	deletion	UNP O75417
DDD	?	-	GLU	deletion	UNP O75417
DDD	?	-	ARG	deletion	UNP O75417
DDD	?	-	ALA	deletion	UNP O75417
DDD	?	-	ALA	deletion	UNP O75417
DDD	?	-	ASP	deletion	UNP O75417
DDD	?	-	ARG	deletion	UNP O75417
EEE	2261	GLY	PRO	engineered mutation	UNP O75417

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
EEE	?	-	THR	deletion	UNP O75417
EEE	?	-	LEU	deletion	UNP O75417
EEE	?	-	VAL	deletion	UNP O75417
EEE	?	-	GLY	deletion	UNP O75417
EEE	?	-	GLU	deletion	UNP O75417
EEE	?	-	SER	deletion	UNP O75417
EEE	?	-	PRO	deletion	UNP O75417
EEE	?	-	PRO	deletion	UNP O75417
EEE	?	-	SER	deletion	UNP O75417
EEE	?	-	GLN	deletion	UNP O75417
EEE	?	-	ALA	deletion	UNP O75417
EEE	?	-	VAL	deletion	UNP O75417
EEE	?	-	GLY	deletion	UNP O75417
EEE	?	-	LYS	deletion	UNP O75417
EEE	?	-	GLY	deletion	UNP O75417
EEE	?	-	LEU	deletion	UNP O75417
EEE	?	-	LEU	deletion	UNP O75417
EEE	?	-	PRO	deletion	UNP O75417
EEE	?	-	MET	deletion	UNP O75417
EEE	?	-	GLY	deletion	UNP O75417
EEE	?	-	ARG	deletion	UNP O75417
EEE	?	-	GLY	deletion	UNP O75417
EEE	?	-	LYS	deletion	UNP O75417
EEE	?	-	TYR	deletion	UNP O75417
EEE	?	-	LYS	deletion	UNP O75417
EEE	?	-	LYS	deletion	UNP O75417
EEE	?	-	GLY	deletion	UNP O75417
EEE	?	-	PHE	deletion	UNP O75417
EEE	?	-	SER	deletion	UNP O75417
EEE	?	-	VAL	deletion	UNP O75417
EEE	?	-	ASN	deletion	UNP O75417
EEE	?	-	PRO	deletion	UNP O75417
EEE	?	-	ARG	deletion	UNP O75417
EEE	?	-	CYS	deletion	UNP O75417
EEE	?	-	GLN	deletion	UNP O75417
EEE	?	-	ALA	deletion	UNP O75417
EEE	?	-	GLN	deletion	UNP O75417
EEE	?	-	MET	deletion	UNP O75417
EEE	?	-	GLU	deletion	UNP O75417
EEE	?	-	GLU	deletion	UNP O75417
EEE	?	-	ARG	deletion	UNP O75417
EEE	?	-	ALA	deletion	UNP O75417

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
EEE	?	-	ALA	deletion	UNP O75417
EEE	?	-	ASP	deletion	UNP O75417
EEE	?	-	ARG	deletion	UNP O75417
FFF	2261	GLY	PRO	engineered mutation	UNP O75417
FFF	?	-	THR	deletion	UNP O75417
FFF	?	-	LEU	deletion	UNP O75417
FFF	?	-	VAL	deletion	UNP O75417
FFF	?	-	GLY	deletion	UNP O75417
FFF	?	-	GLU	deletion	UNP O75417
FFF	?	-	SER	deletion	UNP O75417
FFF	?	-	PRO	deletion	UNP O75417
FFF	?	-	PRO	deletion	UNP O75417
FFF	?	-	SER	deletion	UNP O75417
FFF	?	-	GLN	deletion	UNP O75417
FFF	?	-	ALA	deletion	UNP O75417
FFF	?	-	VAL	deletion	UNP O75417
FFF	?	-	GLY	deletion	UNP O75417
FFF	?	-	LYS	deletion	UNP O75417
FFF	?	-	GLY	deletion	UNP O75417
FFF	?	-	LEU	deletion	UNP O75417
FFF	?	-	LEU	deletion	UNP O75417
FFF	?	-	PRO	deletion	UNP O75417
FFF	?	-	MET	deletion	UNP O75417
FFF	?	-	GLY	deletion	UNP O75417
FFF	?	-	ARG	deletion	UNP O75417
FFF	?	-	GLY	deletion	UNP O75417
FFF	?	-	LYS	deletion	UNP O75417
FFF	?	-	TYR	deletion	UNP O75417
FFF	?	-	LYS	deletion	UNP O75417
FFF	?	-	LYS	deletion	UNP O75417
FFF	?	-	GLY	deletion	UNP O75417
FFF	?	-	PHE	deletion	UNP O75417
FFF	?	-	SER	deletion	UNP O75417
FFF	?	-	VAL	deletion	UNP O75417
FFF	?	-	ASN	deletion	UNP O75417
FFF	?	-	PRO	deletion	UNP O75417
FFF	?	-	ARG	deletion	UNP O75417
FFF	?	-	CYS	deletion	UNP O75417
FFF	?	-	GLN	deletion	UNP O75417
FFF	?	-	ALA	deletion	UNP O75417
FFF	?	-	GLN	deletion	UNP O75417
FFF	?	-	MET	deletion	UNP O75417

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
FFF	?	-	GLU	deletion	UNP O75417
FFF	?	-	GLU	deletion	UNP O75417
FFF	?	-	ARG	deletion	UNP O75417
FFF	?	-	ALA	deletion	UNP O75417
FFF	?	-	ALA	deletion	UNP O75417
FFF	?	-	ASP	deletion	UNP O75417
FFF	?	-	ARG	deletion	UNP O75417

- Molecule 2 is a DNA chain called DNA (5'-D(P*TP*TP*CP*CP*AP*AP*TP*GP*AP*CP*AP*GP*CP*CP*GP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	GGG	16	Total 324	C 154	N 59	O 95	P 16	0	0	0
2	III	16	Total 324	C 154	N 59	O 95	P 16	0	0	0
2	KKK	16	Total 324	C 154	N 59	O 95	P 16	0	0	0
2	MMM	16	Total 324	C 154	N 59	O 95	P 16	0	0	0
2	OOO	16	Total 324	C 154	N 59	O 95	P 16	0	0	0
2	QQQ	16	Total 324	C 154	N 59	O 95	P 16	0	0	0


- Molecule 3 is a DNA chain called DNA (5'-D(*GP*CP*GP*GP*CP*TP*GP*TP*CP*AP*TP*TP*(DDG))-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	HHH	13	Total 264	C 127	N 47	O 78	P 12	0	0	0
3	JJJ	13	Total 264	C 127	N 47	O 78	P 12	0	0	0
3	LLL	13	Total 264	C 127	N 47	O 78	P 12	0	0	0
3	NNN	13	Total 264	C 127	N 47	O 78	P 12	0	0	0
3	PPP	13	Total 264	C 127	N 47	O 78	P 12	0	0	0
3	RRR	13	Total 264	C 127	N 47	O 78	P 12	0	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	AAA	1	Total Mg 1 1	0	0
4	BBB	1	Total Mg 1 1	0	0
4	CCC	1	Total Mg 1 1	0	0
4	DDD	1	Total Mg 1 1	0	0
4	EEE	1	Total Mg 1 1	0	0
4	FFF	1	Total Mg 1 1	0	0

- Molecule 5 is 2'-3'-DIDEOXYGUANOSINE-5'-TRIPHOSPHATE (three-letter code: DG3) (formula: C₁₀H₁₆N₅O₁₂P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	AAA	1	Total C N O P 30 10 5 12 3	0	0
5	BBB	1	Total C N O P 30 10 5 12 3	0	0
5	CCC	1	Total C N O P 30 10 5 12 3	0	0
5	DDD	1	Total C N O P 30 10 5 12 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	EEE	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
5	FFF	1	Total	C	N	O	P	0	0
			30	10	5	12	3		

- Molecule 6 is 2-[5-bromanyl-3-cyano-6-methyl-4-(trifluoromethyl)pyridin-2-yl]oxy- {N}-ethyl- {N}-(3-methylphenyl)ethanamide (three-letter code: K7X) (formula: C₁₉H₁₇BrF₃N₃O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	Br	C	F	N			O
6	AAA	1	Total	Br	C	F	N	O	0	0
			28	1	19	3	3	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	
7	AAA	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA polymerase theta





- Molecule 1: DNA polymerase theta








● Molecule 1: DNA polymerase theta





● Molecule 1: DNA polymerase theta








• Molecule 1: DNA polymerase theta



• Molecule 1: DNA polymerase theta





- Molecule 2: DNA (5'-D(P*TP*TP*CP*CP*AP*AP*TP*GP*AP*CP*AP*GP*CP*CP*GP*C)-3')

Chain GGG: 56% 44%



- Molecule 2: DNA (5'-D(P*TP*TP*CP*CP*AP*AP*TP*GP*AP*CP*AP*GP*CP*CP*GP*C)-3')

Chain III: 69% 31%




- Molecule 2: DNA (5'-D(P*TP*TP*CP*CP*AP*AP*TP*GP*AP*CP*AP*GP*CP*CP*GP*C)-3')

Chain KKK: 12% 56% 44%



- Molecule 2: DNA (5'-D(P*TP*TP*CP*CP*AP*AP*TP*GP*AP*CP*AP*GP*CP*CP*GP*C)-3')

Chain MMM: 62% 38%



- Molecule 2: DNA (5'-D(P*TP*TP*CP*CP*AP*AP*TP*GP*AP*CP*AP*GP*CP*CP*GP*C)-3')

Chain OOO: 62% 31% 6%



- Molecule 2: DNA (5'-D(P*TP*TP*CP*CP*AP*AP*TP*GP*AP*CP*AP*GP*CP*CP*GP*C)-3')



- Molecule 3: DNA (5'-D(*GP*CP*GP*GP*CP*TP*GP*TP*CP*AP*TP*TP*(DDG))-3')



- Molecule 3: DNA (5'-D(*GP*CP*GP*GP*CP*TP*GP*TP*CP*AP*TP*TP*(DDG))-3')




- Molecule 3: DNA (5'-D(*GP*CP*GP*GP*CP*TP*GP*TP*CP*AP*TP*TP*(DDG))-3')



- Molecule 3: DNA (5'-D(*GP*CP*GP*GP*CP*TP*GP*TP*CP*AP*TP*TP*(DDG))-3')




- Molecule 3: DNA (5'-D(*GP*CP*GP*GP*CP*TP*GP*TP*CP*AP*TP*TP*(DDG))-3')



- Molecule 3: DNA (5'-D(*GP*CP*GP*GP*CP*TP*GP*TP*CP*AP*TP*TP*(DDG))-3')





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	59.05Å 172.02Å 288.61Å 90.00° 91.26° 90.00°	Depositor
Resolution (Å)	50.01 – 2.99 147.75 – 2.93	Depositor EDS
% Data completeness (in resolution range)	99.1 (50.01-2.99) 99.2 (147.75-2.93)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.01 (at 2.91Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.218 , 0.252 0.217 , 0.248	Depositor DCC
R_{free} test set	6234 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	83.4	Xtrriage
Anisotropy	0.354	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.035 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	32751	wwPDB-VP
Average B, all atoms (Å ²)	107.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: DDG, MG, DG3, K7X

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	AAA	0.71	0/4980	0.77	0/6751
1	BBB	0.70	1/4904 (0.0%)	0.76	0/6649
1	CCC	0.68	0/4952	0.75	0/6717
1	DDD	0.69	1/4905 (0.0%)	0.76	0/6659
1	EEE	0.68	1/4919 (0.0%)	0.75	0/6672
1	FFF	0.68	1/4919 (0.0%)	0.74	0/6676
2	GGG	1.06	0/362	1.43	5/555 (0.9%)
2	III	1.01	0/362	1.45	4/555 (0.7%)
2	KKK	1.00	0/362	1.43	6/555 (1.1%)
2	MMM	1.05	0/362	1.45	5/555 (0.9%)
2	OOO	0.94	0/362	1.46	5/555 (0.9%)
2	QQQ	0.95	0/362	1.46	4/555 (0.7%)
3	HHH	1.07	0/271	1.51	7/417 (1.7%)
3	JJJ	1.12	0/271	1.54	8/417 (1.9%)
3	LLL	1.04	0/271	1.49	7/417 (1.7%)
3	NNN	1.02	0/271	1.47	7/417 (1.7%)
3	PPP	0.98	0/271	1.52	7/417 (1.7%)
3	RRR	0.98	0/271	1.50	7/417 (1.7%)
All	All	0.73	4/33377 (0.0%)	0.88	72/45956 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	DDD	0	1
1	EEE	0	2
All	All	0	3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	BBB	2331	TYR	C-O	6.90	1.36	1.23
1	EEE	2331	TYR	C-O	5.62	1.34	1.23
1	DDD	2331	TYR	C-O	5.59	1.33	1.23
1	FFF	2331	TYR	C-O	5.51	1.33	1.23

The worst 5 of 72 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	QQQ	3	DT	P-O3'-C3'	-10.96	106.54	119.70
2	GGG	3	DT	P-O3'-C3'	-10.33	107.30	119.70
3	NNN	7	DG	P-O3'-C3'	-10.24	107.41	119.70
3	LLL	7	DG	P-O3'-C3'	-10.01	107.69	119.70
3	HHH	7	DG	P-O3'-C3'	-10.00	107.70	119.70

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	DDD	2096	THR	Mainchain
1	EEE	2096	THR	Mainchain
1	EEE	2425	GLN	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	4884	0	4714	37	0
1	BBB	4811	0	4625	33	0
1	CCC	4856	0	4667	33	0
1	DDD	4810	0	4593	39	0
1	EEE	4824	0	4632	30	0
1	FFF	4823	0	4617	33	0
2	GGG	324	0	180	2	0
2	III	324	0	180	1	0
2	KKK	324	0	180	1	0
2	MMM	324	0	180	1	0
2	OOO	324	0	180	3	0
2	QQQ	324	0	180	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	HHH	264	0	149	3	0
3	JJJ	264	0	149	2	0
3	LLL	264	0	149	3	0
3	NNN	264	0	149	2	0
3	PPP	264	0	149	3	0
3	RRR	264	0	149	2	0
4	AAA	1	0	0	0	0
4	BBB	1	0	0	0	0
4	CCC	1	0	0	0	0
4	DDD	1	0	0	0	0
4	EEE	1	0	0	0	0
4	FFF	1	0	0	0	0
5	AAA	30	0	12	0	0
5	BBB	30	0	12	0	0
5	CCC	30	0	12	1	0
5	DDD	30	0	12	0	0
5	EEE	30	0	12	2	0
5	FFF	30	0	12	2	0
6	AAA	28	0	0	6	0
7	AAA	1	0	0	0	0
All	All	32751	0	29894	226	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 226 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:AAA:2603:K7X:BRAH	6:AAA:2603:K7X:FAK	2.27	0.98
1:CCC:2383:LYS:NZ	5:CCC:2602:DG3:O1G	2.09	0.86
1:DDD:2013:LEU:HD11	1:DDD:2055:ASN:OD1	1.81	0.81
1:AAA:2390:ILE:HD11	6:AAA:2603:K7X:BRAH	2.36	0.80
1:BBB:2338:ILE:HD11	1:BBB:2480:ILE:HD12	1.65	0.79

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AAA	629/726 (87%)	610 (97%)	17 (3%)	2 (0%)	41	76
1	BBB	617/726 (85%)	598 (97%)	17 (3%)	2 (0%)	41	76
1	CCC	628/726 (86%)	607 (97%)	19 (3%)	2 (0%)	41	76
1	DDD	623/726 (86%)	602 (97%)	18 (3%)	3 (0%)	29	68
1	EEE	620/726 (85%)	599 (97%)	19 (3%)	2 (0%)	41	76
1	FFF	624/726 (86%)	604 (97%)	18 (3%)	2 (0%)	41	76
All	All	3741/4356 (86%)	3620 (97%)	108 (3%)	13 (0%)	41	76

5 of 13 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	DDD	1825	LEU
1	AAA	2355	GLY
1	BBB	2355	GLY
1	CCC	2355	GLY
1	DDD	2355	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	502/638 (79%)	475 (95%)	27 (5%)	22	57
1	BBB	494/638 (77%)	472 (96%)	22 (4%)	27	64
1	CCC	494/638 (77%)	468 (95%)	26 (5%)	22	58

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	DDD	491/638 (77%)	468 (95%)	23 (5%)	26	63
1	EEE	493/638 (77%)	468 (95%)	25 (5%)	24	60
1	FFF	490/638 (77%)	469 (96%)	21 (4%)	29	66
All	All	2964/3828 (77%)	2820 (95%)	144 (5%)	25	61

5 of 144 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	EEE	2368	MET
1	FFF	2537	GLN
1	EEE	2418	SER
1	FFF	1903	LEU
1	BBB	2537	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	DDG	JJJ	13	2,3	17,23,24	1.04	1 (5%)	15,33,36	1.65	2 (13%)
3	DDG	HHH	13	2,3	17,23,24	1.14	2 (11%)	15,33,36	1.74	3 (20%)
3	DDG	NNN	13	2,3	17,23,24	1.15	2 (11%)	15,33,36	1.45	2 (13%)
3	DDG	LLL	13	2,3	17,23,24	1.04	1 (5%)	15,33,36	1.76	6 (40%)
3	DDG	RRR	13	2,3	17,23,24	1.01	1 (5%)	15,33,36	1.67	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	DDG	PPP	13	2,3	17,23,24	1.02	1 (5%)	15,33,36	1.67	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DDG	JJJ	13	2,3	-	2/3/18/19	0/3/3/3
3	DDG	HHH	13	2,3	-	2/3/18/19	0/3/3/3
3	DDG	NNN	13	2,3	-	2/3/18/19	0/3/3/3
3	DDG	LLL	13	2,3	-	2/3/18/19	0/3/3/3
3	DDG	RRR	13	2,3	-	2/3/18/19	0/3/3/3
3	DDG	PPP	13	2,3	-	2/3/18/19	0/3/3/3

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	JJJ	13	DDG	C6-N1	-2.98	1.33	1.37
3	LLL	13	DDG	C6-N1	-2.93	1.33	1.37
3	PPP	13	DDG	C6-N1	-2.84	1.33	1.37
3	HHH	13	DDG	C6-N1	-2.78	1.33	1.37
3	RRR	13	DDG	C6-N1	-2.72	1.33	1.37

The worst 5 of 17 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	PPP	13	DDG	C3'-C2'-C1'	3.75	107.12	102.78
3	JJJ	13	DDG	C3'-C2'-C1'	3.54	106.87	102.78
3	HHH	13	DDG	C3'-C2'-C1'	3.40	106.71	102.78
3	RRR	13	DDG	C3'-C2'-C1'	3.04	106.29	102.78
3	NNN	13	DDG	C8-N7-C5	2.78	108.28	102.99

There are no chirality outliers.

5 of 12 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	HHH	13	DDG	O4'-C4'-C5'-O5'
3	JJJ	13	DDG	O4'-C4'-C5'-O5'
3	LLL	13	DDG	O4'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	NNN	13	DDG	O4'-C4'-C5'-O5'
3	PPP	13	DDG	O4'-C4'-C5'-O5'

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	HHH	13	DDG	1	0
3	LLL	13	DDG	1	0
3	PPP	13	DDG	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 6 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DG3	DDD	2602	4	25,32,32	0.94	1 (4%)	28,50,50	1.01	2 (7%)
5	DG3	CCC	2602	4	25,32,32	0.98	3 (12%)	28,50,50	1.28	3 (10%)
5	DG3	AAA	2602	4	25,32,32	0.99	2 (8%)	28,50,50	1.07	2 (7%)
5	DG3	EEE	2602	4	25,32,32	0.99	2 (8%)	28,50,50	1.23	1 (3%)
5	DG3	FFF	2602	4	25,32,32	0.93	2 (8%)	28,50,50	1.17	3 (10%)
6	K7X	AAA	2603	-	28,29,29	1.14	2 (7%)	37,42,42	1.60	7 (18%)
5	DG3	BBB	2602	4	25,32,32	0.99	3 (12%)	28,50,50	1.21	4 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	DG3	DDD	2602	4	-	9/18/31/31	0/3/3/3
5	DG3	CCC	2602	4	-	7/18/31/31	0/3/3/3
5	DG3	AAA	2602	4	-	1/18/31/31	0/3/3/3
5	DG3	EEE	2602	4	-	9/18/31/31	0/3/3/3
5	DG3	FFF	2602	4	-	9/18/31/31	0/3/3/3
6	K7X	AAA	2603	-	-	1/22/23/23	0/2/2/2
5	DG3	BBB	2602	4	-	5/18/31/31	0/3/3/3

The worst 5 of 15 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	AAA	2603	K7X	CAT-NAS	-4.82	1.33	1.43
5	CCC	2602	DG3	C5-C6	-3.05	1.41	1.47
5	DDD	2602	DG3	C5-C6	-2.70	1.41	1.47
5	AAA	2602	DG3	C5-C6	-2.70	1.41	1.47
5	BBB	2602	DG3	C5-C6	-2.68	1.42	1.47

The worst 5 of 22 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	EEE	2602	DG3	PA-O3A-PB	-3.92	119.39	132.83
6	AAA	2603	K7X	CAI-CAC-CAD	-3.56	117.73	122.38
5	BBB	2602	DG3	O2A-PA-O1A	3.17	127.89	112.24
5	FFF	2602	DG3	PA-O3A-PB	-3.13	122.08	132.83
6	AAA	2603	K7X	CAA-NAF-CAE	2.97	120.95	118.11

There are no chirality outliers.

5 of 41 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	CCC	2602	DG3	PB-O3B-PG-O2G
5	CCC	2602	DG3	PB-O3B-PG-O3G
5	CCC	2602	DG3	C5'-O5'-PA-O2A
5	DDD	2602	DG3	PB-O3B-PG-O2G
5	DDD	2602	DG3	C5'-O5'-PA-O1A


There are no ring outliers.



4 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	CCC	2602	DG3	1	0
5	EEE	2602	DG3	2	0
5	FFF	2602	DG3	2	0
6	AAA	2603	K7X	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AAA	639/726 (88%)	0.30	18 (2%) 53 25	43, 79, 138, 199	0
1	BBB	629/726 (86%)	0.41	34 (5%) 25 9	49, 88, 154, 193	0
1	CCC	638/726 (87%)	0.35	34 (5%) 26 10	50, 93, 156, 211	0
1	DDD	633/726 (87%)	0.53	59 (9%) 8 3	59, 104, 169, 232	0
1	EEE	632/726 (87%)	0.54	67 (10%) 6 2	62, 116, 173, 211	0
1	FFF	634/726 (87%)	0.72	85 (13%) 3 1	75, 134, 188, 230	0
2	GGG	16/16 (100%)	-0.12	0 100 100	47, 96, 160, 170	0
2	III	16/16 (100%)	-0.31	0 100 100	57, 113, 151, 179	0
2	KKK	16/16 (100%)	0.07	2 (12%) 3 1	63, 124, 198, 200	0
2	MMM	16/16 (100%)	-0.21	0 100 100	60, 105, 167, 205	0
2	OOO	16/16 (100%)	-0.39	0 100 100	83, 146, 206, 207	0
2	QQQ	16/16 (100%)	-0.50	0 100 100	82, 154, 221, 229	0
3	HHH	12/13 (92%)	-0.28	0 100 100	50, 104, 151, 170	0
3	JJJ	12/13 (92%)	-0.34	0 100 100	50, 135, 155, 172	0
3	LLL	12/13 (92%)	-0.34	0 100 100	66, 117, 161, 162	0
3	NNN	12/13 (92%)	-0.51	0 100 100	59, 118, 148, 157	0
3	PPP	12/13 (92%)	-0.64	0 100 100	73, 161, 225, 229	0
3	RRR	12/13 (92%)	-0.08	0 100 100	85, 178, 212, 219	0
All	All	3973/4530 (87%)	0.44	299 (7%) 14 4	43, 103, 173, 232	0

The worst 5 of 299 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	BBB	2404	ILE	14.6
1	AAA	1896	ASP	11.7
1	FFF	2403	GLY	11.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	BBB	2412	TYR	8.6
1	FFF	2404	ILE	8.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	DDG	RRR	13	21/22	0.96	0.14	72,92,102,117	0
3	DDG	JJJ	13	21/22	0.98	0.17	42,56,60,63	0
3	DDG	LLL	13	21/22	0.98	0.15	43,59,66,71	0
3	DDG	NNN	13	21/22	0.98	0.19	44,53,63,64	0
3	DDG	PPP	13	21/22	0.98	0.18	49,83,103,107	0
3	DDG	HHH	13	21/22	0.98	0.16	38,44,50,58	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MG	EEE	2601	1/1	0.72	0.14	140,140,140,140	0
4	MG	FFF	2601	1/1	0.85	0.11	139,139,139,139	0
4	MG	BBB	2601	1/1	0.89	0.09	83,83,83,83	0
4	MG	CCC	2601	1/1	0.91	0.04	100,100,100,100	0
5	DG3	BBB	2602	30/30	0.95	0.17	55,66,87,88	0
5	DG3	DDD	2602	30/30	0.95	0.15	51,62,103,119	0
5	DG3	FFF	2602	30/30	0.95	0.14	93,109,134,142	0
6	K7X	AAA	2603	28/28	0.95	0.56	79,107,119,134	1
4	MG	DDD	2601	1/1	0.96	0.07	102,102,102,102	0
5	DG3	EEE	2602	30/30	0.96	0.15	74,97,120,125	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MG	AAA	2601	1/1	0.97	0.06	86,86,86,86	0
5	DG3	CCC	2602	30/30	0.97	0.16	51,61,93,108	0
5	DG3	AAA	2602	30/30	0.98	0.17	42,52,73,77	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around DG3 DDD 2602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DG3 FFF 2602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around K7X AAA 2603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DG3 EEE 2602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.