



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 8, 2021 – 01:03 PM GMT

PDB ID : 6ZZ0  
Title : Structure of the borneol dehydrogenase of *Salvia rosmarinus* (apo)  
Authors : Dimos, N.; Helmer, C.P.O.; Loll, B.  
Deposited on : 2020-08-03  
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.16  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.16


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	290	 4% 64% 20% 16%
1	B	290	 7% 64% 21% 15%
1	C	290	 4% 71% 18% 11%
1	D	290	 3% 64% 20% 14%

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7293 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Borneol Dehydrogenase (salvia rosmarinus) apo structure.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	244	Total 1781	C 1121	N 309	O 342	S 9	0	0	0
1	B	246	Total 1797	C 1135	N 308	O 344	S 10	0	0	0
1	C	259	Total 1894	C 1194	N 325	O 365	S 10	0	0	0
1	D	248	Total 1818	C 1148	N 313	O 347	S 10	0	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total 2	O 2	0	0
2	B	1	Total 1	O 1	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Borneol Dehydrogenase (*salvia rosmarinus*) apo structure




- Molecule 1: Borneol Dehydrogenase (*salvia rosmarinus*) apo structure




- Molecule 1: Borneol Dehydrogenase (*salvia rosmarinus*) apo structure





• Molecule 1: Borneol Dehydrogenase (*salvia rosmarinus*) apo structure



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	108.18Å 108.18Å 230.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 3.10 48.96 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.6 (50.00-3.10) 99.6 (48.96-3.10)	Depositor EDS
$R_{merge}$	0.19	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.66 (at 3.12Å)	Xtrriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, $R_{free}$	0.255 , 0.305 0.255 , 0.306	Depositor DCC
$R_{free}$ test set	1280 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	93.6	Xtrriage
Anisotropy	0.503	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 58.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	7293	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	94.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.43% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.29	0/1803	0.51	0/2440
1	B	0.28	0/1820	0.51	0/2463
1	C	0.29	0/1919	0.52	1/2599 (0.0%)
1	D	0.29	0/1841	0.49	0/2491
All	All	0.29	0/7383	0.51	1/9993 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	182	ILE	CG1-CB-CG2	-5.77	98.70	111.40

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1781	0	1808	38	0
1	B	1797	0	1824	42	0
1	C	1894	0	1923	33	0
1	D	1818	0	1850	42	0
2	A	2	0	0	0	0
2	B	1	0	0	0	0
All	All	7293	0	7405	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:177:LEU:HB3	1:C:182:ILE:HD11	1.62	0.81
1:B:31:LEU:HD11	1:B:232:LEU:HD22	1.64	0.77
1:B:81:VAL:HG23	1:B:86:GLY:HA2	1.68	0.75
1:C:146:SER:HG	1:C:148:CYS:HG	1.32	0.73
1:C:150:GLU:HG3	1:C:248:LEU:HD11	1.73	0.71
1:C:177:LEU:HB3	1:C:182:ILE:CD1	2.22	0.69
1:A:191:GLY:H	1:A:222:LEU:HD23	1.57	0.69
1:C:146:SER:OG	1:C:148:CYS:SG	2.48	0.69
1:A:146:SER:OG	1:A:148:CYS:SG	2.50	0.68
1:B:237:GLU:O	1:B:240:SER:OG	2.12	0.65
1:B:24:ILE:HD12	1:B:24:ILE:H	1.62	0.64
1:C:155:ALA:HB1	1:C:159:TYR:HD2	1.60	0.64
1:D:237:GLU:O	1:D:240:SER:OG	2.15	0.63
1:A:215:GLY:O	1:A:218:LYS:NZ	2.25	0.63
1:D:146:SER:OG	1:D:148:CYS:SG	2.57	0.62
1:B:154:ILE:HG22	1:D:260:PHE:HD1	1.63	0.62
1:A:81:VAL:HG21	1:A:132:VAL:HG21	1.83	0.61
1:D:41:ILE:HD12	1:D:53:ALA:HB2	1.82	0.60
1:A:20:GLY:HA2	1:A:25:GLY:HA3	1.83	0.60
1:B:69:ASP:HB3	1:B:72:GLN:HB2	1.83	0.60
1:A:237:GLU:O	1:A:240:SER:OG	2.18	0.60
1:D:150:GLU:HG3	1:D:248:LEU:HD11	1.84	0.60
1:A:256:VAL:HG22	1:A:258:PRO:HD3	1.84	0.59
1:C:98:GLU:HB2	1:C:159:TYR:HB2	1.85	0.59
1:C:56:LEU:HB3	1:C:60:ILE:HG13	1.86	0.57
1:B:41:ILE:HD12	1:B:53:ALA:HB2	1.85	0.57
1:B:78:ASP:HA	1:B:81:VAL:HG12	1.87	0.57
1:C:47:ASP:O	1:C:51:THR:OG1	2.16	0.57
1:C:145:ALA:HA	1:C:163:LYS:HD2	1.85	0.57
1:B:177:LEU:HB3	1:B:182:ILE:HB	1.85	0.56
1:D:74:ARG:CZ	1:D:128:HIS:HE1	2.18	0.56
1:A:149:THR:HA	1:A:164:TYR:CE1	2.40	0.56
1:B:70:GLU:HG3	1:B:128:HIS:HE2	1.71	0.55
1:D:193:LEU:HD23	1:D:211:MET:HG2	1.88	0.55
1:A:221:ILE:O	1:A:221:ILE:HD12	2.05	0.55
1:B:92:SER:HB3	1:B:143:PHE:HD1	1.70	0.55
1:C:148:CYS:HB2	1:C:160:THR:HG22	1.89	0.55

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:LEU:HD11	1:B:108:LYS:HD2	1.89	0.54
1:A:149:THR:HG21	1:A:167:VAL:HG21	1.89	0.54
1:A:56:LEU:HD12	1:A:60:ILE:HG21	1.89	0.54
1:A:238:GLU:HG3	1:D:229:VAL:HG11	1.88	0.54
1:D:14:VAL:HG23	1:D:88:ASP:H	1.72	0.54
1:D:56:LEU:HD12	1:D:60:ILE:HG21	1.90	0.53
1:C:164:TYR:CD2	1:D:168:GLY:HA3	2.43	0.53
1:B:126:ALA:HB1	1:B:173:LEU:HD11	1.91	0.53
1:A:177:LEU:HB3	1:A:182:ILE:HB	1.90	0.53
1:B:156:GLY:O	1:B:160:THR:HG23	2.09	0.52
1:B:238:GLU:HG2	1:C:229:VAL:HG11	1.92	0.52
1:A:145:ALA:HA	1:A:163:LYS:HD2	1.92	0.52
1:D:8:ARG:NE	1:D:11:GLU:OE2	2.43	0.52
1:B:145:ALA:HA	1:B:163:LYS:HD2	1.90	0.51
1:A:152:ALA:HB3	1:B:175:VAL:HG21	1.92	0.51
1:A:70:GLU:HG3	1:A:128:HIS:HE2	1.76	0.51
1:B:97:VAL:HA	1:B:159:TYR:CE1	2.45	0.51
1:A:162:SER:O	1:A:166:ILE:HG13	2.11	0.50
1:A:77:VAL:O	1:A:81:VAL:HG23	2.10	0.50
1:D:49:GLY:HA3	1:D:62:TYR:CE1	2.46	0.50
1:C:196:ILE:HG13	1:C:197:VAL:H	1.77	0.50
1:D:43:ASP:OD1	1:D:44:ILE:N	2.35	0.50
1:B:142:ILE:HD11	1:B:235:ALA:HB2	1.94	0.49
1:A:238:GLU:HG3	1:D:229:VAL:CG1	2.43	0.49
1:B:223:THR:N	1:B:226:ASP:OD2	2.36	0.49
1:C:8:ARG:HB2	1:C:35:HIS:ND1	2.27	0.49
1:C:256:VAL:HG22	1:C:258:PRO:HD3	1.93	0.49
1:D:77:VAL:HG21	1:D:128:HIS:HB3	1.95	0.49
1:C:41:ILE:HD12	1:C:53:ALA:HB2	1.94	0.49
1:A:49:GLY:HA3	1:A:62:TYR:CE1	2.47	0.48
1:C:49:GLY:HA3	1:C:62:TYR:CE1	2.48	0.48
1:D:149:THR:HG21	1:D:167:VAL:HG21	1.94	0.48
1:B:257:ASN:HB2	1:D:151:ILE:HG12	1.95	0.48
1:A:229:VAL:HG21	1:D:238:GLU:HG3	1.95	0.48
1:A:190:PHE:H	1:A:222:LEU:CD2	2.26	0.48
1:D:41:ILE:HB	1:D:62:TYR:HD1	1.78	0.48
1:A:81:VAL:CG2	1:A:132:VAL:HG21	2.44	0.48
1:A:50:GLN:NE2	1:A:62:TYR:HB3	2.30	0.47
1:B:49:GLY:HA3	1:B:62:TYR:CE1	2.48	0.47
1:D:261:ILE:O	1:D:265:THR:HG23	2.15	0.47
1:D:29:VAL:HG22	1:D:39:VAL:HG11	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:150:GLU:HG3	1:C:248:LEU:HD21	1.95	0.47
1:A:19:GLY:N	1:A:94:ALA:HB2	2.30	0.47
1:C:138:LYS:C	1:C:182:ILE:HG22	2.35	0.47
1:D:97:VAL:HA	1:D:159:TYR:CE1	2.49	0.47
1:B:154:ILE:HG22	1:D:260:PHE:CD1	2.48	0.46
1:A:171:LYS:NZ	1:A:244:GLY:O	2.48	0.46
1:B:143:PHE:HD2	1:B:170:MET:HB2	1.81	0.46
1:C:103:ILE:O	1:C:106:VAL:HG12	2.15	0.46
1:C:70:GLU:HG3	1:C:128:HIS:HE2	1.80	0.46
1:A:10:LEU:HB3	1:A:37:ALA:HB2	1.97	0.45
1:D:183:ARG:HD2	1:D:242:VAL:O	2.16	0.45
1:D:157:HIS:H	1:D:157:HIS:HD1	1.63	0.45
1:C:187:VAL:HG13	1:C:189:PRO:HD3	1.99	0.45
1:B:264:ILE:HG13	1:B:265:THR:HG23	1.98	0.44
1:B:151:ILE:HD12	1:B:151:ILE:HA	1.91	0.44
1:C:163:LYS:HD3	1:C:166:ILE:HD12	1.99	0.44
1:C:151:ILE:HD12	1:C:151:ILE:HA	1.93	0.44
1:A:123:PHE:CZ	1:B:158:SER:HA	2.53	0.44
1:D:97:VAL:HA	1:D:159:TYR:CD1	2.53	0.44
1:B:107:ASP:O	1:B:111:LEU:N	2.36	0.44
1:A:103:ILE:HG13	1:B:127:LYS:HA	1.98	0.44
1:D:81:VAL:HG21	1:D:132:VAL:HG11	2.00	0.44
1:D:210:ILE:O	1:D:214:VAL:HG22	2.17	0.43
1:D:61:SER:HB3	1:D:83:LYS:HE2	2.00	0.43
1:B:98:GLU:HG3	1:B:159:TYR:HB2	2.01	0.43
1:C:16:ILE:HG12	1:C:40:VAL:CG1	2.48	0.43
1:D:19:GLY:N	1:D:42:ALA:O	2.51	0.43
1:B:113:ARG:O	1:B:117:ILE:HG12	2.18	0.43
1:A:91:PHE:CE1	1:A:93:ASN:HB2	2.54	0.43
1:D:98:GLU:HB2	1:D:159:TYR:HB2	2.00	0.43
1:A:222:LEU:HD12	1:A:226:ASP:HB2	2.00	0.43
1:D:14:VAL:HG21	1:D:86:GLY:O	2.19	0.43
1:C:170:MET:HB3	1:C:170:MET:HE3	1.96	0.42
1:A:90:MET:HE3	1:A:125:ALA:O	2.19	0.42
1:D:8:ARG:O	1:D:11:GLU:HG2	2.18	0.42
1:D:212:SER:O	1:D:218:LYS:NZ	2.35	0.42
1:B:11:GLU:HA	1:B:36:GLY:HA2	2.02	0.42
1:A:123:PHE:HZ	1:B:158:SER:HA	1.85	0.42
1:B:24:ILE:H	1:B:24:ILE:CD1	2.26	0.42
1:A:236:SER:OG	1:A:238:GLU:OE1	2.37	0.42
1:D:261:ILE:HG13	1:D:262:ASN:N	2.34	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:50:GLN:NE2	1:B:62:TYR:HB3	2.35	0.42
1:B:106:VAL:HG11	1:B:111:LEU:HD12	2.01	0.41
1:B:56:LEU:HD12	1:B:60:ILE:HG21	2.02	0.41
1:C:19:GLY:N	1:C:42:ALA:O	2.52	0.41
1:C:63:THR:HB	1:C:76:LEU:HD13	2.02	0.41
1:D:145:ALA:HA	1:D:163:LYS:HD2	2.01	0.41
1:B:148:CYS:HA	1:B:151:ILE:O	2.20	0.41
1:B:143:PHE:CD2	1:B:170:MET:HB2	2.55	0.41
1:C:18:THR:O	1:C:93:ASN:HB3	2.20	0.41
1:D:38:LYS:H	1:D:38:LYS:HG2	1.69	0.41
1:A:43:ASP:OD1	1:A:44:ILE:N	2.48	0.41
1:C:96:ILE:HG13	1:C:114:LEU:HD23	2.03	0.41
1:B:260:PHE:CZ	1:D:192:VAL:HG11	2.55	0.41
1:D:205:LEU:HD23	1:D:205:LEU:HA	1.83	0.41
1:D:74:ARG:HB2	1:D:128:HIS:CE1	2.56	0.41
1:A:174:ALA:HB2	1:A:184:ALA:HB3	2.03	0.41
1:B:33:HIS:HB2	1:B:60:ILE:HD11	2.03	0.41
1:D:96:ILE:HD11	1:D:114:LEU:HA	2.03	0.40
1:C:39:VAL:O	1:C:60:ILE:HA	2.21	0.40
1:B:97:VAL:HG11	1:B:193:LEU:HD22	2.02	0.40
1:A:252:GLY:O	1:A:255:VAL:HG22	2.21	0.40
1:C:173:LEU:HD23	1:C:173:LEU:HA	1.98	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	240/290 (83%)	231 (96%)	9 (4%)	0	100	100
1	B	242/290 (83%)	230 (95%)	12 (5%)	0	100	100
1	C	257/290 (89%)	244 (95%)	13 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	244/290 (84%)	230 (94%)	14 (6%)	0	100	100
All	All	983/1160 (85%)	935 (95%)	48 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	187/226 (83%)	184 (98%)	3 (2%)	62	84
1	B	189/226 (84%)	185 (98%)	4 (2%)	53	79
1	C	200/226 (88%)	198 (99%)	2 (1%)	76	90
1	D	192/226 (85%)	188 (98%)	4 (2%)	53	79
All	All	768/904 (85%)	755 (98%)	13 (2%)	60	83

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	ARG
1	A	123	PHE
1	A	225	GLU
1	B	9	ARG
1	B	34	ASP
1	B	107	ASP
1	B	146	SER
1	C	90	MET
1	C	238	GLU
1	D	55	ARG
1	D	190	PHE
1	D	211	MET
1	D	260	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	244/290 (84%)	0.33	11 (4%) 33 16	72, 89, 107, 122	0
1	B	246/290 (84%)	0.70	21 (8%) 10 4	78, 100, 123, 146	0
1	C	259/290 (89%)	0.41	11 (4%) 36 18	68, 88, 142, 186	0
1	D	248/290 (85%)	0.34	9 (3%) 42 22	68, 91, 113, 143	0
All	All	997/1160 (85%)	0.44	52 (5%) 27 12	68, 92, 121, 186	0

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	194	THR	8.2
1	B	210	ILE	4.6
1	C	87	VAL	4.0
1	B	56	LEU	3.9
1	C	206	MET	3.8
1	C	195	GLY	3.5
1	B	246	ASN	3.5
1	B	39	VAL	3.4
1	B	55	ARG	3.3
1	D	150	GLU	3.3
1	A	150	GLU	3.3
1	B	61	SER	3.2
1	C	35	HIS	3.2
1	C	207	PHE	3.0
1	C	86	GLY	3.0
1	C	150	GLU	2.9
1	A	149	THR	2.9
1	B	16	ILE	2.9
1	B	52	LEU	2.9
1	B	87	VAL	2.9
1	D	56	LEU	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	263	VAL	2.9
1	C	196	ILE	2.8
1	A	210	ILE	2.7
1	D	117	ILE	2.7
1	D	206	MET	2.7
1	B	40	VAL	2.7
1	D	59	ASN	2.6
1	B	60	ILE	2.6
1	B	84	HIS	2.5
1	B	37	ALA	2.5
1	B	33	HIS	2.5
1	A	87	VAL	2.5
1	A	186	CYS	2.5
1	C	208	GLU	2.5
1	B	41	ILE	2.4
1	B	150	GLU	2.4
1	A	246	ASN	2.4
1	A	146	SER	2.4
1	B	59	ASN	2.4
1	B	244	GLY	2.4
1	D	20	GLY	2.3
1	D	40	VAL	2.3
1	B	149	THR	2.2
1	D	41	ILE	2.2
1	A	164	TYR	2.1
1	C	198	PRO	2.1
1	A	254	THR	2.1
1	B	58	ARG	2.1
1	B	186	CYS	2.1
1	A	165	GLY	2.0
1	A	188	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands

There are no ligands in this entry.

## 6.5 Other polymers

There are no such residues in this entry.