

Full wwPDB X-ray Structure Validation Report (i)

Feb 21, 2022 – 04:03 pm GMT

:	7A0W
:	Structure of dimeric sodium proton antiporter NhaA, at pH 8.5, crystallized
	with chimeric Fab antibodies
:	Fippel, A.; Gross, N.M.; Mir, S.H.; Wirth, C.; Hunte, C.
:	2020-08-11
:	2.04 Å(reported)
	::

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.26
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0267
CCP4	:	7.1.010 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.26

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
\mathbf{R}_{free}	130704	1692(2.04-2.04)
Clashscore	141614	1773 (2.04-2.04)
Ramachandran outliers	138981	1752 (2.04-2.04)
Sidechain outliers	138945	1752 (2.04-2.04)
RSRZ outliers	127900	1672(2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	L
			15%	
1	А	406	79%	11% 9%
			18%	
1	В	406	78%	13% • 8%
			10%	
2	С	252	81%	• 15%
			11%	
2	Ε	252	84%	• 12%
			19%	
3	D	210	89%	9% •



Mol	Chain	Length	Quality of chain	
			6%	
3	F	210	92%	7%



<u>____</u>

7A0W

2 Entry composition (i)

There are 9 unique types of molecules in this entry. The entry contains 12332 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Λ	268	Total	С	Ν	Ο	\mathbf{S}	60	n	0
1	A	300	2772	1851	448	459	14	09	2	U
1	Р	272	Total	С	Ν	0	S	80	2	0
	D	313	2815	1880	456	465	14		ა	U

• Molecule 1 is a protein called Na(+)/H(+) antiporter NhaA.

Chain	Residue	Modelled	Actual	Comment	Reference
А	389	SER	-	expression tag	UNP Q8ZRZ3
А	390	GLU	-	expression tag	UNP Q8ZRZ3
А	391	ASN	-	expression tag	UNP Q8ZRZ3
А	392	LEU	-	expression tag	UNP Q8ZRZ3
А	393	TYR	-	expression tag	UNP Q8ZRZ3
А	394	PHE	-	expression tag	UNP Q8ZRZ3
А	395	GLN	-	expression tag	UNP Q8ZRZ3
А	396	GLY	-	expression tag	UNP Q8ZRZ3
А	397	GLY	-	expression tag	UNP Q8ZRZ3
А	398	ARG	-	expression tag	UNP Q8ZRZ3
А	399	GLY	-	expression tag	UNP Q8ZRZ3
А	400	SER	-	expression tag	UNP Q8ZRZ3
А	401	HIS	-	expression tag	UNP Q8ZRZ3
А	402	HIS	-	expression tag	UNP Q8ZRZ3
А	403	HIS	-	expression tag	UNP Q8ZRZ3
А	404	HIS	-	expression tag	UNP Q8ZRZ3
А	405	HIS	-	expression tag	UNP Q8ZRZ3
А	406	HIS	-	expression tag	UNP Q8ZRZ3
В	389	SER	-	expression tag	UNP Q8ZRZ3
В	390	GLU	-	expression tag	UNP Q8ZRZ3
В	391	ASN	-	expression tag	UNP Q8ZRZ3
В	392	LEU	-	expression tag	UNP Q8ZRZ3
В	393	TYR	-	expression tag	UNP Q8ZRZ3
В	394	PHE	-	expression tag	UNP Q8ZRZ3
В	395	GLN	-	expression tag	UNP Q8ZRZ3

There are 36 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
В	396	GLY	-	expression tag	UNP Q8ZRZ3
В	397	GLY	-	expression tag	UNP Q8ZRZ3
В	398	ARG	-	expression tag	UNP Q8ZRZ3
В	399	GLY	-	expression tag	UNP Q8ZRZ3
В	400	SER	-	expression tag	UNP Q8ZRZ3
В	401	HIS	-	expression tag	UNP Q8ZRZ3
В	402	HIS	-	expression tag	UNP Q8ZRZ3
В	403	HIS	-	expression tag	UNP Q8ZRZ3
В	404	HIS	-	expression tag	UNP Q8ZRZ3
В	405	HIS	-	expression tag	UNP Q8ZRZ3
В	406	HIS	_	expression tag	UNP Q8ZRZ3

• Molecule 2 is a protein called chimeric antibody Fab-F6, heavy chain, chimeric antibody Fab-F6, heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	С	012	Total	\mathbf{C}	Ν	0	\mathbf{S}	20	0	0
	U	213	1565	982	268	310	5	20		
9	F	202	Total	С	Ν	0	S	5	1	0
	Ľ	223	1633	1020	282	326	5	5		0

• Molecule 3 is a protein called chimeric antibody Fab-F6, light chain, chimeric antibody Fab-F6, light chain.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
3	D	207	Total 1555	C 972	N 263	0 316	$\begin{array}{c} \mathrm{S} \\ \mathrm{4} \end{array}$	27	0	0
3	F	209	Total 1568	C 979	N 265	O 320	${S \over 4}$	4	0	0

• Molecule 4 is CARDIOLIPIN (three-letter code: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	Δ	1	Total	С	Ο	Р	0	0
4	A	L	52	33	17	2	0	0

• Molecule 5 is 1,2-DIACYL-GLYCEROL-3-SN-PHOSPHATE (three-letter code: 3PH) (formula: $C_{39}H_{77}O_8P$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	А	1	TotalC2718	0 8	Р 1	0	0
5	В	1	TotalC2112	0 8	Р 1	0	0



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
5	Р	1	Total	С	0	Р	0	0	
5	D	L	27	18	8	1	0	0	
5	Р	1	Total	С	0	Р	0	0	
	D		19	10	8	1			

• Molecule 6 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 7 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	Total C O 13 8 5	0	0
7	В	1	Total C O 13 8 5	0	0

• Molecule 8 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	С	3	Total Cl 3 3	0	0

• Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	А	8	Total O 8 8	0	0
9	В	4	Total O 4 4	0	0
9	С	45	$\begin{array}{cc} \text{Total} & \text{O} \\ 45 & 45 \end{array}$	0	0
9	D	51	$\begin{array}{cc} \text{Total} & \text{O} \\ 51 & 51 \end{array}$	0	0
9	Ε	70	Total O 70 70	0	0
9	F	61	Total O 61 61	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Na(+)/H(+) antiporter NhaA

• Molecule 2: chimeric antibody Fab-F6, heavy chain, chimeric antibody Fab-F6, heavy chain

Chain C:

81%

15%



 \bullet Molecule 2: chimeric antibody Fab-F6, heavy chain, chimeric antibody Fab-F6, heavy chain

				1	1%																										_				_			
C]	hai	n I	E:													849	%													•	,		12%	6				
•		•	•	•		•	•	•					•	• •		•	•	•	•	•	• •	•	. 1	• •	•	•		•		1	• •	_	•	•	•			
	t.	ب م	0 1-	▶.	N	ω 4	م	Ģ	<mark>م</mark>	0		03	64	05 06		60	33	37	39 %	40	44	43		48	50	51		67	80	-	88	89	6	96	66	40	00	;
A1	V2	88	CA N	W4	Y5	12 12	99	S5	R5	R8	i		Ł	5 F		티	1	5 S	2 22	Ħ	5 5	3 5		5 S	3 3	12	2	A1	5		3 22	S1	5	S1	5	1	5 <mark>5</mark>	
															• •																				-			

• Molecule 3: chimeric antibody Fab-F6, light chain, chimeric antibody Fab-F6, light chain



• Molecule 3: chimeric antibody Fab-F6, light chain, chimeric antibody Fab-F6, light chain





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	112.79Å 92.16Å 139.10Å	Depositor
a, b, c, α , β , γ	90.00° 109.89° 90.00°	Depositor
Bosolution(A)	24.86 - 2.04	Depositor
Resolution (A)	24.86 - 2.04	EDS
% Data completeness	56.1 (24.86-2.04)	Depositor
(in resolution range)	56.1(24.86-2.04)	EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.62 (at 2.04 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
P. P.	0.198 , 0.235	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.198 , 0.233	DCC
R_{free} test set	2414 reflections $(2.54%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	54.9	Xtriage
Anisotropy	0.017	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	(Not available), (Not available)	EDS
L-test for twinning ²	$ L > = 0.49, < L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12332	wwPDB-VP
Average B, all atoms $(Å^2)$	78.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.26% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, PO4, PG4, 3PH, CDL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond	angles
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.26	0/2839	0.43	0/3873
1	В	0.25	0/2887	0.43	0/3937
2	С	0.30	0/1600	0.52	0/2177
2	Е	0.33	0/1672	0.55	0/2274
3	D	0.30	0/1590	0.51	0/2165
3	F	0.32	0/1603	0.52	0/2182
All	All	0.29	0/12191	0.48	0/16608

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2772	0	2942	28	0
1	В	2815	0	3004	30	0
2	С	1565	0	1528	4	0
2	Е	1633	0	1600	4	0
3	D	1555	0	1511	11	0
3	F	1568	0	1520	8	0
4	А	52	0	48	2	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	А	27	0	27	0	0
5	В	67	0	53	0	0
6	А	5	0	0	0	0
6	В	5	0	0	0	0
7	А	13	0	18	1	0
7	В	13	0	18	0	0
8	С	3	0	0	1	0
9	А	8	0	0	0	0
9	В	4	0	0	0	0
9	С	45	0	0	0	0
9	D	51	0	0	0	0
9	Ē	70	0	0	0	0
9	F	61	0	0	0	0
All	All	12332	0	12269	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	$distance ({ m \AA})$	overlap (Å)
2:C:52:TYR:OH	2:C:102:ARG:NH1	2.23	0.72
1:A:204:ARG:NH1	4:A:501:CDL:OB4	2.23	0.71
1:B:203:ARG:HH12	1:B:240:LYS:HB2	1.56	0.69
1:B:82:GLU:HA	1:B:86:GLY:HA3	1.76	0.67
1:A:323:THR:HG22	1:A:325:TYR:H	1.63	0.64
3:D:182:TYR:O	3:D:207:ARG:NH2	2.32	0.62
3:D:141:LYS:HB3	3:D:193:THR:HB	1.83	0.61
3:D:128:VAL:HG13	3:D:175:LEU:HB3	1.83	0.60
1:A:58:ASN:HD21	1:A:61:LEU:HD23	1.66	0.60
3:D:104:ARG:NH1	3:D:166:ASP:O	2.35	0.59
2:E:52:TYR:OH	2:E:102:ARG:NH1	2.36	0.59
1:B:358:ILE:HG13	1:B:362:LYS:HE3	1.86	0.58
3:F:104:ARG:NH1	3:F:167:SER:OG	2.37	0.57
2:C:59:ARG:HD3	8:C:302:CL:CL	2.41	0.57
3:D:117:SER:OG	3:D:119:GLU:OE1	2.23	0.57
3:F:85:SER:OG	3:F:86:ALA:N	2.36	0.57
1:B:224:VAL:HG13	1:B:348:LEU:HD13	1.86	0.56
1:B:323:THR:HG22	1:B:325:TYR:H	1.68	0.56
1:A:87:SER:HB3	1:A:154:ILE:HD11	1.87	0.56
1:A:358:ILE:HG13	1:A:362:LYS:HE3	1.89	0.55



	lo us page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:81:ARG:HD2	1:A:249:LYS:HZ3	1.72	0.54
1:B:136:PHE:HD2	1:B:337:ILE:HG21	1.73	0.53
1:A:239:LEU:HD11	1:A:249:LYS:HE2	1.91	0.52
1:A:205:THR:HG22	1:A:247:PRO:HB3	1.91	0.51
1:A:238:PRO:HG2	1:A:247:PRO:HG2	1.94	0.50
1:B:311:ALA:HB1	1:B:317:ALA:HB2	1.93	0.50
1:A:88:LEU:HA	1:A:94:ALA:HB2	1.94	0.50
2:C:22:CYS:O	2:C:78:THR:HA	2.12	0.49
3:D:128:VAL:HG22	3:D:144:TRP:CH2	2.48	0.49
1:B:151:ALA:HA	1:B:154:ILE:HG22	1.95	0.49
1:A:311:ALA:O	1:A:317:ALA:HB2	2.13	0.49
1:B:337:ILE:HD11	1:B:373:ALA:HB2	1.94	0.49
2:E:59:ARG:HG3	2:E:104:TYR:OH	2.12	0.49
1:B:259:VAL:HA	1:B:263:ILE:HB	1.95	0.48
1:B:149:PRO:HG2	1:B:152:LEU:HB2	1.94	0.48
3:D:185:HIS:O	3:D:207:ARG:NH2	2.47	0.48
1:B:187:ALA:O	1:B:191:ILE:HG12	2.13	0.48
1:A:112:TYR:CD1	1:A:126:TRP:HA	2.50	0.47
3:F:56:ARG:HB2	3:F:71:THR:O	2.14	0.47
1:A:197:LEU:HG	1:A:202:VAL:HG21	1.94	0.47
1:B:81:ARG:HH21	1:B:249:LYS:HG2	1.78	0.47
2:E:21:VAL:HG22	2:E:80[B]:ARG:HG3	1.96	0.47
1:B:57:LYS:NZ	1:B:65:ASP:OD2	2.40	0.47
3:F:120:GLN:HG2	3:F:125:THR:O	2.15	0.47
1:B:323:THR:HG22	1:B:325:TYR:N	2.30	0.46
1:A:57:LYS:HB2	1:A:62:TRP:CD1	2.51	0.46
3:F:75:ALA:HA	3:F:102:VAL:HG21	1.97	0.46
1:A:246:SER:HB3	1:A:249:LYS:HB2	1.98	0.46
1:A:58:ASN:ND2	1:A:61:LEU:HD23	2.30	0.45
1:B:93:GLN:HG3	1:B:94:ALA:H	1.81	0.45
3:F:16:VAL:HG13	3:F:70:ILE:HB	1.98	0.45
1:B:25:ALA:HB2	1:B:269:PHE:HA	1.99	0.44
3:D:33:LYS:HE3	3:D:162:GLN:HB3	1.99	0.44
2:E:152:LYS:NZ	2:E:180:GLN:OE1	2.50	0.44
1:A:99:ILE:HG21	1:A:311:ALA:HB2	1.99	0.44
1:A:131:ALA:HB1	1:A:341:MET:HB3	1.99	0.44
4:A:501:CDL:H142	1:B:209:ILE:HD12	2.00	0.44
1:B:112:TYR:CD2	1:B:126:TRP:HA	2.52	0.44
1:B:159:LEU:HD21	1:B:304:ILE:HD12	2.00	0.44
1:B:323:THR:C	1:B:325:TYR:H	2.20	0.44
1:A:158:ALA:O	1:A:162:ILE:HG22	2.18	0.43



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:151:ALA:O	1:B:155:PHE:N	2.49	0.43
1:A:339:PHE:CD2	1:A:340:THR:HG23	2.53	0.43
1:A:220:LEU:HD23	1:A:220:LEU:HA	1.91	0.43
1:B:320:PRO:O	1:B:323:THR:OG1	2.28	0.43
1:B:233:VAL:O	1:B:237:ILE:HG13	2.19	0.43
1:A:314:PHE:O	1:A:315:LYS:HG2	2.17	0.43
1:A:152:LEU:HD23	1:A:152:LEU:HA	1.92	0.43
3:D:189:ALA:HB2	3:D:204:SER:HB3	2.01	0.43
3:D:124:GLY:HA2	3:D:179:LYS:HD2	2.02	0.42
1:A:279:VAL:HG22	7:A:504:PG4:H71	2.02	0.42
1:B:117:TYR:O	1:B:123:ARG:NH1	2.46	0.42
2:C:29:PHE:CD2	2:C:77:SER:HA	2.55	0.42
1:B:264:LEU:HD23	1:B:264:LEU:HA	1.90	0.42
1:B:314:PHE:O	1:B:315:LYS:HG2	2.20	0.42
1:A:233:VAL:O	1:A:237:ILE:HG12	2.20	0.41
3:F:186:LYS:HD2	3:F:186:LYS:HA	1.78	0.41
1:A:78:GLU:HA	1:A:81:ARG:HD3	2.01	0.41
3:F:162:GLN:HG2	3:F:167:SER:HA	2.01	0.41
3:D:33:LYS:NZ	3:D:78:GLU:O	2.49	0.41
1:B:141:LEU:HD23	1:B:141:LEU:HA	1.80	0.40
1:B:113:LEU:HD21	1:B:126:TRP:HB3	2.03	0.40
1:A:228:LEU:HD23	1:A:228:LEU:HA	1.89	0.40
1:B:319:LEU:HD11	1:B:323:THR:HG21	2.03	0.40
1:A:99:ILE:HD13	1:A:99:ILE:HA	1.92	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentil	es
1	А	368/406~(91%)	352~(96%)	16 (4%)	0	100 10	0



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	В	374/406~(92%)	357~(96%)	17 (4%)	0	100 100
2	С	209/252~(83%)	205~(98%)	4(2%)	0	100 100
2	Ε	222/252~(88%)	215~(97%)	7 (3%)	0	100 100
3	D	205/210~(98%)	196~(96%)	9 (4%)	0	100 100
3	F	207/210~(99%)	196~(95%)	11 (5%)	0	100 100
All	All	1585/1736~(91%)	1521 (96%)	64 (4%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	284/314~(90%)	277~(98%)	7(2%)	47	40
1	В	289/314~(92%)	278 (96%)	11 (4%)	33	26
2	С	169/199~(85%)	167~(99%)	2(1%)	71	70
2	Е	177/199~(89%)	174 (98%)	3 (2%)	60	57
3	D	176/178~(99%)	174 (99%)	2(1%)	73	73
3	F	177/178~(99%)	175~(99%)	2 (1%)	73	73
All	All	1272/1382~(92%)	1245 (98%)	27 (2%)	53	48

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	70	VAL
1	А	136	PHE
1	А	154	ILE
1	А	183	SER
1	А	302	LEU
1	А	325	TYR
1	А	334	LEU
1	В	92	ARG



Mol	Chain	Res	Type
1	В	140	VAL
1	В	152	LEU
1	В	224	VAL
1	В	228	LEU
1	В	235	PHE
1	В	255	LEU
1	В	306	LEU
1	В	325	TYR
1	В	339	PHE
1	В	370	LEU
2	С	87	ARG
2	С	159	VAL
3	D	128	VAL
3	D	150	LEU
2	Е	204	ILE
2	Е	206	ASN
2	Е	208	ASN
3	F	16	VAL
3	F	110	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 12 ligands modelled in this entry, 3 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and



the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	$_{\rm ths}$	Bo	ond ang	les
INIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
6	PO4	A	503	-	4,4,4	0.87	0	$6,\!6,\!6$	0.46	0
5	3PH	В	502	-	26, 26, 47	0.27	0	$30,\!31,\!52$	0.46	0
5	3PH	В	503	-	18,18,47	0.51	0	22,23,52	0.80	2 (9%)
6	PO4	В	504	-	4,4,4	0.89	0	6,6,6	0.37	0
7	PG4	А	504	-	12,12,12	0.49	0	11,11,11	0.36	0
7	PG4	В	505	-	12,12,12	0.46	0	11,11,11	0.34	0
5	3PH	А	502	-	26,26,47	0.28	0	30,31,52	0.50	1 (3%)
5	3PH	В	501	-	$20,\!20,\!47$	0.45	0	$24,\!25,\!52$	0.61	0
4	CDL	A	501	-	$51,\!51,\!99$	1.28	4 (7%)	57,63,111	1.20	6 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	3PH	В	502	-	-	2/28/28/49	-
5	3PH	В	503	-	-	8/20/20/49	-
7	PG4	А	504	-	-	1/10/10/10	-
7	PG4	В	505	-	-	1/10/10/10	-
5	3PH	А	502	-	-	5/28/28/49	-
5	3PH	В	501	-	-	6/22/22/49	-
4	CDL	А	501	-	-	20/62/62/110	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	А	501	CDL	OA8-CA7	4.31	1.45	1.33
4	А	501	CDL	OB8-CB7	4.27	1.45	1.33
4	А	501	CDL	OA6-CA5	4.10	1.45	1.34
4	А	501	CDL	OB6-CB5	4.04	1.45	1.34

All (9) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$\mathbf{Ideal}(^{o})$
4	А	501	CDL	OA6-CA5-C11	3.89	119.89	111.50
4	А	501	CDL	OB6-CB5-C51	3.11	118.20	111.50
4	А	501	CDL	OA8-CA7-C31	2.86	120.87	111.91
4	А	501	CDL	OB8-CB7-C71	2.62	120.14	111.91
4	А	501	CDL	CA4-OA6-CA5	-2.56	111.49	117.79
5	В	503	3PH	P-011-C1	2.41	124.94	118.30
5	В	503	3PH	O14-P-O11	2.07	112.23	106.73
5	А	502	3PH	P-011-C1	2.02	123.85	118.30
4	А	501	CDL	OB8-CB7-OB9	-2.01	118.53	123.59

There are no chirality outliers.

All (43) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	А	501	CDL	CA3-OA5-PA1-OA2
4	А	501	CDL	CA3-OA5-PA1-OA3
4	А	501	CDL	CA3-OA5-PA1-OA4
4	А	501	CDL	OA7-CA5-OA6-CA4
4	А	501	CDL	C11-CA5-OA6-CA4
4	А	501	CDL	CB3-OB5-PB2-OB2
4	А	501	CDL	CB3-OB5-PB2-OB3
4	А	501	CDL	CB3-OB5-PB2-OB4
5	А	502	3PH	C1-O11-P-O13
5	А	502	3PH	C1-O11-P-O14
5	А	502	3PH	C1-O11-P-O12
5	В	503	3PH	C1-O11-P-O13
4	А	501	CDL	O1-C1-CB2-OB2
7	А	504	PG4	O2-C3-C4-O3
4	А	501	CDL	CA2-C1-CB2-OB2
5	В	503	3PH	C1-O11-P-O12
4	А	501	CDL	C31-C32-C33-C34
5	А	502	3PH	C31-C32-C33-C34
4	А	501	CDL	CB7-C71-C72-C73
5	В	502	3PH	O11-C1-C2-C3
5	В	503	3PH	C1-O11-P-O14
5	В	501	3PH	C1-C2-C3-O31
4	А	501	CDL	CA4-CA3-OA5-PA1
5	В	502	3PH	O11-C1-C2-O21
5	В	501	3PH	O21-C21-C22-C23
5	В	501	3PH	O21-C2-C3-O31
5	В	501	3PH	C1-O11-P-O12
4	А	501	CDL	CA2-OA2-PA1-OA5
4	А	501	CDL	CB2-OB2-PB2-OB5



Mol	Chain	Res	Type	Atoms
5	В	501	3PH	O22-C21-C22-C23
4	А	501	CDL	C1-CB2-OB2-PB2
4	А	501	CDL	CA7-C31-C32-C33
4	А	501	CDL	CB5-C51-C52-C53
5	В	503	3PH	O21-C2-C3-O31
7	В	505	PG4	O2-C3-C4-O3
5	В	501	3PH	C1-O11-P-O13
4	А	501	CDL	CA5-C11-C12-C13
5	В	503	3PH	O21-C21-C22-C23
4	А	501	CDL	CA2-OA2-PA1-OA3
5	А	502	3PH	O31-C31-C32-C33
5	B	503	3PH	C2-C1-O11-P
5	В	503	3PH	O22-C21-C22-C23
5	B	503	3PH	O31-C31-C32-C33

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	А	504	PG4	1	0
4	А	501	CDL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	А	368/406~(90%)	0.67	61 (16%) 1 1	38, 83, 137, 168	15 (4%)
1	В	371/406~(91%)	0.79	74 (19%) 1 0	52, 94, 149, 182	16 (4%)
2	С	210/252~(83%)	0.51	24 (11%) 5 5	31, 58, 128, 172	2 (0%)
2	Е	223/252~(88%)	0.41	28 (12%) 3 3	30, 49, 96, 146	2(0%)
3	D	206/210~(98%)	0.70	39 (18%) 1 0	32, 69, 140, 160	6(2%)
3	F	209/210~(99%)	0.03	12 (5%) 23 25	32, 52, 81, 103	1 (0%)
All	All	1587/1736~(91%)	0.56	238 (14%) 2 1	30, 74, 140, 182	42 (2%)

All (238) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	91	LEU	9.2
1	А	324	THR	8.8
1	В	150	LEU	8.6
1	В	324	THR	8.2
1	В	310	LEU	7.8
1	А	244	GLY	6.9
2	Е	142	GLY	6.8
3	D	128	VAL	6.6
1	А	377	TYR	6.5
1	В	314	PHE	6.5
1	В	315	LYS	6.4
3	D	123	SER	6.3
2	С	194	PRO	6.3
2	Е	140	THR	6.2
3	F	1	ALA	6.1
1	A	241	GLU	6.0
1	А	150	LEU	5.9
3	D	180	ALA	5.9
3	D	129	VAL	5.8



Conti	nued from	ı previou	s page	
Mol	Chain	Res	Type	RSRZ
3	D	130	CYS	5.6
1	А	173	LEU	5.6
1	В	174	PHE	5.5
1	А	322	GLY	5.4
2	Е	141	SER	5.4
1	В	316	LEU	5.4
1	А	325	TYR	5.3
1	В	325	TYR	5.3
1	В	317	ALA	5.2
1	В	309	TRP	5.2
1	А	243	HIS	5.2
2	С	222	PRO	5.0
1	В	176	THR	5.0
1	А	145	GLY	5.0
1	В	244	GLY	5.0
1	А	327	GLN	5.0
1	В	90	SER	4.9
3	D	148	ASN	4.9
1	В	382	ALA	4.9
2	С	221	GLU	4.9
1	В	142	ALA	4.8
1	В	144	LEU	4.7
1	В	326	GLN	4.7
1	В	311	ALA	4.6
1	А	144	LEU	4.5
1	А	92	ARG	4.5
3	F	129	VAL	4.5
1	A	174	PHE	4.5
1	В	147	ARG	4.5
1	А	182	VAL	4.5
1	A	179	LEU	4.4
1	А	84	MET	4.3
1	В	377	TYR	4.3
3	D	152	SER	4.2
1	А	242	LYS	4.2
1	А	245	ARG	4.2
3	D	174	THR	4.1
1	В	37[A]	TRP	4.0
1	A	323	THR	4.0
2	C	200	THR	4.0
1	Ā	316	LEU	4.0
1	В	379	TRP	4.0

379TRP4.0Continued on next page...



Continued from previous page...MolChainResTypeRSRZ

1	В	337	ILE	3.9
1	В	380	LEU	3.9
2	С	216	VAL	3.9
1	В	175	TYR	3.9
1	В	313	ARG	3.9
1	В	177	SER	3.9
1	В	308	CYS	3.9
2	Е	139	SER	3.8
2	С	203	TYR	3.7
1	А	146	SER	3.7
2	Е	149	CYS	3.7
1	В	12	ALA	3.6
2	Е	143	GLY	3.6
1	А	292	ILE	3.6
2	Е	56	SER	3.6
1	В	243	HIS	3.6
1	В	128	ILE	3.6
2	Е	1	ALA	3.5
1	В	143	LEU	3.5
1	В	327	GLN	3.5
3	F	30	PHE	3.5
1	В	11	ASP	3.5
2	С	150	LEU	3.5
3	D	141	LYS	3.5
1	А	365	ILE	3.4
1	А	296	LEU	3.4
3	F	131	LEU	3.4
1	В	87	SER	3.4
3	D	164	SER	3.4
2	Е	196	SER	3.3
1	В	296	LEU	3.3
3	D	150	LEU	3.3
2	С	195	SER	3.3
3	D	186	LYS	3.3
3	D	179	LYS	3.2
2	С	169	THR	3.2
3	D	173	SER	3.2
2	Ε	55	GLY	3.2
1	В	378	SER	3.2
3	D	131	LEU	3.2
1	А	253	HIS	3.2
1	В	241	GLU	3.2



LEU	3.1
GLY	3.1
LEU	3.1
GLY	3.1
SER	3.1
VAL	3.1
VAL	3.1
THR	3.0
LEU	3.0
TYR	3.0
LYS	3.0

Continued from previous page...MolChainResTypeRSRZ

3	D	175	LEU	3.2
3	D	199	LEU	3.2
2	С	193	VAL	3.2
1	А	178	ASP	3.1
1	А	176	THR	3.1
1	А	141	LEU	3.1
3	D	124	GLY	3.1
2	С	147	LEU	3.1
1	В	86	GLY	3.1
1	В	13	SER	3.1
2	Е	37	VAL	3.1
2	Е	190	VAL	3.1
2	Е	54	THR	3.0
2	Е	150	LEU	3.0
1	В	261	TYR	3.0
3	D	122	LYS	3.0
3	D	201	VAL	3.0
2	С	220	VAL	3.0
1	А	281	ILE	2.9
1	В	281	ILE	2.9
1	В	245	ARG	2.9
1	А	52	ALA	2.9
1	А	91	LEU	2.9
1	В	88	LEU	2.9
1	В	129	PRO	2.9
1	В	131	ALA	2.8
3	D	198	SER	2.8
2	Е	151	VAL	2.8
1	А	314	PHE	2.8
2	Е	199	GLY	2.8
2	С	149	CYS	2.8
1	В	117	TYR	2.8
1	А	315	LYS	2.8
1	В	173	LEU	2.8
1	В	92	ARG	2.8
1	В	381	ARG	2.8
3	D	183	GLU	2.8
3	D	149	ALA	2.8
1	В	242	LYS	2.7
3	D	184	LYS	2.7
1	А	33	ALA	2.7
3	F	128	VAL	2.7



Mol	Chain	Res	Type	RSRZ
1	А	90	SER	2.7
1	А	147	ARG	2.7
1	А	332	GLY	2.7
1	В	323	THR	2.7
2	С	181	SER	2.6
2	Е	106	GLY	2.6
1	В	151	ALA	2.6
1	В	33	ALA	2.6
1	А	293	ILE	2.6
3	D	193	THR	2.6
2	Е	35	GLY	2.6
1	А	88	LEU	2.6
2	С	122	SER	2.6
2	Е	109	ILE	2.6
1	А	313	ARG	2.5
1	А	149	PRO	2.5
3	D	188	TYR	2.5
3	F	114	PHE	2.5
2	Е	137	SER	2.5
3	D	114	PHE	2.5
1	В	335	CYS	2.5
2	С	167	ALA	2.5
1	А	309[A]	TRP	2.5
1	В	329	MET	2.4
1	В	321	GLN	2.4
1	В	318	HIS	2.4
3	F	84	GLY	2.4
3	F	122	LYS	2.4
2	Е	133	LEU	2.4
1	А	282	ASP	2.4
1	А	148	VAL	2.4
2	С	79	VAL	2.4
3	F	209	GLU	2.4
1	В	322	GLY	2.4
2	С	148	GLY	2.4
1	В	84	MET	2.4
2	Е	104	TYR	2.4
1	В	282	ASP	2.4
1	В	339	PHE	2.3
1	В	130	ALA	2.3
1	А	85	GLN	2.3

Continued from previous page

LEU Continued on next page...

2.3

197

3

D



Conti	Continued from previous page						
Mol	Chain	Res	Type	RSRZ			
2	С	109	ILE	2.3			
3	D	185	HIS	2.3			
1	А	320	PRO	2.3			
2	Е	47	TRP	2.3			
2	С	42	ASP	2.3			
1	А	128	ILE	2.3			
2	Е	105	TYR	2.3			
1	А	341	MET	2.3			
1	В	178	ASP	2.3			
3	D	147	ASP	2.3			
3	F	83	CYS	2.3			
1	А	342	SER	2.3			
2	Е	188	SER	2.3			
3	F	28	GLY	2.3			
1	В	17	ILE	2.3			
1	А	142	ALA	2.2			
1	В	319	LEU	2.2			
1	А	336	GLY	2.2			
1	А	326	GLN	2.2			
1	В	53	LEU	2.2			
3	D	146	VAL	2.2			
3	F	130	CYS	2.2			
2	С	217	ASP	2.2			
1	В	170	ILE	2.2			
1	В	336	GLY	2.2			
3	D	205	PHE	2.1			
3	D	172	SER	2.1			
1	А	343	ILE	2.1			
2	Е	187	LEU	2.1			
1	А	364	GLY	2.1			
1	А	246	SER	2.1			
1	А	366	LEU	2.1			
3	D	127	SER	2.1			
2	С	37	VAL	2.1			
1	А	89	ALA	2.1			
2	С	215	LYS	2.1			
1	В	20	ILE	2.1			
2	С	97	ALA	2.1			
2	Е	167	ALA	2.1			
3	D	207	ARG	2.1			
3	D	151	GLN	2.1			
1	А	183	SER	2.0			



Mol	Chain	Res	Type	RSRZ
3	D	181	ASP	2.0
1	В	320	PRO	2.0
3	D	178	SER	2.0
1	А	335	CYS	2.0
1	В	341	MET	2.0
1	А	184	LEU	2.0
1	В	235	PHE	2.0
3	D	29	TRP	2.0
2	Е	148	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
5	3PH	А	502	27/48	0.69	0.29	$78,\!97,\!145,\!154$	0
6	PO4	В	504	5/5	0.76	0.16	102,118,120,136	0
7	PG4	В	505	13/13	0.79	0.32	78,90,94,99	0
5	3PH	В	501	21/48	0.81	0.30	$69,\!123,\!151,\!153$	0
5	3PH	В	502	27/48	0.81	0.26	78,103,128,135	0
6	PO4	А	503	5/5	0.88	0.14	99,105,111,126	0
7	PG4	А	504	13/13	0.90	0.11	44,59,76,76	0
5	3PH	В	503	19/48	0.90	0.14	75,92,112,127	0
4	CDL	А	501	52/100	0.91	0.15	61,95,149,153	0
8	CL	С	302	1/1	0.96	0.08	$65,\!65,\!65,\!65$	0
8	CL	С	303	1/1	0.98	0.09	$53,\!53,\!53,\!53$	0
8	CL	С	301	1/1	0.99	0.14	50,50,50,50	0

The following is a graphical depiction of the model fit to experimental electron density of all



instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.















6.5 Other polymers (i)

There are no such residues in this entry.

