



Full wwPDB X-ray Structure Validation Report

Jun 28, 2023 – 05:28 pm BST


PDB ID : 8A0C
Title : Capsular polysaccharide synthesis multienzyme in complex with CMP
Authors : Cifuentes, J.O.; Schulze, J.; Bethe, A.; Di Domenico, V.; Litschko, C.; Budde, I.; Eidenberger, L.; Thiesler, H.; Ramon-Roth, I.; Berger, M.; Claus, H.; D'Angelo, C.; Marina, A.; Gerardy-Schahn, R.; Schubert, M.; Guerin, M.E.; Fiebig, T.
Deposited on : 2022-05-27
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.33
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.33


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1173	 2% 85% 10% 5%
1	B	1173	 2% 85% 10% 5%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 36797 atoms, of which 17912 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bcs3.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	1116	18195	5944	8982	1525	1716	28	0	0	0
1	B	1113	18004	5887	8876	1513	1700	28	0	0	0

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP Q2ERG0
A	-1	PRO	-	expression tag	UNP Q2ERG0
A	0	VAL	-	expression tag	UNP Q2ERG0
A	1	ASP	-	expression tag	UNP Q2ERG0
A	1163	LEU	-	expression tag	UNP Q2ERG0
A	1164	GLU	-	expression tag	UNP Q2ERG0
A	1165	HIS	-	expression tag	UNP Q2ERG0
A	1166	HIS	-	expression tag	UNP Q2ERG0
A	1167	HIS	-	expression tag	UNP Q2ERG0
A	1168	HIS	-	expression tag	UNP Q2ERG0
A	1169	HIS	-	expression tag	UNP Q2ERG0
A	1170	HIS	-	expression tag	UNP Q2ERG0
B	-2	GLY	-	expression tag	UNP Q2ERG0
B	-1	PRO	-	expression tag	UNP Q2ERG0
B	0	VAL	-	expression tag	UNP Q2ERG0
B	1	ASP	-	expression tag	UNP Q2ERG0
B	1163	LEU	-	expression tag	UNP Q2ERG0
B	1164	GLU	-	expression tag	UNP Q2ERG0
B	1165	HIS	-	expression tag	UNP Q2ERG0
B	1166	HIS	-	expression tag	UNP Q2ERG0
B	1167	HIS	-	expression tag	UNP Q2ERG0
B	1168	HIS	-	expression tag	UNP Q2ERG0
B	1169	HIS	-	expression tag	UNP Q2ERG0
B	1170	HIS	-	expression tag	UNP Q2ERG0

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O P 5 4 1	0	0
2	A	1	Total O P 5 4 1	0	0
2	A	1	Total O P 5 4 1	0	0
2	A	1	Total O P 5 4 1	0	0
2	A	1	Total O P 5 4 1	0	0
2	B	1	Total O P 5 4 1	0	0
2	B	1	Total O P 5 4 1	0	0
2	B	1	Total O P 5 4 1	0	0
2	B	1	Total O P 5 4 1	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
3	A	1	12	3	6	3	0	0
3	A	1	13	3	7	3	0	0
3	A	1	12	3	6	3	0	0
3	B	1	13	3	7	3	0	0
3	B	1	14	3	8	3	0	0
3	B	1	14	3	8	3	0	0

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
4	A	1	1	1	0	0
4	B	1	1	1	0	0

- Molecule 5 is CYTIDINE-5'-MONOPHOSPHATE (three-letter code: C5P) (formula: C₉H₁₄N₃O₈P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			P
5	B	1	33	9	12	3	8	1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	244	Total	O	0	0
			244	244		
6	B	196	Total	O	0	0
			196	196		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bcs3



- Molecule 1: Bcs3





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	66.97Å 164.78Å 302.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	57.40 – 2.90 57.40 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.9 (57.40-2.90) 98.2 (57.40-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.18 (at 2.91Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.197 , 0.256 0.197 , 0.258	Depositor DCC
R_{free} test set	1131 reflections (1.50%)	wwPDB-VP
Wilson B-factor (Å ²)	38.1	Xtrriage
Anisotropy	0.422	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 51.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	36797	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, GOL, C5P, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/9446	0.46	0/12785
1	B	0.25	0/9355	0.47	0/12664
All	All	0.25	0/18801	0.47	0/25449

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9213	8982	8997	61	0
1	B	9128	8876	8878	74	0
2	A	25	0	0	1	0
2	B	20	0	0	0	0
3	A	18	19	24	0	0
3	B	18	23	24	1	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	B	21	12	12	1	0
6	A	244	0	0	1	0
6	B	196	0	0	1	0
All	All	18885	17912	17935	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:527:ASP:OD2	1:B:534:ARG:NH2	2.19	0.75
1:B:86:ASN:OD1	1:B:89:ILE:N	2.21	0.73
1:A:799:MET:HG3	1:A:895:ILE:HD12	1.72	0.70
1:B:734:MET:HE1	1:B:740:LEU:HD13	1.74	0.69
1:A:651:VAL:HG12	1:A:914:LEU:HD21	1.75	0.67
1:B:737:PHE:HZ	1:B:752:LEU:HD11	1.59	0.66
1:B:362:MET:O	1:B:366:ILE:HD12	1.96	0.66
1:A:853:ASP:O	1:A:860:ARG:NH1	2.30	0.65
1:A:166:VAL:HG13	1:A:172:ILE:HD13	1.79	0.64
1:B:1006:ASP:OD1	1:B:1007:VAL:N	2.30	0.64
1:B:853:ASP:O	1:B:860:ARG:NH1	2.30	0.64
1:A:86:ASN:OD1	1:A:89:ILE:N	2.32	0.63
1:A:177:ILE:HD12	1:A:177:ILE:H	1.64	0.62
1:B:318:GLU:HG2	1:B:340:ILE:HD12	1.81	0.62
1:B:788:LYS:O	1:B:792:ILE:HD12	2.00	0.61
1:B:291:GLU:HB3	1:B:339:ILE:HG23	1.83	0.60
1:B:526:LEU:HD22	1:B:533:LEU:HD13	1.82	0.60
1:A:192:ILE:HG12	1:A:273:LEU:HD23	1.82	0.60
1:A:315:ASP:O	1:A:344:ARG:NH2	2.34	0.60
1:B:396:THR:HG21	1:B:401:SER:CB	2.32	0.60
1:B:724:THR:HG23	1:B:730:ASN:OD1	2.03	0.58
1:A:611:TYR:CD2	1:B:419:LEU:HD21	2.39	0.57
1:A:1091:LEU:HD12	1:A:1095:VAL:HB	1.87	0.56
1:B:197:THR:HG23	5:B:1207:C5P:O3P	2.07	0.55
1:A:100:LEU:CD1	1:A:309:LEU:HD13	2.37	0.54
1:B:969:VAL:HG22	1:B:970:GLU:H	1.73	0.54
1:A:864:ILE:HD11	1:A:870:PHE:CE1	2.42	0.54
1:B:690:LYS:HE2	1:B:694:ILE:HD11	1.89	0.54
1:B:741:VAL:HG12	1:B:751:LEU:HD23	1.87	0.54
1:B:397:LEU:HD22	1:B:597:PHE:CE1	2.43	0.54
1:B:687:ILE:HD11	1:B:914:LEU:HD22	1.90	0.54
1:A:273:LEU:HD21	1:A:294:ILE:HD12	1.90	0.53
1:B:177:ILE:H	1:B:177:ILE:HD12	1.74	0.53
1:B:19:PHE:CZ	1:B:23:LEU:HD11	2.45	0.53
1:B:168:GLY:O	1:B:173:HIS:NE2	2.41	0.52
1:B:282:PHE:HA	1:B:285:LEU:HD12	1.91	0.52
1:A:436:VAL:HG12	1:A:454:ILE:CG2	2.39	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:CYS:SG	1:A:337:ILE:HD11	2.49	0.52
1:B:395:SER:O	1:B:621:THR:HG21	2.10	0.51
1:B:69:ALA:O	1:B:86:ASN:ND2	2.43	0.51
1:A:765:LYS:O	1:A:766:HIS:ND1	2.44	0.51
1:B:397:LEU:HD22	1:B:597:PHE:CD1	2.45	0.51
1:A:439:ILE:HG23	1:B:851:PHE:O	2.10	0.51
1:B:396:THR:HG22	1:B:397:LEU:N	2.26	0.50
1:A:986:THR:N	1:A:990:GLU:OE1	2.42	0.50
1:B:151:ILE:HD12	1:B:156:ILE:CD1	2.41	0.50
1:A:989:GLN:OE1	1:A:989:GLN:N	2.41	0.50
1:B:851:PHE:CD1	1:B:851:PHE:N	2.79	0.50
1:B:436:VAL:HG12	1:B:454:ILE:CG2	2.42	0.50
1:B:803:TYR:HB2	1:B:895:ILE:HG21	1.92	0.50
1:A:717:ILE:HD13	1:A:797:ARG:NE	2.27	0.49
1:B:446:GLU:OE1	1:B:446:GLU:N	2.41	0.49
1:B:436:VAL:HG12	1:B:454:ILE:HG21	1.95	0.49
1:B:520:ASP:OD1	1:B:521:VAL:N	2.46	0.48
1:A:596:ASP:OD1	1:A:597:PHE:N	2.47	0.48
1:B:1053:LEU:HD23	1:B:1055:LEU:HD23	1.96	0.48
1:A:273:LEU:HD21	1:A:294:ILE:CD1	2.44	0.48
1:B:320:ARG:NH2	6:B:1311:HOH:O	2.46	0.48
1:A:719:LYS:NZ	6:A:1316:HOH:O	2.47	0.48
1:B:995:THR:HG23	1:B:998:ILE:HD13	1.95	0.48
1:B:741:VAL:HG12	1:B:751:LEU:CD2	2.43	0.47
1:A:1055:LEU:HD11	1:A:1113:LYS:HE2	1.95	0.47
1:B:755:PHE:HE1	1:B:782:SER:HG	1.63	0.47
1:B:6:PHE:CE2	1:B:73:VAL:HG21	2.49	0.47
1:B:734:MET:CE	1:B:740:LEU:HD13	2.43	0.47
1:B:151:ILE:HD12	1:B:156:ILE:HD11	1.95	0.47
1:B:197:THR:HG22	1:B:198:TYR:N	2.30	0.47
1:B:273:LEU:HD12	1:B:292:LYS:O	2.15	0.47
1:B:421:LEU:CD1	1:B:428:VAL:HG11	2.45	0.47
1:B:180:LEU:HD12	1:B:180:LEU:N	2.30	0.47
1:B:276:ILE:HD13	1:B:282:PHE:CD1	2.50	0.47
1:A:803:TYR:HB2	1:A:895:ILE:HG21	1.97	0.47
1:A:300:LEU:HD23	1:A:300:LEU:O	2.15	0.46
1:A:498:TYR:CE2	1:A:502:LEU:HD11	2.50	0.46
1:A:822:ARG:N	2:A:1201:PO4:O2	2.46	0.46
1:A:737:PHE:HZ	1:A:752:LEU:HD21	1.81	0.46
1:A:744:SER:O	1:A:745:TYR:HB2	2.15	0.46
1:A:598:ILE:HB	1:A:599:PRO:CD	2.46	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:713:LEU:HD21	1:B:792:ILE:HG22	1.97	0.46
1:B:404:ASP:OD1	1:B:407:ARG:NH1	2.43	0.46
1:A:632:GLN:HB3	1:A:1090:TRP:CE2	2.52	0.45
1:B:499:LEU:C	1:B:499:LEU:HD23	2.36	0.45
1:A:239:ASP:OD1	1:A:240:ASN:N	2.50	0.45
1:A:687:ILE:HD11	1:A:914:LEU:HD22	1.99	0.45
1:A:4:TRP:CH2	1:A:369:VAL:HG11	2.52	0.44
1:B:656:VAL:HB	1:B:657:PRO:HD3	1.99	0.44
1:B:682:HIS:CE1	3:B:1209:GOL:HO3	2.28	0.44
1:B:677:ILE:HG22	1:B:678:SER:N	2.32	0.44
1:A:735:ASP:OD1	1:A:768:ARG:NH1	2.50	0.44
1:A:6:PHE:CE2	1:A:73:VAL:HG21	2.52	0.44
1:B:678:SER:HB2	1:B:705:TYR:HA	2.00	0.44
1:A:149:MET:CE	1:A:151:ILE:HD13	2.47	0.44
1:B:979:LEU:HD12	1:B:1008:LYS:HE3	1.99	0.44
1:A:36:ALA:HB1	1:A:41:SER:HB2	1.99	0.43
1:A:331:CYS:O	1:A:335:ALA:HB3	2.18	0.43
1:B:394:ARG:HB2	1:B:396:THR:O	2.18	0.43
1:B:598:ILE:HB	1:B:599:PRO:CD	2.48	0.43
1:B:864:ILE:O	1:B:864:ILE:HG13	2.18	0.43
1:A:453:GLU:OE2	1:A:541:SER:OG	2.34	0.43
1:A:713:LEU:HB3	1:A:714:PRO:HD3	2.01	0.43
1:A:727:GLN:O	1:A:732:VAL:HG21	2.18	0.43
1:A:944:GLN:HG3	1:A:953:ILE:HD11	2.01	0.43
1:A:991:LEU:HA	1:A:994:LEU:HD23	2.01	0.42
1:B:218:GLU:HB2	1:B:255:ILE:HD12	2.01	0.42
1:B:485:GLU:O	1:B:489:VAL:HG23	2.19	0.42
1:B:737:PHE:CZ	1:B:752:LEU:HD11	2.48	0.42
1:A:49:THR:CB	1:A:51:LEU:HD12	2.49	0.42
1:A:631:VAL:HG21	1:A:1034:TYR:CE2	2.55	0.42
1:A:740:LEU:HD11	1:A:775:ILE:HG21	2.02	0.42
1:B:1035:ALA:N	1:B:1093:GLY:O	2.53	0.42
1:B:339:ILE:H	1:B:339:ILE:HD12	1.85	0.42
1:A:49:THR:HB	1:A:51:LEU:HD12	2.02	0.42
1:B:133:LEU:HD22	1:B:133:LEU:N	2.34	0.42
1:B:21:TYR:OH	1:B:363:GLU:OE2	2.37	0.41
1:B:421:LEU:HD11	1:B:425:TRP:HZ3	1.85	0.41
1:A:436:VAL:HG12	1:A:454:ILE:HG21	2.02	0.41
1:B:747:SER:O	1:B:751:LEU:N	2.52	0.41
1:A:598:ILE:HB	1:A:599:PRO:HD2	2.02	0.41
1:A:149:MET:HE3	1:A:151:ILE:HD13	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:621:THR:O	1:A:625:ARG:HG2	2.21	0.41
1:A:499:LEU:HD23	1:A:499:LEU:C	2.40	0.41
1:A:950:ASP:OD1	1:A:952:PHE:N	2.50	0.41
1:B:386:ASP:OD1	1:B:548:LYS:NZ	2.52	0.41
1:B:598:ILE:HG23	1:B:627:ARG:NH2	2.36	0.41
1:A:777:LYS:O	1:A:781:ASN:ND2	2.46	0.41
1:A:875:PRO:HG3	1:A:973:TYR:CD1	2.57	0.41
1:B:969:VAL:HG22	1:B:970:GLU:N	2.36	0.40
1:A:5:LEU:HD23	1:A:35:VAL:CG2	2.51	0.40
1:A:774:ASN:O	1:A:778:ILE:HG12	2.21	0.40
1:B:741:VAL:O	1:B:744:SER:OG	2.34	0.40
1:A:1035:ALA:N	1:A:1093:GLY:O	2.54	0.40
1:B:197:THR:HG22	1:B:198:TYR:H	1.87	0.40
1:A:197:THR:HG22	1:A:198:TYR:H	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1114/1173 (95%)	1062 (95%)	49 (4%)	3 (0%)	41 71
1	B	1109/1173 (94%)	1056 (95%)	51 (5%)	2 (0%)	47 78
All	All	2223/2346 (95%)	2118 (95%)	100 (4%)	5 (0%)	47 78

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	648	TYR
1	B	648	TYR
1	B	679	ARG
1	A	95	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	579	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	998/1063 (94%)	983 (98%)	15 (2%)	65 87
1	B	979/1063 (92%)	967 (99%)	12 (1%)	71 91
All	All	1977/2126 (93%)	1950 (99%)	27 (1%)	67 89

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	86	ASN
1	A	326	GLN
1	A	411	LYS
1	A	429	ARG
1	A	564	GLN
1	A	602	ASN
1	A	640	LEU
1	A	641	PHE
1	A	726	TRP
1	A	730	ASN
1	A	735	ASP
1	A	738	GLU
1	A	748	GLU
1	A	887	ASP
1	A	944	GLN
1	B	25	ASN
1	B	372	CYS
1	B	411	LYS
1	B	465	LYS
1	B	591	VAL
1	B	719	LYS
1	B	788	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	806	GLN
1	B	833	LEU
1	B	851	PHE
1	B	864	ILE
1	B	894	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 2 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	B	1203	4	4,4,4	0.91	0	6,6,6	0.42	0
2	PO4	A	1204	-	4,4,4	0.91	0	6,6,6	0.42	0
2	PO4	B	1202	-	4,4,4	0.90	0	6,6,6	0.43	0
3	GOL	B	1201	-	5,5,5	0.89	0	5,5,5	1.02	0
2	PO4	A	1205	-	4,4,4	0.91	0	6,6,6	0.43	0
3	GOL	B	1206	-	5,5,5	0.85	0	5,5,5	0.96	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PO4	A	1203	4	4,4,4	0.89	0	6,6,6	0.47	0
2	PO4	A	1202	-	4,4,4	0.91	0	6,6,6	0.41	0
3	GOL	A	1207	-	5,5,5	0.93	0	5,5,5	0.95	0
2	PO4	B	1205	-	4,4,4	0.90	0	6,6,6	0.43	0
3	GOL	A	1206	-	5,5,5	0.85	0	5,5,5	1.00	0
3	GOL	B	1209	-	5,5,5	0.86	0	5,5,5	1.06	0
2	PO4	B	1204	-	4,4,4	0.93	0	6,6,6	0.42	0
3	GOL	A	1208	-	5,5,5	0.84	0	5,5,5	0.94	0
5	C5P	B	1207	-	22,22,22	2.89	8 (36%)	33,33,33	0.70	1 (3%)
2	PO4	A	1201	-	4,4,4	0.93	0	6,6,6	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	1201	-	-	0/4/4/4	-
3	GOL	B	1206	-	-	0/4/4/4	-
3	GOL	A	1207	-	-	0/4/4/4	-
3	GOL	B	1209	-	-	0/4/4/4	-
3	GOL	A	1206	-	-	2/4/4/4	-
3	GOL	A	1208	-	-	0/4/4/4	-
5	C5P	B	1207	-	-	0/10/26/26	0/2/2/2

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1207	C5P	C2-N3	6.47	1.49	1.36
5	B	1207	C5P	C6-C5	6.16	1.49	1.35
5	B	1207	C5P	C4-N3	5.40	1.45	1.34
5	B	1207	C5P	C4-N4	5.22	1.46	1.33
5	B	1207	C5P	C2-N1	4.38	1.49	1.40
5	B	1207	C5P	C6-N1	3.29	1.45	1.38
5	B	1207	C5P	C5-C4	2.86	1.49	1.42
5	B	1207	C5P	O2-C2	-2.65	1.18	1.23

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	1207	C5P	O2P-P-O1P	2.01	118.53	110.68

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1206	GOL	O1-C1-C2-C3
3	A	1206	GOL	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1209	GOL	1	0
5	B	1207	C5P	1	0
2	A	1201	PO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1116/1173 (95%)	0.31	28 (2%) 57 55	14, 38, 72, 97	0
1	B	1113/1173 (94%)	0.36	26 (2%) 60 58	19, 42, 79, 102	0
All	All	2229/2346 (95%)	0.33	54 (2%) 59 56	14, 40, 76, 102	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	736	SER	4.4
1	B	772	ALA	3.9
1	A	0	VAL	3.9
1	B	733	GLY	3.8
1	A	373	GLN	3.6
1	B	737	PHE	3.5
1	B	738	GLU	3.4
1	A	303	TYR	3.4
1	B	1053	LEU	3.3
1	B	378	SER	3.1
1	A	94	THR	3.1
1	B	729	GLY	3.0
1	B	1	ASP	2.9
1	A	50	GLY	2.9
1	B	24	VAL	2.8
1	A	374	LEU	2.8
1	B	377	LYS	2.7
1	A	305	ASN	2.7
1	A	29	THR	2.6
1	A	365	LEU	2.6
1	B	56	PHE	2.6
1	A	57	THR	2.6
1	B	1083	ILE	2.5
1	A	133	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	2	LYS	2.5
1	A	151	ILE	2.5
1	B	725	PHE	2.4
1	A	1	ASP	2.4
1	B	1051	ARG	2.4
1	A	28	GLU	2.4
1	A	726	TRP	2.3
1	A	88	ASN	2.3
1	A	68	HIS	2.3
1	A	369	VAL	2.3
1	B	723	GLU	2.3
1	B	375	GLN	2.3
1	B	136	THR	2.2
1	B	766	HIS	2.2
1	B	1077	LEU	2.2
1	B	413	SER	2.2
1	A	3	THR	2.2
1	B	15	PRO	2.2
1	A	156	ILE	2.2
1	B	26	CYS	2.2
1	A	26	CYS	2.1
1	B	52	LYS	2.1
1	A	968	GLY	2.1
1	A	27	LYS	2.1
1	A	201	GLY	2.1
1	A	377	LYS	2.1
1	B	764	ALA	2.1
1	B	740	LEU	2.0
1	A	206	VAL	2.0
1	A	52	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GOL	B	1209	6/6	0.75	0.32	40,50,60,61	0
3	GOL	A	1208	6/6	0.77	0.30	35,53,64,64	0
3	GOL	B	1206	6/6	0.84	0.31	56,68,76,81	0
2	PO4	A	1205	5/5	0.87	0.27	62,71,90,97	0
2	PO4	B	1202	5/5	0.90	0.21	57,64,74,77	0
3	GOL	A	1206	6/6	0.91	0.22	38,46,55,55	0
5	C5P	B	1207	21/21	0.91	0.23	46,59,73,76	0
3	GOL	B	1201	6/6	0.92	0.24	37,45,53,54	0
2	PO4	B	1205	5/5	0.93	0.13	50,57,61,68	0
3	GOL	A	1207	6/6	0.94	0.25	25,36,46,55	0
2	PO4	A	1202	5/5	0.94	0.18	55,56,65,69	0
2	PO4	A	1204	5/5	0.94	0.18	42,46,61,70	0
2	PO4	B	1204	5/5	0.97	0.16	28,39,47,47	0
2	PO4	A	1203	5/5	0.97	0.14	24,29,31,36	0
2	PO4	A	1201	5/5	0.97	0.15	31,36,43,45	0
4	ZN	A	1209	1/1	0.98	0.10	58,58,58,58	0
2	PO4	B	1203	5/5	0.98	0.16	28,29,36,40	0
4	ZN	B	1208	1/1	0.99	0.12	53,53,53,53	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.