

Full wwPDB X-ray Structure Validation Report (i)

Jun 17, 2024 – 05:48 PM EDT

PDB ID	:	3A98
Title	:	Crystal structure of the complex of the interacting regions of DOCK2 and
		ELMO1
Authors	:	Hanawa-Suetsugu, K.; Kukimoto-Niino, M.; Sekine, S.; Ito, T.; Mishima-
		Tsumagari, C.; Terada, T.; Shirouzu, M.; Fukui, Y.; Yokoyama, S.
Deposited on	:	2009-10-21
Resolution	:	2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motric	Whole archive	Similar resolution
IVIEUTIC	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	5197(2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of cha	ain		
-		104	5%			
	A	184	65%	20%	•	15%
			4%			
1	С	184	61%	21%	•	17%
			14%			
2	В	203	64%	29'	%	• 6%
			24%			
2	D	203	49%	33%	·	18%



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 5550 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		د	Atom	S			ZeroOcc	AltConf	Trace
1	А	157	Total 1286	C 833	N 218	0 229	S 1	${ m Se} 5$	0	0	0
1	С	152	Total 1243	C 804	N 210	O 223	S 1	${ m Se} 5$	0	0	0

• Molecule 1 is a protein called Dedicator of cytokinesis protein 2.

Chain	Residue	Modelled	Actual	Comment	Reference
А	-6	GLY	-	EXPRESSION TAG	UNP Q92608
А	-5	SER	-	EXPRESSION TAG	UNP Q92608
А	-4	SER	-	EXPRESSION TAG	UNP Q92608
А	-3	GLY	-	EXPRESSION TAG	UNP Q92608
А	-2	SER	-	EXPRESSION TAG	UNP Q92608
А	-1	SER	-	EXPRESSION TAG	UNP Q92608
А	0	GLY	-	EXPRESSION TAG	UNP Q92608
С	-6	GLY	-	EXPRESSION TAG	UNP Q92608
С	-5	SER	-	EXPRESSION TAG	UNP Q92608
С	-4	SER	-	EXPRESSION TAG	UNP Q92608
С	-3	GLY	-	EXPRESSION TAG	UNP Q92608
С	-2	SER	-	EXPRESSION TAG	UNP Q92608
С	-1	SER	-	EXPRESSION TAG	UNP Q92608
C	0	GLY	-	EXPRESSION TAG	UNP Q92608

There are 14 discrepancies between the modelled and reference sequences:

• Molecule 2 is a protein called Engulfment and cell motility protein 1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace		
2	В	190	Total 1539	C 975	N 262	O 292	S 6	Se 4	0	0	0
2	D	167	Total 1349	C 862	N 223	O 254	S 6	Se 4	0	0	0

There are 14 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
В	525	GLY	-	EXPRESSION TAG	UNP Q92556
В	526	SER	-	EXPRESSION TAG	UNP Q92556
В	527	SER	-	EXPRESSION TAG	UNP Q92556
В	528	GLY	-	EXPRESSION TAG	UNP Q92556
В	529	SER	-	EXPRESSION TAG	UNP Q92556
В	530	SER	-	EXPRESSION TAG	UNP Q92556
В	531	GLY	-	EXPRESSION TAG	UNP Q92556
D	525	GLY	-	EXPRESSION TAG	UNP Q92556
D	526	SER	-	EXPRESSION TAG	UNP Q92556
D	527	SER	-	EXPRESSION TAG	UNP Q92556
D	528	GLY	-	EXPRESSION TAG	UNP Q92556
D	529	SER	-	EXPRESSION TAG	UNP Q92556
D	530	SER	-	EXPRESSION TAG	UNP Q92556
D	531	GLY	-	EXPRESSION TAG	UNP Q92556

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	52	$\begin{array}{cc} \text{Total} & \text{O} \\ 52 & 52 \end{array}$	0	0
3	В	35	Total O 35 35	0	0
3	С	23	Total O 23 23	0	0
3	D	23	$\begin{array}{ccc} \text{Total} & \text{O} \\ 23 & 23 \end{array}$	0	0





3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Dedicator of cytokinesis protein 2

 \bullet Molecule 2: Engulfment and cell motility protein 1







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	63.84Å 104.03Å 124.73Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	49.87 - 2.10	Depositor
Resolution (A)	49.87 - 2.10	EDS
% Data completeness	99.5 (49.87-2.10)	Depositor
(in resolution range)	99.6 (49.87 - 2.10)	EDS
R_{merge}	(Not available)	Depositor
R _{sym}	0.09	Depositor
$< I/\sigma(I) > 1$	$2.43 (at 2.10 \text{\AA})$	Xtriage
Refinement program	CNS 1.1	Depositor
B B.	0.226 , 0.268	Depositor
II, II, <i>free</i>	0.227 , 0.268	DCC
R_{free} test set	2455 reflections $(5.01%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	38.2	Xtriage
Anisotropy	0.426	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.36 , 57.4	EDS
L-test for twinning ²	$ < L >=0.48, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5550	wwPDB-VP
Average B, all atoms $(Å^2)$	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.15% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Chain		lengths	Bond angles		
	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.41	0/1310	0.60	0/1757	
1	С	0.40	0/1267	0.60	0/1698	
2	В	0.33	0/1567	0.60	0/2114	
2	D	0.30	0/1372	0.56	0/1848	
All	All	0.36	0/5516	0.59	0/7417	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1286	0	1314	39	0
1	С	1243	0	1263	40	0
2	В	1539	0	1534	66	0
2	D	1349	0	1348	75	0
3	А	52	0	0	0	0
3	В	35	0	0	0	0
3	С	23	0	0	0	0
3	D	23	0	0	3	0
All	All	5550	0	5459	199	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.



•		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:625:MSE:HE1	2:B:637:VAL:HG23	1.51	0.93
2:D:651:GLN:HE21	2:D:653:ASN:HD21	1.16	0.90
2:B:671:ALA:HB2	2:B:677:MSE:HE3	1.57	0.86
2:B:625:MSE:HE3	2:B:638:LEU:HD13	1.60	0.82
2:B:651:GLN:HE21	2:B:653:ASN:HD21	1.27	0.82
2:B:563:ARG:HH12	2:B:573:LYS:HB3	1.47	0.79
2:D:582:ASN:HD21	2:D:584:LYS:HB2	1.45	0.79
2:D:692:MSE:HA	2:D:692:MSE:CE	2.13	0.79
1:C:84:GLU:HG2	1:C:145:LYS:NZ	1.98	0.78
2:B:635:LYS:HA	2:B:638:LEU:HD23	1.65	0.78
2:D:692:MSE:HA	2:D:692:MSE:HE3	1.65	0.76
1:A:125:MSE:HE1	2:B:695:LYS:HD3	1.66	0.76
1:C:30:GLN:HE22	2:D:539:LYS:HG3	1.51	0.75
2:D:667:ASP:HB3	2:D:677:MSE:HE2	1.68	0.75
2:D:654:PHE:CD2	2:D:654:PHE:N	2.54	0.74
2:D:692:MSE:CE	2:D:695:LYS:HD2	2.18	0.74
1:A:82:PRO:HG2	1:A:85:ILE:HG12	1.70	0.74
2:D:552:ARG:HG3	2:D:677:MSE:HE1	1.70	0.74
1:A:125:MSE:HE1	2:B:695:LYS:CD	2.19	0.72
1:C:83:ALA:HB1	1:C:86:PRO:HG2	1.72	0.72
1:A:113:ARG:NH2	1:A:158:ILE:HB	2.04	0.71
2:B:622:CYS:HB3	2:B:624:HIS:CD2	2.25	0.71
2:B:625:MSE:HE2	2:B:638:LEU:HA	1.72	0.70
1:A:117:VAL:HG12	1:A:121:MSE:HE2	1.71	0.70
2:D:614:LYS:HG2	2:D:646:TYR:HA	1.72	0.70
2:B:543:GLU:O	2:B:547:LEU:HD13	1.90	0.70
2:D:651:GLN:HE21	2:D:653:ASN:ND2	1.87	0.69
2:B:563:ARG:NH1	2:B:573:LYS:HB3	2.07	0.69
1:A:125:MSE:HE1	2:B:695:LYS:HB3	1.75	0.68
2:B:579:LEU:HD11	2:B:583:HIS:HA	1.74	0.68
1:A:102:TRP:CD2	1:A:121:MSE:HE1	2.30	0.67
2:B:569:ARG:C	2:B:570:ARG:HG2	2.15	0.67
2:B:624:HIS:CD2	2:B:624:HIS:H	2.11	0.67
2:B:560:THR:HG21	2:B:665:TRP:HE1	1.60	0.67
1:C:36:ARG:HB2	1:C:50:ILE:HD11	1.76	0.66
2:D:654:PHE:N	2:D:654:PHE:HD2	1.92	0.66
1:C:85:ILE:HG23	1:C:86:PRO:HD3	1.77	0.66
1:C:84:GLU:HG2	1:C:145:LYS:HZ3	1.59	0.65
2:D:658:ASP:OD1	2:D:660:HIS:HB3	1.95	0.65
1:A:121:MSE:HE3	2:B:692:MSE:HE3	1.79	0.65

All (199) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



	·		Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:D:575:TRP:HZ2	2:D:654:PHE:HB3	1.61	0.64
2:B:592:GLU:O	2:B:598:GLU:HA	1.96	0.64
2:D:582:ASN:ND2	2:D:584:LYS:HB2	2.13	0.64
2:D:715:LYS:HB3	2:D:715:LYS:NZ	2.12	0.64
2:D:529:SER:O	2:D:533:ILE:HD13	1.98	0.63
2:B:625:MSE:CE	2:B:638:LEU:HA	2.28	0.63
2:D:654:PHE:HD2	2:D:654:PHE:H	1.45	0.63
2:D:692:MSE:HE1	2:D:695:LYS:HD2	1.80	0.63
2:B:560:THR:CG2	2:B:665:TRP:HE1	2.12	0.63
2:B:579:LEU:HD13	2:B:580:SER:O	1.98	0.63
2:D:646:TYR:O	2:D:650:CYS:HB2	1.98	0.63
2:B:568:ARG:O	2:B:571:GLN:HG3	1.99	0.62
1:C:101:ILE:HD11	1:C:161:LEU:HD21	1.80	0.62
2:D:575:TRP:CZ2	2:D:654:PHE:HB3	2.33	0.62
2:D:552:ARG:HG3	2:D:677:MSE:CE	2.29	0.62
2:D:537:LYS:HG2	2:D:694:ILE:HD11	1.82	0.61
1:C:31:ILE:HD11	2:D:706:ILE:HD13	1.82	0.61
1:A:4:TRP:HA	1:A:41:CYS:HB2	1.83	0.61
1:C:10:GLU:HB2	1:C:66:ILE:HD12	1.82	0.61
2:B:624:HIS:H	2:B:624:HIS:HD2	1.49	0.61
1:C:85:ILE:N	1:C:86:PRO:HD2	2.16	0.60
2:D:613:ILE:HD12	2:D:644:ILE:CG2	2.31	0.60
2:D:667:ASP:CB	2:D:677:MSE:HE2	2.31	0.60
2:B:563:ARG:HH11	2:B:563:ARG:HG3	1.67	0.59
2:D:651:GLN:NE2	2:D:653:ASN:HD21	1.95	0.59
1:C:67:LYS:HG2	1:C:68:GLU:N	2.18	0.59
1:A:102:TRP:CE2	1:A:121:MSE:HE1	2.38	0.59
1:A:163:LEU:N	1:A:163:LEU:HD12	2.18	0.58
1:A:39:GLU:HG3	1:A:46:ARG:HB3	1.84	0.58
2:D:551:GLN:O	2:D:555:ARG:HG3	2.04	0.58
2:B:693:GLU:O	2:B:697:ARG:HG2	2.03	0.58
2:B:540:ILE:O	2:B:543:GLU:HG2	2.03	0.58
1:A:125:MSE:CE	2:B:695:LYS:HB3	2.34	0.58
1:A:1:MSE:HB2	2:B:718:SER:OG	2.05	0.57
2:B:565:LEU:HD23	2:B:565:LEU:H	1.69	0.57
2:D:640:LEU:HB2	2:D:655:ILE:HD11	1.87	0.57
2:B:564:LYS:NZ	2:B:590:ASP:OD1	2.36	0.56
2:D:622:CYS:HB3	2:D:624:HIS:NE2	2.21	0.56
2:D:697:ARG:HD3	3:D:35:HOH:O	2.05	0.56
1:A:135:THR:HG22	1:A:135:THR:O	2.05	0.56
2:B:569:ARG:O	2:B:570:ARG:HG2	2.06	0.55



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:582:ASN:ND2	2:B:584:LYS:HD2	2.20	0.55
2:B:651:GLN:NE2	2:B:653:ASN:HD21	2.00	0.55
1:C:18:ASN:HB3	3:D:13:HOH:O	2.07	0.55
1:C:83:ALA:O	1:C:87:LEU:HB2	2.08	0.54
2:B:625:MSE:CE	2:B:638:LEU:HD13	2.35	0.54
1:C:18:ASN:ND2	2:D:535:GLU:HG3	2.22	0.54
2:B:588:TYB:OH	2:B:605:GLN:HG2	2.07	0.54
2:B:625:MSE:HE3	2:B:638:LEU:CD1	2.35	0.54
1:C:85:ILE:N	1:C:86:PRO:CD	2.71	0.54
2:D:655:ILE:HG23	2:D:655:ILE:O	2.08	0.54
1:A:102:TRP:CG	1:A:121:MSE:HE1	2.43	0.54
1:A:113:ARG:HH21	1:A:158:ILE:HB	1.70	0.53
1:A:82:PRO:O	1:A:86:PRO:HD2	2.08	0.53
2:D:555:ARG:HD3	2:D:664:ILE:HD12	1.91	0.53
1:A:103:LYS:HD2	2:B:547:LEU:HD21	1.90	0.53
2:D:615:ALA:O	2:D:645:LEU:HB2	2.09	0.52
1:A:82:PRO:HG2	1:A:85:ILE:CG1	2.37	0.52
1:C:31:ILE:HG12	2:D:701:LEU:HD11	1.92	0.52
2:D:533:ILE:N	2:D:533:ILE:HD12	2.24	0.52
2:B:534:LEU:O	2:B:538:GLU:HG3	2.10	0.52
1:C:116:GLN:O	1:C:120:MSE:HG3	2.10	0.52
2:D:619:GLY:HA2	2:D:638:LEU:HD23	1.92	0.52
1:A:163:LEU:HD12	1:A:163:LEU:H	1.75	0.51
2:B:531:GLY:O	2:B:535:GLU:HG3	2.10	0.51
1:A:51:LYS:NZ	1:A:96:TRP:NE1	2.54	0.51
1:A:118:GLN:HA	1:A:121:MSE:HE3	1.93	0.51
2:D:624:HIS:HE1	2:D:641:ALA:HB1	1.75	0.51
2:D:715:LYS:HB3	2:D:715:LYS:HZ3	1.74	0.51
1:A:8:ASP:CG	1:A:9:LYS:H	2.15	0.51
2:D:613:ILE:HB	2:D:673:LEU:HD21	1.93	0.51
2:D:637:VAL:HG23	2:D:638:LEU:N	2.25	0.50
2:B:579:LEU:CD1	2:B:583:HIS:HA	2.39	0.50
2:D:529:SER:O	2:D:532:PRO:HD2	2.12	0.50
2:D:546:GLU:HG3	2:D:550:GLN:HE21	1.76	0.50
2:B:625:MSE:CE	2:B:638:LEU:HD22	2.41	0.49
1:C:30:GLN:HB3	2:D:536:LEU:HD13	1.94	0.49
1:A:118:GLN:HA	1:A:121:MSE:CE	2.41	0.49
1:C:31:ILE:HD11	2:D:706:ILE:CD1	2.42	0.49
1:A:121:MSE:CE	2:B:692:MSE:HE3	2.41	0.49
1:C:30:GLN:HE22	2:D:539:LYS:CG	2.23	0.49
2:D:613:ILE:HD12	2:D:644:ILE:HG21	1.95	0.49



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:D:624:HIS:CD2	2:D:643:SER:OG	2.66	0.49
2:B:625:MSE:HE3	2:B:638:LEU:HD22	1.93	0.49
1:C:40:THR:HG23	1:C:61:LYS:CE	2.43	0.49
1:C:10:GLU:HG2	1:C:10:GLU:O	2.13	0.48
2:D:617:VAL:CG2	2:D:643:SER:HB2	2.43	0.48
2:D:531:GLY:O	2:D:535:GLU:HG2	2.14	0.48
2:D:563:ARG:O	2:D:655:ILE:HG22	2.13	0.48
1:A:48:TYR:CE1	1:A:53:LYS:HG2	2.48	0.48
2:B:667:ASP:HB3	2:B:677:MSE:HE2	1.95	0.48
2:D:683:ARG:HE	2:D:683:ARG:HB2	1.51	0.48
2:B:572:ASP:OD2	2:B:601:HIS:HE1	1.97	0.47
2:D:640:LEU:C	2:D:655:ILE:HD12	2.34	0.47
1:A:36:ARG:HB2	1:A:50:ILE:HD11	1.95	0.47
1:A:121:MSE:O	1:A:125:MSE:HG3	2.14	0.47
2:B:563:ARG:NH1	2:B:563:ARG:HG3	2.29	0.47
2:D:564:LYS:HE3	2:D:575:TRP:CD1	2.49	0.47
2:B:591:LEU:CD2	2:B:600:PRO:HB3	2.45	0.47
1:A:125:MSE:HE1	2:B:695:LYS:CB	2.45	0.46
1:C:98:TRP:CZ2	1:C:155:GLY:HA3	2.51	0.46
1:C:84:GLU:N	1:C:86:PRO:HD2	2.31	0.46
2:D:624:HIS:CE1	2:D:641:ALA:HB1	2.50	0.46
1:A:106:TYR:HB2	1:A:114:PHE:CE1	2.50	0.46
2:B:622:CYS:HB2	2:B:625:MSE:HG2	1.97	0.46
2:D:647:ASP:HB2	2:D:650:CYS:SG	2.55	0.45
1:C:85:ILE:CG2	1:C:86:PRO:HD3	2.45	0.45
2:D:692:MSE:HE2	2:D:695:LYS:HB2	1.98	0.45
2:B:592:GLU:CG	2:B:599:VAL:HG23	2.47	0.45
1:C:11:ARG:HG2	1:C:12:HIS:CE1	2.52	0.45
1:C:125:MSE:SE	2:D:692:MSE:HE1	2.67	0.45
2:D:557:VAL:O	2:D:578:ARG:HG3	2.17	0.45
2:B:552:ARG:HB2	2:B:677:MSE:HE1	1.99	0.45
1:C:51:LYS:HE3	1:C:96:TRP:CE2	2.51	0.45
1:C:135:THR:O	1:C:135:THR:HG22	2.17	0.44
1:C:138:LYS:O	1:C:138:LYS:HD3	2.16	0.44
2:D:540:ILE:HG21	2:D:693:GLU:HG2	1.99	0.44
2:D:646:TYR:CE1	2:D:650:CYS:HB3	2.53	0.44
1:A:135:THR:O	1:A:135:THR:CG2	2.65	0.44
2:B:568:ARG:O	2:B:571:GLN:CG	2.65	0.44
1:C:110:LYS:HA	1:C:110:LYS:HE2	2.00	0.44
2:D:560:THR:HG1	2:D:665:TRP:HE1	1.65	0.44
2:D:693:GLU:O	2:D:697:ARG:HG2	2.17	0.44



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:67:LYS:HG2	1:C:68:GLU:H	1.83	0.43
1:A:51:LYS:O	1:A:52:HIS:CG	2.70	0.43
2:D:618:THR:O	2:D:621:ASP:HB2	2.17	0.43
2:B:690:LEU:O	2:B:694:ILE:HG12	2.19	0.43
1:C:48:TYR:HB3	1:C:56:GLN:HB2	2.01	0.42
2:D:609:PRO:HB2	2:D:612:ASP:HB2	2.00	0.42
1:A:138:LYS:HB2	1:A:138:LYS:NZ	2.34	0.42
1:A:164:ILE:HG22	1:A:165:VAL:N	2.35	0.42
2:B:647:ASP:HB3	2:B:648:SER:H	1.62	0.42
1:C:16:ILE:O	2:D:706:ILE:HG23	2.19	0.42
1:C:23:GLY:O	1:C:24:ALA:C	2.58	0.42
2:D:646:TYR:HD1	2:D:647:ASP:OD2	2.03	0.42
2:B:541:GLN:HB3	2:B:542:PRO:HD3	2.02	0.42
2:B:591:LEU:HD23	2:B:600:PRO:CA	2.50	0.42
2:D:614:LYS:N	2:D:645:LEU:O	2.53	0.42
2:D:529:SER:HB2	3:D:94:HOH:O	2.19	0.42
1:A:96:TRP:HH2	2:B:697:ARG:HD3	1.85	0.41
1:C:157:LYS:O	1:C:157:LYS:HD3	2.19	0.41
2:D:624:HIS:HD2	2:D:643:SER:HG	1.67	0.41
2:B:601:HIS:O	2:B:601:HIS:ND1	2.52	0.41
2:D:691:SER:O	2:D:695:LYS:HG3	2.20	0.41
1:C:31:ILE:CD1	2:D:706:ILE:HD13	2.50	0.41
2:B:582:ASN:O	2:B:583:HIS:HB2	2.21	0.41
1:A:111:LYS:HG3	1:A:112:GLU:N	2.35	0.41
2:B:576:TYR:CD1	2:B:576:TYR:C	2.94	0.41
2:B:612:ASP:O	2:B:646:TYR:HB2	2.21	0.41
1:A:98:TRP:CZ2	1:A:155:GLY:HA3	2.56	0.41
2:B:565:LEU:H	2:B:565:LEU:CD2	2.31	0.41
2:B:585:VAL:HG12	2:B:586:LEU:N	2.34	0.41
1:C:83:ALA:O	1:C:87:LEU:CB	2.69	0.41
2:D:622:CYS:HB3	2:D:624:HIS:CD2	2.56	0.41
1:C:67:LYS:CG	1:C:68:GLU:N	2.82	0.41
2:B:591:LEU:HD21	2:B:600:PRO:HB3	2.03	0.40
2:B:582:ASN:HD21	2:B:584:LYS:HD2	1.84	0.40
1:C:46:ARG:HD2	2:D:722:PHE:CD1	2.57	0.40
1:A:8:ASP:OD2	1:A:8:ASP:N	2.54	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	153/184~(83%)	149 (97%)	2(1%)	2(1%)	12 7
1	С	148/184~(80%)	140 (95%)	7~(5%)	1 (1%)	22 18
2	В	186/203~(92%)	172 (92%)	12~(6%)	2(1%)	14 9
2	D	159/203~(78%)	150 (94%)	8 (5%)	1 (1%)	25 21
All	All	646/774~(84%)	611 (95%)	29 (4%)	6 (1%)	17 12

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	В	648	SER
2	D	648	SER
1	А	166	ARG
1	С	9	LYS
1	А	8	ASP
2	В	569	ARG

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	139/158~(88%)	139 (100%)	0	100	100
1	С	134/158~(85%)	133 (99%)	1 (1%)	84	88
2	В	176/181~(97%)	174 (99%)	2(1%)	73	79
2	D	155/181~(86%)	151 (97%)	4 (3%)	46	50



Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
All	All	604/678~(89%)	597~(99%)	7 (1%)	71	77

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	В	624	HIS
2	В	701	LEU
1	С	10	GLU
2	D	652	LEU
2	D	654	PHE
2	D	692	MSE
2	D	716	GLU

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such side chains are listed below:

Mol	Chain	Res	Type
2	В	554	ASN
2	В	566	ASN
2	В	583	HIS
2	В	624	HIS
2	В	649	ASN
2	В	651	GLN
2	В	703	ASN
1	С	30	GLN
1	С	130	GLN
1	С	146	GLN
2	D	550	GLN
2	D	624	HIS
2	D	649	ASN
2	D	651	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	152/184~(82%)	0.55	10 (6%) 18 23	25, 38, 80, 105	0
1	С	147/184 (79%)	0.54	8 (5%) 25 31	27, 40, 79, 104	0
2	В	186/203~(91%)	0.92	28 (15%) 2 3	27, 50, 98, 114	0
2	D	163/203~(80%)	1.51	48 (29%) 0 0	28, 65, 108, 124	0
All	All	648/774~(83%)	0.90	94 (14%) 2 3	25, 47, 102, 124	0

All (94) RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	А	163	LEU	10.7
2	В	599	VAL	9.0
1	С	69	VAL	8.8
2	D	616	VAL	8.6
2	В	593	GLU	7.7
2	В	603	SER	7.2
2	D	564	LYS	7.0
2	D	615	ALA	6.6
2	D	623	PRO	6.5
2	В	594	SER	6.3
2	В	597	GLY	6.2
1	С	82	PRO	6.2
2	D	651	GLN	6.0
2	D	650	CYS	5.7
1	А	0	GLY	5.6
2	D	588	TYR	5.5
2	D	647	ASP	5.3
1	С	83	ALA	5.2
2	В	530	SER	5.2
2	В	600	PRO	5.2
2	D	642	PHE	5.0



$\alpha \cdot \cdot \cdot \cdot$	C		
Continued	trom	previous	page
• • • • • • • • • • •	J	P	r - g - · · ·

Mol	Chain	Res	Type	RSRZ
2	D	613	ILE	5.0
2	В	568	ARG	4.9
2	D	622	CYS	4.9
2	D	646	TYR	4.9
2	В	595	PRO	4.7
2	D	612	ASP	4.6
2	D	576	TYR	4.5
2	D	644	ILE	4.5
2	В	604	LEU	4.5
2	В	566	ASN	4.4
2	D	563	ARG	4.4
2	D	574	PHE	4.4
2	В	602	ASP	4.2
2	D	638	LEU	4.1
2	D	655	ILE	4.1
2	D	649	ASN	4.1
2	D	673	LEU	4.1
1	С	70	THR	4.0
2	В	608	LEU	3.9
2	D	562	PHE	3.9
2	D	672	LEU	3.8
2	D	575	TRP	3.7
2	В	596	GLN	3.7
1	А	164	ILE	3.6
2	В	592	GLU	3.6
2	D	653	ASN	3.5
2	В	591	LEU	3.5
2	В	601	HIS	3.5
1	А	82	PRO	3.5
2	В	598	GLU	3.5
2	D	617	VAL	3.5
2	D	641	ALA	3.3
2	D	654	PHE	3.3
1	А	162	ASP	3.3
2	D	606	ASP	3.2
2	В	624	HIS	3.2
2	D	624	HIS	3.2
2	D	708	ASP	3.2
2	D	645	LEU	3.2
2	D	530	SER	3.1
2	В	727	ASN	3.0
2	D	556	LEU	2.9



Mol	Chain	Res	Type	RSRZ
1	А	166	ARG	2.9
2	D	656	ALA	2.8
2	D	586	LEU	2.8
2	D	611	ALA	2.8
2	D	635	LYS	2.7
2	В	565	LEU	2.7
1	С	9	LYS	2.7
2	D	620	LYS	2.7
2	В	561	CYS	2.7
1	А	165	VAL	2.6
1	С	84	GLU	2.6
1	А	69	VAL	2.6
2	В	634	ASN	2.6
2	D	648	SER	2.5
2	D	665	TRP	2.4
2	D	652	LEU	2.3
1	А	81	ILE	2.3
2	D	587	HIS	2.3
2	D	555	ARG	2.3
2	В	623	PRO	2.3
2	D	675	LYS	2.2
2	В	614	LYS	2.2
2	В	572	ASP	2.2
1	С	85	ILE	2.2
1	А	49	LEU	2.1
2	В	567	ALA	2.1
2	В	635	LYS	2.1
2	D	589	GLY	2.1
2	D	559	GLY	2.1
2	D	636	GLU	2.0
1	С	162	ASP	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

